

Sergio D'addato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/780705/publications.pdf>

Version: 2024-02-01

41
papers

957
citations

361413

20
h-index

454955

30
g-index

42
all docs

42
docs citations

42
times ranked

1607
citing authors

#	ARTICLE	IF	CITATIONS
1	High serum uric acid is associated to poorly controlled blood pressure and higher arterial stiffness in hypertensive subjects. <i>European Journal of Internal Medicine</i> , 2017, 37, 38-42.	2.2	70
2	Circulating Levels of Proprotein Convertase Subtilisin/Kexin Type 9 and Arterial Stiffness in a Large Population Sample: Data From the Brisighella Heart Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	66
3	Red yeast rice improves lipid pattern, high-sensitivity C-reactive protein, and vascular remodeling parameters in moderately hypercholesterolemic Italian subjects. <i>Nutrition Research</i> , 2013, 33, 622-628.	2.9	65
4	Interaction between low-density lipoprotein-cholesterolaemia, serum uric level and incident hypertension. <i>Journal of Hypertension</i> , 2019, 37, 728-731.	0.5	56
5	Serum uric acid change and modification of blood pressure and fasting plasma glucose in an overall healthy population sample: data from the Brisighella heart study. <i>Annals of Medicine</i> , 2017, 49, 275-282.	3.8	52
6	Serum uric acid and impaired cognitive function in a cohort of healthy young elderly: data from the Brisighella Study. <i>Internal and Emergency Medicine</i> , 2015, 10, 25-31.	2.0	45
7	LDL-oxidation, serum uric acid, kidney function and pulse-wave velocity: Data from the Brisighella Heart Study cohort. <i>International Journal of Cardiology</i> , 2018, 261, 204-208.	1.7	44
8	Serum lipoprotein(a) level as long-term predictor of cardiovascular mortality in a large sample of subjects in primary cardiovascular prevention: data from the Brisighella Heart Study. <i>European Journal of Internal Medicine</i> , 2017, 37, 49-55.	2.2	42
9	Fatty liver index is associated to pulse wave velocity in healthy subjects: Data from the Brisighella Heart Study. <i>European Journal of Internal Medicine</i> , 2018, 53, 29-33.	2.2	37
10	Serum uric acid and other short-term predictors of electrocardiographic alterations in the Brisighella Heart Study cohort. <i>European Journal of Internal Medicine</i> , 2015, 26, 255-258.	2.2	35
11	Effect of a short-term dietary supplementation with phytosterols, red yeast rice or both on lipid pattern in moderately hypercholesterolemic subjects: a three-arm, double-blind, randomized clinical trial. <i>Nutrition and Metabolism</i> , 2017, 14, 61.	3.0	34
12	Leisure-time physical activity and cardiovascular disease mortality. <i>Journal of Cardiovascular Medicine</i> , 2012, 13, 559-564.	1.5	33
13	Arterial Stiffness, Sugar-Sweetened Beverages and Fruits Intake in a Rural Population Sample: Data from the Brisighella Heart Study. <i>Nutrients</i> , 2019, 11, 2674.	4.1	28
14	A Relative Deficiency of Lysosomal Acid Lipase Activity Characterizes Non-Alcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1134.	4.1	27
15	Awareness of major cardiovascular risk factors and its relationship with markers of vascular aging: Data from the Brisighella Heart Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 907-914.	2.6	27
16	Hepatic Steatosis Index and Lipid Accumulation Product as middle-term predictors of incident metabolic syndrome in a large population sample: data from the Brisighella Heart Study. <i>Internal and Emergency Medicine</i> , 2013, 8, 265-267.	2.0	26
17	Effect of a food supplement containing berberine, monacolin K, hydroxytyrosol and coenzyme Q₁₀ on lipid levels: a randomized, double-blind, placebo controlled study. <i>Drug Design, Development and Therapy</i> , 2017, Volume 11, 1585-1592.	4.3	25
18	Serum uric acid is inversely proportional to estimated stroke volume and cardiac output in a large sample of pharmacologically untreated subjects: data from the Brisighella Heart Study. <i>Internal and Emergency Medicine</i> , 2014, 9, 655-660.	2.0	23

#	ARTICLE	IF	CITATIONS
19	Effect of spontaneous changes in dietary components and lipoprotein(a) levels: Data from the Brisighella Heart Study. <i>Atherosclerosis</i> , 2017, 262, 202-204.	0.8	23
20	Clinical and genetic features of 3 patients with familial chylomicronemia due to mutations in GPIIIBP1 gene. <i>Journal of Clinical Lipidology</i> , 2016, 10, 915-921.e4.	1.5	22
21	Evaluation of twelve formulas for LDL-C estimation in a large, blinded, random Italian population.. <i>International Journal of Cardiology</i> , 2021, 330, 221-227.	1.7	21
22	Serum <sc>LDL</sc> cholesterol levels and new onset of arterial hypertension: an 8-year follow-up. <i>European Journal of Clinical Investigation</i> , 2014, 44, 926-932.	3.4	18
23	Relationship Between Serum Uric Acid and Electrocardiographic Alterations in a Large Sample of General Population: Data From the Brisighella Heart Study. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2015, 22, 129-134.	2.2	15
24	Application of the Sampson equation to estimate LDL-C in children: Comparison with LDL direct measurement and Friedewald equation in the BLIP study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1911-1915.	2.6	14
25	Association between self-reported snoring and arterial stiffness: data from the Brisighella Heart Study. <i>Internal and Emergency Medicine</i> , 2016, 11, 77-83.	2.0	13
26	Angiotensin-like 3 and subclinical peripheral arterial disease: Evidence from the Brisighella Heart Study. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2251-2254.	1.8	12
27	Is the 2020 Sampson equation the best formula for LDL-C estimation?. <i>European Journal of Internal Medicine</i> , 2021, 83, 99-101.	2.2	12
28	Effect of Dietary Supplementation with Eufortyn® Colesterolo Plus on Serum Lipids, Endothelial Reactivity, Indexes of Non-Alcoholic Fatty Liver Disease and Systemic Inflammation in Healthy Subjects with Polygenic Hypercholesterolemia: The ANEMONE Study. <i>Nutrients</i> , 2022, 14, 2099.	4.1	11
29	Prevalent Seasoning and Cooking Fats, Arterial Stiffness and Blood Lipid Pattern in a Rural Population Sample: Data from the Brisighella Heart Study. <i>Nutrients</i> , 2020, 12, 3063.	4.1	10
30	A Randomized, Double-Blinded, Placebo-Controlled, Clinical Study of the Effects of a Nutraceutical Combination (LEVELIP DUO®) on LDL Cholesterol Levels and Lipid Pattern in Subjects with Sub-Optimal Blood Cholesterol Levels (NATCOL Study). <i>Nutrients</i> , 2020, 12, 3127.	4.1	10
31	Relationship between Lipid Phenotypes, Overweight, Lipid Lowering Drug Response and KIF6 and HMG-CoA Genotypes in a Subset of the Brisighella Heart Study Population. <i>International Journal of Molecular Sciences</i> , 2018, 19, 49.	4.1	9
32	Dietary determinants of oxidized-low-density lipoprotein antibodies in a sample of pharmacologically untreated non-smoker subjects: data from the Brisighella heart study. <i>Advances in Clinical and Experimental Medicine</i> , 2013, 22, 69-76.	1.4	9
33	Laboratory and Instrumental Risk Factors Associated with a Sudden Cardiac Death Prone ECG Pattern in the General Population: Data from the Brisighella Heart Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 640.	2.4	5
34	Plasma lipid effects of corn oil and extra-virgin olive oil in hypercholesterolaemic subjects: a randomised, controlled trial. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2009, 1, 187-192.	0.5	4
35	Population Health Needs Assessment and Healthcare Services Use in a 3-Year Follow-Up on Administrative and Clinical Data: Results from the Brisighella Heart Study. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2014, 21, 45-51.	2.2	4
36	Serum Lipoprotein (a) Levels in a Large Sample of Subjects Affected by Familial Combined Hyperlipoproteinaemia and in General Population. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003, 10, 149-151.	2.8	3

#	ARTICLE	IF	CITATIONS
37	InÂvitro functional characterization of splicing variants of the APOB gene found in familial hypobetalipoproteinemia. <i>Journal of Clinical Lipidology</i> , 2019, 13, 960-969.	1.5	3
38	From classical to innovative clinical epidemiology: the 50 years' experience of the Brisighella Heart Study. <i>Panminerva Medica</i> , 2021, 63, .	0.8	2
39	Subjective effects of a combined lipid-lowering nutraceutical or ezetimibe on well-being and sexual performance in patients with perceived worsening of erectile function during statin treatment: a randomised clinical trial. <i>Nutrafoods</i> , 2015, 14, 127-131.	0.5	1
40	Impact of simultaneous management of hypertension and hypercholesterolemia with ACE inhibitors and statins on cardiovascular outcomes in the Brisighella Heart Study: A 8-year follow-up. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 2246-2254.	2.6	1
41	A meta-analysis of Italian and Estonian individuals shows an effect of common variants in HMGCR on blood apoB levels. <i>Biomarkers in Medicine</i> , 2019, 13, 931-940.	1.4	0