## Jong-Min Woo

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7809966/publications.pdf

Version: 2024-02-01

218677 206112 2,491 73 26 48 h-index citations g-index papers 76 76 76 4027 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Reliability of Ultra-Short-Term Analysis as a Surrogate of Standard 5-Min Analysis of Heart Rate Variability. Telemedicine Journal and E-Health, 2015, 21, 404-414.	2.8	178
2	The Effect of Cognitive Behavior Therapy-Based "Forest Therapy―Program on Blood Pressure, Salivary Cortisol Level, and Quality of Life in Elderly Hypertensive Patients. Clinical and Experimental Hypertension, 2012, 34, 1-7.	1.3	132
3	The impact of work environment on mood disorders and suicide: Evidence and implications. International Journal on Disability and Human Development, 2008, 7, 185-200.	0.2	122
4	The association between panic disorder and the L/L genotype of catechol-O-methyltransferase. Journal of Psychiatric Research, 2004, 38, 365-370.	3.1	113
5	The Effects of Forest Therapy on Coping with Chronic Widespread Pain: Physiological and Psychological Differences between Participants in a Forest Therapy Program and a Control Group. International Journal of Environmental Research and Public Health, 2016, 13, 255.	2.6	112
6	Seasonality of Suicidal Behavior. International Journal of Environmental Research and Public Health, 2012, 9, 531-547.	2.6	111
7	Suicide and Ambient Temperature in East Asian Countries: A Time-Stratified Case-Crossover Analysis. Environmental Health Perspectives, 2016, 124, 75-80.	6.0	96
8	The Effect of Cognitive Behavior Therapy-Based Psychotherapy Applied in a Forest Environment on Physiological Changes and Remission of Major Depressive Disorder. Psychiatry Investigation, 2009, 6, 245.	1.6	95
9	CatecholO-Methyltransferase Genetic Polymorphism in Panic Disorder. American Journal of Psychiatry, 2002, 159, 1785-1787.	7.2	91
10	Impact of Depression on Work Productivity and Its Improvement after Outpatient Treatment with Antidepressants. Value in Health, 2011, 14, 475-482.	0.3	85
11	Association between Job Stress on Heart Rate Variability and Metabolic Syndrome in Shipyard Male Workers. Yonsei Medical Journal, 2004, 45, 838.	2.2	83
12	The Korean Version of the Connor–Davidson Resilience Scale: An Extended Validation. Stress and Health, 2012, 28, 319-326.	2.6	79
13	Reliability and validity of the Korean version of the Impact of Event Scale-Revised. Comprehensive Psychiatry, 2009, 50, 385-390.	3.1	78
14	Individualism–collectivism as a moderator of the work demands–strains relationship: A cross-level and cross-national examination. Journal of International Business Studies, 2012, 43, 424-443.	7.3	77
15	Measurement Invariance of the Satisfaction With Life Scale Across 26 Countries. Journal of Cross-Cultural Psychology, 2017, 48, 560-576.	1.6	71
16	Effect of a forest therapy program and the forest environment on female workers' stress. Urban Forestry and Urban Greening, 2015, 14, 274-281.	5.3	68
17	The Prefrontal Cortex Activity and Psychological Effects of Viewing Forest Landscapes in Autumn Season. International Journal of Environmental Research and Public Health, 2015, 12, 7235-7243.	2.6	67
18	Determinants for Heart Rate Variability in a Normal Korean Population. Journal of Korean Medical Science, 2011, 26, 1293.	2.5	65

#	Article	IF	CITATIONS
19	The Link between National Paid Leave Policy and Work–Family Conflict among Married Working Parents. Applied Psychology, 2014, 63, 5-28.	7.1	56
20	Psychological and Social Factors Affecting Internet Searches on Suicide in Korea: A Big Data Analysis of Google Search Trends. Yonsei Medical Journal, 2014, 55, 254.	2.2	51
21	Twelve-month prevalence and predictors of self-reported suicidal ideation and suicide attempt among Korean adolescents in a web-based nationwide survey. Australian and New Zealand Journal of Psychiatry, 2015, 49, 47-53.	2.3	50
22	Comparison of Effect of Two-Hour Exposure to Forest and Urban Environments on Cytokine, Anti-Oxidant, and Stress Levels in Young Adults. International Journal of Environmental Research and Public Health, 2016, 13, 625.	2.6	40
23	Importance of remission and residual somatic symptoms in health-related quality of life among outpatients with major depressive disorder: a cross-sectional study. Health and Quality of Life Outcomes, 2014, 12, 188.	2.4	37
24	Tryptophan hydroxylase and serotonin transporter gene polymorphism does not affect the diagnosis, clinical features and treatment outcome of panic disorder in the Korean population. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2006, 30, 1413-1418.	4.8	35
25	An international comparison of occupational health guidelines for the management of mental disorders and stress-related psychological symptoms. Occupational and Environmental Medicine, 2015, 72, 313-322.	2.8	31
26	Suicidality and montelukast. Expert Opinion on Drug Safety, 2009, 8, 273-282.	2.4	27
27	Topiramate and divalproex in combination with risperidone for acute mania: a randomized open-label study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 115-121.	4.8	23
28	Dependence of Heart Rate Variability on Stress Factors of Stress Response Inventory., 2007,,.		22
29	Suicide and Prescription Rates of Intranasal Corticosteroids and Nonsedating Antihistamines for Allergic Rhinitis. Journal of Clinical Psychiatry, 2011, 72, 1423-1428.	2.2	22
30	The Reliability and Validity of the Korean Version of Columbia-Suicide Severity Rating Scale in Alcohol Dependent Patients. Journal of Korean Neuropsychiatric Association, 2015, 54, 222.	0.5	19
31	Gender Differences in Somatic Symptoms and Current Suicidal Risk in Outpatients with Major Depressive Disorder. Psychiatry Investigation, 2016, 13, 609.	1.6	19
32	Recent statistics and risk factors of suicide in children and adolescents. Journal of the Korean Medical Association, 2013, 56, 93.	0.3	19
33	Effects of essential oil from <i>Chamaecyparis obtusa</i> on cytokine genes in the hippocampus of maternal separation rats. Canadian Journal of Physiology and Pharmacology, 2014, 92, 95-101.	1.4	17
34	Improvement in Subjective and Objective Neurocognitive Functions in Patients With Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2014, 34, 218-225.	1.4	16
35	In-depth investigation for prescribing trends of benzodiazepines in South Korea. International Journal of Clinical Pharmacology and Therapeutics, 2014, 52, 460-470.	0.6	16
36	Relationship between Personality and Insomnia in Panic Disorder Patients. Psychiatry Investigation, 2011, 8, 102.	1.6	15

#	Article	IF	Citations
37	Antinociceptive and anti-inflammatory effects of essential oil extracted from Chamaecyparis obtusa in mice. International Immunopharmacology, 2015, 29, 320-325.	3.8	15
38	Anti-inflammatory effects of essential oils extracted from Chamaecyparis obtusa on murine models of inflammation and RAW 264.7 cells. Molecular Medicine Reports, 2016, 13, 3335-3341.	2.4	15
39	Long-term Escitalopram Treatment in Korean Patients with Panic Disorder: A Prospective, Naturalistic, Open-label, Multicenter Trial. Clinical Psychopharmacology and Neuroscience, 2012, 10, 44-48.	2.0	14
40	The Efficacy and Safety of Clonazepam in Patients with Anxiety Disorder Taking Newer Antidepressants: A Multicenter Naturalistic Study. Clinical Psychopharmacology and Neuroscience, 2016, 14, 177-183.	2.0	13
41	Mirtazapine versus venlafaxine for the treatment of somatic symptoms associated with major depressive disorder: A randomized, open-labeled trial. Psychiatry Research, 2009, 169, 118-123.	3.3	12
42	A prospective, open-label study to evaluate symptomatic remission in schizophrenia with risperidone long-acting injectable in Korea. International Clinical Psychopharmacology, 2014, 29, 279-287.	1.7	12
43	Positive association between serious psychiatric outcomes and complications of diabetes mellitus in patients with depressive disorders. International Journal of Psychiatry in Medicine, 2015, 50, 131-146.	1.8	12
44	Psychological characteristics of early remitters in patients with panic disorder. Psychiatry Research, 2012, 197, 237-241.	3.3	11
45	Influence of anxiety symptoms on improvement of neurocognitive functions in patients with major depressive disorder: A 12-week, multicenter, randomized trial of tianeptine versus escitalopram, the CAMPION study. Journal of Affective Disorders, 2015, 185, 24-30.	4.1	10
46	Relationship between Blood Pressure Variability and the Quality of Life. Yonsei Medical Journal, 2014, 55, 374.	2.2	9
47	Gender Plays Significant Role in Short-Term Heart Rate Variability. Applied Psychophysiology Biofeedback, 2015, 40, 297-303.	1.7	9
48	A study of mental health literacy among North Korean refugees in South Korea. Journal of Preventive Medicine and Public Health, 2015, 48, 62-71.	1.9	9
49	Suicide prevention strategies from medical perspective. Journal of the Korean Medical Association, 2011, 54, 386.	0.3	8
50	Impairment of work productivity in panic disorder patients. Journal of Affective Disorders, 2014, 157, 60-65.	4.1	8
51	Association of fracture risk with benzodiazepine among adults in South Korea. International Journal of Clinical Pharmacology and Therapeutics, 2015, 53, 163-171.	0.6	8
52	Stress, Depression, and Lifestyle Behaviors in Korean Adults: A Latent Means and Multi-Group Analysis on the Korea Health Panel Data. Behavioral Medicine, 2016, 42, 72-81.	1.9	7
53	Association of Heart Rates with Stress Response Inventory Scores in Different Age Groups. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 5752-4.	0.5	6
54	National Evidence-based Collaborating Agency (NECA) Round-table Conference Consensus Statement: multidisciplinary responses to suicide, the first ranked cause of death in adolescents. Journal of the Korean Medical Association, 2013, 56, 111.	0.3	5

#	Article	IF	CITATIONS
55	Real-world data analysis of the clinical and economic burden and risk factors in patients with major depressive disorder with an inadequate response to initial antidepressants. Journal of Medical Economics, 2021, 24, 589-597.	2.1	5
56	Psychometric properties of the Korean version of the Short Post-Traumatic Stress Disorder Rating Interview (K-SPRINT). Psychiatry and Clinical Neurosciences, 2008, 62, 34-39.	1.8	4
57	The Effects of Mindfulness-Based Mandala Coloring, Made in Nature, on Chronic Widespread Musculoskeletal Pain: Randomized Trial. Healthcare (Switzerland), 2021, 9, 642.	2.0	4
58	What Is It to Be Mentally Healthy from the North Korean Refugees' Perspective?: Qualitative Research on the Changes in Mental Health Awareness among the North Korean Refugees. Psychiatry Investigation, 2018, 15, 1019-1029.	1.6	4
59	An Association Study of the A218C Polymorphism of the Tryptophan Hydroxylase 1 Gene with Eating Disorders in a Korean Population: A Pilot Study. Psychiatry Investigation, 2009, 6, 44.	1.6	4
60	The Effects of a Forest Therapy on Work-Related Stress for Employees in the Manufacturing Industry: Randomized Control Study. Global Advances in Health and Medicine, 2022, 11, 2164957X2211004.	1.6	4
61	Cost-Minimized E-Health Service for Identification of Mental Stress related Heart Rate Changes. , 2007, , .		3
62	Psychometric Validation of the Korean Version of Structured Interview for Post-traumatic Stress Disorder (K-SIP). Journal of Korean Medical Science, 2009, 24, 26.	<b>2.</b> 5	3
63	Factors Related to the Attitude of North Korean Refugees Towards People with Mental Illness. Iranian Journal of Public Health, 2018, 47, 39-46.	0.5	3
64	Health service utilization in patients with major depressive disorder experiencing significant somatic symptoms in Korea. International Journal on Disability and Human Development, 2010, 9, 23-28.	0.2	2
65	Revision of the Mental Fitness Scale : Validation and Confirmatory Factor Analysis. Journal of Korean Neuropsychiatric Association, 2013, 52, 431.	0.5	2
66	Excess cost of non-remission among outpatients with major depressive disorder. International Journal of Mental Health Systems, 2014, 8, 42.	2.7	2
67	The Need-Assessment of Employee Assistance Programs among Korean Manufacturing Industry Workers in Gyeongsang-do. Korean Journal of Occupational and Environmental Medicine, 2007, 19, 135.	0.4	2
68	Future of Clinical Practice in Psychiatry. Journal of Korean Neuropsychiatric Association, 2014, 53, 144.	0.5	2
69	Effect of Frequency of Using Forest Environment on Workers' Stress: a Comparative Study on Workers in Medical and Counseling Service Institution. Hangug Nimhag Hoi Ji, 2014, 103, 129-136.	0.1	2
70	Identifying Research Direction for Mental Health of North Korean Refugees Using Delphi Technique. Journal of Korean Neuropsychiatric Association, 2016, 55, 185.	0.5	1
71	The Relationship between Using Forest Environment and Stress of Workers in Medical and Counseling Industries. The Journal of Korean Institute of Forest Recreation, 2014, 18, 1-10.	0.2	1
72	The Negative Effects of Job Stress on Individual, Its Family, and Community: Development of the Scale and Its Validation. Journal of Korean Neuropsychiatric Association, 2016, 55, 432.	0.5	0

#	Article	IF	CITATIONS
73	The effect of positive psychology group intervention for occupationally injured employees. Journal of Workplace Behavioral Health, 2019, 34, 287-299.	1.4	O