

Jieli Lu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7811428/publications.pdf>

Version: 2024-02-01

130
papers

6,020
citations

147801

31
h-index

82547

72
g-index

131
all docs

131
docs citations

131
times ranked

8460
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Prevalence and Control of Diabetes in Chinese Adults. JAMA - Journal of the American Medical Association, 2013, 310, 948. | 7.4 | 2,335 |
| 2 | The ChinaMAP analytics of deep whole genome sequences in 10,588 individuals. Cell Research, 2020, 30, 717-731. | 12.0 | 165 |
| 3 | Metabolic Syndrome among Adults in China - The 2010 China Noncommunicable Disease Surveillance. Journal of Clinical Endocrinology and Metabolism, 2017, 102, jc.2016-2477. | 3.6 | 163 |
| 4 | Cohort profile: Risk evaluation of cancers in Chinese diabetic individuals: a longitudinal (<sc>REACTION</sc>) study (é~Ÿă^-ç®€ă»ı1/4šă,ă>1/2ç³-ă°ıç-...æ,£è€...è,ıç~ăıç”ŸéŁŽé™©çš,,ç°ıăıç”ç®ı1/4^REACTIONç ç®ı1/4%. | 1.8 | 147 |
| 5 | Associations Between Age at Menarche and Menopause With Cardiovascular Disease, Diabetes, and Osteoporosis in Chinese Women. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 1612-1621. | 3.6 | 133 |
| 6 | Validation of the Fatty Liver Index for Nonalcoholic Fatty Liver Disease in Middle-Aged and Elderly Chinese. Medicine (United States), 2015, 94, e1682. | 1.0 | 132 |
| 7 | Status of Cardiovascular Health in Chinese Adults. Journal of the American College of Cardiology, 2015, 65, 1013-1025. | 2.8 | 131 |
| 8 | Association of insulin resistance and Î²-cell dysfunction with incident diabetes among adults in China: a nationwide, population-based, prospective cohort study. Lancet Diabetes and Endocrinology, the, 2020, 8, 115-124. | 11.4 | 127 |
| 9 | Association between Nonalcoholic Fatty Liver Disease (NAFLD) and Osteoporotic Fracture in Middle-Aged and Elderly Chinese. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 2033-2038. | 3.6 | 123 |
| 10 | Association of Previous Schistosoma Infection With Diabetes and Metabolic Syndrome: A Cross-Sectional Study in Rural China. Journal of Clinical Endocrinology and Metabolism, 2013, 98, E283-E287. | 3.6 | 109 |
| 11 | Paternal Psychological Stress Reprograms Hepatic Gluconeogenesis in Offspring. Cell Metabolism, 2016, 23, 735-743. | 16.2 | 107 |
| 12 | Predictive Value of Fasting Glucose, Postload Glucose, and Hemoglobin A1c on Risk of Diabetes and Complications in Chinese Adults. Diabetes Care, 2019, 42, 1539-1548. | 8.6 | 102 |
| 13 | Nonalcoholic Fatty Liver Disease Is Associated With Atherosclerosis in Middle-Aged and Elderly Chinese. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 2321-2326. | 2.4 | 101 |
| 14 | Circulating Prolactin Associates With Diabetes and Impaired Glucose Regulation. Diabetes Care, 2013, 36, 1974-1980. | 8.6 | 101 |
| 15 | High-Coverage Targeted Lipidomics Reveals Novel Serum Lipid Predictors and Lipid Pathway Dysregulation Antecedent to Type 2 Diabetes Onset in Normoglycemic Chinese Adults. Diabetes Care, 2019, 42, 2117-2126. | 8.6 | 100 |
| 16 | The relationship between insulin-sensitive obesity and cardiovascular diseases in a Chinese population. International Journal of Cardiology, 2014, 172, 388-394. | 1.7 | 82 |
| 17 | Ideal Cardiovascular Health Metrics and Major Cardiovascular Events in Patients With Prediabetes and Diabetes. JAMA Cardiology, 2019, 4, 874. | 6.1 | 70 |
| 18 | Advanced fibrosis associates with atherosclerosis in subjects with nonalcoholic fatty liver disease. Atherosclerosis, 2015, 241, 145-150. | 0.8 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Transition of metabolic phenotypes and risk of subclinical atherosclerosis according to BMI: a prospective study. <i>Diabetologia</i> , 2020, 63, 1312-1323. | 6.3 | 48 |
| 20 | Hepatic estrogen receptor $\hat{\pm}$ improves hepatosteatosis through upregulation of small heterodimer partner. <i>Journal of Hepatology</i> , 2015, 63, 183-190. | 3.7 | 45 |
| 21 | Sexual dimorphism in glucose metabolism is shaped by androgen-driven gut microbiome. <i>Nature Communications</i> , 2021, 12, 7080. | 12.8 | 45 |
| 22 | Diabetes Genetic Risk Score Modifies Effect of Bisphenol A Exposure on Deterioration in Glucose Metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 143-150. | 3.6 | 44 |
| 23 | Dietary preferences and diabetic risk in China: A large-scale nationwide Internet data-based study. <i>Journal of Diabetes</i> , 2020, 12, 270-278. | 1.8 | 44 |
| 24 | Insulin Resistance is Associated With Total Bile Acid Level in Type 2 Diabetic and Nondiabetic Population. <i>Medicine (United States)</i> , 2016, 95, e2778. | 1.0 | 40 |
| 25 | Metabolically healthy obesity and incident chronic kidney disease: The role of systemic inflammation in a prospective study. <i>Obesity</i> , 2017, 25, 634-641. | 3.0 | 40 |
| 26 | Early-life Famine Exposure and Risk of Cardiovascular Diseases in Later Life: Findings From the REACTION Study. <i>Journal of the American Heart Association</i> , 2020, 9, e014175. | 3.7 | 40 |
| 27 | Association of Serum Bile Acids Profile and Pathway Dysregulation With the Risk of Developing Diabetes Among Normoglycemic Chinese Adults: Findings From the 4C Study. <i>Diabetes Care</i> , 2021, 44, 499-510. | 8.6 | 40 |
| 28 | Care for diabetes with COVID-19: Advice from China. <i>Journal of Diabetes</i> , 2020, 12, 417-419. | 1.8 | 39 |
| 29 | Sparcl1 promotes nonalcoholic steatohepatitis progression in mice through upregulation of CCL2. <i>Journal of Clinical Investigation</i> , 2021, 131, . | 8.2 | 38 |
| 30 | Urinary bisphenol A concentration and the risk of central obesity in Chinese adults: A prospective study. <i>Journal of Diabetes</i> , 2018, 10, 442-448. | 1.8 | 36 |
| 31 | Individual and Combined Associations of Modifiable Lifestyle and Metabolic Health Status With New-Onset Diabetes and Major Cardiovascular Events: The China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Diabetes Care</i> , 2020, 43, 1929-1936. | 8.6 | 36 |
| 32 | Early Life Famine Exposure, Ideal Cardiovascular Health Metrics, and Risk of Incident Diabetes: Findings From the 4C Study. <i>Diabetes Care</i> , 2020, 43, 1902-1909. | 8.6 | 36 |
| 33 | Urinary bisphenol A concentration and glucose homeostasis in non-diabetic adults: a repeated-measures, longitudinal study. <i>Diabetologia</i> , 2019, 62, 1591-1600. | 6.3 | 35 |
| 34 | Curbing the obesity epidemic in China. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 470-471. | 11.4 | 33 |
| 35 | Age-specific modifiable risk factor profiles for cardiovascular disease and all-cause mortality: a nationwide, population-based, prospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 17, 100277. | 2.9 | 31 |
| 36 | Visceral adiposity is significantly associated with type 2 diabetes in middle-aged and elderly Chinese women: a cross-sectional study. <i>Journal of Diabetes</i> , 2017, 9, 920-928. | 1.8 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Association Between Insulin Resistance and Cardiovascular Disease Risk Varies According to Glucose Tolerance Status: A Nationwide Prospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 1863-1872. | 8.6 | 30 |
| 38 | Type 2 Diabetes, Diabetes Genetic Score and Risk of Decreased Renal Function and Albuminuria: A Mendelian Randomization Study. <i>EBioMedicine</i> , 2016, 6, 162-170. | 6.1 | 27 |
| 39 | Clinical features and prognosis of thymic neuroendocrine tumours associated with multiple endocrine neoplasia type 1: A single-centre study, systematic review and meta-analysis. <i>Clinical Endocrinology</i> , 2017, 87, 706-716. | 2.4 | 27 |
| 40 | Associations of subclinical atherosclerosis with nonalcoholic fatty liver disease and fibrosis assessed by non-invasive score. <i>Liver International</i> , 2020, 40, 806-814. | 3.9 | 27 |
| 41 | Reduced Kidney Function Is Associated With Cardiometabolic Risk Factors, Prevalent and Predicted Risk of Cardiovascular Disease in Chinese Adults: Results From the REACTION Study. <i>Journal of the American Heart Association</i> , 2016, 5, . | 3.7 | 26 |
| 42 | Ideal Cardiovascular Health Is Inversely Associated with Nonalcoholic Fatty Liver Disease: A Prospective Analysis. <i>American Journal of Medicine</i> , 2018, 131, 1515.e1-1515.e10. | 1.5 | 26 |
| 43 | Serum potassium level is associated with metabolic syndrome: A population-based study. <i>Clinical Nutrition</i> , 2014, 33, 521-527. | 5.0 | 25 |
| 44 | Age at menarche is associated with the prevalence of non-alcoholic fatty liver disease later in life. <i>Journal of Diabetes</i> , 2017, 9, 53-60. | 1.8 | 24 |
| 45 | Association between smoking and glycemic control in diabetic patients: Results from the Risk Evaluation of Cardiovascular Ancerers in Chinese diabetic individuals: A longitudinal (REACTION) study. <i>Journal of Diabetes</i> , 2018, 10, 408-418. | 1.8 | 24 |
| 46 | The progression and regression of metabolic dysfunction-associated fatty liver disease are associated with the development of subclinical atherosclerosis: A prospective analysis. <i>Metabolism: Clinical and Experimental</i> , 2021, 120, 154779. | 3.4 | 23 |
| 47 | Low Serum Magnesium Level Is Associated with Microalbuminuria in Chinese Diabetic Patients. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-6. | 1.5 | 22 |
| 48 | Interaction between smoking and diabetes in relation to subsequent risk of cardiovascular events. <i>Cardiovascular Diabetology</i> , 2022, 21, 14. | 6.8 | 22 |
| 49 | Association between mid-upper arm circumference and cardiometabolic risk in Chinese population: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e028904. | 1.9 | 21 |
| 50 | Relationship between C-peptide levels and glucose regulation in a middle-aged and elderly Chinese population. <i>Journal of Diabetes</i> , 2012, 4, 147-152. | 1.8 | 20 |
| 51 | Self-reported sleep duration and daytime napping are associated with renal hyperfiltration in general population. <i>Sleep and Breathing</i> , 2018, 22, 223-232. | 1.7 | 20 |
| 52 | Non-alcoholic fatty liver disease, metabolic goal achievement with incident cardiovascular disease and eGFR-based chronic kidney disease in patients with prediabetes and diabetes. <i>Metabolism: Clinical and Experimental</i> , 2021, 124, 154874. | 3.4 | 20 |
| 53 | Low-grade albuminuria is associated with peripheral artery disease in Chinese diabetic patients. <i>Atherosclerosis</i> , 2014, 232, 285-288. | 0.8 | 19 |
| 54 | Thiazolidinedione therapy and breast cancer risk in diabetic women: A systematic review and meta-analysis. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e2961. | 4.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Resting heart rate is associated with metabolic syndrome and predicted 10-year risk of cardiovascular disease: a cross-sectional study. <i>Journal of Diabetes</i> , 2019, 11, 884-894. | 1.8 | 19 |
| 56 | SIRT2 ablation inhibits glucose-stimulated insulin secretion through decreasing glycolytic flux. <i>Theranostics</i> , 2021, 11, 4825-4838. | 10.0 | 19 |
| 57 | Association between serum CA ¹⁹⁹ and metabolic syndrome: a cross-sectional study. <i>Journal of Diabetes</i> , 2017, 9, 1040-1047. | 1.8 | 18 |
| 58 | Early life famine exposure, adulthood obesity patterns and the risk of nonalcoholic fatty liver disease. <i>Liver International</i> , 2020, 40, 2694-2705. | 3.9 | 18 |
| 59 | Serum lipoprotein (a) associates with a higher risk of reduced renal function: a prospective investigation. <i>Journal of Lipid Research</i> , 2020, 61, 1320-1327. | 4.2 | 17 |
| 60 | Glycemic Measures and Development and Resolution of Nonalcoholic Fatty Liver Disease in Nondiabetic Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1416-1426. | 3.6 | 17 |
| 61 | Fat mass to fat-free mass ratio and the risk of non-alcoholic fatty liver disease and fibrosis in non-obese and obese individuals. <i>Nutrition and Metabolism</i> , 2021, 18, 21. | 3.0 | 16 |
| 62 | Transdifferentiation of pancreatic β -cells into insulin-secreting cells: From experimental models to underlying mechanisms. <i>World Journal of Diabetes</i> , 2014, 5, 847. | 3.5 | 15 |
| 63 | Hypertension Defined by 2017 ACC/AHA Guideline, Ideal Cardiovascular Health Metrics, and Risk of Cardiovascular Disease: A Nationwide Prospective Cohort Study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 20, 100350. | 2.9 | 15 |
| 64 | Serum lipoprotein (a) is associated with increased risk of stroke in Chinese adults: A prospective study. <i>Atherosclerosis</i> , 2019, 289, 8-13. | 0.8 | 14 |
| 65 | Association Between Age at Diagnosis of Type 2 Diabetes and Cardiovascular Diseases: A Nationwide, Population-Based, Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 717069. | 3.5 | 14 |
| 66 | Sodium butyrate potentiates insulin secretion from rat islets at the expense of compromised expression of β cell identity genes. <i>Cell Death and Disease</i> , 2022, 13, 67. | 6.3 | 14 |
| 67 | Association between the change in body mass index from early adulthood to midlife and subsequent type 2 diabetes mellitus. <i>Obesity</i> , 2016, 24, 703-709. | 3.0 | 13 |
| 68 | Early life exposure to famine and reproductive aging among Chinese women. <i>Menopause</i> , 2019, 26, 463-468. | 2.0 | 12 |
| 69 | Association between birth weight and diabetes: Role of body mass index and lifestyle in later life. <i>Journal of Diabetes</i> , 2020, 12, 10-20. | 1.8 | 12 |
| 70 | Fruit intake, genetic risk and type 2 diabetes: a population-based gene-diet interaction analysis. <i>European Journal of Nutrition</i> , 2021, 60, 2769-2779. | 3.9 | 12 |
| 71 | Metabolomics study reveals systematic metabolic dysregulation and early detection markers associated with incident pancreatic cancer. <i>International Journal of Cancer</i> , 2022, 150, 1091-1100. | 5.1 | 12 |
| 72 | Autonomic dysfunction assessed by EZSCAN and subclinical atherosclerosis. <i>Journal of Diabetes</i> , 2014, 6, 409-416. | 1.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Associations of Hemoglobin A1c With Cardiovascular Disease and Mortality in Chinese Adults With Diabetes. <i>Journal of the American College of Cardiology</i> , 2018, 72, 3224-3225. | 2.8 | 11 |
| 74 | Serum apolipoprotein B is associated with increased risk of metabolic syndrome among middle-aged and elderly Chinese: A cross-sectional and prospective cohort study. <i>Journal of Diabetes</i> , 2019, 11, 752-760. | 1.8 | 11 |
| 75 | Serum total bile acids associate with risk of incident type 2 diabetes and longitudinal changes in glucose-related metabolic traits. <i>Journal of Diabetes</i> , 2020, 12, 616-625. | 1.8 | 11 |
| 76 | Association of bedtime with the risk of non-alcoholic fatty liver disease among middle-aged and elderly Chinese adults with pre-diabetes and diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3322. | 4.0 | 11 |
| 77 | Causal Associations of Obesity With Chronic Kidney Disease and Arterial Stiffness: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e825-e835. | 3.6 | 11 |
| 78 | Associations of smoking and alcohol consumption with impaired β -cell function in Chinese men. <i>Journal of Diabetes</i> , 2016, 8, 434-441. | 1.8 | 10 |
| 79 | Age at menarche, ideal cardiovascular health metrics, and risk of diabetes in adulthood: Findings from the REACTION study. <i>Journal of Diabetes</i> , 2021, 13, 458-468. | 1.8 | 10 |
| 80 | Visit-to-visit blood pressure variability is associated with arterial stiffness in Chinese adults: A prospective analysis. <i>Journal of Clinical Hypertension</i> , 2021, 23, 802-812. | 2.0 | 10 |
| 81 | New Nonalcoholic Fatty Liver Disease and Fibrosis Progression Associate With the Risk of Incident Chronic Kidney Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e3957-e3968. | 3.6 | 10 |
| 82 | High concentrations of triglycerides are associated with diabetic kidney disease in new-onset type 2 diabetes in China: Findings from the China Cardiometabolic Disease and Cancer Cohort (CCCC) study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2551-2560. | 4.4 | 10 |
| 83 | Is waist circumference a negative predictor of calcaneal bone mineral density in adult Chinese men with normal weight?. <i>Annals of Translational Medicine</i> , 2019, 7, 201-201. | 1.7 | 10 |
| 84 | Serum uric acid and risk of incident diabetes in middle-aged and elderly Chinese adults: prospective cohort study. <i>Frontiers of Medicine</i> , 2020, 14, 802-810. | 3.4 | 9 |
| 85 | Chinese Adults Are More Susceptible to Effects of Overall Obesity and Fat Distribution on Cardiometabolic Risk Factors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2775-e2788. | 3.6 | 9 |
| 86 | Urinary albumin-to-creatinine ratio levels are associated with subclinical atherosclerosis and predict CVD events and all-cause deaths: a prospective analysis. <i>BMJ Open</i> , 2021, 11, e040890. | 1.9 | 9 |
| 87 | Cardiovascular Risk Based on ASCVD and KDIGO Categories in Chinese Adults: A Nationwide, Population-Based, Prospective Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 927-937. | 6.1 | 9 |
| 88 | CBP/p300 HAT maintains the gene network critical for β cell identity and functional maturity. <i>Cell Death and Disease</i> , 2021, 12, 476. | 6.3 | 9 |
| 89 | Association of QTc Interval with Risk of Cardiovascular Diseases and Related Vascular Traits: A Prospective and Longitudinal Analysis. <i>Global Heart</i> , 2020, 15, 13. | 2.3 | 9 |
| 90 | Association of branched chain amino acids related variant rs1440581 with risk of incident diabetes and longitudinal changes in insulin resistance in Chinese. <i>Acta Diabetologica</i> , 2018, 55, 901-908. | 2.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Genetic susceptibility, family history of diabetes and healthy lifestyle factors in relation to diabetes: A gene-environment interaction analysis in Chinese adults. <i>Journal of Diabetes Investigation</i> , 2021, 12, 2089-2098. | 2.4 | 8 |
| 92 | Afternoon nap and nighttime sleep with risk of micro- and macrovascular disease in middle-aged and elderly population. <i>International Journal of Cardiology</i> , 2015, 187, 553-555. | 1.7 | 7 |
| 93 | The cardiometabolic risk profile of Chinese adults with diabetes: A nationwide cross-sectional survey. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 43-52. | 2.3 | 7 |
| 94 | Serum CA 19-9 and risk of incident diabetes in middle-aged and elderly Chinese: a prospective cohort study. <i>Acta Diabetologica</i> , 2017, 54, 201-208. | 2.5 | 7 |
| 95 | Associations between parity, pregnancy loss, and breastfeeding duration and risk of maternal type 2 diabetes: An observational cohort study. <i>Journal of Diabetes</i> , 2021, 13, 857-867. | 1.8 | 7 |
| 96 | Association of early adulthood weight and subsequent weight change with cardiovascular diseases: Findings from REACTION study. <i>International Journal of Cardiology</i> , 2021, 332, 209-215. | 1.7 | 7 |
| 97 | Novel Subgroups and Chronic Complications of Diabetes in Middle-Aged and Elderly Chinese: A Prospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 802114. | 3.5 | 7 |
| 98 | The Causal Effect of Systolic Blood Pressure Lowering on Vascular Outcomes in Diabetes: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 2616-2625. | 3.6 | 7 |
| 99 | Glycemic status and chronic kidney disease in Chinese adults: Findings from the REACTION study. <i>Journal of Diabetes</i> , 2017, 9, 837-845. | 1.8 | 6 |
| 100 | Task-wise Split Gradient Boosting Trees for Multi-center Diabetes Prediction. , 2021, , . | | 6 |
| 101 | Individual and Combined Cardiometabolic Morbidities and the Subsequent Risk of Cardiovascular Events in Chinese Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e84-e94. | 3.6 | 6 |
| 102 | Individual and Combined Associations of Glucose Metabolic Components With Cognitive Function Modified by Obesity. <i>Frontiers in Endocrinology</i> , 2021, 12, 769120. | 3.5 | 6 |
| 103 | Diabesity phenotype and the risks of cardiovascular disease and subclinical atherosclerosis: A prospective cohort study. <i>Obesity</i> , 2022, 30, 1681-1690. | 3.0 | 6 |
| 104 | Association of Serum Fetuin-A Levels With the Risk of Albuminuria in Middle-Aged and Elderly Chinese. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1235-1242. | 3.6 | 5 |
| 105 | The association of low-grade albuminuria with incident non-alcoholic fatty liver disease and non-invasive markers of liver fibrosis by glycaemia status. <i>Liver International</i> , 2021, 41, 101-109. | 3.9 | 5 |
| 106 | The Association and Predictive Ability of ECG Abnormalities with Cardiovascular Diseases: A Prospective Analysis. <i>Global Heart</i> , 2020, 15, 59. | 2.3 | 5 |
| 107 | Associations of body shapes with insulin resistance and cardiometabolic risk in middle-aged and elderly Chinese. <i>Nutrition and Metabolism</i> , 2021, 18, 103. | 3.0 | 5 |
| 108 | Association Between Bone Mineral Density and Pancreatic β -Cell Function in Elderly Men and Postmenopausal Women. <i>Journal of the Endocrine Society</i> , 2017, 1, 1085-1094. | 0.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Association between Depression and Renal Hyperfiltration in a General Chinese Population. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1441-1452. | 2.0 | 4 |
| 110 | Long-Term Glycemic Variability Is Associated With Arterial Stiffness in Chinese Adults. <i>Frontiers in Endocrinology</i> , 2021, 12, 711540. | 3.5 | 4 |
| 111 | Impact of visit-to-visit fasting plasma glucose variability on the development of diabetes: The mediation by insulin resistance. <i>Journal of Diabetes</i> , 2022, 14, 205-215. | 1.8 | 4 |
| 112 | New clusters of serum electrolytes aid in stratification of diabetes and metabolic risk. <i>Journal of Diabetes</i> , 2022, 14, 121-133. | 1.8 | 4 |
| 113 | New definition of metabolic dysfunction-associated fatty liver disease with elevated brachial-ankle pulse wave velocity and albuminuria: a prospective cohort study. <i>Frontiers of Medicine</i> , 2022, 16, 714-722. | 3.4 | 4 |
| 114 | The association between early-life famine exposure and adulthood obesity on the risk of dyslipidemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 2177-2186. | 2.6 | 4 |
| 115 | Carotid intima-media thickness and plaques are associated with indicators of peripheral artery diseases in patients with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 245-251. | 2.8 | 3 |
| 116 | A comparative analysis of current blood pressure management guidelines in people with and without diabetes. <i>Journal of Diabetes</i> , 2020, 12, 781-790. | 1.8 | 3 |
| 117 | Association of soy food with cardiovascular outcomes and all-cause mortality in a Chinese population: a nationwide prospective cohort study. <i>European Journal of Nutrition</i> , 2022, 61, 1609-1620. | 3.9 | 3 |
| 118 | Arterial Stiffness, Biomarkers of Liver Fat, and the Development of Metabolic Dysfunction in Metabolically Healthy Population: A Prospective Study. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, . | 2.4 | 3 |
| 119 | Detection of diabetes and prediabetes using glycosylated hemoglobin in Chinese adults living in Shanghai: A prospective analysis. <i>Journal of Diabetes</i> , 2020, 12, 573-582. | 1.8 | 2 |
| 120 | Type 2 diabetes RCTs in mainland China: insights from a systematic review. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 64-66. | 11.4 | 2 |
| 121 | The 2017 ACC/AHA stage 1 hypertension is associated with arterial stiffness: a prospective analysis. <i>Aging</i> , 2021, 13, 10075-10086. | 3.1 | 2 |
| 122 | The association between age at diagnosis of type 2 diabetes and albuminuria in Chinese adults: A nationwide population study. <i>Journal of Diabetes</i> , 2021, 13, 987-997. | 1.8 | 2 |
| 123 | Dietary inflammatory index and cardiorenal function in women with diabetes and prediabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2319-2327. | 2.6 | 2 |
| 124 | Gestational hyperglycemia and the risk of cardiovascular diseases among elderly Chinese women: Findings from the REACTION study. <i>Journal of Diabetes</i> , 2021, 13, 949-959. | 1.8 | 2 |
| 125 | Serum Dickkopf-3 Level Is Inversely Associated with Significant Coronary Stenosis in an Asymptomatic Chinese Cohort. <i>International Heart Journal</i> , 2020, 61, 1107-1113. | 1.0 | 2 |
| 126 | Pain risk factor for a comprehensive cardiovascular health management. <i>Journal of Diabetes</i> , 2022, 14, 179-191. | 1.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Comprehensive risk profiles of family history and lifestyle and metabolic risk factors in relation to diabetes: A prospective cohort study. <i>Journal of Diabetes</i> , 2022, 14, 414-424. | 1.8 | 2 |
| 128 | Is Alanine Aminotransferase Associated with Osteopenia in Middle-Aged and Elderly Chinese?. <i>Endocrine Practice</i> , 2014, 20, 775-784. | 2.1 | 0 |
| 129 | Negative Risk Markers for Cardiovascular Risk Evaluation in Chinese Adults. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 800671. | 2.4 | 0 |
| 130 | Changes in adiposity modulate the APOA5 genetic effect on blood lipids: A longitudinal cohort study. <i>Atherosclerosis</i> , 2022, 350, 1-8. | 0.8 | 0 |