
Krzysztof Dyrbus

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7814296/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Extreme cardiovascular risk—do we need a new risk category?. European Heart Journal, 2022, 43, 1784-1786.	2.2	11
2	Intravascular Lithotripsy for the Treatment of Stent Underexpansion: The Multicenter IVL-DRAGON Registry. Journal of Clinical Medicine, 2022, 11, 1779.	2.4	16
3	Optimal use of lipid-lowering therapy after acute coronary syndromes: A Position Paper endorsed by the International Lipid Expert Panel (ILEP). Pharmacological Research, 2021, 166, 105499.	7.1	62
4	Risk-factors associated with extremely high cardiovascular risk of mid- and long-term mortality following myocardial infarction: Analysis of the Hyperlipidaemia Therapy in tERtiary Cardiological cEnTer (TERCET) registry. Atherosclerosis, 2021, 333, 16-23.	0.8	19
5	2021 PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on the diagnosis and therapy of lipid disorders in Poland. Diagnostyka Laboratoryjna I Wiadomości PTDL, 2021, 57, 1-99.	0.1	0
6	PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on diagnosis and therapy of lipid disorders in Poland 2021. Archives of Medical Science, 2021, 17, 1447-1547.	0.9	78
7	Inclisiran—New hope in the management of lipid disorders?. Journal of Clinical Lipidology, 2020, 14, 16-27.	1.5	80
8	Telehealth visits in a tertiary cardiovascular centre as a response of the healthcare system to the pandemic of SARS-CoV-2 in Poland. Polish Archives of Internal Medicine, 2020, 130, 700-703.	0.4	6
9	Long-term results of 11,021 patients with chronic coronary syndrome and after coronarography (from the PRESAGE Registry). Polish Archives of Internal Medicine, 2020, 130, 1043-1052.	0.4	0
10	The prevalence and management of familial hypercholesterolemia in patients with acute coronary syndrome in the Polish tertiary centre: Results from the TERCET registry with 19,781 individuals. Atherosclerosis, 2019, 288, 33-41.	0.8	28
11	The usefulness of left ventricular endomyocardial biopsy in clinical decision making in patients with unexplained heart failure. Kardiochirurgia I Torakochirurgia Polska, 2019, 16, 173-179.	0.1	0
12	Characteristics of lipid profile and effectiveness of management of dyslipidaemia in patients with acute coronary syndromes – Data from the TERCET registry with 19,287 patients. Pharmacological Research, 2019, 139, 460-466.	7.1	28
13	Evaluation of dyslipidaemia and the impact of hypolipidemic therapy on prognosis in high and very high risk patients through the Hyperlipidaemia Therapy in tERtiary Cardiological cEnTer (TERCET) Registry. Pharmacological Research, 2018, 132, 204-210.	7.1	20
14	Hemorrhagic Myocardial Infarction. Journal of the American College of Cardiology, 2016, 68, 426-427.	2.8	3
15	Comparison of modification of diet in renal disease and chronic kidney disease epidemiology collaboration formulas in predicting long-term outcomes in patients undergoing stent implantation due to stable coronary artery disease. Clinical Research in Cardiology, 2014, 103, 569-576.	3.3	10
16	Impact of chronic total occlusion artery on 12-month mortality in patients with non-ST-segment elevation myocardial infarction treated by percutaneous coronary intervention (From the PL-ACS) Tj ETQq0 0 () rgBI.‡Over	loc a 310 Tf 50
17	Red cell distribution width is associated with long-term prognosis in patients with stable coronary artery disease. BMC Cardiovascular Disorders, 2013, 13, 113.	1.7	64

¹⁸Comparison of Outcomes of Direct Stenting Versus Stenting After Balloon Predilation in Patients
With Acute Myocardial Infarction (DIRAMI). American Journal of Cardiology, 2007, 100, 798-805.1.631

#	Article	IF	CITATIONS
19	Usefulness of Atorvastatin in Patients With Heart Failure Due to Inflammatory Dilated Cardiomyopathy and Elevated Cholesterol Levels. American Journal of Cardiology, 2006, 97, 899-904.	1.6	101