

# Carmen Amaro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7814560/publications.pdf>

Version: 2024-02-01

118  
papers

4,312  
citations

81839

39  
h-index

143943

57  
g-index

121  
all docs

121  
docs citations

121  
times ranked

2013  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Method of Transposon Insertion Sequencing in Comprehensively Identifying <i>Vibrio vulnificus</i> Genes Required for Growth in Human Serum. <i>Methods in Molecular Biology</i> , 2022, 2377, 159-178.	0.4	1
2	A Transcriptomic Study Reveals That Fish Vibriosis Due to the Zoonotic Pathogen <i>Vibrio vulnificus</i> Is an Acute Inflammatory Disease in Which Erythrocytes May Play an Important Role. <i>Frontiers in Microbiology</i> , 2022, 13, 852677.	1.5	1
3	A multiplex PCR for the detection of <i>Vibrio vulnificus</i> hazardous to human and/or animal health from seafood. <i>International Journal of Food Microbiology</i> , 2022, 377, 109778.	2.1	6
4	Method for Specific Identification of the Emerging Zoonotic Pathogen <i>Vibrio vulnificus</i> Lineage 3 (Formerly Biotype 3). <i>Journal of Clinical Microbiology</i> , 2021, 59, .	1.8	1
5	Draft Genome Sequences of <i>Vibrio vulnificus</i> Strains Recovered from Moribund Tilapia. <i>Microbiology Resource Announcements</i> , 2021, 10, e0009421.	0.3	4
6	The widespread presence of a family of fish virulence plasmids in <i>Vibrio vulnificus</i> stresses its relevance as a zoonotic pathogen linked to fish farms. <i>Emerging Microbes and Infections</i> , 2021, 10, 2128-2140.	3.0	12
7	Phylogeny and life cycle of the zoonotic pathogen <i>Vibrio vulnificus</i> . <i>Environmental Microbiology</i> , 2020, 22, 4133-4148.	1.8	19
8	The Effect of the Environmental Temperature on the Adaptation to Host in the Zoonotic Pathogen <i>Vibrio vulnificus</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 489.	1.5	22
9	Vibriosis.. , 2020, , 182-210.		10
10	Adaptation to host in <i>Vibrio vulnificus</i> , a zoonotic pathogen that causes septicemia in fish and humans. <i>Environmental Microbiology</i> , 2019, 21, 3118-3139.	1.8	29
11	<i>In vitro</i> study of antimicrobial activity on <i>Klebsiella Pneumoniae</i> biofilms in endotracheal tubes. <i>Journal of Chemotherapy</i> , 2019, 31, 202-208.	0.7	4
12	Potentially humanâ€virulent <i>Vibrio vulnificus</i> isolates from diseased great pompano ( <i>Trachinotus</i> ) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 3	1.3	3
13	Comprehensive identification of <i>Vibrio vulnificus</i> genes required for growth in human serum. <i>Virulence</i> , 2018, 9, 981-993.	1.8	14
14	High genetic diversity of <i>Vibrio cholerae</i> in the European lake Neusiedler See is associated with intensive recombination in the reed habitat and the longâ€distance transfer of strains. <i>Environmental Microbiology</i> , 2017, 19, 328-344.	1.8	41
15	MARTX Toxin in the Zoonotic Serovar of <i>Vibrio vulnificus</i> Triggers an Early Cytokine Storm in Mice. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 332.	1.8	29
16	Wild eel microbiome reveals that skin mucus of fish could be a natural niche for aquatic mucosal pathogen evolution. <i>Microbiome</i> , 2017, 5, 162.	4.9	52
17	Phylogeny of <i>Vibrio vulnificus</i> from the Analysis of the Core-Genome: Implications for Intra-Species Taxonomy. <i>Frontiers in Microbiology</i> , 2017, 8, 2613.	1.5	50
18	Iron and Fur in the life cycle of the zoonotic pathogen <i>Vibrio vulnificus</i> . <i>Environmental Microbiology</i> , 2016, 18, 4005-4022.	1.8	49

#	ARTICLE	IF	CITATIONS
19	The Fish Pathogen <i>Vibrio vulnificus</i> Biotype 2: Epidemiology, Phylogeny, and Virulence Factors Involved in Warm-Water Vibriosis. <i>Microbiology Spectrum</i> , 2015, 3, .	1.2	62
20	Novel host-specific iron acquisition system in the zoonotic pathogen <i>Vibrio vulnificus</i> . <i>Environmental Microbiology</i> , 2015, 17, 2076-2089.	1.8	35
21	The emergence of <i>Vibrio</i> pathogens in Europe: ecology, evolution, and pathogenesis (Paris, 11-12th) <i>Trends in Microbiology</i> , 2015, 23, 115-126.	1.5	136
22	An Enriched European Eel Transcriptome Sheds Light upon Host-Pathogen Interactions with <i>Vibrio vulnificus</i> . <i>PLoS ONE</i> , 2015, 10, e0133328.	1.1	10
23	Early steps in the European eel ( <i>Anguilla anguilla</i> )- <i>Vibrio vulnificus</i> interaction in the gills: Role of the RtxA13 toxin. <i>Fish and Shellfish Immunology</i> , 2015, 43, 502-509.	1.6	26
24	Replicating phages in the epidermal mucosa of the eel ( <i>Anguilla anguilla</i> ). <i>Frontiers in Microbiology</i> , 2015, 6, 3.	1.5	7
25	Host-pathogen interactions in <i>Vibrio vulnificus</i> : responses of monocytes and vascular endothelial cells to live bacteria. <i>Future Microbiology</i> , 2015, 10, 471-487.	1.0	13
26	Draft Genome Sequence of Environmental Bacterium <i>Vibrio vulnificus</i> Clade A-yb158. <i>Genome Announcements</i> , 2015, 3, .	0.8	15
27	Impact of analytic provenance in genome analysis. <i>BMC Genomics</i> , 2014, 15, S1.	1.2	13
28	Metagenomics of the Mucosal Microbiota of European Eels. <i>Genome Announcements</i> , 2014, 2, .	0.8	15
29	Host-Nonspecific Iron Acquisition Systems and Virulence in the Zoonotic Serovar of <i>Vibrio vulnificus</i> . <i>Infection and Immunity</i> , 2014, 82, 731-744.	1.0	17
30	Genome-Wide SNP-Genotyping Array to Study the Evolution of the Human Pathogen <i>Vibrio vulnificus</i> Biotype 3. <i>PLoS ONE</i> , 2014, 9, e114576.	1.1	22
31	MARTX of <i>Vibrio vulnificus</i> biotype 2 is a virulence and survival factor. <i>Environmental Microbiology</i> , 2013, 15, 419-432.	1.8	65
32	Characterization of PAMP/PRR interactions in European eel ( <i>Anguilla anguilla</i> ) macrophage-like primary cell cultures. <i>Fish and Shellfish Immunology</i> , 2013, 35, 1216-1223.	1.6	35
33	pilF polymorphism-based real-time PCR to distinguish <i>Vibrio vulnificus</i> strains of human health relevance. <i>Food Microbiology</i> , 2012, 30, 17-23.	2.1	26
34	Serum antibodies to <i>Vibrio vulnificus</i> biotype 3 lipopolysaccharide and susceptibility to disease caused by the homologous <i>V. vulnificus</i> biotype. <i>Epidemiology and Infection</i> , 2011, 139, 472-481.	1.0	4
35	Polyphyletic Origin of <i>Vibrio vulnificus</i> Biotype 2 as Revealed by Sequence-Based Analysis. <i>Applied and Environmental Microbiology</i> , 2011, 77, 688-695.	1.4	40
36	Domain Organization and Evolution of Multifunctional Autoprocessing Repeats-in-Toxin (MARTX) Toxin in <i>Vibrio vulnificus</i> . <i>Applied and Environmental Microbiology</i> , 2011, 77, 657-668.	1.4	67

#	ARTICLE	IF	CITATIONS
37	A comparative epizootiologic study of the two fishâ€pathogenic serovars of <i>Vibrio vulnificus</i> biotype 2. <i>Journal of Fish Diseases</i> , 2010, 33, 383-390.	0.9	24
38	<i>pilF</i> Polymorphism-Based PCR To Distinguish <i>Vibrio vulnificus</i> Strains Potentially Dangerous to Public Health. <i>Applied and Environmental Microbiology</i> , 2010, 76, 1328-1333.	1.4	47
39	Spontaneous Quinolone Resistance in the Zoonotic Serovar of <i>Vibrio vulnificus</i> . <i>Applied and Environmental Microbiology</i> , 2009, 75, 2577-2580.	1.4	15
40	Plasmid diversity in <i>Vibrio vulnificus</i> biotypes. <i>Microbiology (United Kingdom)</i> , 2009, 155, 489-497.	0.7	35
41	Evaluation of Genotypic and Phenotypic Methods To Distinguish Clinical from Environmental <i>Vibrio vulnificus</i> Strains. <i>Applied and Environmental Microbiology</i> , 2009, 75, 1604-1613.	1.4	58
42	<i>Vibrio vulnificus</i> produces quorum sensing signals of the AHL-class. <i>FEMS Microbiology Ecology</i> , 2009, 69, 16-26.	1.3	27
43	Role of the metalloprotease Vvp and the virulence plasmid pR99 of <i>Vibrio vulnificus</i> serovar E in surface colonization and fish virulence. <i>Environmental Microbiology</i> , 2008, 10, 328-338.	1.8	27
44	Microbial and histopathological study of the vibriosis caused by <i>Vibrio vulnificus</i> serovar E in eels: The metalloprotease Vvp is not an essential lesional factor. <i>Microbial Pathogenesis</i> , 2008, 45, 386-393.	1.3	24
45	Role of the virulence plasmid pR99 and the metalloprotease Vvp in resistance of <i>Vibrio vulnificus</i> serovar E to eel innate immunity. <i>Fish and Shellfish Immunology</i> , 2008, 24, 134-141.	1.6	24
46	A Common Virulence Plasmid in Biotype 2 <i>Vibrio vulnificus</i> and Its Dissemination Aided by a Conjugal Plasmid. <i>Journal of Bacteriology</i> , 2008, 190, 1638-1648.	1.0	70
47	<i>Vibrio vulnificus</i> Biotype 2 Serovar E <i>gne</i> but Not <i>galE</i> Is Essential for Lipopolysaccharide Biosynthesis and Virulence. <i>Infection and Immunity</i> , 2008, 76, 1628-1638.	1.0	21
48	Multiplex PCR Assay for Detection of <i>Vibrio vulnificus</i> Biotype 2 and Simultaneous Discrimination of Serovar E Strains. <i>Applied and Environmental Microbiology</i> , 2007, 73, 2029-2032.	1.4	28
49	Phenotypic and genotypic characterization of a new fish-virulent <i>Vibrio vulnificus</i> serovar that lacks potential to infect humans. <i>Microbiology (United Kingdom)</i> , 2007, 153, 1926-1934.	0.7	33
50	Serological and molecular characteristics of <i>Vibrio vulnificus</i> biotype 3: evidence for high clonality. <i>Microbiology (United Kingdom)</i> , 2007, 153, 847-856.	0.7	32
51	A method to diagnose the carrier state of <i>Vibrio vulnificus</i> serovar E in eels: Development and field studies. <i>Aquaculture</i> , 2006, 258, 173-179.	1.7	10
52	Isolation of a hemin and hemoglobin binding outer membrane protein of <i>Vibrio vulnificus</i> biotype 2 (serogroup E). <i>FEMS Microbiology Letters</i> , 2006, 156, 187-191.	0.7	10
53	<i>Vibrio vulnificus</i> serovar A: an emerging pathogen in European anguilliculture. <i>Journal of Fish Diseases</i> , 2006, 29, 285-291.	0.9	56
54	First description of non-motile <i>Yersinia ruckeri</i> serovar I strains causing disease in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), cultured in Spain. <i>Journal of Fish Diseases</i> , 2006, 29, 339-346.	0.9	73

#	ARTICLE	IF	CITATIONS
55	Identification of DNA Sequences Specific for <i>Vibrio vulnificus</i> Biotype 2 Strains by Suppression Subtractive Hybridization. <i>Applied and Environmental Microbiology</i> , 2005, 71, 5593-5597.	1.4	19
56	The Cytotoxin-Hemolysin Genes of Human and Eel Pathogenic <i>Vibrio vulnificus</i> Strains: Comparison of Nucleotide Sequences and Application to the Genetic Grouping. <i>Microbiology and Immunology</i> , 2005, 49, 513-519.	0.7	35
57	Protocol for Specific Isolation of Virulent Strains of <i>Vibrio vulnificus</i> Serovar E (Biotype 2) from Environmental Samples. <i>Applied and Environmental Microbiology</i> , 2004, 70, 7024-7032.	1.4	37
58	Influence of aquatic microbiota on the survival in water of the human and eel pathogen <i>Vibrio vulnificus</i> serovar E. <i>Environmental Microbiology</i> , 2004, 6, 364-376.	1.8	12
59	Immunogenic antigens of the eel pathogen <i>Vibrio vulnificus</i> serovar E. <i>Fish and Shellfish Immunology</i> , 2004, 17, 277-291.	1.6	19
60	Efficacy of oral reimmunisation after immersion vaccination against <i>Vibrio vulnificus</i> in farmed European eels. <i>Aquaculture</i> , 2004, 231, 9-22.	1.7	20
61	Vaccination of market-size eels against vibriosis due to <i>Vibrio vulnificus</i> serovar E. <i>Aquaculture</i> , 2004, 241, 9-19.	1.7	5
62	Efficacy of a bivalent vaccine against eel diseases caused by <i>Vibrio vulnificus</i> after its administration by four different routes. <i>Fish and Shellfish Immunology</i> , 2004, 16, 93-105.	1.6	49
63	Isolation of a new serovar of <i>Vibrio vulnificus</i> pathogenic for eels cultured in freshwater farms. <i>Aquaculture</i> , 2003, 217, 677-682.	1.7	63
64	The kinetics of antibody production in mucus and serum of European eel ( <i>Anguilla anguilla</i> L.) after vaccination against <i>Vibrio vulnificus</i> : development of a new method for antibody quantification in skin mucus. <i>Fish and Shellfish Immunology</i> , 2003, 15, 51-61.	1.6	55
65	Susceptibility of Nile tilapia ( <i>Oreochromis niloticus</i> ) to vibriosis due to <i>Vibrio vulnificus</i> biotype 2 (serovar E). <i>Aquaculture</i> , 2002, 212, 21-30.	1.7	30
66	Transmission to Eels, Portals of Entry, and Putative Reservoirs of <i>Vibrio vulnificus</i> Serovar E (Biotype) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 5	1.4	78
67	Field testing of a vaccine against eel diseases caused by <i>Vibrio vulnificus</i> . <i>Diseases of Aquatic Organisms</i> , 2001, 45, 183-189.	0.5	42
68	<i>Vibrio harveyi</i> causes disease in seahorse, <i>Hippocampus</i> sp.. <i>Journal of Fish Diseases</i> , 2001, 24, 311-313.	0.9	80
69	Evidence that water transmits the disease caused by the fish pathogen <i>Photobacterium damsela</i> subsp. <i>damsela</i> . <i>Journal of Applied Microbiology</i> , 2000, 88, 531-535.	1.4	90
70	An indirect immunofluorescent antibody technique for detection and enumeration of <i>Vibrio vulnificus</i> serovar E (biotype 2): development and applications. <i>Journal of Applied Microbiology</i> , 2000, 89, 599-606.	1.4	15
71	Effectiveness of different vaccine formulations against vibriosis caused by <i>Vibrio vulnificus</i> serovar E (biotype 2) in European eels <i>Anguilla anguilla</i> . <i>Diseases of Aquatic Organisms</i> , 2000, 43, 91-101.	0.5	60
72	Ferric-reductase activities in <i>Vibrio vulnificus</i> biotypes 1 and 2. <i>FEMS Microbiology Letters</i> , 1999, 172, 205-211.	0.7	10

#	ARTICLE	IF	CITATIONS
73	Isolation and characterization of <i>Vibrio parahaemolyticus</i> causing infection in Iberian toothcarp <i>Aphanius iberus</i> . <i>Diseases of Aquatic Organisms</i> , 1999, 35, 77-80.	0.5	47
74	Ferric-reductase activities in <i>Vibrio vulnificus</i> biotypes 1 and 2. <i>FEMS Microbiology Letters</i> , 1999, 172, 205-211.	0.7	1
75	Comparative Study of Biological Properties and Electrophoretic Characteristics of Lipopolysaccharide from Eel-Virulent and Eel-A virulent <i>Vibrio vulnificus</i> Strains. <i>Applied and Environmental Microbiology</i> , 1999, 65, 856-858.	1.4	10
76	Effects of Salinity and Temperature on Long-Term Survival of the Eel Pathogen <i>Vibrio vulnificus</i> Biotype 2 (Serovar E). <i>Applied and Environmental Microbiology</i> , 1999, 65, 1117-1126.	1.4	62
77	Isolation of <i>Vibrio vulnificus</i> Serovar E from Aquatic Habitats in Taiwan. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1352-1355.	1.4	25
78	Survival of fish-virulent strains of <i>Photobacterium damsela</i> subsp. <i>damsela</i> in seawater under starvation conditions. <i>FEMS Microbiology Letters</i> , 1998, 168, 181-186.	0.7	45
79	High affinity iron-uptake systems in <i>Vibrio damsela</i> : role in the acquisition of iron from transferrin. <i>Journal of Applied Microbiology</i> , 1997, 82, 157-167.	1.4	21
80	High affinity iron-uptake systems in <i>Vibrio damsela</i> : role in the acquisition of iron from transferrin. <i>Journal of Applied Microbiology</i> , 1997, 82, 157-167.	1.4	27
81	An enzyme-linked immunosorbent assay for detection of <i>Vibrio vulnificus</i> biotype 2: development and field studies. <i>Applied and Environmental Microbiology</i> , 1997, 63, 537-542.	1.4	19
82	Phenotypic and genotypic characterization of <i>Vibrio vulnificus</i> : proposal for the substitution of the subspecific taxon biotype for serovar. <i>Applied and Environmental Microbiology</i> , 1997, 63, 1460-1466.	1.4	106
83	The lipopolysaccharide O side chain of <i>Vibrio vulnificus</i> serogroup E is a virulence determinant for eels. <i>Infection and Immunity</i> , 1997, 65, 2475-2479.	1.0	65
84	Effect of low temperature on starvation-survival of the eel pathogen <i>Vibrio vulnificus</i> biotype 2. <i>Applied and Environmental Microbiology</i> , 1996, 62, 450-455.	1.4	59
85	Phenotypic characterization of <i>Vibrio vulnificus</i> biotype 2, a lipopolysaccharide-based homogeneous O serogroup within <i>Vibrio vulnificus</i> . <i>Applied and Environmental Microbiology</i> , 1996, 62, 918-927.	1.4	108
86	Siderophore-mediated iron acquisition mechanisms in <i>Vibrio vulnificus</i> biotype 2. <i>Applied and Environmental Microbiology</i> , 1996, 62, 928-935.	1.4	42
87	<i>Vibrio vulnificus</i> biotype 2, pathogenic for eels, is also an opportunistic pathogen for humans. <i>Applied and Environmental Microbiology</i> , 1996, 62, 1454-1457.	1.4	185
88	Toxic and enzymatic activities of <i>Vibrio vulnificus</i> biotype 2 with respect to host specificity. <i>Applied and Environmental Microbiology</i> , 1996, 62, 2331-2337.	1.4	72
89	Utilization of hemin and hemoglobin by <i>Vibrio vulnificus</i> biotype 2. <i>Applied and Environmental Microbiology</i> , 1996, 62, 2806-2810.	1.4	31
90	Pathogenicity of live bacteria and extracellular products of motile <i>Aeromonas</i> isolated from eels. <i>Journal of Applied Bacteriology</i> , 1995, 78, 555-562.	1.1	34

#	ARTICLE	IF	CITATIONS
91	Biochemical and toxigenic properties of <i>Vibrio furnissii</i> isolated from a European eel farm. <i>Aquaculture</i> , 1995, 132, 81-90.	1.7	15
92	Evidence that water transmits <i>Vibrio vulnificus</i> biotype 2 infections to eels. <i>Applied and Environmental Microbiology</i> , 1995, 61, 1133-1137.	1.4	133
93	O-Serogrouping and surface components of <i>Aeromonas hydrophila</i> and <i>Aeromonas jandaei</i> pathogenic for eels. <i>FEMS Microbiology Letters</i> , 1994, 117, 85-90.	0.7	39
94	Role of iron in the pathogenicity of <i>Vibrio damsela</i> for fish and mammals. <i>FEMS Microbiology Letters</i> , 1994, 121, 181-188.	0.7	53
95	Role of iron in the pathogenicity of <i>Vibrio damsela</i> for fish and mammals. <i>FEMS Microbiology Letters</i> , 1994, 121, 181-188.	0.7	2
96	Role of iron, capsule, and toxins in the pathogenicity of <i>Vibrio vulnificus</i> biotype 2 for mice. <i>Infection and Immunity</i> , 1994, 62, 759-763.	1.0	102
97	Evaluation of the API 20E system for identification and discrimination of <i>Vibrio vulnificus</i> biotypes 1 and 2. <i>Journal of Fish Diseases</i> , 1993, 16, 79-82.	0.9	36
98	Comparison of outer membrane protein profiles of <i>Vibrio vulnificus</i> biotypes 1 and 2. <i>FEMS Microbiology Letters</i> , 1993, 107, 217-222.	0.7	45
99	Toxicity of the extracellular products of <i>Vibrio damsela</i> isolated from diseased fish. <i>Current Microbiology</i> , 1993, 27, 341-347.	1.0	48
100	Comparison of outer membrane protein profiles of <i>Vibrio vulnificus</i> biotypes 1 and 2. <i>FEMS Microbiology Letters</i> , 1993, 107, 217-222.	0.7	2
101	Presence of a capsule in <i>Vibrio vulnificus</i> biotype 2 and its relationship to virulence for eels. <i>Infection and Immunity</i> , 1993, 61, 1611-1618.	1.0	78
102	Virulence of <i>Aeromonas hydrophila</i> and some other bacteria isolated from European eels <i>Anguilla anguilla</i> reared in fresh water. <i>Diseases of Aquatic Organisms</i> , 1993, 16, 15-20.	0.5	65
103	Electrophoretic analysis of heterogeneous lipopolysaccharides from various strains of <i>Vibrio vulnificus</i> biotypes 1 and 2 by silver staining and immunoblotting. <i>Current Microbiology</i> , 1992, 25, 99-104.	1.0	83
104	Comparative study of phenotypic and virulence properties in <i>Vibrio vulnificus</i> biotypes 1 and 2 obtained from a European eel farm experiencing mortalities. <i>Diseases of Aquatic Organisms</i> , 1992, 13, 29-35.	0.5	78
105	Physico-Chemical and Bacteriological Parameters in a Hypereutrophic Lagoon (Albufera Lake, Valencia,) Tj ETQq1 1 0,784314 rgBT /Over	0,2	
106	First record of <i>Vibrio vulnificus</i> biotype 2 from diseased European eel, <i>Anguilla anguilla</i> L.. <i>Journal of Fish Diseases</i> , 1991, 14, 103-109.	0.9	93
107	Siderophores and related outer membrane proteins in <i>Vibrio</i> spp. which are potential pathogens of fish and shellfish. <i>Journal of Fish Diseases</i> , 1991, 14, 249-263.	0.9	14
108	Siderophore production in <i>Aeromonas</i> spp. Isolated from European eel, <i>Anguilla anfuilla</i> L.. <i>Journal of Fish Diseases</i> , 1991, 14, 423-427.	0.9	3

#	ARTICLE	IF	CITATIONS
109	Surface and virulence properties of environmental <i>Vibrio cholerae</i> non-O1 from Albufera Lake (Valencia, Spain). <i>Applied and Environmental Microbiology</i> , 1990, 56, 1140-1147.	1.4	18
110	Iron-binding compounds and related outer membrane proteins in <i>Vibrio cholerae</i> non-O1 strains from aquatic environments. <i>Applied and Environmental Microbiology</i> , 1990, 56, 2410-2416.	1.4	30
111	Siderophore production by environmental strains of <i>Salmonella</i> species. <i>FEMS Microbiology Letters</i> , 1989, 57, 7-12.	0.7	18
112	Siderophore production by environmental strains of <i>Salmonella</i> species. <i>FEMS Microbiology Letters</i> , 1989, 48, 7-12.	0.7	9
113	Cell envelope proteins of environmental <i>Vibrio cholerae</i> non O1 isolates from Albufera Lake (Valencia,) Tj ETQq1 1 International Journal of Hygiene and Environmental Medicine, 1989, 189, 164-74.	0.784314 0.1	1 1
114	Characterization of R-plasmids in environmental isolates of <i>Salmonella</i> : Host range and stability. <i>Current Microbiology</i> , 1988, 17, 173-177.	1.0	2
115	R plasmids in environmental <i>Vibrio cholerae</i> non-O1 strains. <i>Applied and Environmental Microbiology</i> , 1988, 54, 2771-2776.	1.4	26
116	Incidence of <i>Vibrio cholerae</i> and related vibrios in a coastal lagoon and seawater influenced by lake discharges along an annual cycle. <i>Applied and Environmental Microbiology</i> , 1985, 50, 426-430.	1.4	41
117	<i>Vibrio</i> Species, 0, , 347-388.		19
118	Survival of fish-virulent strains of <i>Photobacterium damsela</i> subsp. <i>damsela</i> in seawater under starvation conditions. , 0, .		5