

# Juliana Chung-ngor Chan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7815248/publications.pdf>

Version: 2024-02-01

787  
papers

49,265  
citations

2427

97  
h-index

2895

190  
g-index

808  
all docs

808  
docs citations

808  
times ranked

49890  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perinatal famine is associated with excess risk of proliferative retinopathy in patients with type 2 diabetes. <i>Acta Ophthalmologica</i> , 2022, 100, .	1.1	5
2	Skin autofluorescence is associated with progression of kidney disease in type 2 diabetes: A prospective cohort study from the Hong Kong diabetes biobank. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 436-446.	2.6	11
3	<i>CYP2C19</i> Loss-of-function Polymorphisms are Associated with Reduced Risk of Sulfonylurea Treatment Failure in Chinese Patients with Type 2 Diabetes. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 461-469.	4.7	5
4	Data Resource Profile: The Hong Kong Diabetes Surveillance Database (HKDSD). <i>International Journal of Epidemiology</i> , 2022, 51, e9-e17.	1.9	20
5	Risk associations of long-term HbA1c variability and obesity on cancer events and cancer-specific death in 15,286 patients with diabetes - A prospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 18, 100315.	2.9	13
6	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. <i>Methods</i> , 2022, 204, 300-311.	3.8	3
7	Risk Associations of Glycemic Burden and Obesity With Liver Cancer—A 10-Year Analysis of 15,280 Patients With Type 2 Diabetes. <i>Hepatology Communications</i> , 2022, 6, 1350-1360.	4.3	13
8	Shortened Leukocyte Telomere Length Is Associated With Glycemic Progression in Type 2 Diabetes: A Prospective and Mendelian Randomization Analysis. <i>Diabetes Care</i> , 2022, 45, 701-709.	8.6	37
9	Nonalbuminuric Diabetic Kidney Disease and Risk of All-Cause Mortality and Cardiovascular and Kidney Outcomes in Type 2 Diabetes: Findings From the Hong Kong Diabetes Biobank. <i>American Journal of Kidney Diseases</i> , 2022, 80, 196-206.e1.	1.9	12
10	IDF Diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045. <i>Diabetes Research and Clinical Practice</i> , 2022, 183, 109119.	2.8	2,873
11	Clinical Predictors and Long-term Impact of Acute Kidney Injury on Progression of Diabetic Kidney Disease in Chinese Patients With Type 2 Diabetes. <i>Diabetes</i> , 2022, 71, 520-529.	0.6	6
12	Trends in all-cause mortality among people with diagnosed diabetes in high-income settings: a multicountry analysis of aggregate data. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 112-119.	11.4	37
13	Time-varying risk associations of renin angiotensin system inhibitors with pneumonia and related deaths in a cohort of 252,616 patients with diabetes (2002–2019). <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109233.	2.8	6
14	Effect of a Web-Based Management Guide on Risk Factors in Patients With Type 2 Diabetes and Diabetic Kidney Disease. <i>JAMA Network Open</i> , 2022, 5, e223862.	5.9	13
15	Comment on Dawed et al. Genome-Wide Meta-Analysis Identifies Genetic Variants Associated With Glycemic Response to Sulfonylureas. <i>Diabetes Care</i> 2021;44:2673–2682. <i>Diabetes Care</i> , 2022, 45, e80-e81.	8.6	2
16	Associations of the HOMA2-%B and HOMA2-%IR with progression to diabetes and glycaemic deterioration in young and middle-aged Chinese. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, e3525.	4.0	12
17	A Clinical Perspective of the Multifaceted Mechanism of Metformin in Diabetes, Infections, Cognitive Dysfunction, and Cancer. <i>Pharmaceuticals</i> , 2022, 15, 442.	3.8	11
18	Autotaxin signaling facilitates $\beta^2$ cell dedifferentiation and dysfunction induced by Sirtuin 3 deficiency. <i>Molecular Metabolism</i> , 2022, 60, 101493.	6.5	4

#	ARTICLE	IF	CITATIONS
19	Continuous Glucose Monitoring Metrics in the Assessment of Glycemia in Moderate-to-Advanced CKD in Diabetes. <i>Kidney International Reports</i> , 2022, 7, 1354-1363.	0.8	3
20	Relative leucocyte telomere length is associated with incident end-stage kidney disease and rapid decline of kidney function in type 2 diabetes: analysis from the Hong Kong Diabetes Register. <i>Diabetologia</i> , 2022, 65, 375-386.	6.3	11
21	The emerging role of incretins and twincretins. <i>Nature Reviews Endocrinology</i> , 2022, 18, 73-74.	9.6	6
22	Use of Continuous Glucose Monitoring in the Assessment and Management of Patients With Diabetes and Chronic Kidney Disease. <i>Frontiers in Endocrinology</i> , 2022, 13, 869899.	3.5	16
23	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. <i>Nature Genetics</i> , 2022, 54, 560-572.	21.4	250
24	Pathophysiology, phenotypes and management of type 2 diabetes mellitus in Indian and Chinese populations. <i>Nature Reviews Endocrinology</i> , 2022, 18, 413-432.	9.6	62
25	Neuronal Dysfunction Is Linked to the Famine-Associated Risk of Proliferative Retinopathy in Patients With Type 2 Diabetes. <i>Frontiers in Neuroscience</i> , 2022, 16, .	2.8	1
26	Implementation of Precision Genetic Approaches for Type 1 and 2 Diabetes. , 2022, , 111-129.		2
27	Assessment of Bidirectional Relationships between Leisure Sedentary Behaviors and Neuropsychiatric Disorders: A Two-Sample Mendelian Randomization Study. <i>Genes</i> , 2022, 13, 962.	2.4	4
28	Glucose-lowering drug use, glycemic outcomes, and severe hypoglycemia: 18-Year trends in 0.9 million adults with Diabetes in Hong Kong (2002-2019). <i>The Lancet Regional Health - Western Pacific</i> , 2022, 26, 100509.	2.9	12
29	Human Serum Metabolites as Potential Mediators from Type 2 Diabetes and Obesity to COVID-19 Severity and Susceptibility: Evidence from Mendelian Randomization Study. <i>Metabolites</i> , 2022, 12, 598.	2.9	5
30	Combined associations of family history and self-management with age at diagnosis and cardiometabolic risk in 86,931 patients with type 2 diabetes: Joint Asia Diabetes Evaluation (JADE) Register from 11 countries. <i>BMC Medicine</i> , 2022, 20, .	5.5	2
31	Machine learning risk score for prediction of gestational diabetes in early pregnancy in Tianjin, China. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3397.	4.0	31
32	Use of sodium-glucose co-transporter-2 inhibitors in Asian patients with type 2 diabetes and kidney disease: An Asian perspective and expert recommendations. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 299-317.	4.4	20
33	Temporal trends in rates of infection-related hospitalisations in Hong Kong people with and without diabetes, 2001-2016: a retrospective study. <i>Diabetologia</i> , 2021, 64, 109-118.	6.3	24
34	Effects of lifestyle intervention during pregnancy on postpartum diabetes among Chinese women with gestational diabetes. <i>Diabetologia</i> , 2021, 64, 255-258.	6.3	4
35	Diabetes Management in Chronic Kidney Disease: Synopsis of the 2020 KDIGO Clinical Practice Guideline. <i>Annals of Internal Medicine</i> , 2021, 174, 385-394.	3.9	110
36	Impact of age at type 2 diabetes mellitus diagnosis on mortality and vascular complications: systematic review and meta-analyses. <i>Diabetologia</i> , 2021, 64, 275-287.	6.3	140

#	ARTICLE	IF	CITATIONS
37	Pancreatic Sirtuin 3 Deficiency Promotes Hepatic Steatosis by Enhancing 5-Hydroxytryptamine Synthesis in Mice With Diet-Induced Obesity. <i>Diabetes</i> , 2021, 70, 119-131.	0.6	10
38	Tackling obesity during the COVID-19 pandemic. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3393.	4.0	2
39	Early combination therapy delayed treatment escalation in newly diagnosed young-onset type 2 diabetes: A subanalysis of the VERIFY study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 245-251.	4.4	13
40	Effects of Lifestyle Intervention of Maternal Gestational Diabetes Mellitus on Offspring Growth Pattern Before Two Years of Age. <i>Diabetes Care</i> , 2021, 44, e42-e44.	8.6	11
41	Screening, prevalence, treatment and control of kidney disease in patients with type 1 and type 2 diabetes in low-to-middle-income countries (2005-2017): the International Diabetes Management Practices Study (IDMPS). <i>Diabetologia</i> , 2021, 64, 1246-1255.	6.3	6
42	Development of genome-wide polygenic risk scores for lipid traits and clinical applications for dyslipidemia, subclinical atherosclerosis, and diabetes cardiovascular complications among East Asians. <i>Genome Medicine</i> , 2021, 13, 29.	8.2	18
43	Investigating the role of <i>dachshund b</i> in the development of the pancreatic islet in zebrafish. <i>Journal of Diabetes Investigation</i> , 2021, 12, 710-727.	2.4	2
44	Association of hip fractures with cardiometabolic-renal risk factors in Southern Chinese patients with type 2 diabetes - the Hong Kong Diabetes Register. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1739-1748.	2.4	0
45	Increased co-expression of PSMA2 and GLP-1 receptor in cervical cancer models in type 2 diabetes attenuated by Exendin-4: A translational case-control study. <i>EBioMedicine</i> , 2021, 65, 103242.	6.1	10
46	Glycemic Variability and Time in Range During Self-titration of Once Daily Insulin Glargine 300 U/ml Versus Neutral Protamine Hagedorn Insulin in Insulin-naïve Chinese Type 2 Diabetes Patients. <i>Diabetes Therapy</i> , 2021, 12, 1399-1413.	2.5	5
47	Shortened relative leukocyte telomere length is associated with all-cause mortality in type 2 diabetes-analysis from the Hong Kong Diabetes Register. <i>Diabetes Research and Clinical Practice</i> , 2021, 173, 108649.	2.8	10
48	Usefulness of cutoff points of International criteria for prediction of postpartum diabetes and prediabetes among Chinese women with gestational diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3456.	4.0	5
49	Long-term metformin use and risk of pneumonia and related death in type 2 diabetes: a registry-based cohort study. <i>Diabetologia</i> , 2021, 64, 1760-1765.	6.3	13
50	Effects of a Technology-Assisted Integrated Diabetes Care Program on Cardiometabolic Risk Factors Among Patients With Type 2 Diabetes in the Asia-Pacific Region. <i>JAMA Network Open</i> , 2021, 4, e217557.	5.9	15
51	Trends in the incidence of diagnosed diabetes: a multicountry analysis of aggregate data from 22 million diagnoses in high-income and middle-income settings. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 203-211.	11.4	85
52	High Prevalence of Depressive Symptoms in Patients With Type 1 and Type 2 Diabetes in Developing Countries: Results From the International Diabetes Management Practices Study. <i>Diabetes Care</i> , 2021, 44, 1100-1107.	8.6	14
53	Associations of Renal Augmented Velocity Index with Arterial Stiffness, Carotid Intima-Media Thickness and Blood Pressure, in Comparison with Renal Resistive Index. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 1279-1288.	1.5	3
54	One in Seven Insulin-Treated Patients in Developing Countries Reported Poor Persistence with Insulin Therapy: Real World Evidence from the Cross-Sectional International Diabetes Management Practices Study (IDMPS). <i>Advances in Therapy</i> , 2021, 38, 3281-3298.	2.9	11

#	ARTICLE	IF	CITATIONS
55	Young age at diabetes diagnosis amplifies the effect of diabetes duration on risk of chronic kidney disease: a prospective cohort study. <i>Diabetologia</i> , 2021, 64, 1990-2000.	6.3	22
56	Rationale for glycemic control to improve cardiovascular outcome: Lessons from east and west. <i>Journal of Diabetes</i> , 2021, 13, 698-700.	1.8	1
57	Determinants of penetrance and variable expressivity in monogenic metabolic conditions across 77,184 exomes. <i>Nature Communications</i> , 2021, 12, 3505.	12.8	49
58	Data on diabetes-specific distress are needed to improve the quality of diabetes care – Authors' reply. <i>Lancet, The</i> , 2021, 397, 2150.	13.7	1
59	Trends in kidney failure and kidney replacement therapy in people with diabetes in Hong Kong, 2002-2015: A retrospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 11, 100165.	2.9	11
60	Interactions between Prepregnancy Overweight and Passive Smoking for Macrosomia and Large for Gestational Age in Chinese Pregnant Women. <i>Obesity Facts</i> , 2021, 14, 520-530.	3.4	7
61	Phenotypic and Genetic Heterogeneity in a Thai Glucokinase MODY Family Reveals the Complexity of Young-Onset Diabetes. <i>Frontiers in Endocrinology</i> , 2021, 12, 690343.	3.5	3
62	Migration and diabetes incidence among Chinese adults in Canada, China, Hong Kong, and Taiwan: An international population-based comparative study from 2000 to 2017. <i>Diabetes Research and Clinical Practice</i> , 2021, 180, 109062.	2.8	4
63	IDDF2021-ABS-0138...Circulating non-coding transcripts serving as biomarkers for diabetic liver steatosis. , 2021, , .		0
64	Skin autofluorescence is associated with higher risk of cardiovascular events in Chinese adults with type 2 diabetes: A prospective cohort study from the Hong Kong Diabetes Biobank. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 108015.	2.3	9
65	Association between FGF19, FGF21 and lipocalin-2, and diabetes progression in PCOS. <i>Endocrine Connections</i> , 2021, 10, 1243-1252.	1.9	6
66	Early combination versus initial metformin monotherapy in the management of newly diagnosed type 2 diabetes: An East Asian perspective. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 3-17.	4.4	16
67	Integratome analysis of adipose tissues reveals abnormal epigenetic regulation of adipogenesis, inflammation, and insulin signaling in obese individuals with type 2 diabetes. <i>Clinical and Translational Medicine</i> , 2021, 11, e596.	4.0	4
68	Detection of increased serum miR-122-5p and miR-455-3p levels before the clinical diagnosis of liver cancer in people with type 2 diabetes. <i>Scientific Reports</i> , 2021, 11, 23756.	3.3	13
69	Legacy effect of high glucose on promoting survival of HCT116 colorectal cancer cells by reducing endoplasmic reticulum stress response.. <i>American Journal of Cancer Research</i> , 2021, 11, 6004-6023.	1.4	0
70	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	8.8	67
71	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	4.5	175
72	Cardiovascular outcomes trials in type 2 diabetes: Time to include young adults. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 3-5.	4.4	25

#	ARTICLE	IF	CITATIONS
73	Cadherin-related family member 3 gene impacts childhood asthma in Chinese children. <i>Pediatric Allergy and Immunology</i> , 2020, 31, 133-142.	2.6	5
74	Real-world data reveal unmet clinical needs in insulin treatment in Asian people with type 2 diabetes: the Joint Asia Diabetes Evaluation (JADE) Register. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 669-679.	4.4	14
75	Long-term maternal cardiometabolic outcomes 22 years after gestational diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2020, 11, 985-993.	2.4	6
76	Persistent poor glycaemic control in individuals with type 2 diabetes in developing countries: 12 years of real-world evidence of the International Diabetes Management Practices Study (IDMPS). <i>Diabetologia</i> , 2020, 63, 711-721.	6.3	76
77	Insulin resistance versus $\beta$ -cell dysfunction in type 2 diabetes: where public and personalised health meet. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 92-93.	11.4	12
78	Microvascular and Cardiovascular Outcomes According to Renal Function in Patients Treated With Once-Weekly Exenatide: Insights From the EXSCEL Trial. <i>Diabetes Care</i> , 2020, 43, 446-452.	8.6	63
79	Association of technologically assisted integrated care with clinical outcomes in type 2 diabetes in Hong Kong using the prospective JADE Program: A retrospective cohort analysis. <i>PLoS Medicine</i> , 2020, 17, e1003367.	8.4	24
80	Secular trends in rates of hospitalisation for lower extremity amputation and 1 year mortality in people with diabetes in Hong Kong, 2001-2016: a retrospective cohort study. <i>Diabetologia</i> , 2020, 63, 2689-2698.	6.3	14
81	KDIGO 2020 Clinical Practice Guideline for Diabetes Management in Chronic Kidney Disease. <i>Kidney International</i> , 2020, 98, S1-S115.	5.2	692
82	Insights from VERIFY: Early Combination Therapy Provides Better Glycaemic Durability Than a Stepwise Approach in Newly Diagnosed Type 2 Diabetes. <i>Diabetes Therapy</i> , 2020, 11, 2465-2476.	2.5	15
83	Trends in Glucose-Lowering Drug Use, Glycemic Control, and Severe Hypoglycemia in Adults With Diabetes in Hong Kong, 2002-2016. <i>Diabetes Care</i> , 2020, 43, 2967-2974.	8.6	29
84	Shortened Relative Leukocyte Telomere Length Is Associated With Prevalent and Incident Cardiovascular Complications in Type 2 Diabetes: Analysis From the Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2020, 43, 2257-2265.	8.6	31
85	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. <i>Lancet</i> , 2020, 396, 2019-2082.	13.7	327
86	Obesity, clinical, and genetic predictors for glycemic progression in Chinese patients with type 2 diabetes: A cohort study using the Hong Kong Diabetes Register and Hong Kong Diabetes Biobank. <i>PLoS Medicine</i> , 2020, 17, e1003209.	8.4	31
87	Age at diagnosis, glycemic trajectories, and responses to oral glucose-lowering drugs in type 2 diabetes in Hong Kong: A population-based observational study. <i>PLoS Medicine</i> , 2020, 17, e1003316.	8.4	27
88	Within-trial cost-effectiveness of lifestyle intervention using a 3-tier shared care approach for pregnancy outcomes in Chinese women with gestational diabetes. <i>PLoS ONE</i> , 2020, 15, e0237738.	2.5	1
89	Hepatic miR-192-3p reactivation alleviates steatosis by targeting glucocorticoid receptor. <i>JHEP Reports</i> , 2020, 2, 100179.	4.9	15
90	Identification of type 2 diabetes loci in 433,540 East Asian individuals. <i>Nature</i> , 2020, 582, 240-245.	27.8	282

#	ARTICLE	IF	CITATIONS
91	SNPs in PRKCA and HIF1A and GLUT1 are associated with diabetic kidney disease in a Chinese Han population with type 2 diabetes. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13264.	3.4	9
92	Development and validation of an early pregnancy risk score for the prediction of gestational diabetes mellitus in Chinese pregnant women. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000909.	2.8	23
93	Trends in diabetes-related complications in Hong Kong, 2001 to 2016: a retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 60.	6.8	24
94	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2290.	7.4	242
95	A polysaccharide extract from the medicinal plant Maidong inhibits the IKK and NF- $\kappa$ B pathway and IL-1 $\beta$ induced islet inflammation and increases insulin secretion. <i>Journal of Biological Chemistry</i> , 2020, 295, 12573-12587.	3.4	13
96	Development and validation of algorithms to classify type 1 and 2 diabetes according to age at diagnosis using electronic health records. <i>BMC Medical Research Methodology</i> , 2020, 20, 35.	3.1	13
97	Secular trends in incidence of type 1 and type 2 diabetes in Hong Kong: A retrospective cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003052.	8.4	49
98	Circulating branched-chain amino acids and incident heart failure in type 2 diabetes: The Hong Kong Diabetes Register. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3253.	4.0	20
99	Secular trends in all-cause and cause-specific mortality rates in people with diabetes in Hong Kong, 2001 to 2016: a retrospective cohort study. <i>Diabetologia</i> , 2020, 63, 757-766.	6.3	80
100	Serial Transient Elastography Examinations to Monitor Patients With Type 2 Diabetes: A Prospective Cohort Study. <i>Hepatology</i> , 2020, 72, 1230-1241.	7.3	59
101	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. <i>Statistical Methods in Medical Research</i> , 2020, 29, 2520-2537.	1.5	366
102	Impacts of gestational diabetes on quality of life in Chinese pregnant women in urban Tianjin, China. <i>Primary Care Diabetes</i> , 2020, 14, 425-430.	1.8	6
103	Use of SGLT-2 Inhibitors in Patients with Type 2 Diabetes Mellitus and Abdominal Obesity: An Asian Perspective and Expert Recommendations. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 11.	4.7	30
104	Title is missing!. , 2020, 17, e1003316.		0
105	Title is missing!. , 2020, 17, e1003316.		0
106	Title is missing!. , 2020, 17, e1003316.		0
107	Title is missing!. , 2020, 17, e1003316.		0
108	Title is missing!. , 2020, 17, e1003052.		0

#	ARTICLE	IF	CITATIONS
109	Title is missing!. , 2020, 17, e1003052.		0
110	Title is missing!. , 2020, 17, e1003052.		0
111	Title is missing!. , 2020, 17, e1003052.		0
112	Title is missing!. , 2020, 17, e1003052.		0
113	Diabetes education and health insurance: How they affect the quality of care provided to people with type 1 diabetes in Latin America. Data from the International Diabetes Mellitus Practices Study (IDMPS). Diabetes Research and Clinical Practice, 2019, 147, 47-54.	2.8	10
114	Augmented Velocity Index: A New Doppler Index Associated with Arterial Stiffness. Ultrasound in Medicine and Biology, 2019, 45, 2747-2757.	1.5	2
115	Insulin glargine compared to neutral protamine Hagedorn (NPH) insulin in patients with type-2 diabetes uncontrolled with oral anti-diabetic agents alone in Hong Kong: a cost-effectiveness analysis. Cost Effectiveness and Resource Allocation, 2019, 17, 13.	1.5	5
116	Use of sodium-glucose co-transporter-2 inhibitors in patients with type 2 diabetes mellitus and multiple cardiovascular risk factors: An Asian perspective and expert recommendations. Diabetes, Obesity and Metabolism, 2019, 21, 2354-2367.	4.4	22
117	Interactive effects of prepregnancy overweight and gestational diabetes on macrosomia and large for gestational age: A population-based prospective cohort in Tianjin, China. Diabetes Research and Clinical Practice, 2019, 154, 82-89.	2.8	17
118	Progression of glucose intolerance and cardiometabolic risk factors over a decade in Chinese women with polycystic ovary syndrome: A case-control study. PLoS Medicine, 2019, 16, e1002953.	8.4	38
119	Sex differences in the association between socioeconomic status and diabetes prevalence and incidence in China: cross-sectional and prospective studies of 0.5 million adults. Diabetologia, 2019, 62, 1420-1429.	6.3	29
120	Exome sequencing of 20,791 cases of type 2 diabetes and 24,440 controls. Nature, 2019, 570, 71-76.	27.8	248
121	Accuracy of Patient Health Questionnaire-9 (PHQ-9) for screening to detect major depression: individual participant data meta-analysis. BMJ: British Medical Journal, 2019, 365, l1476.	2.3	822
122	Diabetes-Related Complications and Mortality in Patients With Young-Onset Latent Autoimmune Diabetes: A 14-Year Analysis of the Prospective Hong Kong Diabetes Register. Diabetes Care, 2019, 42, 1042-1050.	8.6	24
123	Temporal changes in obesity and sleep habits in Hong Kong Chinese school children: a prospective study. Scientific Reports, 2019, 9, 5881.	3.3	6
124	Gender differences in the associations between insomnia and glycemic control in patients with type 2 diabetes: a cross-sectional study. Sleep, 2019, 42, .	1.1	8
125	Excess Burden of Mental Illness and Hospitalization in Young-Onset Type 2 Diabetes. Annals of Internal Medicine, 2019, 171, 78.	3.9	4
126	From Hong Kong Diabetes Register to JADE Program to RAMP-DM for Data-Driven Actions. Diabetes Care, 2019, 42, 2022-2031.	8.6	79



#	ARTICLE	IF	CITATIONS
127	Sudomotor dysfunction independently predicts incident cardiovascular renal events and all-cause death in type 2 diabetes: the Joint Asia Diabetes Evaluation register. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1320-1328.	0.7	6
128	Impact of diabetes education and self-management on the quality of care for people with type 1 diabetes mellitus in the Middle East (the International Diabetes Mellitus Practices Study, IDMPS). <i>Diabetes Research and Clinical Practice</i> , 2019, 147, 29-36.	2.8	28
129	Progression of diabetic kidney disease and trajectory of kidney function decline in Chinese patients with Type 2 diabetes. <i>Kidney International</i> , 2019, 95, 178-187.	5.2	105
130	Excess Burden of Mental Illness and Hospitalization in Young-Onset Type 2 Diabetes. <i>Annals of Internal Medicine</i> , 2019, 170, 145.	3.9	53
131	Interactive effects of testosterone and the androgen receptor CAG repeat length polymorphism on cardiovascular renal events and mortality in men with diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3081.	4.0	8
132	&lt;p&gt;&lt;em&gt;CYP2C19&lt;/em&gt;*&lt;em&gt;2&lt;/em&gt; Polymorphism Is Associated with Impaired Oral Clearance of Gliclazide in Healthy Chinese&lt;/p&gt;. <i>Pharmacogenomics and Personalized Medicine</i> , 2019, Volume 12, 397-401.	0.7	6
133	Sodium-glucose co-transporter-2 inhibitors: know the patient and the drugs. , 2019, 25, 268-270.		3
134	Precision medicine in diabetes prevention, classification and management. <i>Journal of Diabetes Investigation</i> , 2018, 9, 998-1015.	2.4	69
135	The Relationship of Quantitative Retinal Capillary Network to Kidney Function in Type 2 Diabetes. <i>American Journal of Kidney Diseases</i> , 2018, 71, 916-918.	1.9	12
136	Cross-sectional survey of biosimilar insulin utilization in Asia: The Joint Asia Diabetes Evaluation Program. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1312-1322.	2.4	3
137	Category A: EPoster Presentation: Contraception and Fertility Control. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 26-28.	2.3	1
138	Increased Risk of Severe Hypoglycemic Events Before and After Cardiovascular Outcomes in TECOS Suggests an At-Risk Type 2 Diabetes Frail Patient Phenotype. <i>Diabetes Care</i> , 2018, 41, 596-603.	8.6	59
139	Cardiovascular outcomes with glucagon-like peptide-1 receptor agonists in patients with type 2 diabetes: a meta-analysis. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 105-113.	11.4	451
140	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	2.8	53
141	A Genome-Wide Association Study of Diabetic Kidney Disease in Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 1414-1427.	0.6	136
142	Interactions between general and central obesity in predicting gestational diabetes mellitus in Chinese pregnant women: A prospective population-based study in Tianjin, China. <i>Journal of Diabetes</i> , 2018, 10, 59-67.	1.8	21
143	ABO blood types and postpartum depression among Chinese women: A prospective cohort study in Tianjin, China. <i>Women and Health</i> , 2018, 58, 685-698.	1.0	8
144	Regional evidence and international recommendations to guide lipid management in Asian patients with type 2 diabetes with special reference to renal dysfunction. <i>Journal of Diabetes</i> , 2018, 10, 200-212.	1.8	3

#	ARTICLE	IF	CITATIONS
145	MicroRNA and Diabetic Complications: A Clinical Perspective. <i>Antioxidants and Redox Signaling</i> , 2018, 29, 1041-1063.	5.4	27
146	Advanced liver fibrosis but not steatosis is independently associated with albuminuria in Chinese patients with type 2 diabetes. <i>Journal of Hepatology</i> , 2018, 68, 147-156.	3.7	72
147	Baseline characteristics and temporal differences in Acarbose Cardiovascular Evaluation (ACE) trial participants. <i>American Heart Journal</i> , 2018, 199, 170-175.	2.7	5
148	Glycaemic responses in Asian and non-Asian people with type 2 diabetes initiating insulin glargine 100 units/mL: A patient-level pooled analysis of 16 randomised controlled trials. <i>Diabetes Research and Clinical Practice</i> , 2018, 135, 199-205.	2.8	21
149	Association between educational level and cardiovascular disease and all-cause mortality in patients with type 2 diabetes: a prospective study in the Joint Asia Diabetes Evaluation Program. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1561-1571.	3.0	15
150	Effect of Once-a-Week Exenatide on Clinical Outcomes According to Baseline Risk in Patients With Type 2 Diabetes Mellitus: Insights From the EXSCeL Trial. <i>Journal of the American Heart Association</i> , 2018, 7, e009304.	3.7	19
151	The impact of maternal gestational weight gain on cardiometabolic risk factors in children. <i>Diabetologia</i> , 2018, 61, 2539-2548.	6.3	47
152	Indicators of socio-economic status and risk of gestational diabetes mellitus in pregnant women in urban Tianjin, China. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 192-199.	2.8	11
153	A proof-of-concept study to evaluate the efficacy and safety of BT1320 on post-prandial hyperglycaemia in Chinese subjects with pre-diabetes. <i>BMC Endocrine Disorders</i> , 2018, 18, 59.	2.2	2
154	Type 2 Diabetes Promotes Cell Centrosome Amplification via AKT-ROS-Dependent Signalling of ROCK1 and 14-3-3 $\beta$ . <i>Cellular Physiology and Biochemistry</i> , 2018, 47, 356-367.	1.6	20
155	Aspects of Multicomponent Integrated Care Promote Sustained Improvement in Surrogate Clinical Outcomes: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> , 2018, 41, 1312-1320.	8.6	81
156	Depressive Symptoms, Co-Morbidities, and Glycemic Control in Hong Kong Chinese Elderly Patients With Type 2 Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , 2018, 9, 261.	3.5	21
157	Short Body Height and Pre-pregnancy Overweight for Increased Risk of Gestational Diabetes Mellitus: A Population-Based Cohort Study. <i>Frontiers in Endocrinology</i> , 2018, 9, 349.	3.5	9
158	Short-term association between ambient temperature and acute myocardial infarction hospitalizations for diabetes mellitus patients: A time series study. <i>PLoS Medicine</i> , 2018, 15, e1002612.	8.4	54
159	Roles of insulin resistance and beta cell dysfunction in macrosomia among Chinese women with gestational diabetes mellitus. <i>Primary Care Diabetes</i> , 2018, 12, 565-573.	1.8	22
160	Evolution of Diabetes Care in Hong Kong: From the Hong Kong Diabetes Register to JADE-PEARL Program to RAMP and PEP Program. <i>Endocrinology and Metabolism</i> , 2018, 33, 17.	3.0	14
161	Guidance on the management of familial hypercholesterolaemia in Hong Kong: an expert panel consensus viewpoint. <i>Hong Kong Medical Journal</i> , 2018, 24, 408-415.	0.1	11
162	Reasons for Discontinuation of Insulin Therapy—Results from the International Diabetes Management Practices Study (IDMPS). <i>Diabetes</i> , 2018, 67, 1026-P.	0.6	3

#	ARTICLE	IF	CITATIONS
163	Nonachievement of Glycemic Targetâ€”Results from the International Diabetes Management Practices Study (IDMPS). <i>Diabetes</i> , 2018, 67, 1030-P.	0.6	3
164	No Improvement in Glycemic Control or Rates of Diabetes-Related Complications for People with Type 2 Diabetesâ€”Results from 10 Years of the International Diabetes Management Practices Study (IDMPS). <i>Diabetes</i> , 2018, 67, .	0.6	2
165	Frequency of Diabetes-Related Complications in Type 1 and Type 2 Diabetesâ€”Results from the International Diabetes Management Practices Study (IDMPS). <i>Diabetes</i> , 2018, 67, .	0.6	1
166	Poor Glycemic Control in People with T1D and T2Dâ€”Results from the International Diabetes Management Practices Study (IDMPS). <i>Diabetes</i> , 2018, 67, .	0.6	4
167	Factors Associated with Achievement of Glycemic Goal in Africaâ€”Results from the International Diabetes Management Practices Study (IDMPS). <i>Diabetes</i> , 2018, 67, 2399-PUB.	0.6	2
168	Renal Outcomes in the EXenatide Study of Cardiovascular Event Lowering (EXSCEL). <i>Diabetes</i> , 2018, 67, .	0.6	42
169	Effect of CYP2C19 *2 and *3 variants on sulphonylurea monotherapy treatment failure in Chinese patients with Type 2 diabetes. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO3-14-18.	0.0	0
170	High Serum Branched-Chain Amino Acids Level Independently Predicts Incident Heart Failureâ€”The Hong Kong Diabetes Register. <i>Diabetes</i> , 2018, 67, 455-P.	0.6	0
171	Management of People with Diabetes in Africaâ€”Results from the International Diabetes Management Practices Study (IDMPS). <i>Diabetes</i> , 2018, 67, .	0.6	1
172	Frequency of High Blood Pressure and Dyslipidemia in T1D and T2Dâ€”Results from the International Diabetes Management Practices Study (IDMPS). <i>Diabetes</i> , 2018, 67, 621-P.	0.6	0
173	Identification of Patient Profiles with Better Glycemic Outcomes Using Machine Learningâ€”Results from the International Diabetes Management Practices Study (IDMPS). <i>Diabetes</i> , 2018, 67, 2398-PUB.	0.6	0
174	Prospective Study on Incidence of Cardiovascular-Renal Diseases, Severe Hypoglycaemia, and Death in Chinese with Latent Autoimmune Diabetes in Adults. <i>Diabetes</i> , 2018, 67, 1590-P.	0.6	0
175	Circulating MicroRNAs Associated with Incident End-Stage Renal Disease in Chinese with Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, .	0.6	0
176	Burden of Hospitalization in Young-Onset Type 2 Diabetesâ€”The Hong Kong Diabetes Register. <i>Diabetes</i> , 2018, 67, 1649-P.	0.6	0
177	Regular mailing of personalized feedback reports improves glycemic control in diabetes: <sc>A</sc> randomized controlled trial. <i>Journal of Diabetes</i> , 2017, 9, 536-538.	1.8	11
178	The interdisciplinary team in type 2 diabetes management: Challenges and best practice solutions from real-world scenarios. <i>Journal of Clinical and Translational Endocrinology</i> , 2017, 7, 21-27.	1.4	59
179	In Utero Exposure to Maternal Hyperglycemia Increases Childhood Cardiometabolic Risk in Offspring. <i>Diabetes Care</i> , 2017, 40, 679-686.	8.6	242
180	Self-monitoring of blood glucose (SMBG) and glycaemic control in Cameroon: Results of the International Diabetes Management Practices Study (IDMPS). <i>Diabetes Research and Clinical Practice</i> , 2017, 126, 198-201.	2.8	12

#	ARTICLE	IF	CITATIONS
181	Resource use associated with type 2 diabetes in Africa, the Middle East, South Asia, Eurasia and Turkey: results from the International Diabetes Management Practice Study (IDMPS). <i>BMJ Open Diabetes Research and Care</i> , 2017, 5, e000297.	2.8	29
182	Declining Trends of Cardiovascular-Renal Complications and Mortality in Type 2 Diabetes: The Hong Kong Diabetes Database. <i>Diabetes Care</i> , 2017, 40, 928-935.	8.6	80
183	Biologics and biosimilars: what, why and how?. <i>ESMO Open</i> , 2017, 2, e000180.	4.5	19
184	Sirt3 Deficiency Increased the Vulnerability of Pancreatic Beta Cells to Oxidative Stress-Induced Dysfunction. <i>Antioxidants and Redox Signaling</i> , 2017, 27, 962-976.	5.4	47
185	A Low-Frequency Inactivating <i>AKT2</i> Variant Enriched in the Finnish Population Is Associated With Fasting Insulin Levels and Type 2 Diabetes Risk. <i>Diabetes</i> , 2017, 66, 2019-2032.	0.6	47
186	Baseline characteristics of patients enrolled in the Exenatide Study of Cardiovascular Event Lowering (EXSCEL). <i>American Heart Journal</i> , 2017, 187, 1-9.	2.7	49
187	Low testosterone and clinical outcomes in Chinese men with type 2 diabetes mellitus – Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2017, 123, 97-105.	2.8	17
188	How can we optimise diabetes care in real-world practice?. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 927-929.	11.4	4
189	Severe hypertriglyceridaemia related to a novel mutation in <i>TRIB1</i> and a known variant in <i>APOA5</i> . <i>Atherosclerosis</i> , 2017, 263, e230.	0.8	0
190	Causes of Death in a Contemporary Cohort of Patients With Type 2 Diabetes and Atherosclerotic Cardiovascular Disease: Insights From the TECOS Trial. <i>Diabetes Care</i> , 2017, 40, 1763-1770.	8.6	60
191	High risk of conversion to diabetes in first-degree relatives of individuals with young-onset type 2 diabetes: a 12-year follow-up analysis. <i>Diabetic Medicine</i> , 2017, 34, 1701-1709.	2.3	17
192	Severe familial hypercholesterolaemia in two brothers with three heterozygous coding mutations in <i>LDLR</i> . <i>Atherosclerosis</i> , 2017, 263, e230.	0.8	0
193	Efficacy and Safety of Linagliptin in 2681 Asian Patients Stratified by Age, Obesity, and Renal Function: A Pooled Analysis of Randomized Clinical Trials. <i>Advances in Therapy</i> , 2017, 34, 2150-2162.	2.9	11
194	Effects of acarbose on cardiovascular and diabetes outcomes in patients with coronary heart disease and impaired glucose tolerance (ACE): a randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 877-886.	11.4	245
195	Effects of Once-Weekly Exenatide on Cardiovascular Outcomes in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2017, 377, 1228-1239.	27.0	1,455
196	Glycaemia control and the risk of hospitalisation for infection in patients with type 2 diabetes: Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2923.	4.0	23
197	Late-Breaking Science Abstracts From the American Heart Association's Scientific Sessions 2017 and Late-Breaking Abstracts in Resuscitation Science From the Resuscitation Science Symposium 2017. <i>Circulation</i> , 2017, 136, e448-e467.	1.6	13
198	Augmented Velocity Index - A New Doppler Index to Reflect Arterial Stiffness. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, S245.	1.5	1

#	ARTICLE	IF	CITATIONS
199	Cost-Effectiveness Study To Evaluate Insulin Glargine Compared With NPH Insulin In Patients With Type 2 Diabetes Uncontrolled With Oral Anti-Diabetic Agents In Hong Kong. Value in Health, 2017, 20, A480.	0.3	0
200	Exendin-4 Exhibits Enhanced Anti-tumor Effects in Diabetic Mice. Scientific Reports, 2017, 7, 1791.	3.3	15
201	Curvilinear associations of sleep patterns during weekdays and weekends with glycemic control in type 2 diabetes: the Hong Kong Diabetes Registry. Acta Diabetologica, 2017, 54, 151-162.	2.5	7
202	Efficacy and safety of alogliptin in patients with type 2 diabetes mellitus: A multicentre randomized double-blind placebo-controlled Phase 3 study in mainland China, Taiwan, and Hong Kong. Journal of Diabetes, 2017, 9, 386-395.	1.8	15
203	A multicentre demonstration project to evaluate the effectiveness and acceptability of the web-based Joint Asia Diabetes Evaluation (<sc>JADE</sc>) programme with or without nurse support in Chinese patients with Type 2 diabetes. Diabetic Medicine, 2017, 34, 440-450.	2.3	24
204	Passive smoking increased risk of gestational diabetes mellitus independently and synergistically with prepregnancy obesity in Tianjin, China. Diabetes/Metabolism Research and Reviews, 2017, 33, e2861.	4.0	22
205	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. Scientific Data, 2017, 4, 170179.	5.3	31
206	Explaining the high prevalence of young-onset diabetes among Asians and Indigenous Australians. Medical Journal of Australia, 2017, 207, 331-332.	1.7	4
207	Diabetes in China and the Western Pacific Region. , 2017, , 63-83.		3
208	Integrated Diabetes Care in Hong Kong: From Research to Practice to Policy. , 2017, , 65-85.		1
209	Management of Familial Hypercholesterolemia in Hong Kong. Journal of Atherosclerosis and Thrombosis, 2016, 23, 520-531.	2.0	10
210	Diabetes: A Cinderella Subject We Can't Afford to Ignore. PLoS Medicine, 2016, 13, e1002068.	8.4	5
211	The genetic architecture of type 2 diabetes. Nature, 2016, 536, 41-47.	27.8	952
212	Quality of care in patients with diabetic kidney disease in Asia: The Joint Asia Diabetes Evaluation (<sc>JADE</sc>) Registry. Diabetic Medicine, 2016, 33, 1230-1239.	2.3	33
213	Genetic effects of multiple asthma loci identified by genomewide association studies on asthma and spirometric indices. Pediatric Allergy and Immunology, 2016, 27, 185-194.	2.6	13
214	Type 2 Diabetes in Turkey â€“ A Cost of Illness Study. Value in Health, 2016, 19, A669.	0.3	3
215	Variable selection and prediction of clinical outcome with multiply-imputed data via Bayesian model averaging. , 2016, , .		1
216	Interactome-transcriptome analysis discovers signatures complementary to GWAS Loci of Type 2 Diabetes. Scientific Reports, 2016, 6, 35228.	3.3	20

#	ARTICLE	IF	CITATIONS
217	Cost of Type 2 Diabetes in Urban Indian Population. <i>Value in Health</i> , 2016, 19, A670.	0.3	1
218	Impact of Hypoglycaemic Events on Healthcare Resource Use in Type 2 Diabetes Patients. <i>Value in Health</i> , 2016, 19, A683.	0.3	0
219	Impact of Diabetes Management on Diabetes Control and Resource Consumption in Type 2 Diabetic Patients. <i>Value in Health</i> , 2016, 19, A683.	0.3	0
220	Individualized blood pressure targets in Asian diabetic patients with or without nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S12.	2.8	0
221	Effectiveness of peer leaders in diabetes self-management support. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S28-S29.	2.8	0
222	Risks of progression to end-stage renal disease among type 2 diabetic patients with albuminuric and non-albuminuric chronic kidney disease. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S46.	2.8	0
223	Association between GWAS-identified variants with CKD in Chinese with Type 2 Diabetes: The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S49.	2.8	0
224	Genome-wide association study in Chinese identifies new susceptibility loci associated with chronic kidney disease in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S49-S50.	2.8	0
225	Association between CAG repeat length polymorphism of androgen receptor gene, cardio-metabolic risk factors and clinical outcomes in Chinese men. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S84-S85.	2.8	0
226	Comparison of glycemic control in Asian and non-Asian T2D patients initiating insulin glargine 100 U/mL as add-on therapy to OADs. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S114-S115.	2.8	1
227	Associations between insomnia and glycemic control in Hong Kong Chinese patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S158.	2.8	0
228	Association between human adenovirus-36 infection, obesity and glycemia in prospective follow-up of Hong Kong Chinese school children. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S184.	2.8	0
229	Retinal Information is Independently Associated with Cardiovascular Disease in Patients with Type 2 diabetes. <i>Scientific Reports</i> , 2016, 6, 19053.	3.3	17
230	Reducing global diabetes burden by implementing solutions and identifying gaps: a Lancet Commission. <i>Lancet</i> , The, 2016, 387, 1494-1495.	13.7	46
231	Graphene oxide “ Polyvinyl alcohol nanocomposite based electrode material for supercapacitors. <i>Journal of Power Sources</i> , 2016, 321, 102-105.	7.8	25
232	Rare variants in ABCG2 identified by sequencing may influence the lipid response to rosuvastatin treatment. <i>Atherosclerosis</i> , 2016, 252, e202-e203.	0.8	0
233	Genetic variants and lipid traits in the Hong Kong Chinese patients with type 2 diabetes. <i>Atherosclerosis</i> , 2016, 252, e148.	0.8	0
234	Telmisartan increases systemic exposure to rosuvastatin after single and multiple doses, and in vitro studies show telmisartan inhibits ABCG2-mediated transport of rosuvastatin. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 1471-1478.	1.9	15

#	ARTICLE	IF	CITATIONS
235	Safety of atorvastatin in Asian patients within clinical trials. <i>Cardiovascular Therapeutics</i> , 2016, 34, 431-440.	2.5	15
236	Plasma Levels of Alanine Aminotransferase in the First Trimester Identify High Risk Chinese Women for Gestational Diabetes. <i>Scientific Reports</i> , 2016, 6, 27291.	3.3	29
237	Prevention and Care Programs Addressing the Growing Prevalence of Diabetes in China. <i>Current Diabetes Reports</i> , 2016, 16, 130.	4.2	21
238	Association of self-reported recurrent mild hypoglycemia with incident cardiovascular disease and all-cause mortality in patients with type 2 diabetes. <i>Medicine (United States)</i> , 2016, 95, e5183.	1.0	14
239	Fundamental Concepts Regarding Testosterone Deficiency and Treatment. <i>Mayo Clinic Proceedings</i> , 2016, 91, 881-896.	3.0	88
240	A patient-centric approach to optimise insulin therapy in Asia. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 973-980.	2.3	1
241	Detecting people at high risk of type 2 diabetes- How do we find them and who should be treated?. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2016, 30, 345-355.	4.7	23
242	Gender, diabetes education, and psychosocial factors are associated with persistent poor glycemic control in patients with type 2 diabetes in the JADE program. <i>Journal of Diabetes</i> , 2016, 8, 109-119.	1.8	23
243	Genome-wide association studies in the Japanese population identify seven novel loci for type 2 diabetes. <i>Nature Communications</i> , 2016, 7, 10531.	12.8	149
244	Rationale and design of the EXenatide Study of Cardiovascular Event Lowering (EXSCEL) trial. <i>American Heart Journal</i> , 2016, 174, 103-110.	2.7	82
245	Effects of blood pressure on renal and cardiovascular outcomes in Asian patients with type 2 diabetes and overt nephropathy: a post hoc analysis (ORIENT-blood pressure). <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 447-454.	0.7	18
246	Progression to treatment failure among Chinese patients with type 2 diabetes initiated on metformin versus sulphonylurea monotherapy: The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2016, 112, 57-64.	2.8	5
247	Modifying Effect of Body Mass Index on Survival in Elderly Type 2 Diabetic Patients: Hong Kong Diabetes Registry. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 276.e15-276.e22.	2.5	5
248	Genetic and clinical variables identify predictors for chronic kidney disease in type 2 diabetes. <i>Kidney International</i> , 2016, 89, 411-420.	5.2	22
249	Diabetes in Asia and the Pacific: Implications for the Global Epidemic. <i>Diabetes Care</i> , 2016, 39, 472-485.	8.6	363
250	Transancestral fine-mapping of four type 2 diabetes susceptibility loci highlights potential causal regulatory mechanisms. <i>Human Molecular Genetics</i> , 2016, 25, 2070-2081.	2.9	21
251	Screening diabetic patients for non-alcoholic fatty liver disease with controlled attenuation parameter and liver stiffness measurements: a prospective cohort study. <i>Gut</i> , 2016, 65, 1359-1368.	12.1	386
252	Increased Growth of a Newly Established Mouse Epithelial Cell Line Transformed with HPV-16 E7 in Diabetic Mice. <i>PLoS ONE</i> , 2016, 11, e0164490.	2.5	4

#	ARTICLE	IF	CITATIONS
253	Conceptual Perspectives on the Co-Occurrence of Mental and Physical Disease: Diabetes and Depression as a Model. <i>Key Issues in Mental Health</i> , 2015, , 1-14.	0.6	2
254	International Diabetes Management Practice Study (Idmps): Resource Use Associated With Type 2 Diabetes In Africa, Middle East, South Asia, Eurasia and Turkey. <i>Value in Health</i> , 2015, 18, A619.	0.3	3
255	Associations of pubertal stage and body mass index with cardiometabolic risk in Hong Kong Chinese children: A cross-sectional study. <i>BMC Pediatrics</i> , 2015, 15, 136.	1.7	14
256	Non-linear relationship between birthweight and cardiometabolic risk factors in Chinese adolescents and adults. <i>Diabetic Medicine</i> , 2015, 32, 220-225.	2.3	25
257	Childhood asthma and spirometric indices are associated with polymorphic markers of two vitamin D 25-hydroxylase genes. <i>Pediatric Allergy and Immunology</i> , 2015, 26, 375-382.	2.6	16
258	Pregnancy outcomes of Chinese women with gestational diabetes mellitus defined by the IADPSG's but not by the 1999 WHO's criteria. <i>Clinical Endocrinology</i> , 2015, 83, 684-693.	2.4	18
259	Sex Differences in Epidemiology and Risk Factors of Acute Coronary Syndrome in Chinese Patients with Type 2 Diabetes: A Long-Term Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0122031.	2.5	18
260	Evidence for DNA Damage as a Biological Link Between Diabetes and Cancer. <i>Chinese Medical Journal</i> , 2015, 128, 1543-1548.	2.3	81
261	Selenium-enriched Spirulina protects INS-1E pancreatic beta cells from human islet amyloid polypeptide-induced apoptosis through suppression of ROS-mediated mitochondrial dysfunction and PI3/AKT pathway. <i>European Journal of Nutrition</i> , 2015, 54, 509-522.	3.9	24
262	Measuring depression with CES-D in Chinese patients with type 2 diabetes: the validity and its comparison to PHQ-9. <i>BMC Psychiatry</i> , 2015, 15, 198.	2.6	79
263	Borderline ankle-brachial index is associated with increased prevalence of micro- and macrovascular complications in type 2 diabetes: A cross-sectional analysis of 12,772 patients from the Joint Asia Diabetes Evaluation Program. <i>Diabetes and Vascular Disease Research</i> , 2015, 12, 334-341.	2.0	18
264	Genome-Wide Association Meta-analysis Identifies Novel Variants Associated With Fasting Plasma Glucose in East Asians. <i>Diabetes</i> , 2015, 64, 291-298.	0.6	59
265	Childhood asthma is associated with polymorphic markers of <i>PROC</i> on 2q14 in addition to 17q21 locus. <i>Pediatric Allergy and Immunology</i> , 2015, 26, 173-180.	2.6	5
266	Prevalence of Gestational Diabetes Mellitus and Its Risk Factors in Chinese Pregnant Women: A Prospective Population-Based Study in Tianjin, China. <i>PLoS ONE</i> , 2015, 10, e0121029.	2.5	211
267	Testosterone level in men with type 2 diabetes mellitus and related metabolic effects: A review of current evidence. <i>Journal of Diabetes Investigation</i> , 2015, 6, 112-123.	2.4	73
268	Association between sleep architecture and glucose tolerance in children and adolescents. <i>Journal of Diabetes</i> , 2015, 7, 10-15.	1.8	38
269	Drug-subphenotype interactions for cancer in type 2 diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2015, 11, 372-379.	9.6	23
270	A Pilot Study to Compare Meal-Triggered Gastric Electrical Stimulation and Insulin Treatment in Chinese Obese Type 2 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 283-290.	4.4	5



#	ARTICLE	IF	CITATIONS
271	Early gene-diet interaction between glucokinase regulatory protein (GCKR) polymorphism, vegetable and fish intakes in modulating triglyceride levels in healthy adolescents. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 951-958.	2.6	8
272	Effect of Finerenone on Albuminuria in Patients With Diabetic Nephropathy. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 884.	7.4	523
273	Hypoglycemia and Comorbidities in Type 2 Diabetes. <i>Current Diabetes Reports</i> , 2015, 15, 80.	4.2	13
274	Effects of Providing Peer Support on Diabetes Management in People With Type 2 Diabetes. <i>Annals of Family Medicine</i> , 2015, 13, S42-S49.	1.9	56
275	Depression in Chinese patients with type 2 diabetes: associations with hyperglycemia, hypoglycemia, and poor treatment adherence. <i>Journal of Diabetes</i> , 2015, 7, 800-808.	1.8	81
276	Triple combination of insulin glargine, sitagliptin and metformin in type 2 diabetes: The EASIE post-hoc analysis and extension trial. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 134-141.	2.3	5
277	The Clinical Utility of SUDOSCAN in Chronic Kidney Disease in Chinese Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0134981.	2.5	25
278	Methodological challenges to control for immortal time bias in addressing drug effects in type 2 diabetes. <i>World Journal of Methodology</i> , 2015, 5, 122.	3.5	1
279	Health-Related Quality of Life in Chinese Patients with Type 2 Diabetes: An Analysis of the Joint Asia Diabetes Evaluation (JADE) Program. <i>Journal of Diabetes &amp; Metabolism</i> , 2014, 05, .	0.2	3
280	Rationale, Design, and Baseline Characteristics of ARTS-DN: A Randomized Study to Assess the Safety and Efficacy of Finerenone in Patients with Type 2 Diabetes Mellitus and a Clinical Diagnosis of Diabetic Nephropathy. <i>American Journal of Nephrology</i> , 2014, 40, 572-581.	3.1	33
281	A randomised translational trial of lifestyle intervention using a 3-tier shared care approach on pregnancy outcomes in Chinese women with gestational diabetes mellitus but without diabetes. <i>Journal of Translational Medicine</i> , 2014, 12, 290.	4.4	53
282	Maternal history of diabetes is associated with increased cardiometabolic risk in Chinese. <i>Nutrition and Diabetes</i> , 2014, 4, e112-e112.	3.2	19
283	Delivery of integrated diabetes care using logistics and information technology - The Joint Asia Diabetes Evaluation (JADE) program. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S295-S304.	2.8	22
284	Severe Hypoglycemia Identifies Vulnerable Patients With Type 2 Diabetes at Risk for Premature Death and All-Site Cancer: The Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2014, 37, 1024-1031.	8.6	61
285	Prospective Study on the Incidences of Cardiovascular-Renal Complications in Chinese Patients With Young-Onset Type 1 and Type 2 Diabetes. <i>Diabetes Care</i> , 2014, 37, 149-157.	8.6	87
286	Eczema phenotypes are associated with multiple vitamin D pathway genes in Chinese children. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 118-124.	5.7	24
287	Metabolic profiles and treatment gaps in young-onset type 2 diabetes in Asia (the JADE programme): a cross-sectional study of a prospective cohort. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 935-943.	11.4	210
288	Diabetes and pregnancy: perspectives from Asia. <i>Diabetic Medicine</i> , 2014, 31, 302-318.	2.3	92

#	ARTICLE	IF	CITATIONS
289	PO150 PROTECTIVE ROLE OF SIRTUIN 3 (SIRT3) IN HIGH FAT DIET (HFD) INDUCED IMPAIRMENT OF PANCREATIC BETA CELLS' SURVIVAL AND FUNCTIONS. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S123.	2.8	0
290	PO106 USING NURSES AND INFORMATION TECHNOLOGY TO ENGAGE PATIENTS WITH DIABETES IN THE INITIAL FOLLOW UP PERIOD IMPROVES GLYCAEMIC CONTROL: INSIGHTS FROM THE PHILIPPINES JADE PROGRAM. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S99.	2.8	0
291	PO408 A QUALITY IMPROVEMENT PROGRAM TO DETECT DEPRESSION USING THE 9-ITEM PATIENT HEALTH QUESTIONNAIRE IN CHINESE WITH TYPE 2 DIABETES. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S253-S254.	2.8	0
292	PO363 UNRAVELLING PATHWAYS CONTRIBUTING TO THE ASSOCIATION BETWEEN BIRTHWEIGHT AND PREDIABETES: AN ANALYSIS USING STRUCTURAL EQUATION MODELING. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S232.	2.8	0
293	OP54 EFFECT OF HIGH GLUCOSE ON GENE EXPRESSION IN HCT116 COLORECTAL CANCER CELLS. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S28.	2.8	0
294	PO124 CLINICAL FACTORS ASSOCIATED WITH SELF-REPORTED HYPOGLYCAEMIA IN VIETNAMESE PATIENTS WITH DIABETES MELLITUS: ANALYSIS OF THE JOINT ASIA DIABETES EVALUATION (JADE) PROGRAM. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S111.	2.8	0
295	OP34 A MODIFIED RISK EQUATION FOR DEVELOPMENT OF CORONARY HEART DISEASE IN HONG KONG CHINESE WITH TYPE 2 DIABETES. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S17.	2.8	0
296	PO064 METABOLIC PROFILE OF WOMEN WITH DIABETES TYPE 2 WITH AND WITHOUT A HISTORY OF GESTATIONAL DIABETES MELLITUS " HONG KONG JOINT ASIA DIABETES EVALUATION (JADE). <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S77.	2.8	1
297	OP1 PEER LEADERS ACCELERATED TRAINING INITIATIVE TO UNLEASH POTENTIAL OF MENTORSHIP (PLATINUM) PROGRAM: A 4-YEAR OBSERVATIONAL STUDY ON THE EFFECTS OF PROVIDING PEER SUPPORT IN PEOPLE WITH TYPE 2 DIABETES. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S1.	2.8	0
298	PO172 PROGRESSION TO TREATMENT FAILURE AMONG CHINESE PATIENTS WITH TYPE 2 DIABETES INITIATED ON METFORMIN VERSUS SULPHONYLUREA MONOTHERAPY " THE HONG KONG DIABETES REGISTRY. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S135.	2.8	0
299	Healing effect of a two-herb recipe (NF3) on foot ulcers in Chinese patients with diabetes: A randomized double-blind placebo-controlled study (ACE...ä«äçšë%æœ-ä,êçš,,é...æ-1r1/4^NF3r1/4%ä-1ä,ä2r2ç3-äçç)		
300	Feature Extraction of Radial Arterial Pulse. , 2014, , .		4
301	Hypoglycaemia, chronic kidney disease and death in type 2 diabetes: the Hong Kong diabetes registry. <i>BMC Endocrine Disorders</i> , 2014, 14, 48.	2.2	28
302	Copy number variation analysis based on AluScan sequences. <i>Journal of Clinical Bioinformatics</i> , 2014, 4, 15.	1.2	11
303	Genetic variants for type 2 diabetes and new-onset cancer in Chinese with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 328-337.	2.8	15
304	Genome-wide association study identifies three novel loci for type 2 diabetes. <i>Human Molecular Genetics</i> , 2014, 23, 239-246.	2.9	158
305	A randomized controlled trial to investigate the impact of a low glycemic index (GI) diet on body mass index in obese adolescents. <i>BMC Public Health</i> , 2014, 14, 180.	2.9	23
306	Premature Mortality and Comorbidities in Young-onset Diabetes: A 7-Year Prospective Analysis. <i>American Journal of Medicine</i> , 2014, 127, 616-624.	1.5	110

#	ARTICLE	IF	CITATIONS
307	Effects of Telephone-Based Peer Support in Patients With Type 2 Diabetes Mellitus Receiving Integrated Care. <i>JAMA Internal Medicine</i> , 2014, 174, 972.	5.1	121
308	Diabetes in the Western Pacific Region—Past, Present and Future. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 244-255.	2.8	79
309	Type 1 diabetes. <i>Lancet, The</i> , 2014, 383, 69-82.	13.7	1,863
310	Unfolded Protein Response Is Required for the Definitive Endodermal Specification of Mouse Embryonic Stem Cells via Smad2 and $\beta$ -Catenin Signaling. <i>Journal of Biological Chemistry</i> , 2014, 289, 26290-26301.	3.4	27
311	Renin angiotensin system inhibitors may attenuate low LDL cholesterol-related cancer risk in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2014, 30, 415-423.	4.0	5
312	The Asian diabetes phenotypes: Challenges and opportunities. <i>Diabetes Research and Clinical Practice</i> , 2014, 105, 135-139.	2.8	34
313	Diabetes in China: a societal solution for a personal challenge. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 969-979.	11.4	168
314	Whole-genome bisulfite sequencing of multiple individuals reveals complementary roles of promoter and gene body methylation in transcriptional regulation. <i>Genome Biology</i> , 2014, 15, 408.	8.8	173
315	Additive effects of blood glucose lowering drugs, statins and renin-angiotensin system blockers on all-site cancer risk in patients with type 2 diabetes. <i>BMC Medicine</i> , 2014, 12, 76.	5.5	24
316	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244.	21.4	959
317	Rationale for and design of the Acarbose Cardiovascular Evaluation (ACE) trial. <i>American Heart Journal</i> , 2014, 168, 23-29.e2.	2.7	50
318	Additive effect of aldose reductase Z-4 microsatellite polymorphism and glycaemic control on cataract development in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 147-151.	2.3	8
319	Long-Term Risk of Cardiovascular Disease among Type 2 Diabetic Patients with Asymptomatic Intracranial Atherosclerosis: A Prospective Cohort Study. <i>PLoS ONE</i> , 2014, 9, e106623.	2.5	11
320	Validation of Methods to Control for Immortal Time Bias in a Pharmacoepidemiologic Analysis of Renin-Angiotensin System Inhibitors in Type 2 Diabetes. <i>Journal of Epidemiology</i> , 2014, 24, 267-273.	2.4	21
321	Familial Young-Onset Diabetes, Pre-Diabetes and Cardiovascular Disease Are Associated with Genetic Variants of DACH1 in Chinese. <i>PLoS ONE</i> , 2014, 9, e84770.	2.5	16
322	Metformin and the risk of cancer in type 2 diabetes: methodological challenges and perspectives. <i>Annals of Translational Medicine</i> , 2014, 2, 52.	1.7	4
323	Self-Reported Body Weight and Height: An Assessment Tool for Identifying Children with Overweight/Obesity Status and Cardiometabolic Risk Factors Clustering. <i>Maternal and Child Health Journal</i> , 2013, 17, 282-291.	1.5	28
324	Using a multi-staged strategy based on machine learning and mathematical modeling to predict genotype-phenotype risk patterns in diabetic kidney disease: a prospective case-control cohort analysis. <i>BMC Nephrology</i> , 2013, 14, 162.	1.8	47

#	ARTICLE	IF	CITATIONS
325	Genome-wide association study in a Chinese population identifies a susceptibility locus for type 2 diabetes at 7q32 near PAX4. <i>Diabetologia</i> , 2013, 56, 1291-1305.	6.3	94
326	Pharmacological reduction of NEFA restores the efficacy of incretin-based therapies through GLP-1 receptor signalling in the beta cell in mouse models of diabetes. <i>Diabetologia</i> , 2013, 56, 423-433.	6.3	51
327	Diabetes and Noncommunicable Disease. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 916.	7.4	7
328	Measuring depressive symptoms using the Patient Health Questionnaire-9 in Hong Kong Chinese subjects with type 2 diabetes. <i>Journal of Affective Disorders</i> , 2013, 151, 660-666.	4.1	54
329	Anti-inflammatory effects of exendin-4, a glucagon-like peptide-1 analog, on human peripheral lymphocytes in patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2013, 4, 382-392.	2.4	59
330	Personalized Management of Hyperglycemia in Type 2 Diabetes: Reflections from a Diabetes Care Editors' Expert Forum. <i>Diabetes Care</i> , 2013, 36, 1779-1788.	8.6	130
331	Type 2 diabetes in East Asians: similarities and differences with populations in Europe and the United States. <i>Annals of the New York Academy of Sciences</i> , 2013, 1281, 64-91.	3.8	606
332	Intrarenal arterial resistance is associated with microvascular complications in Chinese type 2 diabetic patients. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 651-658.	0.7	7
333	High risk for cardiovascular disease in Chinese type 2 diabetic patients with major depression—A 7-year prospective analysis of the Hong Kong Diabetes Registry. <i>Journal of Affective Disorders</i> , 2013, 149, 129-135.	4.1	32
334	Prediction of women's long-term cardiometabolic risks using glycemic indices during pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 484-491.	1.3	7
335	Diabetes and its comorbidities—where East meets West. <i>Nature Reviews Endocrinology</i> , 2013, 9, 537-547.	9.6	124
336	Enhancers and attenuators of risk associations of chronic hepatitis B virus infection with hepatocellular carcinoma in type 2 diabetes. <i>Endocrine-Related Cancer</i> , 2013, 20, 161-171.	3.1	25
337	Microtubule network is required for insulin-induced signal transduction and actin remodeling. <i>Molecular and Cellular Endocrinology</i> , 2013, 365, 64-74.	3.2	18
338	Diabetes Mellitus. <i>Stroke</i> , 2013, 44, 1500-1504.	2.0	143
339	Comment on: Suissa and Azoulay. Metformin and the Risk of Cancer: Time-Related Biases in Observational Studies. <i>Diabetes Care</i> 2012;35:2665-2673. <i>Diabetes Care</i> , 2013, 36, e87-e87.	8.6	4
340	Reduction and residual proteinuria are therapeutic targets in type 2 diabetes with overt nephropathy: a post hoc analysis (ORIENT-proteinuria). <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2526-2534.	0.7	23
341	Histopathological Correlations of Islet Amyloidosis With Apolipoprotein E Polymorphisms in Type 2 Diabetic Chinese Patients. <i>Pancreas</i> , 2013, 42, 1129-1137.	1.1	12
342	Risk-benefit analysis of use of statins for primary prevention of cardiovascular disease in subjects without diabetes. <i>Journal of Diabetes Investigation</i> , 2013, 4, 344-346.	2.4	2

#	ARTICLE	IF	CITATIONS
343	Risk association of HbA <sub>1c</sub> variability with chronic kidney disease and cardiovascular disease in type 2 diabetes: prospective analysis of the Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 384-390.	4.0	118
344	Associations of uric acid and gamma-glutamyltransferase (GGT) with obesity and components of metabolic syndrome in children and adolescents. <i>Pediatric Obesity</i> , 2013, 8, 351-357.	2.8	30
345	Effects of dual blockade of the renin-angiotensin system on renal and cardiovascular outcomes in type 2 diabetes with overt nephropathy and hypertension in the ORIENT: a post-hoc analysis (ORIENT-Hypertension). <i>Hypertension Research</i> , 2013, 36, 1051-1059.	2.7	26
346	The Combined Expression of Pdx1 and MafA with Either Ngn3 or NeuroD Improves the Differentiation Efficiency of Mouse Embryonic Stem Cells into Insulin-Producing Cells. <i>Cell Transplantation</i> , 2013, 22, 147-158.	2.5	29
347	<i>Epidemiology/Genetics. Diabetes</i> , 2013, 62, A365-A438.	0.6	2
348	Gestational Diabetes, Maternal Obesity, and the NCD Burden. <i>Clinical Obstetrics and Gynecology</i> , 2013, 56, 633-641.	1.1	52
349	Genetic Associations of Type 2 Diabetes with Islet Amyloid Polypeptide Processing and Degrading Pathways in Asian Populations. <i>PLoS ONE</i> , 2013, 8, e62378.	2.5	7
350	Use of Net Reclassification Improvement (NRI) Method Confirms The Utility of Combined Genetic Risk Score to Predict Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e83093.	2.5	34
351	Development of Prediction Models under Multiple Imputation for Coronary Heart Disease in Type 2 Diabetes Mellitus. , 2013, ,		0
352	ANALYSIS OF SAFETY OF ATORVASTATIN IN ASIAN PATIENTS IN CLINICAL TRIALS. <i>Heart</i> , 2012, 98, E316.3-E316.	2.9	0
353	Interactions between Genetic Variants of FLG and Chromosome 11q13 Locus Determine Susceptibility for Eczema Phenotypes. <i>Journal of Investigative Dermatology</i> , 2012, 132, 1930-1932.	0.7	8
354	US Assessment of Medial Arterial Calcification: A Sensitive Marker of Diabetes-related Microvascular and Macrovascular Complications. <i>Radiology</i> , 2012, 265, 294-302.	7.3	28
355	Predictive role of multilocus genetic polymorphisms in cardiovascular disease and inflammation-related genes on chronic kidney disease in Type 2 diabetes—an 8-year prospective cohort analysis of 1163 patients. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 190-196.	0.7	13
356	<i>Type 2 Diabetes</i> . , 2012, , 273-282.		0
357	Glucose-dependent insulinotropic peptide impairs insulin signaling via inducing adipocyte inflammation in glucose-dependent insulinotropic peptide receptor-overexpressing adipocytes. <i>FASEB Journal</i> , 2012, 26, 2383-2393.	0.5	45
358	Cardiometabolic Risk in Chinese Women with Prior Gestational Diabetes: A 15-Year Follow-Up Study. <i>Gynecologic and Obstetric Investigation</i> , 2012, 73, 168-176.	1.6	26
359	Sulodexide Fails to Demonstrate Renoprotection in Overt Type 2 Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 123-130.	6.1	151
360	HUS and diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, ii11-ii13.	0.7	3

#	ARTICLE	IF	CITATIONS
361	Cadmium and lead in Hong Kong school children. <i>Pathology</i> , 2012, 44, 626-631.	0.6	10
362	Insulin glargine versus sitagliptin in insulin-naive patients with type 2 diabetes mellitus uncontrolled on metformin (EASIE): a multicentre, randomised open-label trial. <i>Lancet, The</i> , 2012, 379, 2262-2269.	13.7	100
363	Sustained Antidiabetic Effects of a Berberine-Containing Chinese Herbal Medicine Through Regulation of Hepatic Gene Expression. <i>Diabetes</i> , 2012, 61, 933-943.	0.6	103
364	Engineering of Targeted Nanoparticles for Cancer Therapy Using Internalizing Aptamers Isolated by Cell-Uptake Selection. <i>ACS Nano</i> , 2012, 6, 696-704.	14.6	148
365	Meta-analysis of genome-wide association studies identifies eight new loci for type 2 diabetes in east Asians. <i>Nature Genetics</i> , 2012, 44, 67-72.	21.4	545
366	Synergistic effects of low LDL cholesterol with other factors for the risk of cancer in type 2 diabetes: the Hong Kong Diabetes Registry. <i>Acta Diabetologica</i> , 2012, 49, 185-193.	2.5	13
367	Co-occurrence of diabetes and depression: Conceptual considerations for an emerging global health challenge. <i>Journal of Affective Disorders</i> , 2012, 142, S56-S66.	4.1	92
368	Association between KCNQ1 genetic variants and obesity in Chinese patients with type 2 diabetes. <i>Diabetologia</i> , 2012, 55, 2655-2659.	6.3	20
369	Cardiovascular disease risk factors are highly prevalent in the office-working population of Nanjing in China. <i>International Journal of Cardiology</i> , 2012, 155, 212-216.	1.7	17
370	Patients'™ education, and its impact on care outcomes, resource consumption and working conditions: Data from the International Diabetes Management Practices Study (IDMPS). <i>Diabetes and Metabolism</i> , 2012, 38, 128-134.	2.9	56
371	The association between in utero hyperinsulinemia and adolescent arterial stiffness. <i>Diabetes Research and Clinical Practice</i> , 2012, 95, 169-175.	2.8	25
372	Pharmacoepidemiological profiles of oral hypoglycemic agents among 28,773 Chinese patients with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012, 96, 319-325.	2.8	5
373	Use of thiazolidinedione and cancer risk in Type 2 diabetes: The Hong Kong diabetes registry. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, e13-e17.	2.8	12
374	Association of the PPAR $\gamma$ Pro12Ala polymorphism with type 2 diabetes and incident coronary heart disease in a Hong Kong Chinese population. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 483-491.	2.8	30
375	Associations between microRNA (miR-21, 126, 155 and 221), albuminuria and heavy metals in Hong Kong Chinese adolescents. <i>Clinica Chimica Acta</i> , 2012, 413, 1053-1057.	1.1	67
376	Chronic Kidney Disease and Associated Cardiovascular Risk Factors in Chinese with Type 2 Diabetes. <i>Diabetes and Metabolism Journal</i> , 2012, 36, 433.	4.7	28
377	Diabetes and cancer: the mechanistic implications of epidemiological analyses from the Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2012, 28, 379-387.	4.0	40
378	Cancer Risk in Type 2 Diabetes. <i>Current Diabetes Reports</i> , 2012, 12, 325-328.	4.2	6

#	ARTICLE	IF	CITATIONS
379	White rice vinegar improves pancreatic beta-cell function and fatty liver in streptozotocin-induced diabetic rats. <i>Acta Diabetologica</i> , 2012, 49, 185-191.	2.5	31
380	Circulating LL&#37 is a biomarker for eczema severity in children. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 518-522.	2.4	17
381	A systematic review on use of Chinese medicine and acupuncture for treatment of obesity. <i>Obesity Reviews</i> , 2012, 13, 409-430.	6.5	114
382	Use of laparoscopic sleeve gastrectomy and adjustable gastric banding for suboptimally controlled diabetes in Hong Kong. <i>Diabetes, Obesity and Metabolism</i> , 2012, 14, 372-374.	4.4	5
383	Addressing different biases in analysing drug use on cancer risk in diabetes in non&#226clinical trial settings&#201 what, why and how?. <i>Diabetes, Obesity and Metabolism</i> , 2012, 14, 579-585.	4.4	47
384	Self&#201reported waist circumference: a screening tool for classifying children with overweight/obesity and cardiometabolic risk factor clustering. <i>Pediatric Obesity</i> , 2012, 7, 110-120.	2.8	6
385	Association of genetic variation in FTO with risk of obesity and type 2 diabetes with data from 96,551 East and South Asians. <i>Diabetologia</i> , 2012, 55, 981-995.	6.3	171
386	Validity of Glycated Hemoglobin in Screening and Diagnosing Type 2 Diabetes Mellitus in Chinese Subjects. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 41.	1.7	19
387	Diabetes, insulin and cancer risk. <i>World Journal of Diabetes</i> , 2012, 3, 60.	3.5	10
388	The diabetic wound healing effect of a two-herb formula and its mechanisms of action. <i>Planta Medica</i> , 2012, 78, .	1.3	0
389	Diabetes-Related Distress and Physical and Psychological Health in Chinese Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2011, 34, 1094-1096.	8.6	72
390	Treatment and Landmark Clinical Trials for Renoprotection. <i>Contributions To Nephrology</i> , 2011, 170, 184-195.	1.1	10
391	Associations of intra-renal arterial resistance index with chronic kidney disease and carotid intima-media thickness in type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2011, 92, e37-e40.	2.8	3
392	Diabetic dyslipidaemia in Asian populations in the Western Pacific Region: What we know and don&#226t know. <i>Diabetes Research and Clinical Practice</i> , 2011, 94, 1-13.	2.8	17
393	Involvement of mitochondrial dysfunction in human islet amyloid polypeptide-induced apoptosis in INS-1E pancreatic beta cells: An effect attenuated by phycocyanin. <i>International Journal of Biochemistry and Cell Biology</i> , 2011, 43, 525-534.	2.8	67
394	The reproductive and metabolic effect of rosiglitazone&#201on Chinese women with polycystic ovarian syndrome&#201a double-blind randomized placebo-controlled study. <i>Fertility and Sterility</i> , 2011, 96, 445-451.e1.	1.0	11
395	Low HDL Cholesterol, Metformin Use, and Cancer Risk in Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 375-380.	8.6	65
396	Adiposity of the heart revisited: Reversal of dilated cardiomyopathy in a patient with Cushing's syndrome. <i>International Journal of Cardiology</i> , 2011, 151, e22-e23.	1.7	8

#	ARTICLE	IF	CITATIONS
397	Associations of sleep duration with obesity and serum lipid profile in children and adolescents. <i>Sleep Medicine</i> , 2011, 12, 659-665.	1.6	133
398	What can we learn from the recent blood glucose lowering megatrials?. <i>Journal of Diabetes Investigation</i> , 2011, 2, 1-5.	2.4	14
399	Predictive role of polymorphisms in interleukin-5 receptor alpha-subunit, lipoprotein lipase, integrin A2 and nitric oxide synthase genes on ischemic stroke in type 2 diabetes—An 8-year prospective cohort analysis of 1327 Chinese patients. <i>Atherosclerosis</i> , 2011, 215, 130-135.	0.8	19
400	Exendin-4 Improves Blood Glucose Control in Both Young and Aging Normal Non-Diabetic Mice, Possible Contribution of Beta Cell Independent Effects. <i>PLoS ONE</i> , 2011, 6, e20443.	2.5	26
401	APOE Genotype-Function Relationship: Evidence of $\epsilon^4$ A/T Promoter Polymorphism Modifying Transcription Control but Not Type 2 Diabetes Risk. <i>PLoS ONE</i> , 2011, 6, e24669.	2.5	6
402	A randomized-controlled trial to investigate the effects of rivoglitazone, a novel PPAR gamma agonist on glucose-lipid control in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2011, 13, 806-813.	4.4	18
403	Role of low-glycemic index diet in management of childhood obesity. <i>Obesity Reviews</i> , 2011, 12, 492-498.	6.5	20
404	Comprehensive risk assessments of diabetic patients from seven Asian countries: The Joint Asia Diabetes Evaluation (JADE) program*. <i>Journal of Diabetes</i> , 2011, 3, 109-118.	1.8	47
405	Meta-analysis of trial data may support a causal role of hyperglycaemia in cancer. <i>Diabetologia</i> , 2011, 54, 709-710.	6.3	12
406	Effects of olmesartan on renal and cardiovascular outcomes in type 2 diabetes with overt nephropathy: a multicentre, randomised, placebo-controlled study. <i>Diabetologia</i> , 2011, 54, 2978-2986.	6.3	211
407	The Complexity of Vascular and Non-Vascular Complications of Diabetes: The Hong Kong Diabetes Registry. <i>Current Cardiovascular Risk Reports</i> , 2011, 5, 230-239.	2.0	56
408	Hong Kong Chinese school children with elevated urine melamine levels: A prospective follow up study. <i>BMC Public Health</i> , 2011, 11, 354.	2.9	18
409	Glucose lowering effect of transgenic human insulin-like growth factor-I from rice: in vitro and in vivostudies. <i>BMC Biotechnology</i> , 2011, 11, 37.	3.3	9
410	Low triglyceride and nonuse of statins is associated with cancer in type 2 diabetes mellitus. <i>Cancer</i> , 2011, 117, 862-871.	4.1	21
411	Sonographic Measurement of Mesenteric Fat Predicts Presence of Fatty Liver among Subjects with Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 799-807.	3.6	36
412	Comment: Analyses Using Time-Dependent Pioglitazone Usage in Cox Models May Lead to Wrong Conclusions About Its Association With Cancer. <i>Diabetes Care</i> , 2011, 34, e136-e136.	8.6	10
413	Adherence to Oral Hypoglycemic Agents in 26 782 Chinese Patients: A Cohort Study. <i>Journal of Clinical Pharmacology</i> , 2011, 51, 1474-1482.	2.0	34
414	Early Identification of Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 244-246.	8.6	46



#	ARTICLE	IF	CITATIONS
415	A New Tool to Detect Kidney Disease in Chinese Type 2 Diabetes Patients: Comparison of EZSCAN with Standard Screening Methods. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 937-943.	4.4	27
416	Are Large Sample Size Studies the Answer to Evaluate Effects of Drug Use in Non-“Clinical Trial Settings?. <i>Journal of Clinical Oncology</i> , 2011, 29, 4464-4465.	1.6	4
417	Serum concentrations of insulin-like growth factor-I, insulin-like growth factor binding protein-3 and cardiovascular risk factors in adolescents. <i>Annals of Clinical Biochemistry</i> , 2011, 48, 263-269.	1.6	17
418	Risk-factor profile, drug usage and cardiovascular events within a year in patients with and at high risk of atherothrombosis recruited from Asia as compared with those recruited from non-Asian regions: a substudy of the REduction of Atherothrombosis for Continued Health (REACH) registry. <i>Heart Asia</i> , 2011, 3, 93-8.	1.1	19
419	Apolipoprotein M Gene (APOM) Polymorphism Modifies Metabolic and Disease Traits in Type 2 Diabetes. <i>PLoS ONE</i> , 2011, 6, e17324.	2.5	27
420	Genetic Variants of the Protein Kinase C- $\beta$ 1 Gene and Development of End-Stage Renal Disease in Patients With Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 881.	7.4	58
421	Up-Regulated Pancreatic Tissue MicroRNA-375 Associates With Human Type 2 Diabetes Through $\beta$ -Cell Deficit and Islet Amyloid Deposition. <i>Pancreas</i> , 2010, 39, 843-846.	1.1	88
422	Renin-angiotensin system activation in renal adipogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, F391-F400.	2.7	15
423	Association of genetic variants of NOS1AP with type 2 diabetes in a Chinese population. <i>Diabetologia</i> , 2010, 53, 290-298.	6.3	46
424	Fatty acids inhibit insulin-mediated glucose transport associated with actin remodeling in rat L6 muscle cells. <i>Acta Diabetologica</i> , 2010, 47, 331-339.	2.5	5
425	Ethnic differences in the relationships of anthropometric measures to metabolic risk factors in Asian patients at risk of atherothrombosis. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 400-408.	3.4	37
426	Association between Physical Activity and Cardiovascular Risk in Chinese Youth Independent of Age and Pubertal Stage. <i>BMC Public Health</i> , 2010, 10, 303.	2.9	37
427	From design to implementation - The Joint Asia Diabetes Evaluation (JADE) program: A descriptive report of an electronic web-based diabetes management program. <i>BMC Medical Informatics and Decision Making</i> , 2010, 10, 26.	3.0	46
428	The pivotal role of protein kinase C zeta (PKCzeta) in insulin- and AMP-activated protein kinase (AMPK)-mediated glucose uptake in muscle cells. <i>Cellular Signalling</i> , 2010, 22, 1513-1522.	3.6	10
429	Effect of interventions for major depressive disorder and significant depressive symptoms in patients with diabetes mellitus: a systematic review and meta-analysis. <i>General Hospital Psychiatry</i> , 2010, 32, 380-395.	2.4	290
430	The A1C and ABCD of glycaemia management in type 2 diabetes: a physician's personalized approach. <i>Diabetes/Metabolism Research and Reviews</i> , 2010, 26, 239-244.	4.0	104
431	Genome-wide linkage scan for factors of metabolic syndrome in a Chinese population. <i>BMC Genetics</i> , 2010, 11, 14.	2.7	13
432	Lipid control and use of lipid-regulating drugs for prevention of cardiovascular events in Chinese type 2 diabetic patients: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2010, 9, 77.	6.8	35

#	ARTICLE	IF	CITATIONS
433	<i>PHF11</i> is not a major candidate gene for asthma or eczema in Chinese children. <i>Pediatric Pulmonology</i> , 2010, 45, 890-897.	2.0	1
434	Evaluation of erectile dysfunction and associated cardiovascular risk using structured questionnaires in Chinese type 2 diabetic men. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 853-860.	3.6	23
435	<i>CHIA</i> confers susceptibility to childhood eczema. <i>British Journal of Dermatology</i> , 2010, 163, 1360-1362.	1.5	3
436	ORIGINAL ARTICLE: Associations of the growth hormone receptor ( <i>GHR</i> ) gene polymorphisms with adiposity and IGF-1 activity in adolescents. <i>Clinical Endocrinology</i> , 2010, 73, 313-322.	2.4	7
437	Body mass index, waist circumference and waist:hip ratio as predictors of cardiovascular risk—a review of the literature. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 16-22.	2.9	557
438	Risk associations of obesity with sugar-sweetened beverages and lifestyle factors in Chinese: the “Better Health for Better Hong Kong” health promotion campaign. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 1386-1392.	2.9	19
439	Worsening trend of central obesity despite stable or declining body mass index in Hong Kong Chinese between 1996 and 2005. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 549-552.	2.9	33
440	A genome-wide association study in the Japanese population identifies susceptibility loci for type 2 diabetes at UBE2E2 and C2CD4A-C2CD4B. <i>Nature Genetics</i> , 2010, 42, 864-868.	21.4	245
441	Common variants near CAV1 and CAV2 are associated with primary open-angle glaucoma. <i>Nature Genetics</i> , 2010, 42, 906-909.	21.4	357
442	Exendin-4 protects pancreatic beta cells from human islet amyloid polypeptide-induced cell damage: potential involvement of AKT and mitochondria biogenesis. <i>Diabetes, Obesity and Metabolism</i> , 2010, 12, 815-824.	4.4	77
443	Independent predictive roles of eotaxin Ala23Thr, paraoxonase-2 Ser311Cys and $\beta$ -adrenergic receptor Trp64Arg polymorphisms on cardiac disease in Type 2 Diabetes—an 8-year prospective cohort analysis of 1297 patients. <i>Diabetic Medicine</i> , 2010, 27, 376-383.	2.3	25
444	A simple risk score to identify Southern Chinese at high risk for diabetes. <i>Diabetic Medicine</i> , 2010, 27, 644-649.	2.3	33
445	Association of the POU class 2 homeobox 1 gene (POU2F1) with susceptibility to Type 2 diabetes in Chinese populations. <i>Diabetic Medicine</i> , 2010, 27, 1443-1449.	2.3	22
446	Common Polymorphisms in MTNR1B, G6PC2 and GCK Are Associated with Increased Fasting Plasma Glucose and Impaired Beta-Cell Function in Chinese Subjects. <i>PLoS ONE</i> , 2010, 5, e11428.	2.5	65
447	Implication of Genetic Variants Near <i>NEGR1</i> , <i>SEC16B</i> , <i>TMEM18</i> , <i>ETV5/DCKG</i> , <i>GNPDA2</i> , <i>LIN7C/BDNF</i> , <i>MTCH2</i> , <i>BCDIN3</i> and <i>KCTD15</i> with Obesity and Type 2 Diabetes in 7705 Chinese. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2418-2425.	3.6	120
448	Glucose Intolerance and Cardiometabolic Risk in Adolescents Exposed to Maternal Gestational Diabetes. <i>Diabetes Care</i> , 2010, 33, 1382-1384.	8.6	97
449	Atherosclerotic Vascular Disease Rather than Metabolic Syndrome Predicts Ischemic Stroke in Diabetic Patients. <i>Cerebrovascular Diseases</i> , 2010, 30, 374-379.	1.7	9
450	Associations of Hyperglycemia and Insulin Usage With the Risk of Cancer in Type 2 Diabetes: The Hong Kong Diabetes Registry. <i>Diabetes</i> , 2010, 59, 1254-1260.	0.6	145

#	ARTICLE	IF	CITATIONS
451	Development and validation of equations estimating glomerular filtration rates in Chinese patients with type 2 diabetes. <i>Kidney International</i> , 2010, 77, 729-735.	5.2	10
452	Fine-scale stratification analysis of Hong Kong Chinese population. , 2010, , .		1
453	Bip overexpression, but not CHOP inhibition, attenuates fatty-acid-induced endoplasmic reticulum stress and apoptosis in HepG2 liver cells. <i>Life Sciences</i> , 2010, 87, 724-732.	4.3	53
454	Berberine modulates insulin signaling transduction in insulin-resistant cells. <i>Molecular and Cellular Endocrinology</i> , 2010, 317, 148-153.	3.2	65
455	White blood cell count and renin-angiotensin system inhibitors for the risk of cancer in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2010, 87, 117-125.	2.8	15
456	Association of statin use and development of renal dysfunction in type 2 diabetes- The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2010, 88, 227-233.	2.8	19
457	Glucose intolerance and cardiovascular risk factors in Hong Kong: Data from two occupation-based cross-sectional surveys. <i>Diabetes Research and Clinical Practice</i> , 2010, 90, 222-227.	2.8	3
458	Use of sulphonylurea and cancer in type 2 diabetes- The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2010, 90, 343-351.	2.8	80
459	Peri-operative hyperglycemia: a consideration for general surgery?. <i>American Journal of Surgery</i> , 2010, 199, 240-248.	1.8	33
460	Hypoadiponectinaemia enhances waist circumference as a predictor of glucose intolerance and clustering of risk factors in Chinese men. <i>Diabetes and Metabolism</i> , 2010, 36, 192-197.	2.9	5
461	European Bone Mineral Density Loci Are Also Associated with BMD in East-Asian Populations. <i>PLoS ONE</i> , 2010, 5, e13217.	2.5	81
462	Multifaceted Determinants for Achieving Glycemic Control. <i>Diabetes Care</i> , 2009, 32, 227-233.	8.6	248
463	Additive Interaction Between the Renin-Angiotensin System and Lipid Metabolism for Cancer in Type 2 Diabetes. <i>Diabetes</i> , 2009, 58, 1518-1525.	0.6	35
464	Effects of Structured Versus Usual Care on Renal Endpoint in Type 2 Diabetes: The SURE Study. <i>Diabetes Care</i> , 2009, 32, 977-982.	8.6	122
465	Interaction Effect of Genetic Polymorphisms in Glucokinase ( <i>GCK</i> ) and Glucokinase Regulatory Protein ( <i>GCKR</i> ) on Metabolic Traits in Healthy Chinese Adults and Adolescents. <i>Diabetes</i> , 2009, 58, 765-769.	0.6	58
466	Diabetes in Asian Immigrant Populations-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 1646.	7.4	0
467	Diabetes in Asia. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 2129.	7.4	1,674
468	Association between Obesity and Atopy in Chinese Schoolchildren. <i>International Archives of Allergy and Immunology</i> , 2009, 149, 133-140.	2.1	46

#	ARTICLE	IF	CITATIONS
469	Linkage Disequilibrium Mapping of the Replicated Type 2 Diabetes Linkage Signal on Chromosome 1q. <i>Diabetes</i> , 2009, 58, 1704-1709.	0.6	30
470	Effect of interactions between C peptide levels and insulin treatment on clinical outcomes among patients with type 2 diabetes mellitus. <i>Cmaj</i> , 2009, 180, 919-926.	2.0	20
471	Low LDL Cholesterol, Albuminuria, and Statins for the Risk of Cancer in Type 2 Diabetes: The Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2009, 32, 1826-1832.	8.6	42
472	Cutoff values for central obesity in Chinese based on mesenteric fat thickness. <i>Clinical Nutrition</i> , 2009, 28, 679-683.	5.0	21
473	Expression and subcellular targeting of human insulin-like growth factor binding protein-3 in transgenic tobacco plants. <i>Transgenic Research</i> , 2009, 18, 943-951.	2.4	17
474	Phenotypeâ€“genotype interactions on renal function in type 2 diabetes: an analysis using structural equation modelling. <i>Diabetologia</i> , 2009, 52, 1543-1553.	6.3	23
475	Lack of benefits for prevention of cardiovascular disease with aspirin therapy in type 2 diabetic patients - a longitudinal observational study. <i>Cardiovascular Diabetology</i> , 2009, 8, 57.	6.8	23
476	Cigarette smoking is an independent risk factor for type 2 diabetes: a fourâ€“year communityâ€“based prospective study. <i>Clinical Endocrinology</i> , 2009, 71, 679-685.	2.4	79
477	Associations of insulin-like growth factor binding protein-3 gene polymorphisms with IGF-I activity and lipid parameters in adolescents. <i>International Journal of Obesity</i> , 2009, 33, 1446-1453.	3.4	9
478	Sequence variants affecting eosinophil numbers associate with asthma and myocardial infarction. <i>Nature Genetics</i> , 2009, 41, 342-347.	21.4	709
479	A sequence variant in ZFX3 on 16q22 associates with atrial fibrillation and ischemic stroke. <i>Nature Genetics</i> , 2009, 41, 876-878.	21.4	434
480	Association of <i>early growth responseâ€“1</i> gene polymorphisms with total IgE and atopy in asthmatic children. <i>Pediatric Allergy and Immunology</i> , 2009, 20, 142-150.	2.6	11
481	<i>PTGDR</i> is not a major candidate gene for asthma and atopy in Chinese children. <i>Pediatric Allergy and Immunology</i> , 2009, 20, 556-562.	2.6	10
482	The Joint Asia Diabetes Evaluation (JADE) Program: a webâ€“based program to translate evidence to clinical practice in Type 2 diabetes. <i>Diabetic Medicine</i> , 2009, 26, 693-699.	2.3	45
483	Effects of systolic and diastolic blood pressures on incident coronary heart disease and allâ€“cause death in Chinese women with Type 2 diabetes: The Hong Kong Diabetes Registry. <i>Journal of Diabetes</i> , 2009, 1, 90-98.	1.8	5
484	Construction of a prediction model for type 2 diabetes mellitus in the Japanese population based on 11 genes with strong evidence of the association. <i>Journal of Human Genetics</i> , 2009, 54, 236-241.	2.3	70
485	Apolipoprotein E polymorphism and expression in type 2 diabetic patients with nephropathy: clinicopathological correlation. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 1889-1895.	0.7	20
486	Low plasma adiponectin level, white blood cell count and Helicobacter pylori titre independently predict abnormal pancreatic Î²-cell function. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, 89-95.	2.8	34

#	ARTICLE	IF	CITATIONS
487	Phycocyanin protects INS-1E pancreatic beta cells against human islet amyloid polypeptide-induced apoptosis through attenuating oxidative stress and modulating JNK and p38 mitogen-activated protein kinase pathways. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 1526-1535.	2.8	87
488	Pregnancy and diabetes scenario around the world: China. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 104, S42-5.	2.3	49
489	Amyloid oligomers in diabetic and nondiabetic human pancreas. <i>Translational Research</i> , 2009, 153, 24-32.	5.0	42
490	Incidence of childhood type 1 diabetes: a worrying trend. <i>Nature Reviews Endocrinology</i> , 2009, 5, 529-530.	9.6	29
491	Renal Carcinogenesis After Uninephrectomy. <i>Translational Oncology</i> , 2009, 2, 258-263.	3.7	4
492	Cold-vapour atomic absorption spectrometry underestimates total mercury in blood and urine compared to inductively-coupled plasma mass spectrometry: an important factor for determining mercury reference intervals. <i>Pathology</i> , 2009, 41, 467-472.	0.6	17
493	Response to "Lipid disorders in experimental chronic kidney disease: a role for SREBPs". <i>Kidney International</i> , 2009, 75, 338-339.	5.2	0
494	Aberrant Expression of Soluble Co-stimulatory Molecules and Adhesion Molecules in Type 2 Diabetic Patients with Nephropathy. <i>Journal of Clinical Immunology</i> , 2008, 28, 36-43.	3.8	32
495	A mitochondrial DNA variant at position 16189 is associated with type 2 diabetes mellitus in Asians. <i>Diabetologia</i> , 2008, 51, 602-608.	6.3	100
496	Development and validation of a risk score for hospitalization for heart failure in patients with Type 2 Diabetes Mellitus. <i>Cardiovascular Diabetology</i> , 2008, 7, 9.	6.8	52
497	Risk factors in U-shaped risk associations with all-cause mortality in type 2 diabetes: The Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 238-246.	4.0	51
498	Variants in KCNQ1 are associated with susceptibility to type 2 diabetes mellitus. <i>Nature Genetics</i> , 2008, 40, 1092-1097.	21.4	694
499	Burden of Obesity " lessons learnt from Hong Kong Chinese. <i>Obesity Reviews</i> , 2008, 9, 35-40.	6.5	97
500	Safety and efficacy of sitagliptin in patients with type 2 diabetes and chronic renal insufficiency. <i>Diabetes, Obesity and Metabolism</i> , 2008, 10, 545-555.	4.4	222
501	The NCEP-ATPIII but not the IDF criteria for the metabolic syndrome identify Type 2 diabetic patients at increased risk of chronic kidney disease. <i>Diabetic Medicine</i> , 2008, 25, 1419-1425.	2.3	23
502	Associations of overweight with insulin resistance, $\beta$ -cell function and inflammatory markers in Chinese adolescents. <i>Pediatric Diabetes</i> , 2008, 9, 488-495.	2.9	16
503	Topographical associations between islet endocrine cells and duct epithelial cells in the adult human pancreas. <i>Clinical Endocrinology</i> , 2008, 69, 400-406.	2.4	12
504	The problem of obesity among adolescents in Hong Kong: a comparison using various diagnostic criteria. <i>BMC Pediatrics</i> , 2008, 8, 10.	1.7	32

#	ARTICLE	IF	CITATIONS
505	Development and Validation of a Total Coronary Heart Disease Risk Score in Type 2 Diabetes Mellitus. American Journal of Cardiology, 2008, 101, 596-601.	1.6	101
506	Metabolic syndrome by the new IDF criteria in Hong Kong Chinese adolescents and its prediction by using body mass index. Acta Paediatrica, International Journal of Paediatrics, 2008, 97, 1738-1742.	1.5	11
507	Erectile Dysfunction Predicts Coronary Heart Disease in Type 2 Diabetes. Journal of the American College of Cardiology, 2008, 51, 2045-2050.	2.8	193
508	Association Between Obesity and Serum IgE Measurements in a Community Cohort of Chinese Schoolchildren. Journal of Allergy and Clinical Immunology, 2008, 121, S207-S207.	2.9	0
509	Fat redistribution and adipocyte transformation in uninephrectomized rats. Kidney International, 2008, 74, 467-477.	5.2	55
510	Independent associations of alanine aminotransferase (ALT) levels with cardiovascular risk factor clustering in Chinese adolescents. Journal of Hepatology, 2008, 49, 115-122.	3.7	29
511	PDZ-domain containing-2 (PDZD2) is a novel factor that affects the growth and differentiation of human fetal pancreatic progenitor cells. International Journal of Biochemistry and Cell Biology, 2008, 40, 789-803.	2.8	41
512	A novel mutation of SLC22A12 gene causing primary renal hypouricemia in a patient with metabolic syndrome. Clinica Chimica Acta, 2008, 398, 157-158.	1.1	6
513	Thresholds of risk factors for ischemic stroke in type 2 diabetic patients with and without albuminuria—A non-linear approach. Clinical Neurology and Neurosurgery, 2008, 110, 701-709.	1.4	8
514	Use of anti-diabetic drugs and glycaemic control in type 2 diabetes—The Hong Kong Diabetes Registry. Diabetes Research and Clinical Practice, 2008, 82, 346-352.	2.8	41
515	Diabetic nephropathy—What are the unmet needs?. Diabetes Research and Clinical Practice, 2008, 82, S15-S20.	2.8	27
516	Glucose Intolerance and Cardiometabolic Risk in Children Exposed to Maternal Gestational Diabetes Mellitus in Utero. Pediatrics, 2008, 122, 1229-1234.	2.1	135
517	CD2-B Emerging treatment for the unmet needs In Type 2 diabetes. Diabetes Research and Clinical Practice, 2008, 79, S8-S9.	2.8	0
518	DWP2-1 Cardio-metabolic-inflammatory risk predictors for heart failure in Type 2 diabetes — the Hong Kong Diabetes Registry. Diabetes Research and Clinical Practice, 2008, 79, S22.	2.8	0
519	CD3-2 Alanine aminotransferase (ALT) levels — a marker of cardiovascular risk factors clustering in adolescents. Diabetes Research and Clinical Practice, 2008, 79, S34.	2.8	0
520	P-85 Metabolic syndrome identifies chronic kidney disease in Chinese patients with Type 2 diabetes — a prospective study. Diabetes Research and Clinical Practice, 2008, 79, S86.	2.8	1
521	Implication of Genetic Variants Near <i>TCF7L2</i> , <i>SLC30A8</i> , <i>HHEX</i> , <i>CDKAL1</i> , <i>CDKN2A/B</i> , <i>IGF2BP2</i> , and <i>FTO</i> in Type 2 Diabetes and Obesity in 6,719 Asians. Diabetes, 2008, 57, 2226-2233.	0.6	331
522	Predicting values of lipids and white blood cell count for all-site cancer in type 2 diabetes. Endocrine-Related Cancer, 2008, 15, 597-607.	3.1	38

#	ARTICLE	IF	CITATIONS
523	Middle Cerebral Artery Stenosis Increased the Risk of Vascular Disease Mortality among Type 2 Diabetic Patients. <i>Cerebrovascular Diseases</i> , 2008, 25, 261-267.	1.7	20
524	Metabolic Syndrome Predicts New Onset of Chronic Kidney Disease in 5,829 Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 2357-2361.	8.6	160
525	Optimal control allocation in vehicle dynamics control for rollover mitigation. , 2008, , .		46
526	Additive Interaction of Hyperglycemia and Albuminuria on Risk of Ischemic Stroke in Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 2294-2300.	8.6	27
527	Development and Validation of an All-Cause Mortality Risk Score in Type 2 Diabetes<sub>title</sub>The Hong Kong Diabetes Registry</sub>. <i>Archives of Internal Medicine</i> , 2008, 168, 451.	3.8	94
528	Aldose Reductase Genotypes and Cardiorenal Complications. <i>Diabetes Care</i> , 2008, 31, 2148-2153.	8.6	32
529	Effects of albuminuria and renal dysfunction on development of dyslipidaemia in type 2 diabetes—the Hong Kong Diabetes Registry. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2834-2840.	0.7	13
530	Independent associations between low-density lipoprotein cholesterol and cancer among patients with type 2 diabetes mellitus. <i>Cmaj</i> , 2008, 179, 427-437.	2.0	73
531	Higher Islet Amyloid Load in Men Than in Women With Type 2 Diabetes Mellitus. <i>Pancreas</i> , 2008, 37, e68-e73.	1.1	17
532	EDN1 Lys198Asn is associated with diabetic retinopathy in type 2 diabetes. <i>Molecular Vision</i> , 2008, 14, 1698-704.	1.1	26
533	Activating Transcription Factor 6 (ATF6) Sequence Polymorphisms in Type 2 Diabetes and Pre-Diabetic Traits. <i>Diabetes</i> , 2007, 56, 856-862.	0.6	31
534	Abnormal Liver Function Test Predicts Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 2566-2568.	8.6	116
535	Development and Validation of Stroke Risk Equation for Hong Kong Chinese Patients With Type 2 Diabetes: The Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2007, 30, 65-70.	8.6	102
536	Effects of Treatment Targets on Subsequent Cardiovascular Events in Chinese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 953-959.	8.6	48
537	Overweight, family history of diabetes and attending schools of lower academic grading are independent predictors for metabolic syndrome in Hong Kong Chinese adolescents. <i>Archives of Disease in Childhood</i> , 2007, 92, 224-228.	1.9	49
538	The Usefulness of the International Diabetes Federation and the National Cholesterol Education Program's Adult Treatment Panel III Definitions of the Metabolic Syndrome in Predicting Coronary Heart Disease in Subjects With Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 1206-1211.	8.6	120
539	Common Variation in the LMNA Gene (Encoding Lamin A/C) and Type 2 Diabetes: Association Analyses in 9,518 Subjects. <i>Diabetes</i> , 2007, 56, 879-883.	0.6	34
540	Meta-Analysis of Genome-Wide Linkage Studies of Quantitative Lipid Traits in Families Ascertained for Type 2 Diabetes. <i>Diabetes</i> , 2007, 56, 890-896.	0.6	33

#	ARTICLE	IF	CITATIONS
541	Acute Renal Failure Following Oral Sodium Phosphate Bowel Preparation in Diabetes. <i>Diabetes Care</i> , 2007, 30, 182-183.	8.6	19
542	Role of metformin in the initiation of pharmacotherapy for type 2 diabetes: An Asian-Pacific perspective. <i>Diabetes Research and Clinical Practice</i> , 2007, 75, 255-266.	2.8	28
543	The Authors??? Reply. <i>Drug Safety</i> , 2007, 30, 728-729.	3.2	2
544	Replication and Identification of Novel Variants at TCF7L2 Associated with Type 2 Diabetes in Hong Kong Chinese. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3733-3737.	3.6	100
545	Drug-Induced Endocrine and Metabolic Disorders. <i>Drug Safety</i> , 2007, 30, 215-245.	3.2	42
546	Association between smoking, pancreatic insulin secretion and insulin resistance in Chinese subjects with or without glucose intolerance. <i>Chinese Medical Journal</i> , 2007, 120, 2233-2237.	2.3	7
547	Doubling over ten years of central obesity in Hong Kong Chinese working men. <i>Chinese Medical Journal</i> , 2007, 120, 1151-1154.	2.3	18
548	Effects of chronic hyperglycaemia on incident stroke in Hong Kong Chinese patients with type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2007, 23, 220-226.	4.0	11
549	Progression to impaired glucose regulation, diabetes and metabolic syndrome in Chinese women with a past history of gestational diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2007, 23, 485-489.	4.0	34
550	Reference values for serum levels of insulin-like growth factor (IGF-1) and IGF-binding protein 3 (IGFBP-3) and their ratio in Chinese adolescents. <i>Clinical Biochemistry</i> , 2007, 40, 1093-1099.	1.9	31
551	Impacts of chronic kidney disease and albuminuria on associations between coronary heart disease and its traditional risk factors in type 2 diabetic patients – the Hong Kong diabetes registry. <i>Cardiovascular Diabetology</i> , 2007, 6, 37.	6.8	37
552	Bayesian analysis of structural equation models with multinomial variables and an application to type 2 diabetic nephropathy. <i>Statistics in Medicine</i> , 2007, 26, 2348-2369.	1.6	24
553	Aberrant activation profile of cytokines and mitogen-activated protein kinases in type 2 diabetic patients with nephropathy. <i>Clinical and Experimental Immunology</i> , 2007, 149, 123-131.	2.6	101
554	A variant in CDKAL1 influences insulin response and risk of type 2 diabetes. <i>Nature Genetics</i> , 2007, 39, 770-775.	21.4	966
555	Two variants on chromosome 17 confer prostate cancer risk, and the one in TCF2 protects against type 2 diabetes. <i>Nature Genetics</i> , 2007, 39, 977-983.	21.4	670
556	Association between sleeping hours, working hours and obesity in Hong Kong Chinese: the “better health for better Hong Kong” health promotion campaign. <i>International Journal of Obesity</i> , 2007, 31, 254-260.	3.4	143
557	Waist circumference and body mass index in Chinese children: cutoff values for predicting cardiovascular risk factors. <i>International Journal of Obesity</i> , 2007, 31, 550-558.	3.4	113
558	BMI and Waist Circumference in Predicting Cardiovascular Risk Factor Clustering in Chinese Adolescents. <i>Obesity</i> , 2007, 15, 494-494.	3.0	55



#	ARTICLE	IF	CITATIONS
559	Variants conferring risk of atrial fibrillation on chromosome 4q25. <i>Nature</i> , 2007, 448, 353-357.	27.8	853
560	Interactive effect of retinopathy and macroalbuminuria on all-cause mortality, cardiovascular and renal end points in Chinese patients with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2007, 24, 741-746.	2.3	38
561	Effectiveness of a lifestyle modification programme in weight maintenance in obese subjects after cessation of treatment with Orlistat. <i>Journal of Evaluation in Clinical Practice</i> , 2007, 13, 070728052316007-???	1.8	23
562	A case-control study of apoA5 $\epsilon$ 1131T>C polymorphism that examines the role of triglyceride levels in diabetic nephropathy. <i>Journal of Diabetes and Its Complications</i> , 2007, 21, 158-163.	2.3	11
563	Low levels of awareness of suboptimal health conditions in a high-risk working population: The "better health for better Hong Kong" health promotion campaign. <i>International Journal of Behavioral Medicine</i> , 2007, 14, 63-69.	1.7	15
564	Modified end-stage renal disease risk score for Chinese type 2 diabetic patients—the Hong Kong Diabetes Registry. <i>Diabetologia</i> , 2007, 50, 1348-1350.	6.3	17
565	Pancreatic islet $\beta$ -cell deficit and glucose intolerance in rats with uninephrectomy. <i>Cellular and Molecular Life Sciences</i> , 2007, 64, 3119-3128.	5.4	26
566	Mesenteric Fat Thickness Is an Independent Determinant of Metabolic Syndrome and Identifies Subjects With Increased Carotid Intima-Media Thickness. <i>Diabetes Care</i> , 2006, 29, 379-384.	8.6	94
567	In vivo treatment with glucagon-like peptide 1 promotes the graft function of fetal islet-like cell clusters in transplanted mice. <i>International Journal of Biochemistry and Cell Biology</i> , 2006, 38, 951-960.	2.8	27
568	Metabolic syndrome by the international diabetes federation definition in Hong Kong Chinese. <i>Diabetes Research and Clinical Practice</i> , 2006, 73, 58-64.	2.8	34
569	The effect of a one-hour Eastern stress management session on salivary cortisol. <i>Stress and Health</i> , 2006, 22, 45-49.	2.6	15
570	Association of lipoprotein lipase S447X, apolipoprotein E exon 4, and apoC3 $\epsilon$ 455T>C polymorphisms on the susceptibility to diabetic nephropathy. <i>Clinical Genetics</i> , 2006, 70, 20-28.	2.0	35
571	Prediction of cardiovascular and total mortality in Chinese type 2 diabetic patients by the WHO definition for the metabolic syndrome. <i>Diabetes, Obesity and Metabolism</i> , 2006, 8, 94-104.	4.4	26
572	The efficacy and tolerability of fosinopril in Chinese type 2 diabetic patients with moderate renal insufficiency. <i>Diabetes, Obesity and Metabolism</i> , 2006, 8, 342-347.	4.4	19
573	Plasma glucose levels and diabetes are independent predictors for mortality and morbidity in patients with SARS. <i>Diabetic Medicine</i> , 2006, 23, 623-628.	2.3	604
574	Assessment of glomerular filtration rate in addition to albuminuria is important in managing type 2 diabetes. <i>Kidney International</i> , 2006, 69, 383-387.	5.2	38
575	Angiotensin-converting enzyme (ACE) inhibition in type 2, diabetic patients $\epsilon$ interaction with ACE insertion/deletion polymorphism. <i>Kidney International</i> , 2006, 69, 1438-1443.	5.2	53
576	Renal risk and renoprotection among ethnic groups with type 2 diabetic nephropathy: A post hoc analysis of RENAAL. <i>Kidney International</i> , 2006, 69, 1675-1682.	5.2	92

#	ARTICLE	IF	CITATIONS
577	Vascular defect beyond the endothelium in type II diabetic patients with overt nephropathy and moderate renal insufficiency. <i>Kidney International</i> , 2006, 70, 711-716.	5.2	24
578	Olmesartan Reducing Incidence of Endstage Renal Disease in Diabetic Nephropathy Trial (ORIENT): Rationale and Study Design. <i>Hypertension Research</i> , 2006, 29, 703-709.	2.7	38
579	Traditional Chinese Medicine in the Treatment of Diabetes. , 2006, 11, 15-29.		15
580	Renin angiotensin aldosterone system blockade and renal disease in patients with type 2 diabetes: a subanalysis of Japanese patients from the RENAAL study. <i>Clinical and Experimental Nephrology</i> , 2006, 10, 193-200.	1.6	18
581	To: Holstein A, Stumvoll M (2005) Contraindications can damage your health“is metformin a case in point? <i>Diabetologia</i> 48:2454“2459. <i>Diabetologia</i> , 2006, 49, 1127-1128.	6.3	2
582	Chronic hepatitis B viral infection independently predicts renal outcome in type 2 diabetic patients. <i>Diabetologia</i> , 2006, 49, 1777-1784.	6.3	50
583	End-stage renal disease risk equations for Hong Kong Chinese patients with type 2 diabetes: Hong Kong Diabetes Registry. <i>Diabetologia</i> , 2006, 49, 2299-2308.	6.3	68
584	Phenotypic and genetic clustering of diabetes and metabolic syndrome in Chinese families with type 2 diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2006, 22, 46-52.	4.0	88
585	Association of Smoking with Increasing Vascular Involvement in Type 2 Diabetic Chinese Patients. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2006, 114, 301-305.	1.2	9
586	Mesenteric fat thickness as an independent determinant of fatty liver. <i>International Journal of Obesity</i> , 2006, 30, 787-793.	3.4	49
587	Recurrent Hypoglycaemia in a Patient with Metastatic Pancreatic Carcinoma. <i>PLoS Medicine</i> , 2006, 3, e331.	8.4	3
588	Variation Within the Gene Encoding the Upstream Stimulatory Factor 1 Does Not Influence Susceptibility to Type 2 Diabetes in Samples From Populations With Replicated Evidence of Linkage to Chromosome 1q. <i>Diabetes</i> , 2006, 55, 2541-2548.	0.6	37
589	Glomerular Filtration Rate, Cardiorenal End Points, and All-Cause Mortality in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2006, 29, 2046-2052.	8.6	196
590	Hematocrit, Independent of Chronic Kidney Disease, Predicts Adverse Cardiovascular Outcomes in Chinese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2006, 29, 2439-2444.	8.6	64
591	Effectiveness of telephone counselling by a pharmacist in reducing mortality in patients receiving polypharmacy: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2006, 333, 522.	2.3	168
592	Protein Kinase C $\eta$ Mediates Insulin-induced Glucose Transport through Actin Remodeling in L6 Muscle Cells. <i>Molecular Biology of the Cell</i> , 2006, 17, 2322-2330.	2.1	50
593	The Role of Adipocytokines and Neurohormonal Dysregulation in Metabolic Syndrome. <i>Current Diabetes Reviews</i> , 2006, 2, 397-407.	1.3	48
594	Carbamazepine and false positive dexamethasone suppression tests for Cushing's syndrome. <i>BMJ: British Medical Journal</i> , 2005, 330, 299-300.	2.3	18

#	ARTICLE	IF	CITATIONS
595	The preferred magnetic resonance imaging planes in quantifying visceral adipose tissue and evaluating cardiovascular risk. <i>Diabetes, Obesity and Metabolism</i> , 2005, 7, 547-554.	4.4	16
596	Losartan reduces the costs of diabetic end-stage renal disease: An Asian perspective. <i>Nephrology</i> , 2005, 10, 520-524.	1.6	10
597	Triglyceride predicts cardiovascular mortality and its relationship with glycaemia and obesity in Chinese type 2 diabetic patients. <i>Diabetes/Metabolism Research and Reviews</i> , 2005, 21, 183-188.	4.0	37
598	The linkage and association of the gene encoding upstream stimulatory factor 1 with type 2 diabetes and metabolic syndrome in the Chinese population. <i>Diabetologia</i> , 2005, 48, 2018-2024.	6.3	57
599	Assessing adherence to statin therapy using patient report, pill count, and an electronic monitoring device. <i>American Journal of Health-System Pharmacy</i> , 2005, 62, 411-415.	1.0	9
600	Assessing adherence to statin therapy using patient report, pill count, and an electronic monitoring device. <i>American Journal of Health-System Pharmacy</i> , 2005, 62, 411-415.	1.0	15
601	Antihypertensive Therapy and Incidence of Type 2 Diabetes in an Elderly Cohort: Response to Padwal et al.. <i>Diabetes Care</i> , 2005, 28, 762-762.	8.6	2
602	Effect of Hepatic Lipase -514C->T Polymorphism and Its Interactions With Apolipoprotein C3 -482C->T and Apolipoprotein E Exon 4 Polymorphisms on the Risk of Nephropathy in Chinese Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2005, 28, 1704-1709.	8.6	14
603	A 67-year-old woman with recurrent hypoglycemia: non-islet cell tumour hypoglycemia. <i>Cmaj</i> , 2005, 173, 359-361.	2.0	8
604	Association of Testosterone, Insulin-Like Growth Factor-I, and C-Reactive Protein with Metabolic Syndrome in Chinese Middle-Aged Men with a Family History of Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 6418-6423.	3.6	50
605	Association of Erectile Dysfunction With Cardiovascular Risk Factors and Increasing Existing Vascular Disease in Male Chinese Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2005, 28, 2051-2053.	8.6	16
606	Prognostic Effect of Insertion/Deletion Polymorphism of the ACE Gene on Renal and Cardiovascular Clinical Outcomes in Chinese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 348-354.	8.6	48
607	Association between tumour necrosis factor- $\beta$ G-308A polymorphism and risk of nephropathy in obese Chinese type 2 diabetic patients. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2733-2738.	0.7	35
608	Association of carotid intima-media thickness with mesenteric, preperitoneal and subcutaneous fat thickness. <i>Atherosclerosis</i> , 2005, 179, 299-304.	0.8	49
609	PDB7 THE METABOLIC EFFECTS OF ORLISTAT AND ROSIGLITAZONE ON INSULIN ACTION IN A GROUP OF CHINESE PATIENTS AFFECTED BYTHE METABOLIC SYNDROME. <i>Value in Health</i> , 2005, 8, A156.	0.3	0
610	Effects of body mass index, plasma glucose and cholesterol levels on isolated systolic hypertension. <i>International Journal of Cardiology</i> , 2005, 101, 429-433.	1.7	13
611	High prevalence of metabolic syndrome in Hong Kong Chinese—comparison of three diagnostic criteria. <i>Diabetes Research and Clinical Practice</i> , 2005, 69, 160-168.	2.8	88
612	Effects of structured care by a pharmacist-diabetes specialist team in patients with Type 2 diabetic nephropathy. <i>American Journal of Medicine</i> , 2005, 118, 1414.e21-1414.e27.	1.5	64

#	ARTICLE	IF	CITATIONS
613	Metabolic syndrome and type 2 diabetes: the Hong Kong perspective. <i>Clinical Biochemist Reviews</i> , 2005, 26, 51-7.	3.3	4
614	Associations between Food Variety and Body Fatness in Hong Kong Chinese Adults. <i>Journal of the American College of Nutrition</i> , 2004, 23, 404-413.	1.8	24
615	White Blood Cell Count Is Associated With Macro- and Microvascular Complications in Chinese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2004, 27, 216-222.	8.6	185
616	Effect of Angiotensin-Converting Enzyme Inhibition on Survival in 3773 Chinese Type 2 Diabetic Patients. <i>Hypertension</i> , 2004, 44, 294-299.	2.7	33
617	Increasing Severity of Cardiovascular Risk Factors With Increasing Middle Cerebral Artery Stenotic Involvement in Type 2 Diabetic Chinese Patients With Asymptomatic Cerebrovascular Disease. <i>Diabetes Care</i> , 2004, 27, 1121-1126.	8.6	28
618	Genome-wide Scan for Metabolic Syndrome and Related Quantitative Traits in Hong Kong Chinese and Confirmation of a Susceptibility Locus on Chromosome 1q21-q25. <i>Diabetes</i> , 2004, 53, 2676-2683.	0.6	107
619	The renoprotective effects of structured care in a clinical trial setting in type 2 diabetic patients with nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2519-2525.	0.7	17
620	Phenotypic Heterogeneity and Associations of Two Aldose Reductase Gene Polymorphisms With Nephropathy and Retinopathy in Type 2 Diabetes: Response to Ng et al.. <i>Diabetes Care</i> , 2004, 27, 290-290.	8.6	1
621	Renin Angiotensin Aldosterone System Blockade and Renal Disease in Patients With Type 2 Diabetes: An Asian perspective from the RENAAL study. <i>Diabetes Care</i> , 2004, 27, 874-879.	8.6	73
622	Association of Glomerulopathy With the 5'-End Polymorphism of the Aldose Reductase Gene and Renal Insufficiency in Type 2 Diabetic Patients. <i>Diabetes</i> , 2004, 53, 2984-2991.	0.6	23
623	Genome-wide Scan for Type 2 Diabetes Loci in Hong Kong Chinese and Confirmation of a Susceptibility Locus on Chromosome 1q21-q25. <i>Diabetes</i> , 2004, 53, 1609-1613.	0.6	57
624	Effects of gender, Helicobacter pylori and hepatitis B virus serology status on cardiovascular and renal complications in Chinese type 2 diabetic patients with overt nephropathy. <i>Diabetes, Obesity and Metabolism</i> , 2004, 6, 223-230.	4.4	17
625	The associations of body mass index, C-peptide and metabolic status in Chinese Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2004, 21, 349-353.	2.3	77
626	Association between adherence to statin therapy and lipid control in Hong Kong Chinese patients at high risk of coronary heart disease. <i>British Journal of Clinical Pharmacology</i> , 2004, 58, 528-535.	2.4	42
627	Effects of Obesity on the Conversion from Normal Glucose Tolerance to Diabetes in Hong Kong Chinese. <i>Obesity</i> , 2004, 12, 889-895.	4.0	15
628	Clinicopathologic characteristics of nodular glomerulosclerosis in Chinese patients with type 2 diabetes. <i>American Journal of Kidney Diseases</i> , 2004, 44, 1039-1049.	1.9	16
629	Albuminuria is a marker of increasing intracranial and extracranial vascular involvement in Type 2 diabetic Chinese patients. <i>Diabetologia</i> , 2004, 47, 1528-1534.	6.3	23
630	PCV4 VARIABLE PATIENT COMPLIANCE WITH STATINS AND ASSOCIATED LIPID CONTROL AMONG CHINESE PATIENTS WITH HIGH RISK FOR CORONARY HEART DISEASE. <i>Value in Health</i> , 2004, 7, 318-319.	0.3	0

#	ARTICLE	IF	CITATIONS
631	Increased leptin concentrations and lack of gender difference in Type 2 diabetic patients with nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2004, 64, 93-98.	2.8	10
632	Ethnic differences in the linkage disequilibrium and distribution of single-nucleotide polymorphisms in 35 candidate genes for cardiovascular diseases. <i>Genomics</i> , 2004, 83, 559-565.	2.9	26
633	Lessons learned from young-onset diabetes in China. <i>Current Diabetes Reports</i> , 2003, 3, 101-107.	4.2	13
634	Triglyceride, albuminuria and blood pressure are the major associations of non-fatal cardiovascular disease in Chinese type 2 diabetes. <i>Acta Diabetologica</i> , 2003, 40, 80-84.	2.5	6
635	Genetic variants of hepatocyte nuclear factor-1 $\beta$ in Chinese young-onset diabetic patients with nephropathy. <i>Journal of Diabetes and Its Complications</i> , 2003, 17, 369-373.	2.3	6
636	Cardiac hypertrophy and remodeling in relation to ACE and angiotensinogen genes genotypes in Chinese dialysis patients. <i>Kidney International</i> , 2003, 63, 1899-1907.	5.2	34
637	Tumour necrosis factor-alpha promoter gene polymorphism at - 308 (genotype AA) in Chinese subjects with Type 2 diabetes. <i>Diabetic Medicine</i> , 2003, 20, 167-168.	2.3	18
638	Peripheral vascular disease in Type 2 diabetic Chinese patients: associations with metabolic indices, concomitant vascular disease and genetic factors. <i>Diabetic Medicine</i> , 2003, 20, 988-995.	2.3	33
639	Association of two apolipoprotein A $\epsilon$ gene <i>Msp</i> I polymorphisms with high density lipoprotein (HDL) cholesterol levels and indices of obesity in selected healthy Chinese subjects and in patients with early-onset type 2 diabetes. <i>Clinical Endocrinology</i> , 2003, 59, 442-449.	2.4	16
640	Sonographic measurement of mesenteric fat thickness is a good correlate with cardiovascular risk factors: comparison with subcutaneous and preperitoneal fat thickness, magnetic resonance imaging and anthropometric indexes. <i>International Journal of Obesity</i> , 2003, 27, 1267-1273.	3.4	116
641	Phenotypic Heterogeneity and Associations of Two Aldose Reductase Gene Polymorphisms With Nephropathy and Retinopathy in Type 2 Diabetes. <i>Diabetes Care</i> , 2003, 26, 2410-2415.	8.6	120
642	Long-term effects of hormone replacement therapy. <i>Lancet, The</i> , 2003, 361, 254.	13.7	2
643	Acarbose improves glycemic control in insulin-treated Asian type 2 diabetic patients: Results from a multinational, placebo-controlled study. <i>Diabetes Research and Clinical Practice</i> , 2003, 60, 111-118.	2.8	31
644	Weight management and current options in pharmacotherapy: Orlistat and sibutramine. <i>Clinical Therapeutics</i> , 2003, 25, 58-80.	2.5	88
645	The lipoprotein lipase gene HindIII polymorphism is associated with lipid levels in early-onset type 2 diabetic patients. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 338-343.	3.4	32
646	Development of the Telemedicine Satisfaction Questionnaire to evaluate patient satisfaction with telemedicine: a preliminary study. <i>Journal of Telemedicine and Telecare</i> , 2003, 9, 46-50.	2.7	202
647	Prevalence and Clinicopathological Characteristics of Islet Amyloid in Chinese Patients With Type 2 Diabetes. <i>Diabetes</i> , 2003, 52, 2759-2766.	0.6	112
648	Middle Cerebral Artery Stenosis in Type II Diabetic Chinese Patients Is Associated with Conventional Risk Factors but Not with Polymorphisms of the Renin-Angiotensin System Genes. <i>Cerebrovascular Diseases</i> , 2003, 16, 217-223.	1.7	39

#	ARTICLE	IF	CITATIONS
649	Reducing Cardiovascular Risk in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2003, 348, 457-459.	27.0	50
650	Renin-Angiotensin System Gene Polymorphisms and Retinopathy in Chinese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2003, 26, 1643-1644.	8.6	11
651	Reduction of Total Homocysteine Levels by Oral Folic Acid Fails to Improve Endothelial Function in Children With Chronic Renal Failure. <i>Circulation</i> , 2003, 107, e6-7; author reply e6-7.	1.6	6
652	High Prevalence of Insulin Resistance and Metabolic Syndrome in Overweight/Obese Preadolescent Hong Kong Chinese Children Aged 9-12 Years. <i>Diabetes Care</i> , 2003, 26, 250-251.	8.6	53
653	Effects of protocol-driven care versus usual outpatient clinic care on survival rates in patients with type 2 diabetes. <i>American Journal of Managed Care</i> , 2003, 9, 606-15.	1.1	26
654	C-Reactive Protein and Insulin Resistance in Subjects With Thalassemia Minor and a Family History of Diabetes. <i>Diabetes Care</i> , 2002, 25, 1480-1481.	8.6	15
655	Hepatitis C infection in African Americans: its natural history and histological progression. <i>American Journal of Gastroenterology</i> , 2002, 97, 700-706.	0.4	150
656	The Insulin Resistance Syndrome: Mechanisms of Clustering of Cardiovascular Risk. <i>Seminars in Vascular Medicine</i> , 2002, 2, 045-058.	2.1	34
657	The Effect of Orlistat-Induced Weight Loss, Without Concomitant Hypocaloric Diet, on Cardiovascular Risk Factors and Insulin Sensitivity in Young Obese Chinese Subjects With or Without Type 2 Diabetes. <i>Archives of Internal Medicine</i> , 2002, 162, 2428.	3.8	57
658	Association of the D8S282 marker near the lipoprotein lipase gene locus with systolic blood pressure in healthy Chinese subjects. <i>Journal of Hypertension</i> , 2002, 20, 2199-2204.	0.5	6
659	Screening for and treatment of left-ventricular abnormalities in diabetes mellitus. <i>Lancet</i> , The, 2002, 360, 1251-1252.	13.7	0
660	Prognostic role of serum ACE activity on outcome of type 2 diabetic patients on chronic ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2002, 39, 1054-1060.	1.9	9
661	Considerations on blood glucose management in Type 2 diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2002, 18, 273-285.	4.0	9
662	Risk factors for cataract in Chinese patients with type 2 diabetes: evidence for the influence of the aldose reductase gene. <i>Clinical Genetics</i> , 2002, 59, 356-359.	2.0	17
663	Sulphonylurea-induced hypoglycaemia in institutionalized elderly in Hong Kong. <i>Diabetic Medicine</i> , 2002, 19, 966-968.	2.3	18
664	Prevalence of gestational diabetes mellitus in Hong Kong based on the 1998 WHO criteria. <i>Diabetic Medicine</i> , 2002, 19, 80-80.	2.3	13
665	The central roles of obesity-associated dyslipidaemia, endothelial activation and cytokines in the Metabolic Syndrome—an analysis by structural equation modelling. <i>International Journal of Obesity</i> , 2002, 26, 994-1008.	3.4	113
666	Asymmetric dimethylarginine (ADMA): a potential link between endothelial dysfunction and cardiovascular diseases in insulin resistance syndrome?. <i>Diabetologia</i> , 2002, 45, 1609-1616.	6.3	113

#	ARTICLE	IF	CITATIONS
667	Drug-Related Hyperglycemia. JAMA - Journal of the American Medical Association, 2002, 287, 714-715.	7.4	5
668	Lower BMI cut-off value to define obesity in Hong Kong Chinese: an analysis based on body fat assessment by bioelectrical impedance. British Journal of Nutrition, 2001, 85, 239-242.	2.3	164
669	Urinary epinephrine and norepinephrine interrelations with obesity, insulin, and the metabolic syndrome in Hong Kong Chinese. Metabolism: Clinical and Experimental, 2001, 50, 135-143.	3.4	102
670	Diabetes mellitus—a special medical challenge from a Chinese perspective. Diabetes Research and Clinical Practice, 2001, 54, 19-27.	2.8	33
671	Familial Early-Onset Type 2 Diabetes in Chinese Patients: Obesity and genetics have more significant roles than autoimmunity. Diabetes Care, 2001, 24, 663-671.	8.6	77
672	The islet amyloid polypeptide (amylin) gene S20G mutation in Chinese subjects: Evidence for associations with type 2 diabetes and cholesterol levels. Clinical Endocrinology, 2001, 54, 541-546.	2.4	48
673	Relationships between the TaqI polymorphism of the dopamine D2 receptor and blood pressure in hyperglycaemic and normoglycaemic Chinese subjects. Clinical Endocrinology, 2001, 55, 605-611.	2.4	46
674	HLA typing and immunological characterization of young-onset diabetes mellitus in a Hong Kong Chinese population. Diabetic Medicine, 2001, 18, 22-28.	2.3	9
675	Obesity, insulin resistance and isolated low high-density-lipoprotein cholesterol in Chinese subjects. Diabetic Medicine, 2001, 18, 663-666.	2.3	11
676	Identification of the intron 14 splicing defect of the cholesteryl ester transfer protein gene in Hong Kong Chinese. Clinical Genetics, 2001, 59, 287-289.	2.0	9
677	Change of glycaemic status in Chinese subjects with impaired fasting glycaemia. Diabetic Medicine, 2001, 18, 745-748.	2.3	19
678	A low socio-economic status is an additional risk factor for glucose intolerance in high risk Hong Kong Chinese. European Journal of Epidemiology, 2001, 17, 289-295.	5.7	50
679	Factor analysis of the metabolic syndrome: obesity vs insulin resistance as the central abnormality. International Journal of Obesity, 2001, 25, 1782-1788.	3.4	171
680	Contribution of gene polymorphisms in the renin-angiotensin system to macroangiopathy in patients with diabetic nephropathy. American Journal of Kidney Diseases, 2001, 38, 9-17.	1.9	25
681	Factors Predicting the Age When Type 2 Diabetes Is Diagnosed in Hong Kong Chinese Subjects. Diabetes Care, 2001, 24, 646-649.	8.6	30
682	Renin-Angiotensin System Gene Polymorphisms, Blood Pressure, Dyslipidemia, and Diabetes in Hong Kong Chinese. Diabetes Care, 2001, 24, 356-361.	8.6	96
683	Smoking and diabetes in Chinese men. Postgraduate Medical Journal, 2001, 77, 240-243.	1.8	38
684	Hyperfibrinogenaemia did not improve after treating hyperglycaemia in Chinese type 2 diabetic patients. Annals of Clinical Biochemistry, 2000, 37, 655-661.	1.6	2

#	ARTICLE	IF	CITATIONS
685	No relationship between antibodies to GAD and microangiopathic complications in young Chinese diabetic patients. <i>Diabetes Care</i> , 2000, 23, 1045-1046.	8.6	4
686	Long-term effects of angiotensin-converting enzyme inhibition and metabolic control in hypertensive type 2 diabetic patients. <i>Kidney International</i> , 2000, 57, 590-600.	5.2	158
687	Association of plasminogen activator inhibitor-1 4G/4G genotype and type 2 diabetic nephropathy in Chinese patients. <i>Kidney International</i> , 2000, 57, 632-638.	5.2	56
688	Young Chinese adults with new onset of diabetic ketoacidosis - clinical course, autoimmune status and progression of pancreatic beta-cell function. <i>Diabetic Medicine</i> , 2000, 17, 295-298.	2.3	16
689	Mitochondrial DNA A3243G mutation in patients with early- or late-onset type 2 diabetes mellitus in Hong Kong Chinese. <i>Clinical Endocrinology</i> , 2000, 52, 557-564.	2.4	30
690	Renal kallikrein-kinin system, but not renal dopamine system, mediates the natriuretic response to intravenous saline infusion in healthy Chinese subjects. <i>Autonomic and Autacoid Pharmacology</i> , 2000, 20, 37-45.	0.6	2
691	The Trp64Arg polymorphism of the $\beta$ 2-adrenergic receptor gene and obesity in Chinese subjects with components of the metabolic syndrome. <i>International Journal of Obesity</i> , 2000, 24, 545-551.	3.4	73
692	Treatment of Chinese acromegaly with a combination of bromocriptine and octreotide. <i>Australian and New Zealand Journal of Medicine</i> , 2000, 30, 457-461.	0.5	10
693	Effects and pharmacokinetics of oral glibenclamide and glipizide in Caucasian and Chinese patients with type-2 diabetes. <i>European Journal of Clinical Pharmacology</i> , 2000, 56, 711-714.	1.9	15
694	Pharmacodynamics and pharmacokinetics of intravenous glibenclamide in Caucasian and Chinese patients with type-2 diabetes. <i>European Journal of Clinical Pharmacology</i> , 2000, 55, 721-727.	1.9	14
695	Toxicity of Complementary Therapies: An Eastern Perspective. <i>Journal of Clinical Pharmacology</i> , 2000, 40, 451-456.	2.0	96
696	Combined use of fasting plasma glucose and HbA1c predicts the progression to diabetes in Chinese subjects. <i>Diabetes Care</i> , 2000, 23, 1770-1773.	8.6	57
697	Glycaemic control in type 2 diabetes: the impact of body weight, beta-cell function and patient education. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2000, 93, 183-190.	0.5	33
698	Outcomes of screening for diabetes in high-risk Hong Kong Chinese subjects. <i>Diabetes Care</i> , 2000, 23, 1290-1294.	8.6	23
699	Presence of mitochondrial tRNA Leu(UUR) A to G 3243 mutation in DNA extracted from serum and plasma of patients with type 2 diabetes mellitus. <i>Journal of Clinical Pathology</i> , 2000, 53, 466-469.	2.0	49
700	Diabetes in Hong Kong Chinese: evidence for familial clustering and parental effects. <i>Diabetes Care</i> , 2000, 23, 1365-1368.	8.6	46
701	Cardiovascular disease in Chinese type 2 diabetic women is associated with a prolonged QTc interval. <i>International Journal of Cardiology</i> , 2000, 76, 75-80.	1.7	11
702	Obesity, independent of insulin resistance, is a major determinant of blood pressure in normoglycemic Hong Kong Chinese. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 1523-1528.	3.4	41



#	ARTICLE	IF	CITATIONS
703	Tumor necrosis factor alpha gene G-308A polymorphism in the metabolic syndrome. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 1021-1024.	3.4	60
704	An insulin receptor gene polymorphism is associated with diastolic blood pressure in Chinese subjects with components of the metabolic syndrome. <i>American Journal of Hypertension</i> , 2000, 13, 745-752.	2.0	26
705	Evaluation of Losartan Usage in a Regional Hospital in Hong Kong. <i>Journal of Pharmacy Technology</i> , 1999, 15, 170-175.	1.0	0
706	Use of a paired value of fasting plasma glucose and glycated hemoglobin in predicting the likelihood of diabetes in a community. <i>Diabetes Care</i> , 1999, 22, 1908-1909.	8.6	3
707	Two-hour post-glucose loading plasma glucose is the main determinant for the progression from impaired glucose tolerance to diabetes in Hong Kong Chinese. <i>Diabetes Care</i> , 1999, 22, 2096-2097.	8.6	13
708	Gastrointestinal symptoms in Chinese patients with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 1999, 16, 670-674.	2.3	90
709	Molecular genetics of diabetes mellitus in Chinese subjects: identification of mutations in glucokinase and hepatocyte nuclear factor-1alpha genes in patients with early-onset Type 2 diabetes mellitus/MODY. <i>Diabetic Medicine</i> , 1999, 16, 956-963.	2.3	52
710	Glucose Intolerance and Other Cardiovascular Risk Factors in Chinese Women with a History of Gestational Diabetes Mellitus. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1999, 39, 478-483.	1.0	40
711	Prediction of hypertension, diabetes, dyslipidaemia or albuminuria using simple anthropometric indexes in Hong Kong Chinese. <i>International Journal of Obesity</i> , 1999, 23, 1136-1142.	3.4	299
712	Diabetic Microangiopathic Complications in Young Chinese Diabetic Patients. <i>Journal of Diabetes and Its Complications</i> , 1999, 13, 300-306.	2.3	25
713	Plasma insulin, growth hormone, cortisol, and central obesity among young Chinese type 2 diabetic patients. <i>Diabetes Care</i> , 1999, 22, 1450-1457.	8.6	83
714	Age, body mass index and 2-hour plasma glucose are the major determinants of blood pressure in Chinese women newly diagnosed to have glucose intolerance. <i>International Journal of Cardiology</i> , 1999, 69, 33-39.	1.7	7
715	Clinical and biochemical characteristics of type 2 diabetic patients on continuous ambulatory peritoneal dialysis: Relationships with insulin requirement. <i>American Journal of Kidney Diseases</i> , 1999, 34, 514-520.	1.9	11
716	Lack of association of angiotensin-converting enzyme (Dd/II) and angiotensinogen M235T gene polymorphism with renal function among Chinese patients with type II diabetes. <i>American Journal of Kidney Diseases</i> , 1999, 33, 1064-1070.	1.9	52
717	Implication of fibrate therapy for homocysteine. <i>Lancet, The</i> , 1999, 354, 1208-1209.	13.7	32
718	Evaluation of drug usage and expenditure in a hospital diabetes clinic. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1998, 23, 49-56.	1.5	8
719	Drug utilization in a hospital general medical outpatient clinic with particular reference to antihypertensive and antidiabetic drugs. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1998, 23, 287-294.	1.5	18
720	Use of indapamide in hospital and community clinics and its effect on plasma potassium in Chinese patients. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1998, 23, 295-302.	1.5	5

#	ARTICLE	IF	CITATIONS
721	Relation between blood pressure and serum concentration of ouabain-like substance in non-insulin-dependent diabetes mellitus. <i>Lancet, The</i> , 1998, 351, 266.	13.7	36
722	The association between dyslipidaemia and obesity in Chinese men after adjustment for insulin resistance. <i>Atherosclerosis</i> , 1998, 138, 153-161.	0.8	21
723	An Asian Multicenter Clinical Trial to Assess the Efficacy and Tolerability of Acarbose Compared With Placebo in Type 2 Diabetic Patients Previously Treated With Diet. <i>Diabetes Care</i> , 1998, 21, 1058-1061.	8.6	50
724	Combined Use of a Fasting Plasma Glucose Concentration and HbA1c or Fructosamine Predicts the Likelihood of Having Diabetes in High-Risk Subjects. <i>Diabetes Care</i> , 1998, 21, 1221-1225.	8.6	118
725	Angiotensinogen T235 and ACE Insertion/Deletion Polymorphisms Associated With Albuminuria in Chinese Type 2 Diabetic Patients. <i>Diabetes Care</i> , 1998, 21, 431-437.	8.6	57
726	Use of the 1997 American Diabetes Association Diagnostic Criteria for Diabetes in a Hong Kong Chinese Population. <i>Diabetes Care</i> , 1998, 21, 2094-2097.	8.6	54
727	The Reproducibility and Usefulness of the Oral Glucose Tolerance Test in Screening for Diabetes and other Cardiovascular Risk Factors. <i>Annals of Clinical Biochemistry</i> , 1998, 35, 62-67.	1.6	171
728	Antibodies to Glutamic Acid Decarboxylase in Young Chinese Diabetic Patients. <i>Annals of Clinical Biochemistry</i> , 1998, 35, 761-767.	1.6	72
729	Supplement to the use of a paired value of fasting plasma glucose and glycated hemoglobin in predicting the likelihood of having diabetes. <i>Diabetes Care</i> , 1998, 21, 2032-2033.	8.6	7
730	Glycated haemoglobin and cardiovascular risk factors in Chinese subjects with normal glucose tolerance. <i>Diabetic Medicine</i> , 1998, 15, 573-578.	2.3	0
731	Fasting Plasma Glucose as a Screening Test for Diabetes and Its Relationship With Cardiovascular Risk Factors in Hong Kong Chinese. <i>Diabetes Care</i> , 1997, 20, 170-172.	8.6	28
732	Dexfenfluramine in Obese Chinese NIDDM Patients: A placebo-controlled investigation of the effects on body weight, glycemc control, and cardiovascular risk factors. <i>Diabetes Care</i> , 1997, 20, 1122-1127.	8.6	13
733	Visceral Fat and Cardiovascular Risk Factors in Chinese NIDDM Patients. <i>Diabetes Care</i> , 1997, 20, 1854-1858.	8.6	63
734	Diabetes in the Chinese Population and Its Implications for Health Care. <i>Diabetes Care</i> , 1997, 20, 1785-1790.	8.6	74
735	Age-Related Changes in Albumin Adjusted Serum Calcium in Hong Kong Chinese. <i>Annals of Clinical Biochemistry</i> , 1997, 34, 571-573.	1.6	0
736	Pharmacoevidence of ACE Inhibitor-Induced Cough. <i>Drug Safety</i> , 1997, 16, 150-151.	3.2	15
737	Plasma fibrinogen concentration in a Chinese population. <i>Atherosclerosis</i> , 1997, 131, 211-217.	0.8	16
738	The effect of age on cardiovascular risk factors in Chinese women. <i>International Journal of Cardiology</i> , 1997, 61, 221-227.	1.7	18

#	ARTICLE	IF	CITATIONS
739	Accuracy, precision and user-acceptability of self blood glucose monitoring machines. <i>Diabetes Research and Clinical Practice</i> , 1997, 36, 91-104.	2.8	45
740	Antihypertensive and Anti-Albuminuric Effects of Losartan Potassium and Felodipine in Chinese Elderly Hypertensive Patients with or without IMon-Insulin-Dependent Diabetes mellitus. <i>American Journal of Nephrology</i> , 1997, 17, 72-80.	3.1	62
741	A patient compliance survey in a general medical clinic. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1997, 22, 323-326.	1.5	5
742	Simple anthropometric indexes and cardiovascular risk factors in Chinese. <i>International Journal of Obesity</i> , 1997, 21, 995-1001.	3.4	110
743	Single-dose pharmacokinetics of paracetamol and its conjugates in Chinese non-insulin-dependent diabetic patients with renal impairment. <i>European Journal of Clinical Pharmacology</i> , 1997, 52, 285-288.	1.9	9
744	A prescription survey in a hospital hypertension outpatient clinic. <i>British Journal of Clinical Pharmacology</i> , 1997, 44, 577-582.	2.4	11
745	Chinese herbs and warfarin potentiation by "Danshen"™. <i>Journal of Internal Medicine</i> , 1997, 241, 337-339.	6.0	131
746	The mitochondrial tRNA <sup>Leu</sup> (UUR) A to G 3243 mutation is associated with insulin-dependent and non-insulin-dependent diabetes in a Chinese population. , 1997, 14, 1026-1031.		15
747	Drug-Induced Disorders of Glucose Metabolism. <i>Drug Safety</i> , 1996, 15, 135-157.	3.2	98
748	Pancreatic $\beta$ cell function and antibodies to glutamic acid decarboxylase (anti-GAD) in Chinese patients with clinical diagnosis of insulin-dependent diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 1996, 32, 27-34.	2.8	62
749	The Short Insulin Tolerance Test: Feasibility Study Using Venous Sampling. <i>Diabetic Medicine</i> , 1996, 13, 429-433.	2.3	28
750	Urinary dopamine and noradrenaline outputs during oral salt loading in healthy Chinese subjects with a family history of hypertension. <i>Autonomic and Autacoid Pharmacology</i> , 1996, 16, 1-6.	0.6	9
751	The Metabolic Syndrome in Hong Kong Chinese. The interrelationships among its components analyzed by structural equation modeling. <i>Diabetes Care</i> , 1996, 19, 953-959.	8.6	65
752	Use of Antidiabetic and Antihypertensive Drugs in Hospital and Outpatient Settings in Hong Kong. <i>Annals of Pharmacotherapy</i> , 1996, 30, 232-237.	1.9	18
753	Monitoring may need to be prolonged in patients given warfarin and amiodarone. <i>BMJ: British Medical Journal</i> , 1996, 313, 301-302.	2.3	3
754	Albuminuria, Insulin Resistance and Dyslipidaemia in Chinese Patients with Non-insulin-dependent Diabetes (NIDDM). <i>Diabetic Medicine</i> , 1996, 13, 150-155.	2.3	1
755	Acute Tubular Necrosis Following Endosulphan Insecticide Poisoning. <i>Journal of Toxicology: Clinical Toxicology</i> , 1995, 33, 67-69.	1.5	12
756	Acute Tubular Necrosis Following Endosulfan Insecticide Poisoning: Author's Reply. <i>Journal of Toxicology: Clinical Toxicology</i> , 1995, 33, 377-378.	1.5	0

#	ARTICLE	IF	CITATIONS
757	Abnormal Albuminuria as a Predictor of Mortality and Renal Impairment in Chinese Patients With NIDDM. <i>Diabetes Care</i> , 1995, 18, 1013-1016.	8.6	52
758	Severe salicylate poisoning associated with the intake of Chinese medicinal oil (â€œRed Flower Oilâ€™). <i>Australian and New Zealand Journal of Medicine</i> , 1995, 25, 57-57.	0.5	17
759	Factors Determining the Blood Pressure Response to Enalapril and Nifedipine in Hypertension Associated With NIDDM. <i>Diabetes Care</i> , 1995, 18, 1001-1006.	8.6	7
760	Recurrent Glibenclamide-Induced Hypoglycemia: The Importance of Obtaining a Comprehensive Medication History. <i>Annals of Pharmacotherapy</i> , 1994, 28, 119-120.	1.9	6
761	Urinary dopamine and noradrenaline outputs during large acute changes in oral salt intake in healthy Chinese subjects. <i>Autonomic and Autacid Pharmacology</i> , 1994, 14, 317-323.	0.6	6
762	Acute confusion, Chinese herbal medicines and tuberculous meningitis. <i>Australian and New Zealand Journal of Medicine</i> , 1994, 24, 590-591.	0.5	3
763	Anticholinergic poisoning from Chinese herbal medicines. <i>Australian and New Zealand Journal of Medicine</i> , 1994, 24, 317-318.	0.5	9
764	Postpartum Hypertension, Bromocriptine and Phenylpropanolamine. <i>Drug Investigation</i> , 1994, 8, 254-256.	0.6	1
765	The Effects of Enalapril and Nifedipine on Carbohydrate and Lipid Metabolism in NIDDM. <i>Diabetes Care</i> , 1994, 17, 859-862.	8.6	11
766	Chinese herbal medicines revisited: a Hong Kong perspective. <i>Lancet, The</i> , 1993, 342, 1532-1534.	13.7	161
767	Herb-induced aconitine poisoning. <i>Lancet, The</i> , 1993, 341, 370-371.	13.7	21
768	The prevalence of diabetes mellitus and impaired glucose tolerance among Hong Kong Chinese adults of working age. <i>Diabetes Research and Clinical Practice</i> , 1993, 21, 67-73.	2.8	101
769	17 alpha-Hydroxylase deficiency with persistence of mullerian ducts in a genotypic male and paradoxical aldosterone secretion.. <i>Postgraduate Medical Journal</i> , 1993, 69, 159-162.	1.8	5
770	Obesity, albuminuria and hypertension among Hong Kong Chinese with non-insulin-dependent diabetes mellitus (NIDDM). <i>Postgraduate Medical Journal</i> , 1993, 69, 204-210.	1.8	81
771	Metabolic and Hemodynamic Effects of Metformin and Glibenclamide in Normotensive NIDDM Patients. <i>Diabetes Care</i> , 1993, 16, 1035-1038.	8.6	77
772	Atrial natriuretic peptide and urinary dopamine output in non-insulin-dependent diabetes mellitus. <i>Clinical Science</i> , 1992, 83, 247-253.	4.3	19
773	Comparison of enalapril and nifedipine in treating non-insulin dependent diabetes associated with hypertension: one year analysis.. <i>BMJ: British Medical Journal</i> , 1992, 305, 981-985.	2.3	122
774	Adverse Reactions to Drugs as a Cause of Admissions to a General Teaching Hospital in Hong Kong. <i>Drug Safety</i> , 1992, 7, 235-240.	3.2	32

#	ARTICLE	IF	CITATIONS
775	The inter-relationships between albuminuria, plasma albumin concentration and indices of glycaemic control in non-insulin-dependent diabetes mellitus. <i>Clinica Chimica Acta</i> , 1992, 210, 179-185.	1.1	6
776	Severe hypoglycaemia in Chinese patients with non-insulin-dependent diabetes treated with insulin or sulphonylureas. <i>Pharmacoepidemiology and Drug Safety</i> , 1992, 1, 207-211.	1.9	10
777	Fatal adult Henoch-Schönlein purpura due to small intestinal infarction. <i>Journal of Internal Medicine</i> , 1992, 232, 181-184.	6.0	44
778	A Case of Stevens-Johnson Syndrome, Cholestatic Hepatitis and Haemolytic Anaemia Associated with Use of Mefenamic Acid. <i>Drug Safety</i> , 1991, 6, 230-234.	3.2	19
779	Histiocytosis X involving the thyroid and hypothalamus.. <i>Postgraduate Medical Journal</i> , 1991, 67, 680-682.	1.8	21
780	A Chinese Family with Non-insulin-dependent Diabetes of Early Onset and Severe Diabetic Complications. <i>Diabetic Medicine</i> , 1990, 7, 211-214.	2.3	10
781	HYPOGLYCAEMIA AND HODGKIN'S DISEASE. <i>British Journal of Haematology</i> , 1990, 76, 434-436.	2.5	10
782	SERUM SOLUBLE INTERLEUKIN 2 RECEPTOR IN HYPERTHYROID Graves'DISEASE AND EFFECT OF CARBIMAZOLE THERAPY. <i>Clinical Endocrinology</i> , 1990, 33, 317-321.	2.4	22
783	Internuclear ophthalmoplegia in tuberculous meningitis. <i>Tubercle</i> , 1989, 70, 61-64.	0.6	5
784	DIDMOAD syndrome in a Chinese male with HLA DR7 DRw12. <i>Postgraduate Medical Journal</i> , 1987, 63, 1109-1109.	1.8	2
785	Health Hazards of Obesity: An Overview. , 0, , 215-234.		5
786	Detection of Increased Serum miR-122-5p and miR-455-3p Levels Before the Clinical Diagnosis of Liver Cancer in People With Type 2 Diabetes. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
787	Predictors and Effects of Participation in Peer Support: A Prospective Structural Equation Modeling Analysis. <i>Annals of Behavioral Medicine</i> , 0, , .	2.9	1