

Costantino Pitzalis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7815924/publications.pdf>

Version: 2024-02-01

260
papers

15,437
citations

14655
66
h-index

23533
111
g-index

266
all docs

266
docs citations

266
times ranked

16834
citing authors

#	ARTICLE	IF	CITATIONS
1	Galectinâ€9 mediates neutrophil capture and adhesion in a CD44 and Î²2 integrinâ€dependent manner. FASEB Journal, 2022, 36, e22065.	0.5	22
2	Role of synovial fibroblast subsets across synovial pathotypes in rheumatoid arthritis: a deconvolution analysis. RMD Open, 2022, 8, e001949.	3.8	23
3	EULAR points to consider for minimal reporting requirements in synovial tissue research in rheumatology. Annals of the Rheumatic Diseases, 2022, 81, 1640-1646.	0.9	12
4	EULAR points to consider for the use of imaging to guide interventional procedures in patients with rheumatic and musculoskeletal diseases (RMDs). Annals of the Rheumatic Diseases, 2022, 81, 760-767.	0.9	9
5	MCTR3 reprograms arthritic monocytes to upregulate Arginase-1 and exert pro-resolving and tissue-protective functions in experimental arthritis. EBioMedicine, 2022, 79, 103974.	6.1	8
6	Analysis of Complement Gene Expression, Clinical Associations, and Biodistribution of Complement Proteins in the Synovium of Early Rheumatoid Arthritis Patients Reveals Unique Pathophysiologic Features. Journal of Immunology, 2022, 208, 2482-2496.	0.8	9
7	RA-MAP, molecular immunological landscapes in early rheumatoid arthritis and healthy vaccine recipients. Scientific Data, 2022, 9, 196.	5.3	4
8	Dynamic spectrum of ectopic lymphoid B cell activation and hypermutation in the RA synovium characterized by NR4A nuclear receptor expression. Cell Reports, 2022, 39, 110766.	6.4	20
9	Rituximab versus tocilizumab in rheumatoid arthritis: synovial biopsy-based biomarker analysis of the phase 4 R4RA randomized trial. Nature Medicine, 2022, 28, 1256-1268.	30.7	105
10	Network analysis of synovial RNA sequencing identifies gene-gene interactions predictive of response in rheumatoid arthritis. Arthritis Research and Therapy, 2022, 24, .	3.5	6
11	IL-23 skin and joint profiling in psoriatic arthritis: novel perspectives in understanding clinical responses to IL-23 inhibitors. Annals of the Rheumatic Diseases, 2021, 80, 591-597.	0.9	24
12	The growing role of precision medicine for the treatment of autoimmune diseases; results of a systematic review of literature and Expertsâ€™ Consensus. Autoimmunity Reviews, 2021, 20, 102738.	5.8	38
13	Rituximab versus tocilizumab in anti-TNF inadequate responder patients with rheumatoid arthritis (R4RA): 16-week outcomes of a stratified, biopsy-driven, multicentre, open-label, phase 4 randomised controlled trial. Lancet, The, 2021, 397, 305-317.	13.7	145
14	Novel Bispecific Antibody for Synovial-Specific Target Delivery of Anti-TNF Therapy in Rheumatoid Arthritis. Frontiers in Immunology, 2021, 12, 640070.	4.8	6
15	Effects of targeting the transcription factors Ikaros and Aiolos on B cell activation and differentiation in systemic lupus erythematosus. Lupus Science and Medicine, 2021, 8, e000445.	2.7	11
16	Calcium calmodulin kinase II activity is required for cartilage homeostasis in osteoarthritis. Scientific Reports, 2021, 11, 5682.	3.3	14
17	Novel insights into macrophage diversity in rheumatoid arthritis synovium. Autoimmunity Reviews, 2021, 20, 102758.	5.8	76
18	PD-L1 signaling on human memory CD4+ T cells induces a regulatory phenotype. PLoS Biology, 2021, 19, e3001199.	5.6	32

#	ARTICLE	IF	CITATIONS
19	WNT3A-loaded exosomes enable cartilage repair. <i>Journal of Extracellular Vesicles</i> , 2021, 10, e12088.	12.2	24
20	Generation of restriction endonucleases barcode map to trace SARS-CoV-2 origin and evolution. <i>Scientific Reports</i> , 2021, 11, 11773.	3.3	2
21	Circulating and Synovial Pentraxin-3 (PTX3) Expression Levels Correlate With Rheumatoid Arthritis Severity and Tissue Infiltration Independently of Conventional Treatments Response. <i>Frontiers in Immunology</i> , 2021, 12, 686795.	4.8	11
22	Robust optimization of SWATH-MS workflow for human blood serum proteome analysis using a quality by design approach. <i>Clinical Proteomics</i> , 2021, 18, 20.	2.1	2
23	NKp30 Receptor Upregulation in Salivary Glands of Sjögren's Syndrome Characterizes Ectopic Lymphoid Structures and Is Restricted by Rituximab Treatment. <i>Frontiers in Immunology</i> , 2021, 12, 706737.	4.8	8
24	Cellular and molecular diversity in Rheumatoid Arthritis. <i>Seminars in Immunology</i> , 2021, 58, 101519.	5.6	10
25	Increased plasma levels of Gas6 and its soluble tyrosine kinase receptors Mer and Axl are associated with immunological activity and severity of lupus nephritis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 132-138.	0.8	2
26	Stepwise changes in the murine salivary gland immune response during virally-induced ectopic lymphoid structure formation. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.8	0
27	Stepwise changes in the murine salivary gland immune response during virally-induced ectopic lymphoid structure formation. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 39-48.	0.8	1
28	Increased plasma levels of Gas6 and its soluble tyrosine kinase receptors Mer and Axl are associated with immunological activity and severity of lupus nephritis.. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 132-138.	0.8	11
29	Spectrum: fast density-aware spectral clustering for single and multi-omic data. <i>Bioinformatics</i> , 2020, 36, 1159-1166.	4.1	57
30	Interleukin-36 family dysregulation drives joint inflammation and therapy response in psoriatic arthritis. <i>Rheumatology</i> , 2020, 59, 828-838.	1.9	34
31	Efficacy, Safety, and Sample Quality of Ultrasound-Guided Synovial Needle Biopsy in Clinical Practice and Research: A Prospective Observational Study. <i>Arthritis Care and Research</i> , 2020, 72, 1497-1505.	3.4	14
32	B Cell Synovitis and Clinical Phenotypes in Rheumatoid Arthritis: Relationship to Disease Stages and Drug Exposure. <i>Arthritis and Rheumatology</i> , 2020, 72, 714-725.	5.6	33
33	Persistence of Mast Cell-Positive Synovitis in Early Rheumatoid Arthritis Following Treatment With Conventional Synthetic Disease Modifying Anti-Rheumatic Drugs. <i>Frontiers in Pharmacology</i> , 2020, 11, 1051.	3.5	3
34	OHistological and molecular features of the diseased synovium in early untreated PsA in comparison with RA. <i>Rheumatology</i> , 2020, 59, .	1.9	0
35	P22-Micro-RNA enriched pathway impact analysis applied to synovial RNA-seq in early rheumatoid arthritis identifies response prediction pathways. <i>Rheumatology</i> , 2020, 59, .	1.9	0
36	P214-Preliminary results: driving improvements in disease outcomes for rheumatoid arthritis patients using remote disease activity monitoring via smartphone app. <i>Rheumatology</i> , 2020, 59, .	1.9	1

#	ARTICLE	IF	CITATIONS
37	Investigation of genetically regulated gene expression and response to treatment in rheumatoid arthritis highlights an association between <i>IL18RAP</i> expression and treatment response. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1446-1452.	0.9	13
38	Blood pro-resolving mediators are linked with synovial pathology and are predictive of DMARD responsiveness in rheumatoid arthritis. <i>Nature Communications</i> , 2020, 11, 5420.	12.8	51
39	Agrin induces long-term osteochondral regeneration by supporting repair morphogenesis. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	30
40	Transforming clinical trials in rheumatology: towards patient-centric precision medicine. <i>Nature Reviews Rheumatology</i> , 2020, 16, 590-599.	8.0	56
41	Unique expansion of IL-21+ Tfh and Tph cells under control of ICOS identifies Sjögren's syndrome with ectopic germinal centres and MALT lymphoma. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1588-1599.	0.9	83
42	ROR2 blockade as a therapy for osteoarthritis. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	34
43	Elderly-onset rheumatoid arthritis is a unique disease subset associated with poor overall outcomes: Response to the letter by Haroon and Ayamer. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 51, e11-e12.	3.4	0
44	A Pauci-Immune Synovial Pathotype Predicts Inadequate Response to TNF-Blockade in Rheumatoid Arthritis Patients. <i>Frontiers in Immunology</i> , 2020, 11, 845.	4.8	55
45	Tertiary Lymphoid Organs in Rheumatoid Arthritis. <i>Current Topics in Microbiology and Immunology</i> , 2020, 426, 119-141.	1.1	7
46	H and L Chain Affinity Maturation and/or Fab N-Glycosylation Influence Immunoreactivity toward Neutrophil Extracellular Trap Antigens in Rheumatoid Arthritis Synovial B Cell Clones. <i>Journal of Immunology</i> , 2020, 204, 2374-2379.	0.8	6
47	Distinct synovial tissue macrophage subsets regulate inflammation and remission in rheumatoid arthritis. <i>Nature Medicine</i> , 2020, 26, 1295-1306.	30.7	304
48	Synoviocyte-targeted therapy synergizes with TNF inhibition in arthritis reversal. <i>Science Advances</i> , 2020, 6, eaba4353.	10.3	43
49	Metformin to reduce metabolic complications and inflammation in patients on systemic glucocorticoid therapy: a randomised, double-blind, placebo-controlled, proof-of-concept, phase 2 trial. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 278-291.	11.4	60
50	M3C: Monte Carlo reference-based consensus clustering. <i>Scientific Reports</i> , 2020, 10, 1816.	3.3	71
51	New Insights into the Role of Tyro3, Axl, and Mer Receptors in Rheumatoid Arthritis. <i>Disease Markers</i> , 2020, 2020, 1-9.	1.3	21
52	Impaired Interleukin-27-Mediated Control of CD4+ T Cell Function Impact on Ectopic Lymphoid Structure Formation in Patients With Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2020, 72, 1559-1570.	5.6	15
53	Disruptive innovation in rheumatology: new networks of global public-private partnerships are needed to take advantage of scientific progress. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 553-555.	0.9	1
54	Treatment-resistant synovitis and radiographic progression are increased in elderly-onset rheumatoid arthritis patients: findings from a prospective observational longitudinal early arthritis cohort study. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 735-743.	3.4	15

#	ARTICLE	IF	CITATIONS
55	Response to: “Synovial cellular and molecular signatures stratify clinical response to csDMARD therapy and predict radiographic progression in early rheumatoid arthritis patients” by Buch et al. Annals of the Rheumatic Diseases, 2020, 79, e141-e141.	0.9	3
56	Causal Bayesian Networks for Medical Diagnosis: A Case Study in Rheumatoid Arthritis. , 2020, , .		5
57	Inflammatory cytokines shape a changing DNA methylome in monocytes mirroring disease activity in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2019, 78, 1505-1516.	0.9	47
58	The macrophage tetraspan MS4A4A enhances dectin-1-dependent NK cell-mediated resistance to metastasis. Nature Immunology, 2019, 20, 1012-1022.	14.5	75
59	Extracellular traps and PAD4 released by macrophages induce citrullination and auto-antibody production in autoimmune arthritis. Journal of Autoimmunity, 2019, 105, 102297.	6.5	37
60	Lactate Buildup at the Site of Chronic Inflammation Promotes Disease by Inducing CD4+ T Cell Metabolic Rewiring. Cell Metabolism, 2019, 30, 1055-1074.e8.	16.2	266
61	Molecular Portraits of Early Rheumatoid Arthritis Identify Clinical and Treatment Response Phenotypes. Cell Reports, 2019, 28, 2455-2470.e5.	6.4	241
62	Symptom-based stratification of patients with primary Sjögren's syndrome: multi-dimensional characterisation of international observational cohorts and reanalyses of randomised clinical trials. Lancet Rheumatology, The, 2019, 1, e85-e94.	3.9	76
63	The Autoimmune Susceptibility Gene C5orf30 Regulates Macrophage-Mediated Resolution of Inflammation. Journal of Immunology, 2019, 202, 1069-1078.	0.8	12
64	Targeting CD34+ cells of the inflamed synovial endothelium by guided nanoparticles for the treatment of rheumatoid arthritis. Journal of Autoimmunity, 2019, 103, 102288.	6.5	33
65	Pain and depression are associated with both physical and mental fatigue independently of comorbidities and medications in primary Sjögren's syndrome. RMD Open, 2019, 5, e000885.	3.8	14
66	Defining inflammatory cell states in rheumatoid arthritis joint synovial tissues by integrating single-cell transcriptomics and mass cytometry. Nature Immunology, 2019, 20, 928-942.	14.5	760
67	Association of response to TNF inhibitors in rheumatoid arthritis with quantitative trait loci for <i>CD40</i> and CD39. Annals of the Rheumatic Diseases, 2019, 78, 1055-1061.	0.9	25
68	Mast Cells in Early Rheumatoid Arthritis. International Journal of Molecular Sciences, 2019, 20, 2040.	4.1	24
69	Activation of naïve CD4+ T cells re-tunes STAT1 signaling to deliver unique cytokine responses in memory CD4+ T cells. Nature Immunology, 2019, 20, 458-470.	14.5	32
70	PTPN14 phosphatase and YAP promote TGF β 2 signalling in rheumatoid synoviocytes. Annals of the Rheumatic Diseases, 2019, 78, 600-609.	0.9	33
71	Validity of a two-component imaging-derived disease activity score for improved assessment of synovitis in early rheumatoid arthritis. Rheumatology, 2019, 58, 1400-1409.	1.9	39
72	Synovial cellular and molecular signatures stratify clinical response to csDMARD therapy and predict radiographic progression in early rheumatoid arthritis patients. Annals of the Rheumatic Diseases, 2019, 78, 761-772.	0.9	219

#	ARTICLE	IF	CITATIONS
73	IL-36, IL-37, and IL-38 Cytokines in Skin and Joint Inflammation: A Comprehensive Review of Their Therapeutic Potential. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1257.	4.1	61
74	B cells in the formation of tertiary lymphoid organs in autoimmunity, transplantation and tumorigenesis. <i>Current Opinion in Immunology</i> , 2019, 57, 46-52.	5.5	31
75	AB0179â€¦THE TRANSCRIPTION FACTORS IKZF1 AND IKZF3 CONTROL B CELL ACTIVATION AND DIFFERENTIATION IN SYSTEMIC LUPUS ERYTHEMATOSUS. , 2019, , .		1
76	OP0276â€¦DENDRITIC CELL-DERIVED IL-27 REGULATES THE MAGNITUDE OF INDUCIBLE ECTOPIC GERMINAL CENTRES BUT FAILS TO DOWNMODULATE IL-17 PRODUCTION IN CD4 T CELLS FROM PATIENTS WITH SJÄ–GRENÄ™S SYNDROME. , 2019, , .		0
77	SAT0025â€¦THE EFFECT OF DIMETHYL FUMARATE ON PLASMABLAST DIFFERENTIATION TRANSCRIPTIONAL PROGRAMMES IN SYSTEMIC LUPUS ERYTHEMATOSUS. , 2019, , .		0
78	Synovial tissue signatures enhance clinical classification and prognostic/treatment response algorithms in early inflammatory arthritis and predict requirement for subsequent biological therapy: results from the pathobiology of early arthritis cohort (PEAC). <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1642-1652.	0.9	85
79	Wrist ultrasound - the model method for grey-scale and power Doppler scoring. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 441-442.	0.9	1
80	Response to: Can ultrasound of the major salivary glands assess histopathological changes induced by treatment with rituximab in primary SjÄ–grenÄ™s syndrome?. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, e28-e28.	0.9	3
81	Inflammatory arthritis disrupts gut resolution mechanisms, promoting barrier breakdown by <i>Porphyromonas gingivalis</i> . <i>JCI Insight</i> , 2019, 4, .	5.0	44
82	Neutrophil Microvesicles from Healthy Control and Rheumatoid Arthritis Patients Prevent the Inflammatory Activation of Macrophages. <i>EBioMedicine</i> , 2018, 29, 60-69.	6.1	81
83	A Multicenter Retrospective Analysis Evaluating Performance of Synovial Biopsy Techniques in Patients With Inflammatory Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 702-710.	5.6	32
84	Transcriptional Profiling of Synovial Macrophages Using Minimally Invasive Ultrasoundâ€–Guided Synovial Biopsies in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 841-854.	5.6	44
85	Effect of rituximab on a salivary gland ultrasound score in primary SjÄ–grenÄ™s syndrome: results of the TRACTISS randomised double-blind multicentre substudy. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 412-416.	0.9	86
86	O12â€–Validity of a2-component imaging-derived disease activity score (2C-DAS28) for improved assessment of synovitis in early rheumatoid arthritis. <i>Rheumatology</i> , 2018, 57, .	1.9	0
87	248â€–Genome-wide association study of response to tumour necrosis factor inhibitor therapy in rheumatoid arthritis. <i>Rheumatology</i> , 2018, 57, .	1.9	0
88	244â€–The clinical phenotype of inflammatory arthritis correlates with synovial immune cell infiltration: results from the pathobiology of early arthritis cohort. <i>Rheumatology</i> , 2018, 57, .	1.9	0
89	O09â€–A lymphoid pathotype at baseline, in early inflammatory arthritis, significantly associates with requirement for biologic therapy at 12 months follow up: results from the pathobiology of early arthritis cohort. <i>Rheumatology</i> , 2018, 57, .	1.9	0
90	Prediction of treatment response in rheumatoid arthritis patients using genomeâ€–wide SNP data. <i>Genetic Epidemiology</i> , 2018, 42, 754-771.	1.3	15

#	ARTICLE	IF	CITATIONS
91	Patient-reported outcomes and safety in patients undergoing synovial biopsy: comparison of ultrasound-guided needle biopsy, ultrasound-guided portal and forceps and arthroscopic-guided synovial biopsy techniques in five centres across Europe. <i>RMD Open</i> , 2018, 4, e000799.	3.8	31
92	Redox-Mediated Mechanisms Fuel Monocyte Responses to CXCL12/HMGB1 in Active Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2018, 9, 2118.	4.8	40
93	Genome-wide association study of response to tumour necrosis factor inhibitor therapy in rheumatoid arthritis. <i>Pharmacogenomics Journal</i> , 2018, 18, 657-664.	2.0	41
94	Genome-wide association study of response to methotrexate in early rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2018, 18, 528-538.	2.0	42
95	Role of chemokines in ectopic lymphoid structures formation in autoimmunity and cancer. <i>Journal of Leukocyte Biology</i> , 2018, 104, 333-341.	3.3	41
96	Characterization of a Synovial B Cell-Derived Recombinant Monoclonal Antibody Targeting Stromal Calreticulin in the Rheumatoid Joints. <i>Journal of Immunology</i> , 2018, 201, 1373-1381.	0.8	9
97	Role of the IL-23/IL-17 Axis in Psoriasis and Psoriatic Arthritis: The Clinical Importance of Its Divergence in Skin and Joints. <i>International Journal of Molecular Sciences</i> , 2018, 19, 530.	4.1	142
98	Methods for high-dimensional analysis of cells dissociated from cryopreserved synovial tissue. <i>Arthritis Research and Therapy</i> , 2018, 20, 139.	3.5	93
99	Integrative analysis reveals CD38 as a therapeutic target for plasma cell-rich pre-disease and established rheumatoid arthritis and systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2018, 20, 85.	3.5	83
100	Generation of Recombinant Monoclonal Antibodies from Single B Cells Isolated from Synovial Tissue of Rheumatoid Arthritis Patients. <i>Methods in Molecular Biology</i> , 2018, 1845, 159-187.	0.9	2
101	Mast cells in early rheumatoid arthritis associate with disease severity and support B cell autoantibody production. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1773-1781.	0.9	52
102	Immune checkpoint inhibitor PD-1 pathway is down-regulated in synovium at various stages of rheumatoid arthritis disease progression. <i>PLoS ONE</i> , 2018, 13, e0192704.	2.5	82
103	Comparison of ESSDAI and ClinESSDAI in potential optimisation of trial outcomes in primary Sjögren's syndrome: examination of data from the UK Primary Sjögren's Syndrome Registry. <i>Swiss Medical Weekly</i> , 2018, 148, w14588.	1.6	7
104	A clinical and histopathological analysis of the anti-centromere antibody positive subset of primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 112, 145-149.	0.8	2
105	Physical activity but not sedentary activity is reduced in primary Sjögren's syndrome. <i>Rheumatology International</i> , 2017, 37, 623-631.	3.0	16
106	Randomized Controlled Trial of Rituximab and Cost-Effectiveness Analysis in Treating Fatigue and Oral Dryness in Primary Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2017, 69, 1440-1450.	5.6	194
107	Identification of Novel Chondroprotective Mediators in Resolving Inflammatory Exudates. <i>Journal of Immunology</i> , 2017, 198, 2876-2885.	0.8	10
108	WNT16 antagonises excessive canonical WNT activation and protects cartilage in osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 218-226.	0.9	110

#	ARTICLE	IF	CITATIONS
109	Ectopic lymphoid neogenesis in rheumatic autoimmune diseases. <i>Nature Reviews Rheumatology</i> , 2017, 13, 141-154.	8.0	146
110	Mast cells in rheumatoid arthritis: friends or foes?. <i>Autoimmunity Reviews</i> , 2017, 16, 557-563.	5.8	52
111	CD40L-Dependent Pathway Is Active at Various Stages of Rheumatoid Arthritis Disease Progression. <i>Journal of Immunology</i> , 2017, 198, 4490-4501.	0.8	73
112	Subjective and Objective Measures of Dryness Symptoms in Primary Sjögren's Syndrome: Capturing the Discrepancy. <i>Arthritis Care and Research</i> , 2017, 69, 1714-1723.	3.4	18
113	08.34â€¦Ra synovial recombinant monoclonal antibodies from single b cells target citrullinated calreticulin. , 2017, , .		0
114	Feasibility randomised multicentre, double-blind, double-dummy controlled trial of anakinra, an interleukin-1 receptor antagonist versus intramuscular methylprednisolone for acute gout attacks in patients with chronic kidney disease (ASGARD): protocol study. <i>BMJ Open</i> , 2017, 7, e017121.	1.9	9
115	01.09â€¦Myeloid cells drive early inflammation and orchestrate salivary glands tertiary lymphoid structures formation in a model of inducible sialadenitis. , 2017, , .		0
116	Anti-TNF-alpha agents and endothelial function in rheumatoid arthritis: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2017, 7, 5346.	3.3	62
117	Resolution of inflammation by interleukin-9-producing type 2 innate lymphoid cells. <i>Nature Medicine</i> , 2017, 23, 938-944.	30.7	223
118	The Relationship Between Synovial Pathobiology and Magnetic Resonance Imaging Abnormalities in Rheumatoid Arthritis: A Systematic Review. <i>Journal of Rheumatology</i> , 2017, 44, 1311-1324.	2.0	11
119	ADAM10-Mediated ICOS Ligand Shedding on B Cells Is Necessary for Proper T Cell ICOS Regulation and T Follicular Helper Responses. <i>Journal of Immunology</i> , 2017, 199, 2305-2315.	0.8	32
120	Generation and characterisation of Porphyromonas gingivalis mutant lacking peptidylarginine deiminase activity. <i>Journal of Oral Microbiology</i> , 2017, 9, 1325258.	2.7	0
121	Targeted therapies: what they teach us about the pathogenesis of psoriasis and psoriatic arthritis. <i>Expert Review of Clinical Immunology</i> , 2017, 13, 207-222.	3.0	5
122	Lactate at the crossroads of metabolism, inflammation, and autoimmunity. <i>European Journal of Immunology</i> , 2017, 47, 14-21.	2.9	145
123	Stratified medicine in rheumatoid arthritisâ€”the MATURA programme. <i>Rheumatology</i> , 2017, 56, 1247-1250.	1.9	22
124	Can Synovial Pathobiology Integrate with Current Clinical and Imaging Prediction Models to Achieve Personalized Health Care in Rheumatoid Arthritis?. <i>Frontiers in Medicine</i> , 2017, 4, 41.	2.6	14
125	Isolation and Characterization of Mouse and Human Follicular Dendritic Cells. <i>Methods in Molecular Biology</i> , 2017, 1623, 113-123.	0.9	4
126	Ectopic Lymphoid Structures: Powerhouse of Autoimmunity. <i>Frontiers in Immunology</i> , 2016, 7, 430.	4.8	121

#	ARTICLE	IF	CITATIONS
127	Ultrasound of the salivary glands is a strong predictor of labial gland biopsy histopathology in patients with sicca symptoms. <i>Journal of Oral Pathology and Medicine</i> , 2016, 45, 450-454.	2.7	42
128	Single cell cloning and recombinant monoclonal antibodies generation from RA synovial B cells reveal frequent targeting of citrullinated histones of NETs. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1866-1875.	0.9	176
129	Fatigue in primary Sjögren's syndrome is associated with lower levels of proinflammatory cytokines. <i>RMD Open</i> , 2016, 2, e000282.	3.8	77
130	Tumour necrosis factor inhibition versus rituximab for patients with rheumatoid arthritis who require biological treatment (ORBIT): an open-label, randomised controlled, non-inferiority, trial. <i>Lancet</i> , The, 2016, 388, 239-247.	13.7	95
131	Reply. <i>Arthritis and Rheumatology</i> , 2016, 68, 769-770.	5.6	3
132	Evaluation of Minimally Invasive, Ultrasound-guided Synovial Biopsy Techniques by the OMERACT Filter "Determining Validation Requirements. <i>Journal of Rheumatology</i> , 2016, 43, 208-213.	2.0	30
133	Improved monitoring of clinical response in Systemic Lupus Erythematosus by longitudinal trend in soluble vascular cell adhesion molecule-1. <i>Arthritis Research and Therapy</i> , 2016, 18, 5.	3.5	22
134	Agrin mediates chondrocyte homeostasis and requires both LRP4 and α -dystroglycan to enhance cartilage formation in vitro and in vivo. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1228-1235.	0.9	46
135	Higher expression of TNF-induced genes in the synovium of patients with early rheumatoid arthritis correlates with disease activity, and predicts absence of response to first line therapy. <i>Arthritis Research and Therapy</i> , 2016, 18, 19.	3.5	39
136	Going with the flow: harnessing the power of the vasculature for targeted therapy in rheumatoid arthritis. <i>Drug Discovery Today</i> , 2016, 21, 172-179.	6.4	13
137	Ultrasound-guided synovial biopsy of the wrist does not alter subsequent clinical or ultrasound disease activity assessments: a prospective study for incorporation of imaging in clinical trials. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 802-807.	0.8	2
138	Rational Design of Antirheumatic Prodrugs Specific for Sites of Inflammation. <i>Arthritis and Rheumatology</i> , 2015, 67, 2661-2672.	5.6	18
139	Angiogenic gene expression and vascular density are reflected in ultrasonographic features of synovitis in early rheumatoid arthritis: an observational study. <i>Arthritis Research and Therapy</i> , 2015, 17, 58.	3.5	34
140	Ability of Interleukin-3 and Immune Complexes to Trigger Activation of Human Mast Cells to Downregulate Monocyte-Mediated Immune Responses. <i>Arthritis and Rheumatology</i> , 2015, 67, 2343-2353.	5.6	50
141	Use of Ultrasound-Guided Small Joint Biopsy to Evaluate the Histopathologic Response to Rheumatoid Arthritis Therapy: Recommendations for Application to Clinical Trials. <i>Arthritis and Rheumatology</i> , 2015, 67, 2601-2610.	5.6	39
142	Lactate Regulates Metabolic and Pro-inflammatory Circuits in Control of T Cell Migration and Effector Functions. <i>PLoS Biology</i> , 2015, 13, e1002202.	5.6	489
143	IL-22 regulates lymphoid chemokine production and assembly of tertiary lymphoid organs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11024-11029.	7.1	173
144	Do the EULAR Sjogren's syndrome outcome measures correlate with health status in primary Sjogren's syndrome?. <i>Rheumatology</i> , 2015, 54, 655-659.	1.9	22

#	ARTICLE	IF	CITATIONS
145	Trojan horses and guided missiles: targeted therapies in the war on arthritis. <i>Nature Reviews Rheumatology</i> , 2015, 11, 328-337.	8.0	58
146	Hepatocyte Growth Factor Receptor c-Met Instructs T Cell Cardiotropism and Promotes T Cell Migration to the Heart via Autocrine Chemokine Release. <i>Immunity</i> , 2015, 42, 1087-1099.	14.3	85
147	A homeostatic function of CXCR2 signalling in articular cartilage. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 2207-2215.	0.9	62
148	Interleukin-27 inhibits ectopic lymphoid-like structure development in early inflammatory arthritis. <i>Journal of Experimental Medicine</i> , 2015, 212, 1793-1802.	8.5	88
149	Eligibility for clinical trials in primary Sjögren's syndrome: lessons from the UK Primary Sjögren's Syndrome Registry. <i>Rheumatology</i> , 2015, 55, rev373.	1.9	9
150	Neutrophil-derived microvesicles enter cartilage and protect the joint in inflammatory arthritis. <i>Science Translational Medicine</i> , 2015, 7, 315ra190.	12.4	256
151	A Transcriptional Signature of Fatigue Derived from Patients with Primary Sjögren's Syndrome. <i>PLoS ONE</i> , 2015, 10, e0143970.	2.5	45
152	Towards a Stratified Targeted Approach with Biologic Treatments in Rheumatoid Arthritis: Role of Synovial Pathobiology. <i>Current Pharmaceutical Design</i> , 2015, 21, 2216-2224.	1.9	36
153	Synovial heterogeneity in rheumatoid arthritis: the key for rational patient stratification?. <i>Acta Reumatológica Portuguesa</i> , 2015, 40, 6-8.	0.2	5
154	Efficacy and safety of olokizumab in patients with rheumatoid arthritis with an inadequate response to TNF inhibitor therapy: outcomes of a randomised Phase IIb study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1607-1615.	0.9	125
155	Implication of Epstein-Barr Virus Infection in Disease-Specific Autoreactive B Cell Activation in Ectopic Lymphoid Structures of Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2014, 66, 2545-2557.	5.6	122
156	The TRACTISS Protocol: a randomised double blind placebo controlled clinical Trial of Anti-B-Cell Therapy In patients with primary Sjögren's Syndrome. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 21.	1.9	43
157	EBV and other viruses as triggers of tertiary lymphoid structures in primary Sjögren's syndrome. <i>Expert Review of Clinical Immunology</i> , 2014, 10, 445-455.	3.0	30
158	High expression levels of the B cell chemoattractant CXCL13 in rheumatoid synovium are a marker of severe disease. <i>Rheumatology</i> , 2014, 53, 1886-1895.	1.9	63
159	Health-related utility values of patients with primary Sjögren's syndrome and its predictors. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1362-1368.	0.9	87
160	Peripheral and synovial mechanisms of humoral autoimmunity in rheumatoid arthritis. <i>Drug Discovery Today</i> , 2014, 19, 1161-1165.	6.4	10
161	Resolution of inflammation: examples of peptidergic players and pathways. <i>Drug Discovery Today</i> , 2014, 19, 1166-1171.	6.4	9
162	Ectopic lymphoid-like structures in infection, cancer and autoimmunity. <i>Nature Reviews Immunology</i> , 2014, 14, 447-462.	22.7	529

#	ARTICLE	IF	CITATIONS
163	Pathogenesis of rheumatoid arthritis: from systemic autoimmunity to localised joint disease. Drug Discovery Today, 2014, 19, 1152-1154.	6.4	5
164	A1.31â€¦Monoclonal antibodies from CD19⁺ synovial B cells of RA patients with tertiary lymphoid structures display a strong immunoreactivity towards citrullinated histones from neutrophils NETs. Annals of the Rheumatic Diseases, 2014, 73, A13.1-A13.	0.9	0
165	Accumulation of Self-Reactive Naïve and Memory B Cell Reveals Sequential Defects in B Cell Tolerance Checkpoints in Sjögren's Syndrome. PLoS ONE, 2014, 9, e114575.	2.5	33
166	A novel mechanism for protecting the arthritic joint: microparticles deliver Annexin A1 into cartilage (146.8). FASEB Journal, 2014, 28, 146.8.	0.5	1
167	Epstein-Barr virus persistence and infection of autoreactive plasma cells in synovial lymphoid structures in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2013, 72, 1559-1568.	0.9	100
168	Targeted delivery of cytokine therapy to rheumatoid tissue by a synovial targeting peptide. Annals of the Rheumatic Diseases, 2013, 72, 129-135.	0.9	34
169	New learnings on the pathophysiology of RA from synovial biopsies. Current Opinion in Rheumatology, 2013, 25, 334-344.	4.3	189
170	Curbing Inflammation through Endogenous Pathways: Focus on Melanocortin Peptides. International Journal of Inflammation, 2013, 2013, 1-10.	1.5	30
171	Multi-therapeutic potential of autoantibodies induced by immune complexes trapped on follicular dendritic cells. Human Vaccines and Immunotherapeutics, 2013, 9, 2434-2444.	3.3	0
172	A5.2â€¦Accumulation of Circulating Autoreactive Naïve B Cells Reveal Defects of Early B Cell Tolerance Checkpoints in Patients with Sjögren's Syndrome. Annals of the Rheumatic Diseases, 2013, 72, A30.2-A31.	0.9	0
173	Activation of Melanocortin Receptor 3 as a new strategy to control experimental and rheumatoid arthritis. FASEB Journal, 2013, 27, 648.8.	0.5	0
174	Isoform-selective induction of human p110Î³ PI3K expression by TNFÎ±: identification of a new and inducible <i>PIK3CD</i> promoter. Biochemical Journal, 2012, 443, 857-867.	3.7	50
175	Follicular dendritic cells in health and disease. Frontiers in Immunology, 2012, 3, 292.	4.8	65
176	Failure to Control Progression of Rheumatoid Arthritis After a Decade of Biologic Therapy. Journal of Rheumatology, 2012, 39, 2049-2050.	2.0	0
177	The impact of endogenous annexin A1 on glucocorticoid control of inflammatory arthritis. Annals of the Rheumatic Diseases, 2012, 71, 1872-1880.	0.9	67
178	Inducible Tertiary Lymphoid Structures, Autoimmunity, and Exocrine Dysfunction in a Novel Model of Salivary Gland Inflammation in C57BL/6 Mice. Journal of Immunology, 2012, 189, 3767-3776.	0.8	103
179	Autonomic symptoms are common and are associated with overall symptom burden and disease activity in primary Sjögren's syndrome. Annals of the Rheumatic Diseases, 2012, 71, 1973-1979.	0.9	57
180	Ectopic Lymphoid Neogenesis and Lymphoid Chemokines in Sjögren's Syndrome: At the Interplay between Chronic Inflammation, Autoimmunity and Lymphomagenesis. Current Pharmaceutical Biotechnology, 2012, 13, 1989-1996.	1.6	45

#	ARTICLE	IF	CITATIONS
181	Regulation of auto-antibody production by persisting auto-immune complexes on follicular dendritic cells. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A38.1-A38.	0.9	0
182	Role of lymphoid chemokines in the development of functional ectopic lymphoid structures in rheumatic autoimmune diseases. <i>Immunology Letters</i> , 2012, 145, 62-67.	2.5	79
183	Treatment of experimental arthritis by targeting synovial endothelium with a neutralizing recombinant antibody to C5. <i>Arthritis and Rheumatism</i> , 2012, 64, 2559-2567.	6.7	39
184	Introduction to "Synovitis - an inflammation of joints destroying the bone". <i>Swiss Medical Weekly</i> , 2012, 142, w13712.	1.6	0
185	Synovial Tissue Analysis for the Discovery of Diagnostic and Prognostic Biomarkers in Patients with Early Arthritis: Table 1.. <i>Journal of Rheumatology</i> , 2011, 38, 2068-2072.	2.0	33
186	Targeted delivery of anti-inflammatory therapy to rheumatoid tissue by fusion proteins containing an IL-4-linked synovial targeting peptide. <i>Nature Precedings</i> , 2011, , .	0.1	0
187	Synovial Tissue Heterogeneity and Peripheral Blood Biomarkers. <i>Current Rheumatology Reports</i> , 2011, 13, 440-448.	4.7	38
188	TSG-101 inhibits osteoclast activity via an autocrine mechanism and is functionally synergistic with osteoprotegerin. <i>Arthritis and Rheumatism</i> , 2011, 63, 1034-1043.	6.7	46
189	Development of a novel recombinant biotherapeutic with applications in targeted therapy of human arthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 3758-3767.	6.7	13
190	Breakage of B cell tolerance by antigens on follicular dendritic cells. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A57-A57.	0.9	0
191	Evaluating antirheumatic treatments using synovial biopsy: a recommendation for standardisation to be used in clinical trials. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 423-427.	0.9	101
192	B cell distribution and activation-induced cytidine deaminase expression in rheumatoid synovitis: clinical and bio-molecular correlates. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A55-A55.	0.9	3
193	WNT-3A modulates articular chondrocyte phenotype by activating both canonical and noncanonical pathways. <i>Journal of Cell Biology</i> , 2011, 193, 551-564.	5.2	175
194	A BAFF/APRIL-dependent TLR3-stimulated pathway enhances the capacity of rheumatoid synovial fibroblasts to induce AID expression and Ig class-switching in B cells. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1857-1865.	0.9	105
195	Markedly increased IL-18 liver expression in adult-onset Still's disease-related hepatitis. <i>Rheumatology</i> , 2011, 50, 776-780.	1.9	58
196	Secondary and ectopic lymphoid tissue responses in rheumatoid arthritis: from inflammation to autoimmunity and tissue damage/remodeling. <i>Immunological Reviews</i> , 2010, 233, 267-285.	6.0	127
197	Anti-inflammatory and antiosteoclastogenesis properties of endogenous melanocortin receptor type 3 in experimental arthritis. <i>FASEB Journal</i> , 2010, 24, 4835-4843.	0.5	45
198	Over-expression of paneth cell-derived anti-microbial peptides in the gut of patients with ankylosing spondylitis and subclinical intestinal inflammation. <i>Rheumatology</i> , 2010, 49, 2076-2083.	1.9	43

#	ARTICLE	IF	CITATIONS
199	Evolution of Ectopic Lymphoid Neogenesis and In Situ Autoantibody Production in Autoimmune Nonobese Diabetic Mice: Cellular and Molecular Characterization of Tertiary Lymphoid Structures in Pancreatic Islets. <i>Journal of Immunology</i> , 2010, 185, 3359-3368.	0.8	70
200	Biomarkers in Psoriasis and Psoriatic Arthritis: GRAPPA 2008. <i>Journal of Rheumatology</i> , 2010, 37, 462-467.	2.0	18
201	Acute Serum Amyloid A Induces Migration, Angiogenesis, and Inflammation in Synovial Cells In Vitro and in a Human Rheumatoid Arthritis/SCID Mouse Chimera Model. <i>Journal of Immunology</i> , 2010, 184, 6427-6437.	0.8	92
202	Anti-inflammatory and antiosteoclastogenesis properties of endogenous melanocortin receptor type 3 in experimental arthritis. <i>FASEB Journal</i> , 2010, 24, 4835-4843.	0.5	6
203	Ectopic Lymphoid Structures Support Ongoing Production of Class-Switched Autoantibodies in Rheumatoid Synovium. <i>PLoS Medicine</i> , 2009, 6, e1.	8.4	443
204	In vivo activated monocytes from the site of inflammation in humans specifically promote Th17 responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 6232-6237.	7.1	174
205	A novel model for the pre-clinical imaging of inflamed human synovial vasculature. <i>Rheumatology</i> , 2009, 48, 926-931.	1.9	18
206	Laminar Shear Stress Regulates Endothelial Kinin B1 Receptor Expression and Function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1757-1763.	2.4	23
207	Junctional Adhesion Molecule-C Mediates Leukocyte Infiltration in Response to Ischemia Reperfusion Injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1509-1515.	2.4	57
208	Overexpression of interleukin-23, but not interleukin-17, as an immunologic signature of subclinical intestinal inflammation in ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2009, 60, 955-965.	6.7	215
209	Basic Synovial Biology and Immunopathology in Psoriatic Arthritis. <i>Journal of rheumatology Supplement, The</i> , 2009, 83, 14-16.	2.2	20
210	Effect of soluble JAMs on leukocyte transmigration in models of ischemia/reperfusion injury. <i>FASEB Journal</i> , 2009, 23, 360.3.	0.5	0
211	A biomarker-based mathematical model to predict bone-forming potency of human synovial and periosteal mesenchymal stem cells. <i>Arthritis and Rheumatism</i> , 2008, 58, 240-250.	6.7	116
212	Identification of the molecular response of articular cartilage to injury, by microarray screening: Wnt-16 expression and signaling after injury and in osteoarthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 1410-1421.	6.7	181
213	Mature antigen-experienced T helper cells synthesize and secrete the B cell chemoattractant CXCL13 in the inflammatory environment of the rheumatoid joint. <i>Arthritis and Rheumatism</i> , 2008, 58, 3377-3387.	6.7	124
214	Response to Comment on "Activation-Induced Cytidine Deaminase Expression in Follicular Dendritic Cell Networks and Interfollicular Large B Cells Supports Functionality of Ectopic Lymphoid Neogenesis in Autoimmune Sialoadenitis and MALT Lymphoma in Sjögren's Syndrome". <i>Journal of Immunology</i> , 2008, 180, 2008-2009.	0.8	0
215	CXCL13, CCL21, and CXCL12 Expression in Salivary Glands of Patients with Sjögren's Syndrome and MALT Lymphoma: Association with Reactive and Malignant Areas of Lymphoid Organization. <i>Journal of Immunology</i> , 2008, 180, 5130-5140.	0.8	172
216	Ultrasound imaging in spondyloarthropathies: from imaging to diagnostic intervention. <i>Current Opinion in Rheumatology</i> , 2008, 20, 408-415.	4.3	5

#	ARTICLE	IF	CITATIONS
217	Resistance to Rituximab Therapy and Local BAFF Overexpression in Sjogren's Syndrome-Related Myoepithelial Sialadenitis and Low-Grade Parotid B-Cell Lymphoma. Open Rheumatology Journal, 2008, 2, 38-43.	0.2	60
218	CCL21 Expression Pattern of Human Secondary Lymphoid Organ Stroma Is Conserved in Inflammatory Lesions with Lymphoid Neogenesis. American Journal of Pathology, 2007, 171, 1549-1562.	3.8	94
219	Immunohistological assessment of the synovial tissue in small joints in rheumatoid arthritis: validation of a minimally invasive ultrasound-guided synovial biopsy procedure. Arthritis Research and Therapy, 2007, 9, R101.	3.5	63
220	Activation-Induced Cytidine Deaminase Expression in Follicular Dendritic Cell Networks and Interfollicular Large B Cells Supports Functionality of Ectopic Lymphoid Neogenesis in Autoimmune Sialoadenitis and MALT Lymphoma in Sjögren's Syndrome. Journal of Immunology, 2007, 179, 4929-4938.	0.8	193
221	In Vivo Phage Display Selection in the Human/SCID Mouse Chimera Model for Defining Synovial Specific Determinants. Methods in Molecular Medicine, 2007, 136, 369-394.	0.8	5
222	Interleukin-18 as a potential therapeutic target in chronic autoimmune/inflammatory conditions. Expert Opinion on Biological Therapy, 2007, 7, 31-40.	3.1	32
223	The synovial membrane as a prognostic tool in rheumatoid arthritis. Autoimmunity Reviews, 2007, 6, 248-252.	5.8	16
224	Lymphoid tissue reactions in rheumatoid arthritis. Autoimmunity Reviews, 2007, 7, 30-34.	5.8	28
225	Joint Tissue Engineering. , 2007, , 107-123.		2
226	Activation of WNT and BMP signaling in adult human articular cartilage following mechanical injury. Arthritis Research and Therapy, 2006, 8, R139.	3.5	139
227	Targeting the stromal microenvironment in chronic inflammation. Current Opinion in Pharmacology, 2006, 6, 393-400.	3.5	36
228	From ubiquitous antigens to joint-specific inflammation: could local vascular permeability be the missing link?. Trends in Immunology, 2006, 27, 299-302.	6.8	4
229	The stem cell niche: a new target in medicine. Current Opinion in Orthopaedics, 2006, 17, 398-404.	0.3	8
230	Targeting the inflamed synovium: The quest for specificity. Arthritis and Rheumatism, 2006, 54, 1055-1060.	6.7	28
231	Mesenchymal multipotency of adult human periosteal cells demonstrated by single-cell lineage analysis. Arthritis and Rheumatism, 2006, 54, 1209-1221.	6.7	377
232	Reparative medicine: from tissue engineering to joint surface regeneration. Regenerative Medicine, 2006, 1, 59-69.	1.7	15
233	Atorvastatin Fails to Prevent the Development of Autoimmune Diabetes Despite Inhibition of Pathogenic α -Cell-Specific CD8 T-Cells. Diabetes, 2006, 55, 1004-1010.	0.6	20
234	Chemokines in arthritis: key molecules in pathogenesis and potential therapeutic targets. Future Rheumatology, 2006, 1, 53-65.	0.2	2

#	ARTICLE	IF	CITATIONS
235	The role of substance P in microvascular responses in murine joint inflammation. British Journal of Pharmacology, 2005, 144, 1059-1066.	5.4	36
236	Systematic microanatomical analysis of CXCL13 and CCL21 in situ production and progressive lymphoid organization in rheumatoid synovitis. European Journal of Immunology, 2005, 35, 1347-1359.	2.9	232
237	Involvement of subchondral bone marrow in rheumatoid arthritis: Lymphoid neogenesis and in situ relationship to subchondral bone marrow osteoclast recruitment. Arthritis and Rheumatism, 2005, 52, 3448-3459.	6.7	93
238	Recent advances in the treatment of psoriatic arthritis. Expert Opinion on Therapeutic Patents, 2004, 14, 509-525.	5.0	1
239	Increased circulating levels and salivary gland expression of interleukin-18 in patients with Sjögren's syndrome: relationship with autoantibody production and lymphoid organization of the periductal inflammatory infiltrate. Arthritis Research, 2004, 6, R447.	2.0	106
240	Isolating ligands specific for human vasculature using in vivo phage selection. Trends in Biotechnology, 2003, 21, 199-203.	9.3	25
241	Annexin 1 Modulates Monocyte-Endothelial Cell Interaction In Vitro and Cell Migration In Vivo in the Human SCID Mouse Transplantation Model. Journal of Immunology, 2002, 169, 2085-2092.	0.8	37
242	Stromal Cell-Derived Factor 1 (CXCL12) Induces Human Cell Migration into Human Lymph Nodes Transplanted into SCID Mice. Journal of Immunology, 2002, 168, 4308-4317.	0.8	48
243	Identification of synovium-specific homing peptides by in vivo phage display selection. Arthritis and Rheumatism, 2002, 46, 2109-2120.	6.7	67
244	Regulation of Leukocyte-Endothelial Interactions by Glucocorticoids. Annals of the New York Academy of Sciences, 2002, 966, 108-118.	3.8	124
245	Role of CD30+ T cells in rheumatoid arthritis: a counter-regulatory paradigm for Th1-driven diseases. Trends in Immunology, 2001, 22, 72-77.	6.8	76
246	PATHOGENESIS OF RHEUMATOID ARTHRITIS. Rheumatic Disease Clinics of North America, 2001, 27, 317-334.	1.9	96
247	The glucocorticoid inhibition of LFA-1 and CD2 expression by human mononuclear cells is reversed by IL-2, IL-7 and IL-15. European Journal of Immunology, 2001, 31, 2135-2142.	2.9	15
248	The glucocorticoid inhibition of LFA-1 and CD2 expression by human mononuclear cells is reversed by IL-2, IL-7 and IL-15. , 2001, 31, 2135.		1
249	Glucocorticoids and leukocyte adhesion. , 2001, , 105-118.		2
250	CD30+ T Cells in Rheumatoid Synovitis: Mechanisms of Recruitment and Functional Role. Journal of Immunology, 2000, 164, 4399-4407.	0.8	71
251	THE VASCULAR ENDOTHELIAL SYSTEM IN THE PATHOGENESIS OF INFLAMMATION AND SYSTEMIC RHEUMATIC DISEASES: RELATION TO THE NEUROENDOCRINE SYSTEM. Rheumatic Disease Clinics of North America, 2000, 26, 765-773.	1.9	6
252	Modulation of cellular annexin I in human leukocytes infiltrating DTH skin reactions. Journal of Leukocyte Biology, 1999, 65, 583-589.	3.3	28

#	ARTICLE	IF	CITATIONS
253	Percentage of anti-CD4 monoclonal antibody-coated lymphocytes in the rheumatoid joint is associated with clinical improvement. Implications for the development of immunotherapeutic dosing regimens. Arthritis and Rheumatism, 1996, 39, 52-56.	6.7	67
254	Cutaneous lymphocyte antigen-positive T lymphocytes preferentially migrate to the skin but not to the joint in psoriatic arthritis. Arthritis and Rheumatism, 1996, 39, 137-145.	6.7	114
255	Cellular immune mechanisms in rheumatoid arthritis and other inflammatory arthritides. Current Opinion in Immunology, 1993, 5, 918-924.	5.5	11
256	Selective migration of the human helper-inducer memory T cell subset: confirmation by in vivo cellular kinetic studies. European Journal of Immunology, 1991, 21, 369-376.	2.9	101
257	Synovial T lymphocyte-specific immune response to Chlamydia trachomatis in Reiter's disease. Arthritis and Rheumatism, 1991, 34, 588-598.	6.7	85
258	Comment on the article by Lasky et al. Arthritis and Rheumatism, 1989, 32, 116-117.	6.7	0
259	The preferential accumulation of helper-inducer T lymphocytes in inflammatory lesions: evidence for regulation by selective endothelial and homotypic adhesion. European Journal of Immunology, 1988, 18, 1397-1404.	2.9	237
260	Abnormal distribution of the helper-inducer and suppressor-inducer T-lymphocyte subsets in the rheumatoid joint. Clinical Immunology and Immunopathology, 1987, 45, 252-258.	2.0	154