

Costantino Pitzalis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7815924/publications.pdf>

Version: 2024-02-01

260
papers

15,437
citations

16791

66
h-index

26792

111
g-index

266
all docs

266
docs citations

266
times ranked

18128
citing authors

#	ARTICLE	IF	CITATIONS
1	Galactinâ€9 mediates neutrophil capture and adhesion in a CD44 and Î²2 integrinâ€dependent manner. <i>FASEB Journal</i> , 2022, 36, e22065.	0.2	22
2	Role of synovial fibroblast subsets across synovial pathotypes in rheumatoid arthritis: a deconvolution analysis. <i>RMD Open</i> , 2022, 8, e001949.	1.8	23
3	EULAR points to consider for minimal reporting requirements in synovial tissue research in rheumatology. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1640-1646.	0.5	12
4	EULAR points to consider for the use of imaging to guide interventional procedures in patients with rheumatic and musculoskeletal diseases (RMDs). <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 760-767.	0.5	9
5	MCTR3 reprograms arthritic monocytes to upregulate Arginase-1 and exert pro-resolving and tissue-protective functions in experimental arthritis. <i>EBioMedicine</i> , 2022, 79, 103974.	2.7	8
6	Analysis of Complement Gene Expression, Clinical Associations, and Biodistribution of Complement Proteins in the Synovium of Early Rheumatoid Arthritis Patients Reveals Unique Pathophysiologic Features. <i>Journal of Immunology</i> , 2022, 208, 2482-2496.	0.4	9
7	RA-MAP, molecular immunological landscapes in early rheumatoid arthritis and healthy vaccine recipients. <i>Scientific Data</i> , 2022, 9, 196.	2.4	4
8	Dynamic spectrum of ectopic lymphoid B cell activation and hypermutation in the RA synovium characterized by NR4A nuclear receptor expression. <i>Cell Reports</i> , 2022, 39, 110766.	2.9	20
9	Rituximab versus tocilizumab in rheumatoid arthritis: synovial biopsy-based biomarker analysis of the phase 4 R4RA randomized trial. <i>Nature Medicine</i> , 2022, 28, 1256-1268.	15.2	105
10	Network analysis of synovial RNA sequencing identifies gene-gene interactions predictive of response in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2022, 24, .	1.6	6
11	IL-23 skin and joint profiling in psoriatic arthritis: novel perspectives in understanding clinical responses to IL-23 inhibitors. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 591-597.	0.5	24
12	The growing role of precision medicine for the treatment of autoimmune diseases; results of a systematic review of literature and Expertsâ€™ Consensus. <i>Autoimmunity Reviews</i> , 2021, 20, 102738.	2.5	38
13	Rituximab versus tocilizumab in anti-TNF inadequate responder patients with rheumatoid arthritis (R4RA): 16-week outcomes of a stratified, biopsy-driven, multicentre, open-label, phase 4 randomised controlled trial. <i>Lancet</i> , The, 2021, 397, 305-317.	6.3	145
14	Novel Bispecific Antibody for Synovial-Specific Target Delivery of Anti-TNF Therapy in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2021, 12, 640070.	2.2	6
15	Effects of targeting the transcription factors Ikaros and Aiolos on B cell activation and differentiation in systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2021, 8, e000445.	1.1	11
16	Calcium calmodulin kinase II activity is required for cartilage homeostasis in osteoarthritis. <i>Scientific Reports</i> , 2021, 11, 5682.	1.6	14
17	Novel insights into macrophage diversity in rheumatoid arthritis synovium. <i>Autoimmunity Reviews</i> , 2021, 20, 102758.	2.5	76
18	PD-L1 signaling on human memory CD4+ T cells induces a regulatory phenotype. <i>PLoS Biology</i> , 2021, 19, e3001199.	2.6	32

#	ARTICLE	IF	CITATIONS
19	WNT3A-loaded exosomes enable cartilage repair. <i>Journal of Extracellular Vesicles</i> , 2021, 10, e12088.	5.5	24
20	Generation of restriction endonucleases barcode map to trace SARS-CoV-2 origin and evolution. <i>Scientific Reports</i> , 2021, 11, 11773.	1.6	2
21	Circulating and Synovial Pentraxin-3 (PTX3) Expression Levels Correlate With Rheumatoid Arthritis Severity and Tissue Infiltration Independently of Conventional Treatments Response. <i>Frontiers in Immunology</i> , 2021, 12, 686795.	2.2	11
22	Robust optimization of SWATH-MS workflow for human blood serum proteome analysis using a quality by design approach. <i>Clinical Proteomics</i> , 2021, 18, 20.	1.1	2
23	NKp30 Receptor Upregulation in Salivary Glands of Sjögren's Syndrome Characterizes Ectopic Lymphoid Structures and Is Restricted by Rituximab Treatment. <i>Frontiers in Immunology</i> , 2021, 12, 706737.	2.2	8
24	Cellular and molecular diversity in Rheumatoid Arthritis. <i>Seminars in Immunology</i> , 2021, 58, 101519.	2.7	10
25	Increased plasma levels of Gas6 and its soluble tyrosine kinase receptors Mer and Axl are associated with immunological activity and severity of lupus nephritis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 132-138.	0.4	2
26	Stepwise changes in the murine salivary gland immune response during virally-induced ectopic lymphoid structure formation. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.4	0
27	Stepwise changes in the murine salivary gland immune response during virally-induced ectopic lymphoid structure formation. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 39-48.	0.4	1
28	Increased plasma levels of Gas6 and its soluble tyrosine kinase receptors Mer and Axl are associated with immunological activity and severity of lupus nephritis.. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 132-138.	0.4	11
29	Spectrum: fast density-aware spectral clustering for single and multi-omic data. <i>Bioinformatics</i> , 2020, 36, 1159-1166.	1.8	57
30	Interleukin-36 family dysregulation drives joint inflammation and therapy response in psoriatic arthritis. <i>Rheumatology</i> , 2020, 59, 828-838.	0.9	34
31	Efficacy, Safety, and Sample Quality of Ultrasound-Guided Synovial Needle Biopsy in Clinical Practice and Research: A Prospective Observational Study. <i>Arthritis Care and Research</i> , 2020, 72, 1497-1505.	1.5	14
32	B Cell Synovitis and Clinical Phenotypes in Rheumatoid Arthritis: Relationship to Disease Stages and Drug Exposure. <i>Arthritis and Rheumatology</i> , 2020, 72, 714-725.	2.9	33
33	Persistence of Mast Cell-Positive Synovitis in Early Rheumatoid Arthritis Following Treatment With Conventional Synthetic Disease Modifying Anti-Rheumatic Drugs. <i>Frontiers in Pharmacology</i> , 2020, 11, 1051.	1.6	3
34	Histological and molecular features of the diseased synovium in early untreated PsA in comparison with RA. <i>Rheumatology</i> , 2020, 59, .	0.9	0
35	Micro-RNA enriched pathway impact analysis applied to synovial RNA-seq in early rheumatoid arthritis identifies response prediction pathways. <i>Rheumatology</i> , 2020, 59, .	0.9	0
36	Preliminary results: driving improvements in disease outcomes for rheumatoid arthritis patients using remote disease activity monitoring via smartphone app. <i>Rheumatology</i> , 2020, 59, .	0.9	1

#	ARTICLE	IF	CITATIONS
37	Investigation of genetically regulated gene expression and response to treatment in rheumatoid arthritis highlights an association between <i>IL18RAP</i> expression and treatment response. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1446-1452.	0.5	13
38	Blood pro-resolving mediators are linked with synovial pathology and are predictive of DMARD responsiveness in rheumatoid arthritis. <i>Nature Communications</i> , 2020, 11, 5420.	5.8	51
39	Agrin induces long-term osteochondral regeneration by supporting repair morphogenesis. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	30
40	Transforming clinical trials in rheumatology: towards patient-centric precision medicine. <i>Nature Reviews Rheumatology</i> , 2020, 16, 590-599.	3.5	56
41	Unique expansion of IL-21+ Tfh and Tph cells under control of ICOS identifies Sjögren's syndrome with ectopic germinal centres and MALT lymphoma. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1588-1599.	0.5	83
42	ROR2 blockade as a therapy for osteoarthritis. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	34
43	Elderly-onset rheumatoid arthritis is a unique disease subset associated with poor overall outcomes: Response to the letter by Haroon and Ayamer. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 51, e11-e12.	1.6	0
44	A Pauci-Immune Synovial Pathotype Predicts Inadequate Response to TNF-Blockade in Rheumatoid Arthritis Patients. <i>Frontiers in Immunology</i> , 2020, 11, 845.	2.2	55
45	Tertiary Lymphoid Organs in Rheumatoid Arthritis. <i>Current Topics in Microbiology and Immunology</i> , 2020, 426, 119-141.	0.7	7
46	H and L Chain Affinity Maturation and/or Fab N-Glycosylation Influence Immunoreactivity toward Neutrophil Extracellular Trap Antigens in Rheumatoid Arthritis Synovial B Cell Clones. <i>Journal of Immunology</i> , 2020, 204, 2374-2379.	0.4	6
47	Distinct synovial tissue macrophage subsets regulate inflammation and remission in rheumatoid arthritis. <i>Nature Medicine</i> , 2020, 26, 1295-1306.	15.2	304
48	Synoviocyte-targeted therapy synergizes with TNF inhibition in arthritis reversal. <i>Science Advances</i> , 2020, 6, eaba4353.	4.7	43
49	Metformin to reduce metabolic complications and inflammation in patients on systemic glucocorticoid therapy: a randomised, double-blind, placebo-controlled, proof-of-concept, phase 2 trial. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 278-291.	5.5	60
50	M3C: Monte Carlo reference-based consensus clustering. <i>Scientific Reports</i> , 2020, 10, 1816.	1.6	71
51	New Insights into the Role of Tyro3, Axl, and Mer Receptors in Rheumatoid Arthritis. <i>Disease Markers</i> , 2020, 2020, 1-9.	0.6	21
52	Impaired Interleukin-27-Mediated Control of CD4+ T Cell Function Impact on Ectopic Lymphoid Structure Formation in Patients With Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2020, 72, 1559-1570.	2.9	15
53	Disruptive innovation in rheumatology: new networks of global public-private partnerships are needed to take advantage of scientific progress. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 553-555.	0.5	1
54	Treatment-resistant synovitis and radiographic progression are increased in elderly-onset rheumatoid arthritis patients: findings from a prospective observational longitudinal early arthritis cohort study. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 735-743.	1.6	15

#	ARTICLE	IF	CITATIONS
55	Response to: "Synovial cellular and molecular signatures stratify clinical response to csDMARD therapy and predict radiographic progression in early rheumatoid arthritis patients"™ by Buch et al. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, e141-e141.	0.5	3
56	Causal Bayesian Networks for Medical Diagnosis: A Case Study in Rheumatoid Arthritis. , 2020, , .		5
57	Inflammatory cytokines shape a changing DNA methylome in monocytes mirroring disease activity in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1505-1516.	0.5	47
58	The macrophage tetraspan MS4A4A enhances dectin-1-dependent NK cell-mediated resistance to metastasis. <i>Nature Immunology</i> , 2019, 20, 1012-1022.	7.0	75
59	Extracellular traps and PAD4 released by macrophages induce citrullination and auto-antibody production in autoimmune arthritis. <i>Journal of Autoimmunity</i> , 2019, 105, 102297.	3.0	37
60	Lactate Buildup at the Site of Chronic Inflammation Promotes Disease by Inducing CD4+ T Cell Metabolic Rewiring. <i>Cell Metabolism</i> , 2019, 30, 1055-1074.e8.	7.2	266
61	Molecular Portraits of Early Rheumatoid Arthritis Identify Clinical and Treatment Response Phenotypes. <i>Cell Reports</i> , 2019, 28, 2455-2470.e5.	2.9	241
62	Symptom-based stratification of patients with primary Sjögren's syndrome: multi-dimensional characterisation of international observational cohorts and reanalyses of randomised clinical trials. <i>Lancet Rheumatology</i> , The, 2019, 1, e85-e94.	2.2	76
63	The Autoimmune Susceptibility Gene C5orf30 Regulates Macrophage-Mediated Resolution of Inflammation. <i>Journal of Immunology</i> , 2019, 202, 1069-1078.	0.4	12
64	Targeting CD34+ cells of the inflamed synovial endothelium by guided nanoparticles for the treatment of rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2019, 103, 102288.	3.0	33
65	Pain and depression are associated with both physical and mental fatigue independently of comorbidities and medications in primary Sjögren's syndrome. <i>RMD Open</i> , 2019, 5, e000885.	1.8	14
66	Defining inflammatory cell states in rheumatoid arthritis joint synovial tissues by integrating single-cell transcriptomics and mass cytometry. <i>Nature Immunology</i> , 2019, 20, 928-942.	7.0	760
67	Association of response to TNF inhibitors in rheumatoid arthritis with quantitative trait loci for <i>CD40</i> and <i>CD39</i> . <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1055-1061.	0.5	25
68	Mast Cells in Early Rheumatoid Arthritis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2040.	1.8	24
69	Activation of naive CD4+ T cells re-tunes STAT1 signaling to deliver unique cytokine responses in memory CD4+ T cells. <i>Nature Immunology</i> , 2019, 20, 458-470.	7.0	32
70	PTPN14 phosphatase and YAP promote TGF β 2 signalling in rheumatoid synoviocytes. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 600-609.	0.5	33
71	Validity of a two-component imaging-derived disease activity score for improved assessment of synovitis in early rheumatoid arthritis. <i>Rheumatology</i> , 2019, 58, 1400-1409.	0.9	39
72	Synovial cellular and molecular signatures stratify clinical response to csDMARD therapy and predict radiographic progression in early rheumatoid arthritis patients. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 761-772.	0.5	219

#	ARTICLE	IF	CITATIONS
73	IL-36, IL-37, and IL-38 Cytokines in Skin and Joint Inflammation: A Comprehensive Review of Their Therapeutic Potential. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1257.	1.8	61
74	B cells in the formation of tertiary lymphoid organs in autoimmunity, transplantation and tumorigenesis. <i>Current Opinion in Immunology</i> , 2019, 57, 46-52.	2.4	31
75	AB0179â€¦THE TRANSCRIPTION FACTORS IKZF1 AND IKZF3 CONTROL B CELL ACTIVATION AND DIFFERENTIATION IN SYSTEMIC LUPUS ERYTHEMATOSUS. , 2019, , .		1
76	OPO276â€¦DENDRITIC CELL-DERIVED IL-27 REGULATES THE MAGNITUDE OF INDUCIBLE ECTOPIC GERMINAL CENTRES BUT FAILS TO DOWNMODULATE IL-17 PRODUCTION IN CD4 T CELLS FROM PATIENTS WITH SJÄ–GRENÄ€™S SYNDROME. , 2019, , .		0
77	SAT0025â€¦THE EFFECT OF DIMETHYL FUMARATE ON PLASMABLAST DIFFERENTIATION TRANSCRIPTIONAL PROGRAMMES IN SYSTEMIC LUPUS ERYTHEMATOSUS. , 2019, , .		0
78	Synovial tissue signatures enhance clinical classification and prognostic/treatment response algorithms in early inflammatory arthritis and predict requirement for subsequent biological therapy: results from the pathobiology of early arthritis cohort (PEAC). <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1642-1652.	0.5	85
79	Wrist ultrasound - the model method for grey-scale and power Doppler scoring. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 441-442.	0.5	1
80	Response to: Can ultrasound of the major salivary glands assess histopathological changes induced by treatment with rituximab in primary SjÄ–grenÄ€™s syndrome?. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, e28-e28.	0.5	3
81	Inflammatory arthritis disrupts gut resolution mechanisms, promoting barrier breakdown by <i>Porphyromonas gingivalis</i> . <i>JCI Insight</i> , 2019, 4, .	2.3	44
82	Neutrophil Microvesicles from Healthy Control and Rheumatoid Arthritis Patients Prevent the Inflammatory Activation of Macrophages. <i>EBioMedicine</i> , 2018, 29, 60-69.	2.7	81
83	A Multicenter Retrospective Analysis Evaluating Performance of Synovial Biopsy Techniques in Patients With Inflammatory Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 702-710.	2.9	32
84	Transcriptional Profiling of Synovial Macrophages Using Minimally Invasive Ultrasoundâ€–Guided Synovial Biopsies in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 841-854.	2.9	44
85	Effect of rituximab on a salivary gland ultrasound score in primary SjÄ–grenÄ€™s syndrome: results of the TRACTISS randomised double-blind multicentre substudy. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 412-416.	0.5	86
86	O12â€–Validity of a2-component imaging-derived disease activity score (2C-DAS28) for improved assessment of synovitis in early rheumatoid arthritis. <i>Rheumatology</i> , 2018, 57, .	0.9	0
87	248â€–Genome-wide association study of response to tumour necrosis factor inhibitor therapy in rheumatoid arthritis. <i>Rheumatology</i> , 2018, 57, .	0.9	0
88	244â€–The clinical phenotype of inflammatory arthritis correlates with synovial immune cell infiltration: results from the pathobiology of early arthritis cohort. <i>Rheumatology</i> , 2018, 57, .	0.9	0
89	O09â€–A lymphoid pathotype at baseline, in early inflammatory arthritis, significantly associates with requirement for biologic therapy at 12 months follow up: results from the pathobiology of early arthritis cohort. <i>Rheumatology</i> , 2018, 57, .	0.9	0
90	Prediction of treatment response in rheumatoid arthritis patients using genomeâ€–wide SNP data. <i>Genetic Epidemiology</i> , 2018, 42, 754-771.	0.6	15

#	ARTICLE	IF	CITATIONS
91	Patient-reported outcomes and safety in patients undergoing synovial biopsy: comparison of ultrasound-guided needle biopsy, ultrasound-guided portal and forceps and arthroscopic-guided synovial biopsy techniques in five centres across Europe. <i>RMD Open</i> , 2018, 4, e000799.	1.8	31
92	Redox-Mediated Mechanisms Fuel Monocyte Responses to CXCL12/HMGB1 in Active Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2018, 9, 2118.	2.2	40
93	Genome-wide association study of response to tumour necrosis factor inhibitor therapy in rheumatoid arthritis. <i>Pharmacogenomics Journal</i> , 2018, 18, 657-664.	0.9	41
94	Genome-wide association study of response to methotrexate in early rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2018, 18, 528-538.	0.9	42
95	Role of chemokines in ectopic lymphoid structures formation in autoimmunity and cancer. <i>Journal of Leukocyte Biology</i> , 2018, 104, 333-341.	1.5	41
96	Characterization of a Synovial B Cell-derived Recombinant Monoclonal Antibody Targeting Stromal Calreticulin in the Rheumatoid Joints. <i>Journal of Immunology</i> , 2018, 201, 1373-1381.	0.4	9
97	Role of the IL-23/IL-17 Axis in Psoriasis and Psoriatic Arthritis: The Clinical Importance of Its Divergence in Skin and Joints. <i>International Journal of Molecular Sciences</i> , 2018, 19, 530.	1.8	142
98	Methods for high-dimensional analysis of cells dissociated from cryopreserved synovial tissue. <i>Arthritis Research and Therapy</i> , 2018, 20, 139.	1.6	93
99	Integrative analysis reveals CD38 as a therapeutic target for plasma cell-rich pre-disease and established rheumatoid arthritis and systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2018, 20, 85.	1.6	83
100	Generation of Recombinant Monoclonal Antibodies from Single B Cells Isolated from Synovial Tissue of Rheumatoid Arthritis Patients. <i>Methods in Molecular Biology</i> , 2018, 1845, 159-187.	0.4	2
101	Mast cells in early rheumatoid arthritis associate with disease severity and support B cell autoantibody production. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1773-1781.	0.5	52
102	Immune checkpoint inhibitor PD-1 pathway is down-regulated in synovium at various stages of rheumatoid arthritis disease progression. <i>PLoS ONE</i> , 2018, 13, e0192704.	1.1	82
103	Comparison of ESSDAI and ClinESSDAI in potential optimisation of trial outcomes in primary Sjögren's syndrome: examination of data from the UK Primary Sjögren's Syndrome Registry. <i>Swiss Medical Weekly</i> , 2018, 148, w14588.	0.8	7
104	A clinical and histopathological analysis of the anti-centromere antibody positive subset of primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 112, 145-149.	0.4	2
105	Physical activity but not sedentary activity is reduced in primary Sjögren's syndrome. <i>Rheumatology International</i> , 2017, 37, 623-631.	1.5	16
106	Randomized Controlled Trial of Rituximab and Cost-effectiveness Analysis in Treating Fatigue and Oral Dryness in Primary Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2017, 69, 1440-1450.	2.9	194
107	Identification of Novel Chondroprotective Mediators in Resolving Inflammatory Exudates. <i>Journal of Immunology</i> , 2017, 198, 2876-2885.	0.4	10
108	WNT16 antagonises excessive canonical WNT activation and protects cartilage in osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 218-226.	0.5	110

#	ARTICLE	IF	CITATIONS
109	Ectopic lymphoid neogenesis in rheumatic autoimmune diseases. <i>Nature Reviews Rheumatology</i> , 2017, 13, 141-154.	3.5	146
110	Mast cells in rheumatoid arthritis: friends or foes?. <i>Autoimmunity Reviews</i> , 2017, 16, 557-563.	2.5	52
111	CD40L-Dependent Pathway Is Active at Various Stages of Rheumatoid Arthritis Disease Progression. <i>Journal of Immunology</i> , 2017, 198, 4490-4501.	0.4	73
112	Subjective and Objective Measures of Dryness Symptoms in Primary Sjögren's Syndrome: Capturing the Discrepancy. <i>Arthritis Care and Research</i> , 2017, 69, 1714-1723.	1.5	18
113	08.34â€¦Ra synovial recombinant monoclonal antibodies from single b cells target citrullinated calreticulin. , 2017, , .		0
114	Feasibility randomised multicentre, double-blind, double-dummy controlled trial of anakinra, an interleukin-1 receptor antagonist versus intramuscular methylprednisolone for acute gout attacks in patients with chronic kidney disease (ASGARD): protocol study. <i>BMJ Open</i> , 2017, 7, e017121.	0.8	9
115	01.09â€¦Myeloid cells drive early inflammation and orchestrate salivary glands tertiary lymphoid structures formation in a model of inducible sialadenitis. , 2017, , .		0
116	Anti-TNF-alpha agents and endothelial function in rheumatoid arthritis: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2017, 7, 5346.	1.6	62
117	Resolution of inflammation by interleukin-9-producing type 2 innate lymphoid cells. <i>Nature Medicine</i> , 2017, 23, 938-944.	15.2	223
118	The Relationship Between Synovial Pathobiology and Magnetic Resonance Imaging Abnormalities in Rheumatoid Arthritis: A Systematic Review. <i>Journal of Rheumatology</i> , 2017, 44, 1311-1324.	1.0	11
119	ADAM10-Mediated ICOS Ligand Shedding on B Cells Is Necessary for Proper T Cell ICOS Regulation and T Follicular Helper Responses. <i>Journal of Immunology</i> , 2017, 199, 2305-2315.	0.4	32
120	Generation and characterisation of <i>Porphyromonas gingivalis</i> mutant lacking peptidylarginine deiminase activity. <i>Journal of Oral Microbiology</i> , 2017, 9, 1325258.	1.2	0
121	Targeted therapies: what they teach us about the pathogenesis of psoriasis and psoriatic arthritis. <i>Expert Review of Clinical Immunology</i> , 2017, 13, 207-222.	1.3	5
122	Lactate at the crossroads of metabolism, inflammation, and autoimmunity. <i>European Journal of Immunology</i> , 2017, 47, 14-21.	1.6	145
123	Stratified medicine in rheumatoid arthritisâ€”the MATURA programme. <i>Rheumatology</i> , 2017, 56, 1247-1250.	0.9	22
124	Can Synovial Pathobiology Integrate with Current Clinical and Imaging Prediction Models to Achieve Personalized Health Care in Rheumatoid Arthritis?. <i>Frontiers in Medicine</i> , 2017, 4, 41.	1.2	14
125	Isolation and Characterization of Mouse and Human Follicular Dendritic Cells. <i>Methods in Molecular Biology</i> , 2017, 1623, 113-123.	0.4	4
126	Ectopic Lymphoid Structures: Powerhouse of Autoimmunity. <i>Frontiers in Immunology</i> , 2016, 7, 430.	2.2	121

#	ARTICLE	IF	CITATIONS
127	Ultrasound of the salivary glands is a strong predictor of labial gland biopsy histopathology in patients with sicca symptoms. <i>Journal of Oral Pathology and Medicine</i> , 2016, 45, 450-454.	1.4	42
128	Single cell cloning and recombinant monoclonal antibodies generation from RA synovial B cells reveal frequent targeting of citrullinated histones of NETs. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1866-1875.	0.5	176
129	Fatigue in primary Sjögren's syndrome is associated with lower levels of proinflammatory cytokines. <i>RMD Open</i> , 2016, 2, e000282.	1.8	77
130	Tumour necrosis factor inhibition versus rituximab for patients with rheumatoid arthritis who require biological treatment (ORBIT): an open-label, randomised controlled, non-inferiority, trial. <i>Lancet</i> , The, 2016, 388, 239-247.	6.3	95
131	Reply. <i>Arthritis and Rheumatology</i> , 2016, 68, 769-770.	2.9	3
132	Evaluation of Minimally Invasive, Ultrasound-guided Synovial Biopsy Techniques by the OMERACT Filter "Determining Validation Requirements. <i>Journal of Rheumatology</i> , 2016, 43, 208-213.	1.0	30
133	Improved monitoring of clinical response in Systemic Lupus Erythematosus by longitudinal trend in soluble vascular cell adhesion molecule-1. <i>Arthritis Research and Therapy</i> , 2016, 18, 5.	1.6	22
134	Agrin mediates chondrocyte homeostasis and requires both LRP4 and β -dystroglycan to enhance cartilage formation in vitro and in vivo. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1228-1235.	0.5	46
135	Higher expression of TNF-induced genes in the synovium of patients with early rheumatoid arthritis correlates with disease activity, and predicts absence of response to first line therapy. <i>Arthritis Research and Therapy</i> , 2016, 18, 19.	1.6	39
136	Going with the flow: harnessing the power of the vasculature for targeted therapy in rheumatoid arthritis. <i>Drug Discovery Today</i> , 2016, 21, 172-179.	3.2	13
137	Ultrasound-guided synovial biopsy of the wrist does not alter subsequent clinical or ultrasound disease activity assessments: a prospective study for incorporation of imaging in clinical trials. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 802-807.	0.4	2
138	Rational Design of Antirheumatic Prodrugs Specific for Sites of Inflammation. <i>Arthritis and Rheumatology</i> , 2015, 67, 2661-2672.	2.9	18
139	Angiogenic gene expression and vascular density are reflected in ultrasonographic features of synovitis in early rheumatoid arthritis: an observational study. <i>Arthritis Research and Therapy</i> , 2015, 17, 58.	1.6	34
140	Ability of Interleukin-3 and Immune Complex-triggered Activation of Human Mast Cells to Down-regulate Monocyte-mediated Immune Responses. <i>Arthritis and Rheumatology</i> , 2015, 67, 2343-2353.	2.9	50
141	Use of Ultrasound-guided Small Joint Biopsy to Evaluate the Histopathologic Response to Rheumatoid Arthritis Therapy: Recommendations for Application to Clinical Trials. <i>Arthritis and Rheumatology</i> , 2015, 67, 2601-2610.	2.9	39
142	Lactate Regulates Metabolic and Pro-inflammatory Circuits in Control of T Cell Migration and Effector Functions. <i>PLoS Biology</i> , 2015, 13, e1002202.	2.6	489
143	IL-22 regulates lymphoid chemokine production and assembly of tertiary lymphoid organs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11024-11029.	3.3	173
144	Do the EULAR Sjogren's syndrome outcome measures correlate with health status in primary Sjogren's syndrome?. <i>Rheumatology</i> , 2015, 54, 655-659.	0.9	22

#	ARTICLE	IF	CITATIONS
145	Trojan horses and guided missiles: targeted therapies in the war on arthritis. <i>Nature Reviews Rheumatology</i> , 2015, 11, 328-337.	3.5	58
146	Hepatocyte Growth Factor Receptor c-Met Instructs T Cell Cardiotropism and Promotes T Cell Migration to the Heart via Autocrine Chemokine Release. <i>Immunity</i> , 2015, 42, 1087-1099.	6.6	85
147	A homeostatic function of CXCR2 signalling in articular cartilage. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 2207-2215.	0.5	62
148	Interleukin-27 inhibits ectopic lymphoid-like structure development in early inflammatory arthritis. <i>Journal of Experimental Medicine</i> , 2015, 212, 1793-1802.	4.2	88
149	Eligibility for clinical trials in primary Sjögren's syndrome: lessons from the UK Primary Sjögren's Syndrome Registry. <i>Rheumatology</i> , 2015, 55, rev373.	0.9	9
150	Neutrophil-derived microvesicles enter cartilage and protect the joint in inflammatory arthritis. <i>Science Translational Medicine</i> , 2015, 7, 315ra190.	5.8	256
151	A Transcriptional Signature of Fatigue Derived from Patients with Primary Sjögren's Syndrome. <i>PLoS ONE</i> , 2015, 10, e0143970.	1.1	45
152	Towards a Stratified Targeted Approach with Biologic Treatments in Rheumatoid Arthritis: Role of Synovial Pathobiology. <i>Current Pharmaceutical Design</i> , 2015, 21, 2216-2224.	0.9	36
153	Synovial heterogeneity in rheumatoid arthritis: the key for rational patient stratification?. <i>Acta Reumatológica Portuguesa</i> , 2015, 40, 6-8.	0.2	5
154	Efficacy and safety of olokizumab in patients with rheumatoid arthritis with an inadequate response to TNF inhibitor therapy: outcomes of a randomised Phase IIb study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1607-1615.	0.5	125
155	Implication of Epstein-Barr Virus Infection in Disease-Specific Autoreactive B Cell Activation in Ectopic Lymphoid Structures of Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2014, 66, 2545-2557.	2.9	122
156	The TRACTISS Protocol: a randomised double blind placebo controlled clinical Trial of Anti-B-Cell Therapy In patients with primary Sjögren's Syndrome. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 21.	0.8	43
157	EBV and other viruses as triggers of tertiary lymphoid structures in primary Sjögren's syndrome. <i>Expert Review of Clinical Immunology</i> , 2014, 10, 445-455.	1.3	30
158	High expression levels of the B cell chemoattractant CXCL13 in rheumatoid synovium are a marker of severe disease. <i>Rheumatology</i> , 2014, 53, 1886-1895.	0.9	63
159	Health-related utility values of patients with primary Sjögren's syndrome and its predictors. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1362-1368.	0.5	87
160	Peripheral and synovial mechanisms of humoral autoimmunity in rheumatoid arthritis. <i>Drug Discovery Today</i> , 2014, 19, 1161-1165.	3.2	10
161	Resolution of inflammation: examples of peptidergic players and pathways. <i>Drug Discovery Today</i> , 2014, 19, 1166-1171.	3.2	9
162	Ectopic lymphoid-like structures in infection, cancer and autoimmunity. <i>Nature Reviews Immunology</i> , 2014, 14, 447-462.	10.6	529

#	ARTICLE	IF	CITATIONS
163	Pathogenesis of rheumatoid arthritis: from systemic autoimmunity to localised joint disease. <i>Drug Discovery Today</i> , 2014, 19, 1152-1154.	3.2	5
164	A1.31â€¦Monoclonal antibodies from CD19⁺ synovial B cells of RA patients with tertiary lymphoid structures display a strong immunoreactivity towards citrullinated histones from neutrophils NETs. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A13.1-A13.	0.5	0
165	Accumulation of Self-Reactive Naïve and Memory B Cell Reveals Sequential Defects in B Cell Tolerance Checkpoints in Sjögren's Syndrome. <i>PLoS ONE</i> , 2014, 9, e114575.	1.1	33
166	A novel mechanism for protecting the arthritic joint: microparticles deliver Annexin A1 into cartilage (146.8). <i>FASEB Journal</i> , 2014, 28, 146.8.	0.2	1
167	Epstein-Barr virus persistence and infection of autoreactive plasma cells in synovial lymphoid structures in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1559-1568.	0.5	100
168	Targeted delivery of cytokine therapy to rheumatoid tissue by a synovial targeting peptide. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 129-135.	0.5	34
169	New learnings on the pathophysiology of RA from synovial biopsies. <i>Current Opinion in Rheumatology</i> , 2013, 25, 334-344.	2.0	189
170	Curbing Inflammation through Endogenous Pathways: Focus on Melanocortin Peptides. <i>International Journal of Inflammation</i> , 2013, 2013, 1-10.	0.9	30
171	Multi-therapeutic potential of autoantibodies induced by immune complexes trapped on follicular dendritic cells. <i>Human Vaccines and Immunotherapeutics</i> , 2013, 9, 2434-2444.	1.4	0
172	A5.2â€¦Accumulation of Circulating Autoreactive Naïve B Cells Reveal Defects of Early B Cell Tolerance Checkpoints in Patients with Sjögren's Syndrome. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A30.2-A31.	0.5	0
173	Activation of Melanocortin Receptor 3 as a new strategy to control experimental and rheumatoid arthritis. <i>FASEB Journal</i> , 2013, 27, 648.8.	0.2	0
174	Isoform-selective induction of human p110Î³ PI3K expression by TNFÎ±: identification of a new and inducible PIK3CD promoter. <i>Biochemical Journal</i> , 2012, 443, 857-867.	1.7	50
175	Follicular dendritic cells in health and disease. <i>Frontiers in Immunology</i> , 2012, 3, 292.	2.2	65
176	Failure to Control Progression of Rheumatoid Arthritis After a Decade of Biologic Therapy. <i>Journal of Rheumatology</i> , 2012, 39, 2049-2050.	1.0	0
177	The impact of endogenous annexin A1 on glucocorticoid control of inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1872-1880.	0.5	67
178	Inducible Tertiary Lymphoid Structures, Autoimmunity, and Exocrine Dysfunction in a Novel Model of Salivary Gland Inflammation in C57BL/6 Mice. <i>Journal of Immunology</i> , 2012, 189, 3767-3776.	0.4	103
179	Autonomic symptoms are common and are associated with overall symptom burden and disease activity in primary Sjögren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1973-1979.	0.5	57
180	Ectopic Lymphoid Neogenesis and Lymphoid Chemokines in Sjögren's Syndrome: At the Interplay between Chronic Inflammation, Autoimmunity and Lymphomagenesis. <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 1989-1996.	0.9	45

#	ARTICLE	IF	CITATIONS
181	Regulation of auto-antibody production by persisting auto-immune complexes on follicular dendritic cells. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A38.1-A38.	0.5	0
182	Role of lymphoid chemokines in the development of functional ectopic lymphoid structures in rheumatic autoimmune diseases. <i>Immunology Letters</i> , 2012, 145, 62-67.	1.1	79
183	Treatment of experimental arthritis by targeting synovial endothelium with a neutralizing recombinant antibody to C5. <i>Arthritis and Rheumatism</i> , 2012, 64, 2559-2567.	6.7	39
184	Introduction to "Synovitis - an inflammation of joints destroying the bone". <i>Swiss Medical Weekly</i> , 2012, 142, w13712.	0.8	0
185	Synovial Tissue Analysis for the Discovery of Diagnostic and Prognostic Biomarkers in Patients with Early Arthritis: Table 1.. <i>Journal of Rheumatology</i> , 2011, 38, 2068-2072.	1.0	33
186	Targeted delivery of anti-inflammatory therapy to rheumatoid tissue by fusion proteins containing an IL-4-linked synovial targeting peptide. <i>Nature Precedings</i> , 2011, , .	0.1	0
187	Synovial Tissue Heterogeneity and Peripheral Blood Biomarkers. <i>Current Rheumatology Reports</i> , 2011, 13, 440-448.	2.1	38
188	TSG β inhibits osteoclast activity via an autocrine mechanism and is functionally synergistic with osteoprotegerin. <i>Arthritis and Rheumatism</i> , 2011, 63, 1034-1043.	6.7	46
189	Development of a novel recombinant biotherapeutic with applications in targeted therapy of human arthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 3758-3767.	6.7	13
190	Breakage of B cell tolerance by antigens on follicular dendritic cells. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A57-A57.	0.5	0
191	Evaluating antirheumatic treatments using synovial biopsy: a recommendation for standardisation to be used in clinical trials. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 423-427.	0.5	101
192	B cell distribution and activation-induced cytidine deaminase expression in rheumatoid synovitis: clinical and bio-molecular correlates. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A55-A55.	0.5	3
193	WNT-3A modulates articular chondrocyte phenotype by activating both canonical and noncanonical pathways. <i>Journal of Cell Biology</i> , 2011, 193, 551-564.	2.3	175
194	A BAFF/APRIL-dependent TLR3-stimulated pathway enhances the capacity of rheumatoid synovial fibroblasts to induce AID expression and Ig class-switching in B cells. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1857-1865.	0.5	105
195	Markedly increased IL-18 liver expression in adult-onset Still's disease-related hepatitis. <i>Rheumatology</i> , 2011, 50, 776-780.	0.9	58
196	Secondary and ectopic lymphoid tissue responses in rheumatoid arthritis: from inflammation to autoimmunity and tissue damage/remodeling. <i>Immunological Reviews</i> , 2010, 233, 267-285.	2.8	127
197	Anti-inflammatory and antiosteoclastogenesis properties of endogenous melanocortin receptor type 3 in experimental arthritis. <i>FASEB Journal</i> , 2010, 24, 4835-4843.	0.2	45
198	Over-expression of paneth cell-derived anti-microbial peptides in the gut of patients with ankylosing spondylitis and subclinical intestinal inflammation. <i>Rheumatology</i> , 2010, 49, 2076-2083.	0.9	43

#	ARTICLE	IF	CITATIONS
199	Evolution of Ectopic Lymphoid Neogenesis and In Situ Autoantibody Production in Autoimmune Nonobese Diabetic Mice: Cellular and Molecular Characterization of Tertiary Lymphoid Structures in Pancreatic Islets. <i>Journal of Immunology</i> , 2010, 185, 3359-3368.	0.4	70
200	Biomarkers in Psoriasis and Psoriatic Arthritis: GRAPPA 2008. <i>Journal of Rheumatology</i> , 2010, 37, 462-467.	1.0	18
201	Acute Serum Amyloid A Induces Migration, Angiogenesis, and Inflammation in Synovial Cells In Vitro and in a Human Rheumatoid Arthritis/SCID Mouse Chimera Model. <i>Journal of Immunology</i> , 2010, 184, 6427-6437.	0.4	92
202	Anti-inflammatory and antiosteoclastogenesis properties of endogenous melanocortin receptor type 3 in experimental arthritis. <i>FASEB Journal</i> , 2010, 24, 4835-4843.	0.2	6
203	Ectopic Lymphoid Structures Support Ongoing Production of Class-Switched Autoantibodies in Rheumatoid Synovium. <i>PLoS Medicine</i> , 2009, 6, e1.	3.9	443
204	In vivo activated monocytes from the site of inflammation in humans specifically promote Th17 responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 6232-6237.	3.3	174
205	A novel model for the pre-clinical imaging of inflamed human synovial vasculature. <i>Rheumatology</i> , 2009, 48, 926-931.	0.9	18
206	Laminar Shear Stress Regulates Endothelial Kinin B1 Receptor Expression and Function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1757-1763.	1.1	23
207	Junctional Adhesion Molecule-C Mediates Leukocyte Infiltration in Response to Ischemia Reperfusion Injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1509-1515.	1.1	57
208	Overexpression of interleukin-23, but not interleukin-17, as an immunologic signature of subclinical intestinal inflammation in ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2009, 60, 955-965.	6.7	215
209	Basic Synovial Biology and Immunopathology in Psoriatic Arthritis. <i>Journal of rheumatology Supplement, The</i> , 2009, 83, 14-16.	2.2	20
210	Effect of soluble JAM-C on leukocyte transmigration in models of ischemia/reperfusion injury. <i>FASEB Journal</i> , 2009, 23, 360.3.	0.2	0
211	A biomarker-based mathematical model to predict bone-forming potency of human synovial and periosteal mesenchymal stem cells. <i>Arthritis and Rheumatism</i> , 2008, 58, 240-250.	6.7	116
212	Identification of the molecular response of articular cartilage to injury, by microarray screening: Wnt16 expression and signaling after injury and in osteoarthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 1410-1421.	6.7	181
213	Mature antigen-experienced T helper cells synthesize and secrete the B cell chemoattractant CXCL13 in the inflammatory environment of the rheumatoid joint. <i>Arthritis and Rheumatism</i> , 2008, 58, 3377-3387.	6.7	124
214	Response to Comment on "Activation-Induced Cytidine Deaminase Expression in Follicular Dendritic Cell Networks and Interfollicular Large B Cells Supports Functionality of Ectopic Lymphoid Neogenesis in Autoimmune Sialoadenitis and MALT Lymphoma in Sjögren's Syndrome"; <i>Journal of Immunology</i> , 2008, 180, 2008-2009.	0.4	0
215	CXCL13, CCL21, and CXCL12 Expression in Salivary Glands of Patients with Sjögren's Syndrome and MALT Lymphoma: Association with Reactive and Malignant Areas of Lymphoid Organization. <i>Journal of Immunology</i> , 2008, 180, 5130-5140.	0.4	172
216	Ultrasound imaging in spondyloarthropathies: from imaging to diagnostic intervention. <i>Current Opinion in Rheumatology</i> , 2008, 20, 408-415.	2.0	5

#	ARTICLE	IF	CITATIONS
217	Resistance to Rituximab Therapy and Local BAFF Overexpression in Sjogren's Syndrome-Related Myoepithelial Sialadenitis and Low-Grade Parotid B-Cell Lymphoma. <i>Open Rheumatology Journal</i> , 2008, 2, 38-43.	0.1	60
218	CCL21 Expression Pattern of Human Secondary Lymphoid Organ Stroma Is Conserved in Inflammatory Lesions with Lymphoid Neogenesis. <i>American Journal of Pathology</i> , 2007, 171, 1549-1562.	1.9	94
219	Immunohistological assessment of the synovial tissue in small joints in rheumatoid arthritis: validation of a minimally invasive ultrasound-guided synovial biopsy procedure. <i>Arthritis Research and Therapy</i> , 2007, 9, R101.	1.6	63
220	Activation-Induced Cytidine Deaminase Expression in Follicular Dendritic Cell Networks and Interfollicular Large B Cells Supports Functionality of Ectopic Lymphoid Neogenesis in Autoimmune Sialoadenitis and MALT Lymphoma in Sjögren's Syndrome. <i>Journal of Immunology</i> , 2007, 179, 4929-4938.	0.4	193
221	In Vivo Phage Display Selection in the Human/SCID Mouse Chimera Model for Defining Synovial Specific Determinants. <i>Methods in Molecular Medicine</i> , 2007, 136, 369-394.	0.8	5
222	Interleukin-18 as a potential therapeutic target in chronic autoimmune/inflammatory conditions. <i>Expert Opinion on Biological Therapy</i> , 2007, 7, 31-40.	1.4	32
223	The synovial membrane as a prognostic tool in rheumatoid arthritis. <i>Autoimmunity Reviews</i> , 2007, 6, 248-252.	2.5	16
224	Lymphoid tissue reactions in rheumatoid arthritis. <i>Autoimmunity Reviews</i> , 2007, 7, 30-34.	2.5	28
225	Joint Tissue Engineering. , 2007, , 107-123.		2
226	Activation of WNT and BMP signaling in adult human articular cartilage following mechanical injury. <i>Arthritis Research and Therapy</i> , 2006, 8, R139.	1.6	139
227	Targeting the stromal microenvironment in chronic inflammation. <i>Current Opinion in Pharmacology</i> , 2006, 6, 393-400.	1.7	36
228	From ubiquitous antigens to joint-specific inflammation: could local vascular permeability be the missing link?. <i>Trends in Immunology</i> , 2006, 27, 299-302.	2.9	4
229	The stem cell niche: a new target in medicine. <i>Current Opinion in Orthopaedics</i> , 2006, 17, 398-404.	0.3	8
230	Targeting the inflamed synovium: The quest for specificity. <i>Arthritis and Rheumatism</i> , 2006, 54, 1055-1060.	6.7	28
231	Mesenchymal multipotency of adult human periosteal cells demonstrated by single-cell lineage analysis. <i>Arthritis and Rheumatism</i> , 2006, 54, 1209-1221.	6.7	377
232	Reparative medicine: from tissue engineering to joint surface regeneration. <i>Regenerative Medicine</i> , 2006, 1, 59-69.	0.8	15
233	Atorvastatin Fails to Prevent the Development of Autoimmune Diabetes Despite Inhibition of Pathogenic β -Cell-Specific CD8 T-Cells. <i>Diabetes</i> , 2006, 55, 1004-1010.	0.3	20
234	Chemokines in arthritis: key molecules in pathogenesis and potential therapeutic targets. <i>Future Rheumatology</i> , 2006, 1, 53-65.	0.2	2

#	ARTICLE	IF	CITATIONS
235	The role of substance P in microvascular responses in murine joint inflammation. <i>British Journal of Pharmacology</i> , 2005, 144, 1059-1066.	2.7	36
236	Systematic microanatomical analysis of CXCL13 and CCL21 in situ production and progressive lymphoid organization in rheumatoid synovitis. <i>European Journal of Immunology</i> , 2005, 35, 1347-1359.	1.6	232
237	Involvement of subchondral bone marrow in rheumatoid arthritis: Lymphoid neogenesis and in situ relationship to subchondral bone marrow osteoclast recruitment. <i>Arthritis and Rheumatism</i> , 2005, 52, 3448-3459.	6.7	93
238	Recent advances in the treatment of psoriatic arthritis. <i>Expert Opinion on Therapeutic Patents</i> , 2004, 14, 509-525.	2.4	1
239	Increased circulating levels and salivary gland expression of interleukin-18 in patients with Sjögren's syndrome: relationship with autoantibody production and lymphoid organization of the periductal inflammatory infiltrate. <i>Arthritis Research</i> , 2004, 6, R447.	2.0	106
240	Isolating ligands specific for human vasculature using in vivo phage selection. <i>Trends in Biotechnology</i> , 2003, 21, 199-203.	4.9	25
241	Annexin 1 Modulates Monocyte-Endothelial Cell Interaction In Vitro and Cell Migration In Vivo in the Human SCID Mouse Transplantation Model. <i>Journal of Immunology</i> , 2002, 169, 2085-2092.	0.4	37
242	Stromal Cell-Derived Factor 1 (CXCL12) Induces Human Cell Migration into Human Lymph Nodes Transplanted into SCID Mice. <i>Journal of Immunology</i> , 2002, 168, 4308-4317.	0.4	48
243	Identification of synovium-specific homing peptides by in vivo phage display selection. <i>Arthritis and Rheumatism</i> , 2002, 46, 2109-2120.	6.7	67
244	Regulation of Leukocyte-Endothelial Interactions by Glucocorticoids. <i>Annals of the New York Academy of Sciences</i> , 2002, 966, 108-118.	1.8	124
245	Role of CD30+ T cells in rheumatoid arthritis: a counter-regulatory paradigm for Th1-driven diseases. <i>Trends in Immunology</i> , 2001, 22, 72-77.	2.9	76
246	PATHOGENESIS OF RHEUMATOID ARTHRITIS. <i>Rheumatic Disease Clinics of North America</i> , 2001, 27, 317-334.	0.8	96
247	The glucocorticoid inhibition of LFA-1 and CD2 expression by human mononuclear cells is reversed by IL-2, IL-7 and IL-15. <i>European Journal of Immunology</i> , 2001, 31, 2135-2142.	1.6	15
248	The glucocorticoid inhibition of LFA-1 and CD2 expression by human mononuclear cells is reversed by IL-2, IL-7 and IL-15. , 2001, 31, 2135.		1
249	Glucocorticoids and leukocyte adhesion. , 2001, , 105-118.		2
250	CD30+ T Cells in Rheumatoid Synovitis: Mechanisms of Recruitment and Functional Role. <i>Journal of Immunology</i> , 2000, 164, 4399-4407.	0.4	71
251	THE VASCULAR ENDOTHELIAL SYSTEM IN THE PATHOGENESIS OF INFLAMMATION AND SYSTEMIC RHEUMATIC DISEASES: RELATION TO THE NEUROENDOCRINE SYSTEM. <i>Rheumatic Disease Clinics of North America</i> , 2000, 26, 765-773.	0.8	6
252	Modulation of cellular annexin I in human leukocytes infiltrating DTH skin reactions. <i>Journal of Leukocyte Biology</i> , 1999, 65, 583-589.	1.5	28

#	ARTICLE	IF	CITATIONS
253	Percentage of anti-CD4 monoclonal antibody-coated lymphocytes in the rheumatoid joint is associated with clinical improvement. Implications for the development of immunotherapeutic dosing regimens. <i>Arthritis and Rheumatism</i> , 1996, 39, 52-56.	6.7	67
254	Cutaneous lymphocyte antigen-positive T lymphocytes preferentially migrate to the skin but not to the joint in psoriatic arthritis. <i>Arthritis and Rheumatism</i> , 1996, 39, 137-145.	6.7	114
255	Cellular immune mechanisms in rheumatoid arthritis and other inflammatory arthritides. <i>Current Opinion in Immunology</i> , 1993, 5, 918-924.	2.4	11
256	Selective migration of the human helper-inducer memory T cell subset: confirmation by in vivo cellular kinetic studies. <i>European Journal of Immunology</i> , 1991, 21, 369-376.	1.6	101
257	Synovial T lymphocyte-specific immune response to <i>Chlamydia trachomatis</i> in Reiter's disease. <i>Arthritis and Rheumatism</i> , 1991, 34, 588-598.	6.7	85
258	Comment on the article by Lasky et al. <i>Arthritis and Rheumatism</i> , 1989, 32, 116-117.	6.7	0
259	The preferential accumulation of helper-inducer T lymphocytes in inflammatory lesions: evidence for regulation by selective endothelial and homotypic adhesion. <i>European Journal of Immunology</i> , 1988, 18, 1397-1404.	1.6	237
260	Abnormal distribution of the helper-inducer and suppressor-inducer T-lymphocyte subsets in the rheumatoid joint. <i>Clinical Immunology and Immunopathology</i> , 1987, 45, 252-258.	2.1	154