Lonneke I M Lenferink

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7817419/publications.pdf

Version: 2024-02-01

60 papers 1,453 citations

394421 19 h-index 395702 33 g-index

66 all docs 66
docs citations

66 times ranked 1102 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Prolonged grief disorder following the Coronavirus (COVID-19) pandemic. Psychiatry Research, 2020, 288, 113031. | 3.3 | 167 |
| 2 | Trajectories of grief, depression, and posttraumatic stress in disasterâ€bereaved people. Depression and Anxiety, 2020, 37, 35-44. | 4.1 | 83 |
| 3 | Further validation of the Traumatic Grief Inventory-Self Report (TGI-SR): A measure of persistent complex bereavement disorder and prolonged grief disorder. Death Studies, 2019, 43, 351-364. | 2.7 | 76 |
| 4 | Prolonged grief, depression, and posttraumatic stress in disaster-bereaved individuals: latent class analysis. HA¶gre Utbildning, 2017, 8, 1298311. | 3.0 | 65 |
| 5 | Evaluation of the factor structure, prevalence, and validity of disturbed grief in DSM-5 and ICD-11. Journal of Affective Disorders, 2018, 240, 79-87. | 4.1 | 64 |
| 6 | Symptoms of prolonged grief, posttraumatic stress, and depression in recently bereaved people: symptom profiles, predictive value, and cognitive behavioural correlates. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 765-777. | 3.1 | 60 |
| 7 | Valid measurement of DSM-5 persistent complex bereavement disorder and DSM-5-TR and ICD-11 prolonged grief disorder: The Traumatic Grief Inventory-Self Report Plus (TGI-SR+). Comprehensive Psychiatry, 2022, 112, 152281. | 3.1 | 58 |
| 8 | The importance of harmonising diagnostic criteria sets for pathological grief. British Journal of Psychiatry, 2021, 219, 473-476. | 2.8 | 48 |
| 9 | Comparison of six proposed diagnostic criteria sets for disturbed grief. Psychiatry Research, 2020, 285, 112786. | 3.3 | 43 |
| 10 | Complicated grief and post-traumatic stress symptom profiles in bereaved earthquake survivors: a latent class analysis. HA¶gre Utbildning, 2019, 10, 1558707. | 3.0 | 40 |
| 11 | Further evaluation of the factor structure, prevalence, and concurrent validity of DSM-5 criteria for Persistent Complex Bereavement Disorder and ICD-11 criteria for Prolonged Grief Disorder. Psychiatry Research, 2019, 273, 206-210. | 3.3 | 40 |
| 12 | No pain, no gain: cross-lagged analyses of posttraumatic growth and anxiety, depression, posttraumatic stress and prolonged grief symptoms after loss. Anxiety, Stress and Coping, 2019, 32, 231-243. | 2.9 | 38 |
| 13 | PTSD treatment in times of COVID-19: A systematic review of the effects of online EMDR. Psychiatry Research, 2020, 293, 113438. | 3.3 | 35 |
| 14 | Prolonged grief disorder in section II of DSM-5: a commentary. Högre Utbildning, 2020, 11, 1771008. | 3.0 | 32 |
| 15 | Grief rumination mediates the association between self-compassion and psychopathology in relatives of missing persons. Högre Utbildning, 2017, 8, 1378052. | 3.0 | 30 |
| 16 | Toward a Better Understanding of Psychological Symptoms in People Confronted With the Disappearance of a Loved One: A Systematic Review. Trauma, Violence, and Abuse, 2019, 20, 287-302. | 6.2 | 29 |
| 17 | Comparison of DSM-5 criteria for persistent complex bereavement disorder and ICD-11 criteria for prolonged grief disorder in help-seeking bereaved children. Journal of Affective Disorders, 2019, 250, 71-78. | 4.1 | 27 |
| 18 | Risk and protective factors, stressors, and symptoms of adjustment disorder during the COVID-19 pandemic – First results of the ESTSS COVID-19 pan-European ADJUST study. H¶gre Utbildning, 2021, 12, 1964197. | 3.0 | 27 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Identifying key domains of health-related quality of life for patients with Chronic Obstructive Pulmonary Disease: the patient perspective. Health and Quality of Life Outcomes, 2014, 12, 106. | 2.4 | 26 |
| 20 | CBT for Prolonged Grief in Children and Adolescents: A Randomized Clinical Trial. American Journal of Psychiatry, 2021, 178, 294-304. | 7.2 | 26 |
| 21 | Prolonged grief disorder in DSM-5-TR: Early predictors and longitudinal measurement invariance. Australian and New Zealand Journal of Psychiatry, 2022, 56, 667-674. | 2.3 | 26 |
| 22 | Patterns, Predictors, and Prognostic Validity of Persistent Complex Bereavement Disorder Symptoms in Recently Bereaved Adults. Journal of Nervous and Mental Disease, 2019, 207, 913-920. | 1.0 | 25 |
| 23 | DSM-5-TR prolonged grief disorder and DSM-5 posttraumatic stress disorder are related, yet distinct: confirmatory factor analyses in traumatically bereaved people. Högre Utbildning, 2021, 12, 1-14. | 3.0 | 22 |
| 24 | Remotely Delivered Cognitive Behavior Therapy for Disturbed Grief During the COVID-19 Crisis: Challenges and Opportunities. Journal of Loss and Trauma, 2021, 26, 211-219. | 1.5 | 21 |
| 25 | Prolonged grief and post-traumatic stress among relatives of missing persons and homicidally bereaved individuals: A comparative study. Journal of Affective Disorders, 2017, 209, 1-2. | 4.1 | 20 |
| 26 | Reciprocal Associations Among Symptom Levels of Disturbed Grief, Posttraumatic Stress, and Depression Following Traumatic Loss: A Four-Wave Cross-Lagged Study. Clinical Psychological Science, 2019, 7, 1330-1339. | 4.0 | 20 |
| 27 | Treatment gap in bereavement care: (Online) bereavement support needs and use after traumatic loss. Clinical Psychology and Psychotherapy, 2021, 28, 907-916. | 2.7 | 19 |
| 28 | Experiential acceptance and traitâ€mindfulness as predictors of analogue postâ€traumatic stress. Psychology and Psychotherapy: Theory, Research and Practice, 2018, 91, 1-14. | 2.5 | 18 |
| 29 | Course and predictors of posttraumatic stress and depression longitudinal symptom profiles in refugees: A latent transition model. Journal of Psychiatric Research, 2022, 146, 1-10. | 3.1 | 18 |
| 30 | Latent class analysis of indicators of intolerance of uncertainty. Scandinavian Journal of Psychology, 2018, 59, 243-251. | 1.5 | 15 |
| 31 | Exploration of the Associations Between Responses to Affective States and Psychopathology in Two Samples of People Confronted With the Loss of a Loved One. Journal of Nervous and Mental Disease, 2018, 206, 108-115. | 1.0 | 14 |
| 32 | Content overlap analyses of ICD-11 and DSM-5 prolonged grief disorder and prior criteria-sets. HÃ \P gre Utbildning, 2022, 13, 2011691. | 3.0 | 13 |
| 33 | Prolonged grief and depression: A latent class analysis. Psychiatry Research, 2021, 299, 113864. | 3.3 | 12 |
| 34 | 37,650 ways to have "persistent complex bereavement disorder―yet only 48 ways to have "prolonged grief disorder― Psychiatry Research, 2018, 261, 88-89. | 3.3 | 11 |
| 35 | Cognitive-Behavioral Correlates of Psychological Symptoms Among Relatives of Missing Persons. International Journal of Cognitive Therapy, 2018, 11, 311-324. | 2.2 | 11 |
| 36 | Cognitive behavioural therapy and mindfulness for relatives of missing persons: a pilot study. Pilot and Feasibility Studies, 2019, 5, 93. | 1.2 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Online cognitive–behavioural therapy for traumatically bereaved people: study protocol for a randomised waitlist-controlled trial. BMJ Open, 2020, 10, e035050. | 1.9 | 11 |
| 38 | Online treatment of persistent complex bereavement disorder, posttraumatic stress disorder, and depression symptoms in people who lost loved ones during the COVID-19 pandemic: study protocol for a randomized controlled trial and a controlled trial. Högre Utbildning, 2021, 12, 1987687. | 3.0 | 11 |
| 39 | Response to: Prolonged grief disorder for ICD-11: the primacy of clinical utility and international applicability. Högre Utbildning, 2017, 8, 1512249. | 3.0 | 10 |
| 40 | Wish you were here: The Dutch, German, and English Yearning in Situations of Loss Short Form. Journal of Clinical Psychology, 2020, 76, 1995-2014. | 1.9 | 10 |
| 41 | Associations of depressive rumination and positive affect regulation with emotional distress after the death of a loved one. Clinical Psychology and Psychotherapy, 2020, 27, 955-964. | 2.7 | 10 |
| 42 | The COPD-SIB: a newly developed disease-specific item bank to measure health-related quality of life in patients with chronic obstructive pulmonary disease. Health and Quality of Life Outcomes, 2016, 14, 97. | 2.4 | 9 |
| 43 | Cognitive behavioural therapy for psychopathology in relatives of missing persons: study protocol for a pilot randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, 19. | 1.2 | 9 |
| 44 | Cognitive therapy and eye movement desensitization and reprocessing for reducing psychopathology among disaster-bereaved individuals: study protocol for a randomized controlled trial. H¶gre Utbildning, 2017, 8, 1388710. | 3.0 | 9 |
| 45 | l've changed, but l'm not less happy: Interview study among nonclinical relatives of long-term missing persons. Death Studies, 2018, 42, 346-355. | 2.7 | 9 |
| 46 | Identifying key domains of health-related quality of life for patients with chronic obstructive pulmonary disease: interviews with healthcare professionals. Quality of Life Research, 2015, 24, 1351-1367. | 3.1 | 8 |
| 47 | Media experiences and associations with mental health among the bereaved of the <scp>MH</scp> 17â€disaster: A latent profile analysis. Scandinavian Journal of Psychology, 2018, 59, 281-288. | 1.5 | 8 |
| 48 | Rapid Systematic Review of Psychological Symptoms in Health Care Workers COVID-19. Journal of Loss and Trauma, 2021, 26, 638-655. | 1.5 | 7 |
| 49 | Latent classes of posttraumatic stress symptoms in two samples of bereaved people International Journal of Stress Management, 2019, 26, 401-410. | 1.2 | 7 |
| 50 | Latent classes of DSM-5 acute stress disorder symptoms in children after single-incident trauma: findings from an international data archive. Högre Utbildning, 2020, 11, 1717156. | 3.0 | 6 |
| 51 | Psychopathology in a treatment-seeking sample of homicidally bereaved individuals: Latent class analysis. Journal of Affective Disorders, 2021, 292, 234-241. | 4.1 | 6 |
| 52 | Traumatic stress, depression, and non-bereavement grief following non-fatal traffic accidents: Symptom patterns and correlates. PLoS ONE, 2022, 17, e0264497. | 2.5 | 6 |
| 53 | A Latent Class Analysis on Symptoms of Prolonged Grief, Post-Traumatic Stress, and Depression Following the Loss of a Loved One. Frontiers in Psychiatry, 2022, 13, . | 2.6 | 6 |
| 54 | The ICDâ€11 and DSMâ€5â€TR prolonged grief criteria: Validation of the Traumatic Grief Inventoryâ€5elf Report Plus using exploratory factor analysis and item response theory. Clinical Psychology and Psychotherapy, 2022, 29, 1950-1962. | 2.7 | 6 |

| # | Article | IF | CITATION |
|----|---|-----|----------|
| 55 | Cognitive therapy and EMDR for reducing psychopathology in bereaved people after the MH17 plane crash: Findings from a randomized controlled trial Traumatology, 0, , . | 2.4 | 4 |
| 56 | Associations of dimensions of anger with distress following traumatic bereavement Psychological Trauma: Theory, Research, Practice, and Policy, 2024, 16, 176-183. | 2.1 | 4 |
| 57 | Reliability and Validity of the Dutch Translation of the Filial Maturity Measure in Informal Caregivers. Journal of Adult Development, 2015, 22, 138-147. | 1.4 | 3 |
| 58 | Predicting transitions between longitudinal classes of post-traumatic stress disorder, adjustment disorder and well-being during the COVID-19 pandemic: protocol of a latent transition model in a general Dutch sample. BMJ Open, 2022, 12, e055696. | 1.9 | 1 |
| 59 | AB0229â€Fatigue in Rheumatoid Arthritis Patients with Low Disease-Activity. Annals of the Rheumatic Diseases, 2014, 73, 879.2-879. | 0.9 | 0 |
| 60 | Concurrent associations of dimensions of anger with posttraumatic stress, depression, and functional impairment following non-fatal traffic accidents. European Journal of Psychotraumatology, 2022, 13, 2068912. | 2.5 | 0 |