

# Lonneke I M Lenferink

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7817419/publications.pdf>

Version: 2024-02-01

60  
papers

1,453  
citations

394286

19  
h-index

395590

33  
g-index

66  
all docs

66  
docs citations

66  
times ranked

1102  
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations of dimensions of anger with distress following traumatic bereavement.. Psychological Trauma: Theory, Research, Practice, and Policy, 2024, 16, 176-183.	1.4	4
2	Prolonged grief disorder in DSM-5-TR: Early predictors and longitudinal measurement invariance. Australian and New Zealand Journal of Psychiatry, 2022, 56, 667-674.	1.3	26
3	Valid measurement of DSM-5 persistent complex bereavement disorder and DSM-5-TR and ICD-11 prolonged grief disorder: The Traumatic Grief Inventory-Self Report Plus (TGI-SR+). Comprehensive Psychiatry, 2022, 112, 152281.	1.5	58
4	Course and predictors of posttraumatic stress and depression longitudinal symptom profiles in refugees: A latent transition model. Journal of Psychiatric Research, 2022, 146, 1-10.	1.5	18
5	Predicting transitions between longitudinal classes of post-traumatic stress disorder, adjustment disorder and well-being during the COVID-19 pandemic: protocol of a latent transition model in a general Dutch sample. BMJ Open, 2022, 12, e055696.	0.8	1
6	Content overlap analyses of ICD-11 and DSM-5 prolonged grief disorder and prior criteria-sets. HÅgre Utbildning, 2022, 13, 2011691.	1.4	13
7	Traumatic stress, depression, and non-bereavement grief following non-fatal traffic accidents: Symptom patterns and correlates. PLoS ONE, 2022, 17, e0264497.	1.1	6
8	Concurrent associations of dimensions of anger with posttraumatic stress, depression, and functional impairment following non-fatal traffic accidents. European Journal of Psychotraumatology, 2022, 13, 2068912.	0.9	0
9	A Latent Class Analysis on Symptoms of Prolonged Grief, Post-Traumatic Stress, and Depression Following the Loss of a Loved One. Frontiers in Psychiatry, 2022, 13, .	1.3	6
10	The ICD-11 and DSM-5-TR prolonged grief criteria: Validation of the Traumatic Grief Inventory-Self Report Plus using exploratory factor analysis and item response theory. Clinical Psychology and Psychotherapy, 2022, 29, 1950-1962.	1.4	6
11	The importance of harmonising diagnostic criteria sets for pathological grief. British Journal of Psychiatry, 2021, 219, 473-476.	1.7	48
12	Remotely Delivered Cognitive Behavior Therapy for Disturbed Grief During the COVID-19 Crisis: Challenges and Opportunities. Journal of Loss and Trauma, 2021, 26, 211-219.	0.9	21
13	Rapid Systematic Review of Psychological Symptoms in Health Care Workers COVID-19. Journal of Loss and Trauma, 2021, 26, 638-655.	0.9	7
14	Treatment gap in bereavement care: (Online) bereavement support needs and use after traumatic loss. Clinical Psychology and Psychotherapy, 2021, 28, 907-916.	1.4	19
15	CBT for Prolonged Grief in Children and Adolescents: A Randomized Clinical Trial. American Journal of Psychiatry, 2021, 178, 294-304.	4.0	26
16	Prolonged grief and depression: A latent class analysis. Psychiatry Research, 2021, 299, 113864.	1.7	12
17	Psychopathology in a treatment-seeking sample of homicidally bereaved individuals: Latent class analysis. Journal of Affective Disorders, 2021, 292, 234-241.	2.0	6
18	Risk and protective factors, stressors, and symptoms of adjustment disorder during the COVID-19 pandemic – First results of the ESTSS COVID-19 pan-European ADJUST study. HÅgre Utbildning, 2021, 12, 1964197.	1.4	27

#	ARTICLE	IF	CITATIONS
19	Online treatment of persistent complex bereavement disorder, posttraumatic stress disorder, and depression symptoms in people who lost loved ones during the COVID-19 pandemic: study protocol for a randomized controlled trial and a controlled trial. <i>HÅ¶gre Utbildning</i> , 2021, 12, 1987687.	1.4	11
20	DSM-5-TR prolonged grief disorder and DSM-5 posttraumatic stress disorder are related, yet distinct: confirmatory factor analyses in traumatically bereaved people. <i>HÅ¶gre Utbildning</i> , 2021, 12, 1-14.	1.4	22
21	Trajectories of grief, depression, and posttraumatic stress in disasterâ€bereaved people. <i>Depression and Anxiety</i> , 2020, 37, 35-44.	2.0	83
22	Symptoms of prolonged grief, posttraumatic stress, and depression in recently bereaved people: symptom profiles, predictive value, and cognitive behavioural correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 765-777.	1.6	60
23	Online cognitiveâ€behavioural therapy for traumatically bereaved people: study protocol for a randomised waitlist-controlled trial. <i>BMJ Open</i> , 2020, 10, e035050.	0.8	11
24	Prolonged grief disorder in section II of DSM-5: a commentary. <i>HÅ¶gre Utbildning</i> , 2020, 11, 1771008.	1.4	32
25	Wish you were here: The Dutch, German, and English Yearning in Situations of Loss Short Form. <i>Journal of Clinical Psychology</i> , 2020, 76, 1995-2014.	1.0	10
26	Associations of depressive rumination and positive affect regulation with emotional distress after the death of a loved one. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 955-964.	1.4	10
27	Latent classes of DSM-5 acute stress disorder symptoms in children after single-incident trauma: findings from an international data archive. <i>HÅ¶gre Utbildning</i> , 2020, 11, 1717156.	1.4	6
28	Prolonged grief disorder following the Coronavirus (COVID-19) pandemic. <i>Psychiatry Research</i> , 2020, 288, 113031.	1.7	167
29	Comparison of six proposed diagnostic criteria sets for disturbed grief. <i>Psychiatry Research</i> , 2020, 285, 112786.	1.7	43
30	PTSD treatment in times of COVID-19: A systematic review of the effects of online EMDR. <i>Psychiatry Research</i> , 2020, 293, 113438.	1.7	35
31	Cognitive behavioural therapy and mindfulness for relatives of missing persons: a pilot study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 93.	0.5	11
32	Reciprocal Associations Among Symptom Levels of Disturbed Grief, Posttraumatic Stress, and Depression Following Traumatic Loss: A Four-Wave Cross-Lagged Study. <i>Clinical Psychological Science</i> , 2019, 7, 1330-1339.	2.4	20
33	Complicated grief and post-traumatic stress symptom profiles in bereaved earthquake survivors: a latent class analysis. <i>HÅ¶gre Utbildning</i> , 2019, 10, 1558707.	1.4	40
34	No pain, no gain: cross-lagged analyses of posttraumatic growth and anxiety, depression, posttraumatic stress and prolonged grief symptoms after loss. <i>Anxiety, Stress and Coping</i> , 2019, 32, 231-243.	1.7	38
35	Comparison of DSM-5 criteria for persistent complex bereavement disorder and ICD-11 criteria for prolonged grief disorder in help-seeking bereaved children. <i>Journal of Affective Disorders</i> , 2019, 250, 71-78.	2.0	27
36	Patterns, Predictors, and Prognostic Validity of Persistent Complex Bereavement Disorder Symptoms in Recently Bereaved Adults. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 913-920.	0.5	25

#	ARTICLE	IF	CITATIONS
37	Further validation of the Traumatic Grief Inventory-Self Report (TGI-SR): A measure of persistent complex bereavement disorder and prolonged grief disorder. <i>Death Studies</i> , 2019, 43, 351-364.	1.8	76
38	Further evaluation of the factor structure, prevalence, and concurrent validity of DSM-5 criteria for Persistent Complex Bereavement Disorder and ICD-11 criteria for Prolonged Grief Disorder. <i>Psychiatry Research</i> , 2019, 273, 206-210.	1.7	40
39	Toward a Better Understanding of Psychological Symptoms in People Confronted With the Disappearance of a Loved One: A Systematic Review. <i>Trauma, Violence, and Abuse</i> , 2019, 20, 287-302.	3.9	29
40	Latent classes of posttraumatic stress symptoms in two samples of bereaved people.. <i>International Journal of Stress Management</i> , 2019, 26, 401-410.	0.9	7
41	Latent class analysis of indicators of intolerance of uncertainty. <i>Scandinavian Journal of Psychology</i> , 2018, 59, 243-251.	0.8	15
42	Media experiences and associations with mental health among the bereaved of the <sc>MH</sc> disaster: A latent profile analysis. <i>Scandinavian Journal of Psychology</i> , 2018, 59, 281-288.	0.8	8
43	37,650 ways to have "persistent complex bereavement disorder" yet only 48 ways to have "prolonged grief disorder". <i>Psychiatry Research</i> , 2018, 261, 88-89.	1.7	11
44	Exploration of the Associations Between Responses to Affective States and Psychopathology in Two Samples of People Confronted With the Loss of a Loved One. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 108-115.	0.5	14
45	Experiential acceptance and trait mindfulness as predictors of analogue post-traumatic stress. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018, 91, 1-14.	1.3	18
46	"I've changed, but I'm not less happy: Interview study among nonclinical relatives of long-term missing persons. <i>Death Studies</i> , 2018, 42, 346-355.	1.8	9
47	Cognitive-Behavioral Correlates of Psychological Symptoms Among Relatives of Missing Persons. <i>International Journal of Cognitive Therapy</i> , 2018, 11, 311-324.	1.3	11
48	Evaluation of the factor structure, prevalence, and validity of disturbed grief in DSM-5 and ICD-11. <i>Journal of Affective Disorders</i> , 2018, 240, 79-87.	2.0	64
49	Prolonged grief, depression, and posttraumatic stress in disaster-bereaved individuals: latent class analysis. <i>Hogrefe Utbildning</i> , 2017, 8, 1298311.	1.4	65
50	Cognitive therapy and eye movement desensitization and reprocessing for reducing psychopathology among disaster-bereaved individuals: study protocol for a randomized controlled trial. <i>Hogrefe Utbildning</i> , 2017, 8, 1388710.	1.4	9
51	Grief rumination mediates the association between self-compassion and psychopathology in relatives of missing persons. <i>Hogrefe Utbildning</i> , 2017, 8, 1378052.	1.4	30
52	Prolonged grief and post-traumatic stress among relatives of missing persons and homicidally bereaved individuals: A comparative study. <i>Journal of Affective Disorders</i> , 2017, 209, 1-2.	2.0	20
53	Response to: Prolonged grief disorder for ICD-11: the primacy of clinical utility and international applicability. <i>Hogrefe Utbildning</i> , 2017, 8, 1512249.	1.4	10
54	The COPD-SIB: a newly developed disease-specific item bank to measure health-related quality of life in patients with chronic obstructive pulmonary disease. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 97.	1.0	9

#	ARTICLE	IF	CITATIONS
55	Cognitive behavioural therapy for psychopathology in relatives of missing persons: study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 19.	0.5	9
56	Reliability and Validity of the Dutch Translation of the Filial Maturity Measure in Informal Caregivers. <i>Journal of Adult Development</i> , 2015, 22, 138-147.	0.8	3
57	Identifying key domains of health-related quality of life for patients with chronic obstructive pulmonary disease: interviews with healthcare professionals. <i>Quality of Life Research</i> , 2015, 24, 1351-1367.	1.5	8
58	AB0229â€¦Fatigue in Rheumatoid Arthritis Patients with Low Disease-Activity. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 879.2-879.	0.5	0
59	Identifying key domains of health-related quality of life for patients with Chronic Obstructive Pulmonary Disease: the patient perspective. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 106.	1.0	26
60	Cognitive therapy and EMDR for reducing psychopathology in bereaved people after the MH17 plane crash: Findings from a randomized controlled trial.. <i>Traumatology</i> , 0, , .	1.6	4