## Qiling Cheng

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7817858/publications.pdf

Version: 2024-02-01

		136950	168389
55	3,047	32	53
papers	citations	h-index	g-index
55	55	55	4248

times ranked

docs citations

all docs

citing authors

#	Article	IF	CITATIONS
1	Hierarchical MoS2/C@MXene composite as an anode for high-performance lithium-ion capacitors. Applied Surface Science, 2022, 598, 153778.	6.1	24
2	Amorphous vanadium oxides with metallic character for asymmetric supercapacitors. Chemical Engineering Journal, 2021, 403, 126380.	12.7	55
3	Supersaturated bridge-sulfur and vanadium co-doped MOS2 nanosheet arrays with enhanced sodium storage capability. Nano Research, 2021, 14, 74-80.	10.4	42
4	Fe3O4 Nanoparticles on 3D Porous Carbon Skeleton Derived from Rape Pollen for High-Performance Li-Ion Capacitors. Nanomaterials, 2021, 11, 3355.	4.1	3
5	Coexisting Singleâ€Atomic Fe and Ni Sites on Hierarchically Ordered Porous Carbon as a Highly Efficient ORR Electrocatalyst. Advanced Materials, 2020, 32, e2004670.	21.0	404
6	3D Porous Ti3C2 MXene/NiCo-MOF Composites for Enhanced Lithium Storage. Nanomaterials, 2020, 10, 695.	4.1	75
7	Room Temperature In-Situ Synthesis of Inorganic Lead Halide Perovskite Nanocrystals Sol Using Ultraviolet Polymerized Acrylic Monomers as Solvent and Their Composites with High Stability.  Applied Sciences (Switzerland), 2020, 10, 3325.	2.5	2
8	Hierarchical PANI/NiCo-LDH Core-Shell Composite Networks on Carbon Cloth for High Performance Asymmetric Supercapacitor. Nanomaterials, 2019, 9, 527.	4.1	51
9	Controlled synthesis of alkalized Ti3C2 MXene-supported $\hat{I}^2$ -FeOOH nanoparticles as anodes for lithium-ion batteries. Ionics, 2019, 25, 3069-3077.	2.4	14
10	A Gradient Heterostructure Based on Tolerance Factor in Highâ€Performance Perovskite Solar Cells with 0.84 Fill Factor. Advanced Materials, 2019, 31, e1804217.	21.0	95
11	ZnO@MOF@PANI core-shell nanoarrays on carbon cloth for high-performance supercapacitor electrodes. Journal of Energy Chemistry, 2019, 35, 124-131.	12.9	122
12	High-performance stretchable supercapacitors based on intrinsically stretchable acrylate rubber/MWCNTs@conductive polymer composite electrodes. Journal of Materials Chemistry A, 2018, 6, 4432-4442.	10.3	82
13	Copper-Doped Nano Laponite Coating on Poly(butylene Succinate) Scaffold with Antibacterial Properties and Cytocompatibility for Biomedical Application. Journal of Nanomaterials, 2018, 2018, 1-11.	2.7	17
14	Flexible textile electrode with high areal capacity from hierarchical V2O5 nanosheet arrays. Journal of Power Sources, 2017, 357, 71-76.	7.8	27
15	High energy-density organic supercapacitors based on optimum matching between GNS/aMWCNT@polyaniline nanocone arrays cathode and GNS/aMWCNT@poly(1,5-diaminoanthraquinone) nanoparticles anode. Chemical Engineering Journal, 2017, 326, 9-16.	12.7	29
16	Interface-engineered MoS2/C nanosheet heterostructure arrays for ultra-stable sodium-ion batteries. Chemical Engineering Science, 2017, 174, 104-111.	3.8	60
17	Co3O4@CoS Core-Shell Nanosheets on Carbon Cloth for High Performance Supercapacitor Electrodes. Materials, 2017, 10, 608.	2.9	49
18	Construction of Hierarchical CuO/Cu2O@NiCo2S4 Nanowire Arrays on Copper Foam for High Performance Supercapacitor Electrodes. Nanomaterials, 2017, 7, 273.	4.1	38

#	Article	IF	Citations
19	A Highly Flexible Supercapacitor Based on MnO2/RGO Nanosheets and Bacterial Cellulose-Filled Gel Electrolyte. Materials, 2017, 10, 1251.	2.9	47
20	MnO2/polyaniline hybrid nanostructures on carbon cloth for supercapacitor electrodes. Journal of Solid State Electrochemistry, 2016, 20, 1459-1467.	2.5	54
21	MnO2 nanoflakes/hierarchical porous carbon nanocomposites for high-performance supercapacitor electrodes. Electrochimica Acta, 2015, 164, 252-259.	5.2	73
22	MnO <sub>2</sub> nanoflake/polyaniline nanorod hybrid nanostructures on graphene paper for high-performance flexible supercapacitor electrodes. Journal of Materials Chemistry A, 2015, 3, 17165-17171.	10.3	109
23	Sculpturing metal foams toward bifunctional 3D copper oxide nanowire arrays for pseudo-capacitance and enzyme-free hydrogen peroxide detection. Journal of Materials Chemistry A, 2015, 3, 8734-8741.	10.3	45
24	Ultrafine V <sub>2</sub> O <sub>3</sub> Nanowire Embedded in Carbon Hybrids with Enhanced Lithium Storage Capability. Industrial & Engineering Chemistry Research, 2015, 54, 2960-2965.	3.7	54
25	Ultrathin MnO <sub>2</sub> nanoflakes grown on N-doped carbon nanoboxes for high-energy asymmetric supercapacitors. Journal of Materials Chemistry A, 2015, 3, 21337-21342.	10.3	66
26	Effect of phenolic resin infiltration content on the structural and electrochemical properties of hierarchical porous carbons. Journal of Materials Science, 2014, 49, 7489-7496.	3.7	12
27	Morphology-controllable synthesis of MnO2 hollow nanospheres and their supercapacitive performance. New Journal of Chemistry, 2013, 37, 722.	2.8	68
28	Controlled synthesis of hierarchical polyaniline nanowires/ordered bimodal mesoporous carbon nanocomposites with high surface area for supercapacitor electrodes. Journal of Power Sources, 2013, 240, 544-550.	7.8	94
29	Controlled synthesis of mesoporous carbon nanosheets and their enhanced supercapacitive performance. Journal of Solid State Electrochemistry, 2013, 17, 1677-1684.	2.5	14
30	SYNTHESIS OF TITANATE/POLYPYRROLE COMPOSITE ROD-LIKE PARTICLES AND THE ROLE OF CONDUCTING POLYMER ON ELECTRORHEOLOGICAL EFFICIENCY. International Journal of Modern Physics B, 2012, 26, 1250007.	2.0	30
31	Interfacial Synthesis and Supercapacitive Performance of Hierarchical Sulfonated Carbon Nanotubes/Polyaniline Nanocomposites. Industrial & Department of Engineering Chemistry Research, 2012, 51, 3981-3987.	3.7	37
32	Synthesis, Characterization and Electrochemical Capacitance of Urchin-Like Hierarchical Polyaniline Microspheres. Journal of Macromolecular Science - Physics, 2012, 51, 897-905.	1.0	8
33	Effects of macropore size on structural and electrochemical properties of hierarchical porous carbons. Journal of Materials Science, 2012, 47, 6444-6450.	3.7	27
34	Fabrication of polyaniline/mesoporous carbon/MnO2 ternary nanocomposites and their enhanced electrochemical performance for supercapacitors. Electrochimica Acta, 2012, 71, 27-32.	5.2	75
35	Template-free synthesis of hollow poly( <i>o</i> -anisidine) microspheres and their electrorheological characteristics. Smart Materials and Structures, 2011, 20, 065014.	3.5	16
36	Synthesis and electrorheological characteristics of sea urchin-like TiO2 hollow spheres. Colloid and Polymer Science, 2011, 289, 799-805.	2.1	73

#	Article	IF	CITATIONS
37	Growth of polyaniline nanowhiskers on mesoporous carbon for supercapacitor application. Journal of Power Sources, 2011, 196, 7835-7840.	7.8	166
38	Electrorheological Properties of Suspensions of Polypyrrole Ribbon Particles in Silicone Oil., 2011, , .		0
39	Electrical properties and morphology of highly conductive composites based on polypropylene and hybrid fillers. Journal of Industrial and Engineering Chemistry, 2010, 16, 10-14.	5.8	39
40	Synthesis and Structural and Electrical Characteristics of Polypyrrole Nanotube/TiO2 Hybrid Composites. Journal of Macromolecular Science - Physics, 2010, 49, 419-428.	1.0	11
41	Electrorheological characteristics of polyaniline/titanate composite nanotube suspensions. Colloid and Polymer Science, 2009, 287, 435-441.	2.1	100
42	Synthesis and electrorheological characteristics of titanate nanotube suspensions under oscillatory shear. Journal of Industrial and Engineering Chemistry, 2009, 15, 550-554.	5.8	17
43	Structural and electrorheological properties of mesoporous silica modified with triethanolamine. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2008, 318, 169-174.	4.7	28
44	Surfactant-assisted polypyrrole/titanate composite nanofibers: Morphology, structure and electrical properties. Synthetic Metals, 2008, 158, 953-957.	3.9	62
45	Synthesis and Structural Characterization of Polyaniline/Mesoporous Carbon Nanocomposite. International Journal of Polymer Analysis and Characterization, 2008, 13, 25-36.	1.9	8
46	THE EFFECT OF POLYPYRROLE LOADING ON THE ELECTRORHEOLOGICAL PROPERTIES OF POLYPYRROLE/SBA-15 SUSPENSIONS. International Journal of Modern Physics B, 2007, 21, 5026-5032.	2.0	3
47	INCREASING ELECTRORHEOLOGICAL RESPONSE OF PARTICLES: THE EFFECT OF CONDUCTIVE POLYMER. International Journal of Modern Physics B, 2007, 21, 4883-4889.	2.0	5
48	Facile fabrication and characterization of novel polyaniline/titanate composite nanotubes directed by block copolymer. European Polymer Journal, 2007, 43, 3780-3786.	5.4	27
49	THE EFFECT OF POLYPYRROLE LOADING ON THE ELECTRORHEOLOGICAL PROPERTIES OF POLYPYRROLE/SBA-15 SUSPENSIONS., 2007,,.		0
50	Surface-modified antibacterial TiO2/Ag+ nanoparticles: Preparation and properties. Applied Surface Science, 2006, 252, 4154-4160.	6.1	212
51	Conducting polypyrrole confined in ordered mesoporous silica SBA-15 channels: Preparation and its electrorheology. Microporous and Mesoporous Materials, 2006, 93, 263-269.	4.4	88
52	Electrorheological properties of new mesoporous material with conducting polypyrrole in mesoporous silica. Microporous and Mesoporous Materials, 2006, 94, 193-199.	4.4	57
53	Synthesis and structural properties of polypyrrole/nano-Y 2 O 3 conducting composite. Applied Surface Science, 2006, 253, 1736-1740.	6.1	59
54	Preparation and electrorheology of new mesoporous polypyrrole/MCM-41 suspensions. Journal of Materials Science, 2006, 41, 5047-5049.	3.7	20

#	Article	IF	CITATIONS
55	Synthesis and characterization of new mesoporous material with conducting polypyrrole confined in mesoporous silica. Materials Chemistry and Physics, 2006, 98, 504-508.	4.0	54