Anne Johnson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7817931/publications.pdf

Version: 2024-02-01

17440 10158 21,723 215 63 140 citations h-index g-index papers 223 223 223 21322 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Managing the health effects of climate change. Lancet, The, 2009, 373, 1693-1733.	13.7	2,195
2	Pre-exposure prophylaxis to prevent the acquisition of HIV-1 infection (PROUD): effectiveness results from the pilot phase of a pragmatic open-label randomised trial. Lancet, The, 2016, 387, 53-60.	13.7	1,493
3	The Lancet Countdown on health and climate change: from 25 years of inaction to a global transformation for public health. Lancet, The, 2018, 391, 581-630.	13.7	802
4	Sexual behaviour in Britain: partnerships, practices, and HIV risk behaviours. Lancet, The, 2001, 358, 1835-1842.	13.7	716
5	Digital technologies in the public-health response to COVID-19. Nature Medicine, 2020, 26, 1183-1192.	30.7	695
6	Population-level impact and herd effects following the introduction of human papillomavirus vaccination programmes: updated systematic review and meta-analysis. Lancet, The, 2019, 394, 497-509.	13.7	630
7	Changes in sexual attitudes and lifestyles in Britain through the life course and over time: findings from the National Surveys of Sexual Attitudes and Lifestyles (Natsal). Lancet, The, 2013, 382, 1781-1794.	13.7	594
8	Population-level impact and herd effects following human papillomavirus vaccination programmes: a systematic review and meta-analysis. Lancet Infectious Diseases, The, 2015, 15, 565-580.	9.1	556
9	Sexual behaviour in Britain: early heterosexual experience. Lancet, The, 2001, 358, 1843-1850.	13.7	544
10	AIDS across Europe, 1994–98: the EuroSIDA study. Lancet, The, 2000, 356, 291-296.	13.7	431
11	Measuring sexual behaviour: methodological challenges in survey research. Sexually Transmitted Infections, 2001, 77, 84-92.	1.9	429
12	A Preliminary Study of the Transmission Dynamics of the Human Immunodeficiency Virus (HIV), the Causative Agent of AIDS. Mathematical Medicine and Biology, 1986, 3, 229-263.	1.2	414
13	Sexual function in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Lancet, The, 2013, 382, 1817-1829.	13.7	407
14	Changes in the Risk of Death After HIV Seroconversion Compared With Mortality in the General Population. JAMA - Journal of the American Medical Association, 2008, 300, 51.	7.4	404
15	Sexual behaviour in Britain: reported sexually transmitted infections and prevalent genital Chlamydia trachomatis infection. Lancet, The, 2001, 358, 1851-1854.	13.7	378
16	Recent epidemic of acute hepatitis C virus in HIV-positive men who have sex with men linked to high-risk sexual behaviours. Aids, 2007, 21, 983-991.	2.2	374
17	The role of the Panton-Valentine leucocidin toxin in staphylococcal disease: a systematic review and meta-analysis. Lancet Infectious Diseases, The, 2013, 13, 43-54.	9.1	365
18	The prevalence of unplanned pregnancy and associated factors in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Lancet, The, 2013, 382, 1807-1816.	13.7	342

#	Article	IF	CITATIONS
19	Comparative community burden and severity of seasonal and pandemic influenza: results of the Flu Watch cohort study. Lancet Respiratory Medicine, the, 2014, 2, 445-454.	10.7	341
20	Prevalence, risk factors, and uptake of interventions for sexually transmitted infections in Britain: findings from the National Surveys of Sexual Attitudes and Lifestyles (Natsal). Lancet, The, 2013, 382, 1795-1806.	13.7	306
21	Prevalence of infertility and help seeking among 15 000 women and men. Human Reproduction, 2016, 31, 2108-2118.	0.9	293
22	The Lancet Countdown: tracking progress on health and climate change. Lancet, The, 2017, 389, 1151-1164.	13.7	292
23	Risk Factors and Outcomes for Late Presentation for HIV-Positive Persons in Europe: Results from the Collaboration of Observational HIV Epidemiological Research Europe Study (COHERE). PLoS Medicine, 2013, 10, e1001510.	8.4	256
24	Recreational drug use, polydrug use, and sexual behaviour in HIV-diagnosed men who have sex with men in the UK: results from the cross-sectional ASTRA study. Lancet HIV,the, 2014, 1, e22-e31.	4.7	254
25	Taking connected mobile-health diagnostics of infectious diseases to the field. Nature, 2019, 566, 467-474.	27.8	250
26	Natural T Cell–mediated Protection against Seasonal and Pandemic Influenza. Results of the Flu Watch Cohort Study. American Journal of Respiratory and Critical Care Medicine, 2015, 191, 1422-1431.	5.6	229
27	Life course epidemiology: recognising the importance of adolescence. Journal of Epidemiology and Community Health, 2015, 69, 719-720.	3.7	210
28	Increased HIV Incidence in Men Who Have Sex with Men Despite High Levels of ART-Induced Viral Suppression: Analysis of an Extensively Documented Epidemic. PLoS ONE, 2013, 8, e55312.	2.5	197
29	Time From Human Immunodeficiency Virus Seroconversion to Reaching CD4+ Cell Count Thresholds & lt;200, & lt;350, and & lt;500 Cells/mm3: Assessment of Need Following Changes in Treatment Guidelines. Clinical Infectious Diseases, 2011, 53, 817-825.	5.8	180
30	Pupil-led sex education in England (RIPPLE study): cluster-randomised intervention trial. Lancet, The, 2004, 364, 338-346.	13.7	166
31	Methodology of the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Sexually Transmitted Infections, 2014, 90, 84-89.	1.9	160
32	Ethnic variations in sexual behaviour in Great Britain and risk of sexually transmitted infections: a probability survey. Lancet, The, 2005, 365, 1246-1255.	13.7	158
33	Missed opportunities for earlier HIV diagnosis within primary and secondary healthcare settings in the UK. Aids, 2008, 22, 115-122.	2.2	148
34	Associations between health and sexual lifestyles in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Lancet, The, 2013, 382, 1830-1844.	13.7	145
35	Prevalence of Masturbation and Associated Factors in a British National Probability Survey. Archives of Sexual Behavior, 2008, 37, 266-278.	1.9	141
36	Why the(y) wait? Key informant understandings of factors contributing to late presentation and poor utilization of HIV health and social care services by African migrants in Britain. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2007, 19, 102-108.	1.2	135

#	Article	IF	CITATIONS
37	Comparison of In Vitro Cell Culture and a Mouse Assay for Measuring Infectivity of Cryptosporidium parvum. Applied and Environmental Microbiology, 2002, 68, 3809-3817.	3.1	130
38	Determinants of HIV-1 transmission in men who have sex with men: a combined clinical, epidemiological and phylogenetic approach. Aids, 2010, 24, 1739-1747.	2.2	130
39	Epidemiology of <i>Mycoplasma genitalium</i> in British men and women aged 16–44 years: evidence from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). International Journal of Epidemiology, 2015, 44, 1982-1994.	1.9	117
40	Effect of computer-assisted self-interviews on reporting of sexual HIV risk behaviours in a general population sample: a methodological experiment. Aids, 2001, 15, 111-115.	2.2	111
41	Evaluation of Immunomagnetic Separation for Recovery of Infectious <i>Cryptosporidium parvum </i> Oocysts from Environmental Samples. Applied and Environmental Microbiology, 1999, 65, 841-845.	3.1	106
42	Lifetime prevalence, associated factors, and circumstances of non-volitional sex in women and men in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Lancet, The, 2013, 382, 1845-1855.	13.7	103
43	Increasing risk behaviour and high levels of undiagnosed HIV infection in a community sample of homosexual men. Sexually Transmitted Infections, 2004, 80, 236-240.	1.9	93
44	Estimating the Prevalence of Sexual Function Problems: The Impact of Morbidity Criteria. Journal of Sex Research, 2016, 53, 955-967.	2.5	93
45	Sexual identity, attraction and behaviour in Britain: The implications of using different dimensions of sexual orientation to estimate the size of sexual minority populations and inform public health interventions. PLoS ONE, 2018, 13, e0189607.	2.5	91
46	Impact of HIV-1 Subtype on CD4 Count at HIV Seroconversion, Rate of Decline, and Viral Load Set Point in European Seroconverter Cohorts. Clinical Infectious Diseases, 2013, 56, 888-897.	5.8	88
47	Disease progression and survival in HIV-1-infected Africans in London. Aids, 1998, 12, 1203-1209.	2.2	84
48	Increasing prevalence of male homosexual partnerships and practices in Britain 1990–2000. Aids, 2004, 18, 1453-1458.	2.2	84
49	HIV, sexually transmitted infections, and risk behaviours in male commercial sex workers in Sydney. Sexually Transmitted Infections, 2000, 76, 294-298.	1.9	82
50	The accuracy of reported sensitive sexual behaviour in Britain: exploring the extent of change 1990-2000. Sexually Transmitted Infections, 2002, 78, 26-30.	1.9	81
51	Preliminary report: Accurate assays for anti-HIV in urine. Lancet, The, 1990, 335, 1366-1369.	13.7	80
52	Men who have sex with men in Great Britain: comparing methods and estimates from probability and convenience sample surveys. Sexually Transmitted Infections, 2016, 92, 455-463.	1.9	80
53	Relationship between Antibodies to Herpes Simplex Virus (HSV) and Symptoms of HSV Infection. Journal of Infectious Diseases, 1996, 174, 470-475.	4.0	79
54	Using the Web to Collect Data on Sensitive Behaviours: A Study Looking at Mode Effects on the British National Survey of Sexual Attitudes and Lifestyles. PLoS ONE, 2016, 11, e0147983.	2.5	78

#	Article	IF	Citations
55	Who would use PrEP? Factors associated with intention to use among MSM in London: a community survey. Sexually Transmitted Infections, 2013, 89, 207-211.	1.9	77
56	Who pays for sex? An analysis of the increasing prevalence of female commercial sex contacts among men in Britain. Sexually Transmitted Infections, 2005, 81, 467-471.	1.9	76
57	Sexual risk behaviour and knowledge of HIV status among community samples of gay men in the UK. Aids, 2008, 22, 1063-1070.	2.2	76
58	Patterns and trends in sources of information about sex among young people in Britain: evidence from three National Surveys of Sexual Attitudes and Lifestyles. BMJ Open, 2015, 5, e007834-e007834.	1.9	74
59	Herpes simplex virus type 1 infection: a sexually transmitted infection of adolescence?. Sexually Transmitted Infections, 2002, 78, 346-348.	1.9	71
60	The Regai Dzive Shiri Project: a cluster randomised controlled trial to determine the effectiveness of a multiâ€component communityâ€based HIV prevention intervention for rural youth in Zimbabwe – study design and baseline results. Tropical Medicine and International Health, 2008, 13, 1235-1244.	2.3	71
61	Pgp3 Antibody Enzyme-Linked Immunosorbent Assay, a Sensitive and Specific Assay for Seroepidemiological Analysis of <i>Chlamydia trachomatis</i> Infection. Vaccine Journal, 2009, 16, 835-843.	3.1	70
62	Who has sex with whom? Characteristics of heterosexual partnerships reported in a national probability survey and implications for STI risk. International Journal of Epidemiology, 2009, 38, 206-214.	1.9	68
63	How much do delayed healthcare seeking, delayed care provision, and diversion from primary care contribute to the transmission of STIs?. Sexually Transmitted Infections, 2007, 83, 400-405.	1.9	67
64	Panton-Valentine leukocidin associated staphylococcal disease: a cross-sectional study at a London hospital, England. Clinical Microbiology and Infection, 2010, 16, 1644-1648.	6.0	65
65	Epidemiology of, and behavioural risk factors for, sexually transmitted human papillomavirus infection in men and women in Britain. Sexually Transmitted Infections, 2012, 88, 212-217.	1.9	65
66	What is best practice in sex and relationship education? A synthesis of evidence, including stakeholders' views. BMJ Open, 2017, 7, e014791.	1.9	64
67	Painful sex (dyspareunia) in women: prevalence and associated factors in a British population probability survey. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 1689-1697.	2.3	63
68	Coining a new term in epidemiology. Aids, 1997, 11, 681-683.	2.2	61
69	Sexual lifestyles under scrutiny. Nature, 1990, 348, 276-278.	27.8	58
70	Framing sexual health research: adopting a broader perspective. Lancet, The, 2013, 382, 1759-1762.	13.7	58
71	Male circumcision in Britain: findings from a national probability sample survey. Sexually Transmitted Infections, 2003, 79, 499-500.	1.9	57
72	Effect of time since exposure to <i>Chlamydia trachomatis</i> on chlamydia antibody detection in women: a cross-sectional study. Sexually Transmitted Infections, 2013, 89, 398-403.	1.9	57

#	Article	IF	Citations
73	Disease progression and survival following specific AIDS-defining conditions. Aids, 1998, 12, 1007-1013.	2.2	54
74	A tale of three cities: persisting high HIV prevalence, risk behaviour and undiagnosed infection in community samples of men who have sex with men. Sexually Transmitted Infections, 2007, 83, 392-396.	1.9	53
75	Sex partner acquisition while overseas: results from a British national probability survey. Sexually Transmitted Infections, 2007, 83, 517-522.	1.9	53
76	Nonprobability Web Surveys to Measure Sexual Behaviors and Attitudes in the General Population: A Comparison With a Probability Sample Interview Survey. Journal of Medical Internet Research, 2014, 16, e276.	4.3	53
77	Who reports sexual function problems? Empirical evidence from Britain's 2000 National Survey of Sexual Attitudes and Lifestyles. Sexually Transmitted Infections, 2005, 81, 394-399.	1.9	52
78	How can we facilitate reliable reporting in surveys of sexual behaviour? Evidence from qualitative research. Culture, Health and Sexuality, 2007, 9, 519-531.	1.8	51
79	Risk factors for tuberculosis in patients with AIDS in London: a case-control study. International Journal of Tuberculosis and Lung Disease, 1999, 3, 12-7.	1.2	50
80	Investigating the relationship between HIV testing and risk behaviour in Britain: National Survey of Sexual Attitudes and Lifestyles 2000. Aids, 2005, 19, 77-84.	2.2	49
81	Behaviourally bisexual men as a bridge population for HIV and sexually transmitted infections? Evidence from a national probability survey. International Journal of STD and AIDS, 2009, 20, 87-94.	1.1	49
82	School based HIV prevention in Zimbabwe: feasibility and acceptability of evaluation trials using biological outcomes. Aids, 2002, 16, 1673-1678.	2.2	48
83	Risk factors, symptom reporting, healthcare-seeking behaviour and adherence to public health guidance: protocol for Virus Watch, a prospective community cohort study. BMJ Open, 2021, 11, e048042.	1.9	46
84	Sexual behaviours, HIV testing, and the proportion of men at risk of transmitting and acquiring HIV in London, UK, 2000–13: a serial cross-sectional study. Lancet HIV,the, 2016, 3, e431-e440.	4.7	45
85	Changes in conceptions in women younger than 18 years and the circumstances of young mothers in England in 2000–12: an observational study. Lancet, The, 2016, 388, 586-595.	13.7	43
86	Can we improve partner notification rates through expedited partner therapy in the UK? Findings from an exploratory trial of Accelerated Partner Therapy (APT). Sexually Transmitted Infections, 2012, 88, 21-26.	1.9	41
87	What factors are associated with reporting lacking interest in sex and how do these vary by gender? Findings from the third British national survey of sexual attitudes and lifestyles. BMJ Open, 2017, 7, e016942.	1.9	40
88	UV Inactivation of Cryptosporidium hominis as Measured in Cell Culture. Applied and Environmental Microbiology, 2005, 71, 2800-2802.	3.1	39
89	Increasing Hospitalizations and General Practice Prescriptions for Community-onset Staphylococcal Disease, England. Emerging Infectious Diseases, 2008, 14, 720-726.	4.3	39
90	Condomless sex in HIV-diagnosed men who have sex with men in the UK: prevalence, correlates, and implications for HIV transmission. Sexually Transmitted Infections, 2017, 93, 590-598.	1.9	39

#	Article	IF	CITATIONS
91	Frequency of <scp>HIV</scp> testing among gay and bisexual men in the <scp>UK</scp> : implications for <scp>HIV</scp> prevention. HIV Medicine, 2016, 17, 683-693.	2.2	38
92	Associations between source of information about sex and sexual health outcomes in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). BMJ Open, 2015, 5, e007837-e007837.	1.9	37
93	Men who have sex with men: a comparison of a probability sample survey and a community based study. Sexually Transmitted Infections, 2006, 82, 86-87.	1.9	36
94	United Kingdom acquisition of HIV infection in African residents in London: more than previously thought. Aids, 2009, 23, 262-266.	2.2	36
95	Is "Sexual Competence―at First Heterosexual Intercourse Associated With Subsequent Sexual Health Status?. Journal of Sex Research, 2017, 54, 91-104.	2.5	36
96	Assessing participation bias in a sexual behaviour survey. Aids, 1997, 11, 783-790.	2.2	35
97	Effect of social exclusion on the risk of teenage pregnancy: development of hypotheses using baseline data from a randomised trial of sex education. Journal of Epidemiology and Community Health, 2003, 57, 871-876.	3.7	35
98	Does the UK government's teenage pregnancy strategy deal with the correct risk factors? Findings from a secondary analysis of data from a randomised trial of sex education and their implications for policy. Journal of Epidemiology and Community Health, 2007, 61, 20-27.	3.7	35
99	The Diversity and Management of Chronic Hepatitis B Virus Infections in the United Kingdom: A Wake-up Call. Clinical Infectious Diseases, 2013, 56, 951-960.	5.8	35
100	Is chlamydia screening and testing in Britain reaching young adults at risk of infection? Findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Sexually Transmitted Infections, 2016, 92, 218-227.	1.9	35
101	Comparison of Assays for Sensitive and Reproducible Detection of Cell Culture-Infectious Cryptosporidium parvum and Cryptosporidium hominis in Drinking Water. Applied and Environmental Microbiology, 2012, 78, 156-162.	3.1	34
102	The prevalence of, and factors associated with, paying for sex among men resident in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Sexually Transmitted Infections, 2015, 91, 116-123.	1.9	34
103	Investigating the relationship between substance use and sexual behaviour in young people in Britain: findings from a national probability survey. BMJ Open, 2016, 6, e011961.	1.9	34
104	Sexual health clinic attendance and non-attendance in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Sexually Transmitted Infections, 2018, 94, 268-276.	1.9	34
105	The practical significance of potential biases in estimates of the AIDS incubation period distribution _in the UK Register of HIV Seroconverters. Aids, 1999, 13, 1943-1951.	2.2	33
106	Chlamydia trachomatis Pgp3 Antibody Population Seroprevalence before and during an Era of Widespread Opportunistic Chlamydia Screening in England (1994-2012). PLoS ONE, 2017, 12, e0152810.	2.5	33
107	Temporal trends in prognostic markers of HIV-1 virulence and transmissibility: an observational cohort study. Lancet HIV,the, 2014, 1, e119-e126.	4.7	32
108	<i>Trichomonas vaginalis</i> infection is uncommon in the British general population: implications for clinical testing and public health screening. Sexually Transmitted Infections, 2018, 94, 226-229.	1.9	32

#	Article	IF	CITATIONS
109	A new transdisciplinary research model to investigate and improve the health of the public. Health Promotion International, 2021, 36, 481-492.	1.8	32
110	Ethnic variations in sexual activity and contraceptive use: national cross-sectional survey. Contraception, 2006, 74, 224-233.	1.5	30
111	Learning About Sex: Results From Natsal 2000. Health Education and Behavior, 2006, 33, 802-811.	2.5	30
112	Comparison of Teenagers' Early Same-Sex and Heterosexual Behavior: UK Data From the SHARE and RIPPLE Studies. Journal of Adolescent Health, 2011, 48, 27-35.	2.5	30
113	Quantitation of Cryptosporidium parvum Infection in Cell Culture Using a Colorimetric In Situ Hybridization Assay. Journal of Eukaryotic Microbiology, 2001, 48, 565-574.	1.7	29
114	Treating sexually transmitted infections in primary care: a missed opportunity?. Sexually Transmitted Infections, 2003, 79, 134-136.	1.9	29
115	Developing and testing accelerated partner therapy for partner notification for people with genital <i>Chlamydia trachomatis</i> biagnosed in primary care: a pilot randomised controlled trial. Sexually Transmitted Infections, 2015, 91, 548-554.	1.9	29
116	Sociodemographic and sexual health profile of users of emergency hormonal contraception: data from a British probability sample survey. Contraception, 2006, 74, 309-312.	1.5	28
117	Scripting sexual function: a qualitative investigation. Sociology of Health and Illness, 2011, 33, 540-553.	2.1	28
118	Salivary Testosterone Levels and Health Status in Men and Women in the British General Population: Findings from the Third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Journal of Clinical Endocrinology and Metabolism, 2016, 101, 3939-3951.	3.6	28
119	Use of the Internet for Sexual Health Among Sexually Experienced Persons Aged 16 to 44 Years: Evidence from a Nationally Representative Survey of the British Population. Journal of Medical Internet Research, 2016, 18, e14.	4.3	28
120	First Sexual Partnershipsâ€"Age Differences and Their Significance. Journal of Adolescent Health, 2006, 39, 87-95.	2.5	27
121	Response to antiretroviral therapy among patients exposed to three classes of antiretrovirals: results from the EuroSIDA study. Antiviral Therapy, 2002, 7, 21-30.	1.0	27
122	Risk of Cancer in Patients with HIV Disease. International Journal of STD and AIDS, 1999, 10, 38-42.	1.1	26
123	A new role for Chlamydia trachomatis serology?. Sexually Transmitted Infections, 2008, 84, 79-80.	1.9	26
124	High-Risk Human Papillomavirus (HPV) Infection and Cervical Cancer Prevention in Britain: Evidence of Differential Uptake of Interventions from a Probability Survey. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 842-853.	2.5	26
125	The ââ,¬ËœAntiretrovirals, Sexual Transmission Risk and Attitudesââ,¬â"¢ (ASTRA) Study. Design, Methods and Participant Characteristics. PLoS ONE, 2013, 8, e77230.	2.5	26
126	Who goes to sexually transmitted disease clinics? Results from a national population survey Sexually Transmitted Infections, 1996, 72, 197-202.	1.9	25

#	Article	IF	CITATIONS
127	Factors associated with HIV testing among black Africans in Britain. Sexually Transmitted Infections, 2005, 81, 494-500.	1.9	25
128	Behavioural intervention trials for HIV/STD prevention in schools: are they feasible? Sexually Transmitted Infections, 1998, 74, 405-408.	1.9	24
129	A school-based randomized controlled trial of peer-led sex education in England. Contemporary Clinical Trials, 2003, 24, 643-657.	1.9	23
130	Who uses condoms with whom? Evidence from national probability sample surveys. Sexually Transmitted Infections, 2006, 82, 467-473.	1.9	23
131	Improving Questions on Sexual Partnerships: Lessons Learned from Cognitive Interviews for Britain's Third National Survey of Sexual Attitudes and Lifestyles ("Natsal-3â€). Archives of Sexual Behavior, 2013, 42, 173-185.	1.9	23
132	Distribution of Salivary Testosterone in Men and Women in a British General Population-Based Sample: The Third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Journal of the Endocrine Society, 2017, 1, 14-25.	0.2	23
133	Where do women and men in Britain obtain contraception? Findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). BMJ Sexual and Reproductive Health, 2018, 44, 16-26.	1.7	23
134	A comparison of the population diagnosed with chlamydia in primary care with that diagnosed in sexual health clinics: Implications for a national screening programme. Public Health, 2006, 120, 984-988.	2.9	22
135	Prevalence of Low Sexual Desire among Women in Britain: Associated Factors. Journal of Sexual Medicine, 2009, 6, 2434-2444.	0.6	22
136	Are depression and poor sexual health neglected comorbidities? Evidence from a population sample. BMJ Open, 2016, 6, e010521.	1.9	22
137	Cohort Profile: The Flu Watch Study. International Journal of Epidemiology, 2016, 46, dyv370.	1.9	22
138	Trends in HIV testing and recording of HIV status in the UK primary care setting: a retrospective cohort study 1995-2005. Sexually Transmitted Infections, 2009, 85, 520-526.	1.9	21
139	Sexual Function in 16- to 21-Year-Olds in Britain. Journal of Adolescent Health, 2016, 59, 422-428.	2.5	21
140	Risk behaviour and STD acquisition in genitourinary clinic attenders who have travelled Sexually Transmitted Infections, 1995, 71, 351-354.	1.9	20
141	Patterns of sexual mixing with respect to social, health and sexual characteristics among heterosexual couples in England: analyses of probability sample survey data. Epidemiology and Infection, 2015, 143, 1500-1510.	2.1	20
142	Condoms and HIV Transmission. New England Journal of Medicine, 1994, 331, 391-392.	27.0	19
143	Male Circumcision and STI Acquisition in Britain: Evidence from a National Probability Sample Survey. PLoS ONE, 2015, 10, e0130396.	2.5	19
144	The Natsal-SF Measure of Sexual Function: Comparison of Three Scoring Methods. Journal of Sex Research, 2015, 52, 640-646.	2.5	19

#	Article	lF	Citations
145	An evaluation of partner notification for HIV infection in genitourinary medicine clinics in England. Aids, 1998, 12, 95-102.	2.2	18
146	The acceptability of urinary LCR testing for Chlamydia trachomatis among participants in a probability sample survey of sexual attitudes and lifestyles. Sexually Transmitted Infections, 2001, 77, 194-198.	1.9	18
147	Forming new sex partnerships while overseas: findings from the third British National Survey of Sexual Attitudes & Sexual Stribuston (Natsal-3). Sexually Transmitted Infections, 2016, 92, 415-423.	1.9	18
148	Nosocomial transmission of influenza: A retrospective crossâ€sectional study using next generation sequencing at a hospital in England (2012â€2014). Influenza and Other Respiratory Viruses, 2019, 13, 556-563.	3.4	18
149	Accelerated partner therapy (APT) partner notification for people with <i>Chlamydia trachomatis</i> protocol for the Limiting Undetected Sexually Transmitted infections to RedUce Morbidity (LUSTRUM) APT cross-over cluster randomised controlled trial. BMJ Open, 2020, 10, e034806.	1.9	18
150	Consistency in reporting sensitive sexual behaviours in Britain: change in reporting bias in the second and third National Surveys of Sexual Attitudes and Lifestyles (Natsal-2 and Natsal-3): TableÂ1. Sexually Transmitted Infections, 2014, 90, 90-93.	1.9	17
151	Confirmatory assays are essential when using molecular testing for (i) Neisseria gonorrhoeae (i) in low-prevalence settings: insights from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3): TableÂ1. Sexually Transmitted Infections, 2015, 91, 338-341.	1.9	17
152	Antimicrobial resistance in <i>Mycoplasma genitalium</i> sampled from the British general population. Sexually Transmitted Infections, 2020, 96, 464-468.	1.9	17
153	Active surveillance of sexual behaviour among homosexual men in London. Communicable Disease and Public Health / Phls, 1998, 1, 197-201.	0.4	17
154	Voluntary universal antenatal HIV testing. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 1129-1133.	2.3	16
155	Uptake of Combination Antiretroviral Therapy and HIV Disease Progression According to Geographical Origin in Seroconverters in Europe, Canada, and Australia. Clinical Infectious Diseases, 2012, 54, 111-118.	5.8	16
156	Human papillomavirus (HPV) in young women in Britain: Population-based evidence of the effectiveness of the bivalent immunisation programme and burden of quadrivalent and 9-valent vaccine types. Papillomavirus Research (Amsterdam, Netherlands), 2017, 3, 36-41.	4.5	16
157	Patterns of hospital care for patients with HIV infection and AIDS Journal of Epidemiology and Community Health, 1993, 47, 232-237.	3.7	15
158	Maintaining patient access to GUM clinics: is it compatible with appointments?. Sexually Transmitted Infections, 2003, 79, 11-15.	1.9	15
159	Changes in the circumstances of young mothers in Britain: 1990 to 2000. Journal of Epidemiology and Community Health, 2005, 59, 828-833.	3.7	15
160	Incidence and recurrence of boils and abscesses within the first year: a cohort study in UK primary care. British Journal of General Practice, 2015, 65, e668-e676.	1.4	15
161	Associations of depression and anxiety symptoms with sexual behaviour in women and heterosexual men attending sexual health clinics: a cross-sectional study. Sexually Transmitted Infections, 2019, 95, 254-261.	1.9	15
162	Epidemiology of genital warts in the British population: implications for HPV vaccination programmes. Sexually Transmitted Infections, 2019, 95, 386-390.	1.9	15

#	Article	IF	CITATIONS
163	Trends, patterns and psychological influences on COVID-19 vaccination intention: Findings from a large prospective community cohort study in England and Wales (Virus Watch). Vaccine, 2021, 39, 7108-7116.	3.8	15
164	Intimate physical contact between people from different households during the COVID-19 pandemic: a mixed-methods study from a large, quasi-representative survey (Natsal-COVID). BMJ Open, 2022, 12, e055284.	1.9	15
165	Workplace contact patterns in England during the COVID-19 pandemic: Analysis of the Virus Watch prospective cohort study. Lancet Regional Health - Europe, The, 2022, 16, 100352.	5.6	15
166	Direct estimates of prevalent HIV infection in adults in England and Wales for 1991 and 1993: an improved method Sexually Transmitted Infections, 1997, 73, 348-354.	1.9	14
167	Medicated sex in Britain: evidence from the third National Survey of Sexual Attitudes and Lifestyles. Sexually Transmitted Infections, 2016, 92, 32-38.	1.9	14
168	Recreational drug use and use of drugs associated with chemsex among HIV-negative and HIV-positive heterosexual men and women attending sexual health and HIV clinics in England. International Journal of Drug Policy, 2021, 91, 103101.	3.3	14
169	Estimating prevalence of accumulated HIV-1 drug resistance in a cohort of patients on antiretroviral therapy. Journal of Antimicrobial Chemotherapy, 2011, 66, 901-911.	3.0	13
170	How can we objectively categorise partnership type? A novel classification of population survey data to inform epidemiological research and clinical practice. Sexually Transmitted Infections, 2017, 93, 129-136.	1.9	13
171	Reported reasons for breakdown of marriage and cohabitation in Britain: Findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). PLoS ONE, 2017, 12, e0174129.	2.5	13
172	Comparison of long-term prognosis of patients with AIDS treated and not treated with zidovudine. AIDS in Europe Study Group. JAMA - Journal of the American Medical Association, 1994, 271, 1088-92.	7.4	13
173	Factors associated with the CD4+ lymphocyte count at diagnosis of acquired immunodeficiency syndrome. Journal of Clinical Epidemiology, 1996, 49, 1253-1258.	5.0	12
174	Integrating Process with Outcome Data in a Randomized Controlled Trial of Sex Education. Evaluation, 2006, 12, 330-352.	1.8	12
175	Testing for sexually transmitted infections in a population-based sexual health survey: development of an acceptable ethical approach: Table 1. Journal of Medical Ethics, 2012, 38, 380-382.	1.8	12
176	What's new about Natsal-3?. Sexually Transmitted Infections, 2014, 90, 80-81.	1.9	12
177	Actual and preferred contraceptive sources among young people: findings from the British National Survey of Sexual Attitudes and Lifestyles. BMJ Open, 2016, 6, e011966.	1.9	12
178	Patterns of chlamydia testing in different settings and implications for wider STI diagnosis and care: a probability sample survey of the British population. Sexually Transmitted Infections, 2017, 93, 276-283.	1.9	12
179	Association of Timing of Sexual Partnerships and Perceptions of Partners' Concurrency With Reporting of Sexually Transmitted Infection Diagnosis. JAMA Network Open, 2018, 1, e185957.	5.9	12
180	A Cross-Sectional Study on Attitudes to and Understanding of Risk of Acquisition of HIV: Design, Methods and Participant Characteristics. JMIR Research Protocols, 2016, 5, e58.	1.0	12

#	Article	IF	Citations
181	The Involvement of General Practitioners in the Care of Patients with Human Immunodeficiency Virus Infection: Current practice and Future Implications. Family Practice, 1993, 10, 396-399.	1.9	11
182	Use of Primary Care Data for Detecting Impetigo Trends, United Kingdom, 1995–2010. Emerging Infectious Diseases, 2013, 19, 1646-1648.	4.3	11
183	Going beyond â€regular and casual': development of a classification of sexual partner types to enhance partner notification for STIs. Sexually Transmitted Infections, 2022, 98, 108-114.	1.9	10
184	Asking about Sex in General Health Surveys: Comparing the Methods and Findings of the 2010 Health Survey for England with Those of the Third National Survey of Sexual Attitudes and Lifestyles. PLoS ONE, 2015, 10, e0135203.	2.5	10
185	Household overcrowding and risk of SARS-CoV-2: analysis of the Virus Watch prospective community cohort study in England and Wales. Wellcome Open Research, 0, 6, 347.	1.8	10
186	Surveillance of sexual behaviour among homosexual men in a central London health authority Sexually Transmitted Infections, 1997, 73, 198-202.	1.9	9
187	Factors associated with heterosexual transmission of HIV to individuals without a major risk within England, Wales, and Northern Ireland: a comparison with national probability surveys. Sexually Transmitted Infections, 2006, 82, 15-20.	1.9	9
188	Evidence for increasing severity of community-onset boils and abscesses in UK General Practice. Epidemiology and Infection, 2015, 143, 2426-2429.	2.1	9
189	Health care planning and social policy issues. British Medical Bulletin, 1988, 44, 203-219.	6.9	8
190	Role of HIV Infection Duration and CD4 Cell Level at Initiation of Combination Anti-Retroviral Therapy on Risk of Failure. PLoS ONE, 2013, 8, e75608.	2.5	8
191	Primary care consultations and costs among HIV-positive individuals in UK primary care 1995-2005: a cohort study. Sexually Transmitted Infections, 2009, 85, 543-549.	1.9	7
192	Implications for HIV testing policy derived from combining data on voluntary confidential testing with viral sequences and serological analyses. Sexually Transmitted Infections, 2009, 85, 4-9.	1.9	7
193	A synthesis of convenience survey and other data to estimate undiagnosed HIV infection among men who have sex with men in England and Wales. International Journal of Epidemiology, 2011, 40, 1358-1366.	1.9	7
194	Attitudes and first heterosexual experiences among Indians and Pakistanis in Britain: evidence from a national probability survey. International Journal of STD and AIDS, 2011, 22, 131-139.	1.1	7
195	The SPORTSMART study: a pilot randomised controlled trial of sexually transmitted infection screening interventions targeting men in football club settings. Sexually Transmitted Infections, 2015, 91, 106-110.	1.9	7
196	From the micro to the macro to improve health: microorganism ecology and society in teaching infectious disease epidemiology. Lancet Infectious Diseases, The, 2020, 20, e142-e147.	9.1	7
197	The epidemiology of HIV-1 infection and AIDS in women. Aids, 1993, 7, S83-S90.	2.2	6
198	How useful are high vaginal swabs in general practice? Results of a multicentre study. International Journal of STD and AIDS, 2004, 15, 238-239.	1.1	6

#	Article	IF	CITATIONS
199	HIV Testing and Sexual Health Among Black African Men and Women in London, United Kingdom. JAMA Network Open, 2019, 2, e190864.	5.9	6
200	Sexual mixing in opposite-sex partnerships in Britain and its implications for STI risk: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). International Journal of Epidemiology, 2019, 48, 228-242.	1.9	6
201	Effectiveness and resource requirements of test, trace and isolate strategies for COVID in the UK. Royal Society Open Science, 2021, 8, 201491.	2.4	5
202	Opposing associations of depression with sexual behaviour: implications for epidemiological investigation among gay, bisexual and other men who have sex with men. Sexually Transmitted Infections, 2021, 97, 613-618.	1.9	5
203	Longâ€ŧerm effectiveness of recommended boosted protease inhibitorâ€based antiretroviral therapy in Europe. HIV Medicine, 2018, 19, 324-338.	2.2	4
204	Salivary Testosterone and Sexual Function and Behavior in Men and Women: Findings from the Third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Journal of Sex Research, 2022, 59, 135-149.	2.5	4
205	Effect of weighting for sampling and non-response on estimates of STI prevalence in the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Sexually Transmitted Infections, 2020, 96, 481-484.	1.9	3
206	2 Epidemiology of HIV infection in women. Bailliere's Clinical Obstetrics and Gynaecology, 1992, 6, 13-31.	0.6	2
207	A case control study of HIV seroconversion in gay men, 1988-1993: what are the current risk factors?. Sexually Transmitted Infections, 1996, 72, 193-196.	1.9	2
208	HIV partner notification policy and practice within GUM clinics in England: where are we now?. Sexually Transmitted Infections, 1997, 73, 49-53.	1.9	2
209	Networking for infectious disease. Nature Reviews Microbiology, 2008, 6, 328-328.	28.6	2
210	Legislation and regulation in the era of online sexual health: how do we ensure provision of safe, high-quality care?. Sexually Transmitted Infections, 2018, 94, 550-551.	1.9	2
211	Visual problems in children: detection and referral. The Journal of the Royal College of General Practitioners, 1984, 34, 32-5.	0.3	1
212	An application of the Jordan canonical form to the epidemic problem. Journal of Applied Probability, 1980, 17, 313-323.	0.7	0
213	Emergency hormonal contraception and body weight: analysis of data from the Health Survey for England, 2010. Lancet, The, 2015, 386, S79.	13.7	0
214	What onâ€line searches tell us about public interest and potential impact on behaviour in response to minimum unit pricing of alcohol in Scotland. Addiction, 2021, 116, 2008-2015.	3.3	0
215	Reported exposure to SARS-CoV-2 and relative perceived importance of different settings for SARS-CoV-2 acquisition in England and Wales: Analysis of the Virus Watch Community Cohort. Wellcome Open Research, 0, 6, 242.	1.8	0