

Carsten A BrÃ¼hl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7818812/publications.pdf>

Version: 2024-02-01

63
papers

5,677
citations

147801

31
h-index

133252

59
g-index

66
all docs

66
docs citations

66
times ranked

7049
citing authors

#	ARTICLE	IF	CITATIONS
1	The rejection of synthetic pesticides in organic farming has multiple benefits. <i>Trends in Ecology and Evolution</i> , 2022, 37, 113-114.	8.7	14
2	Pesticide exposure affects reproductive capacity of common toads (<i>Bufo bufo</i>) in a viticultural landscape. <i>Ecotoxicology</i> , 2021, 30, 213-223.	2.4	19
3	Indirect herbicide effects on biodiversity, ecosystem functions, and interactions with global changes. , 2021, , 231-272.		9
4	Bottom-up effects of fungicides on tadpoles of the European common frog (<i>Rana temporaria</i>). <i>Ecology and Evolution</i> , 2021, 11, 4353-4365.	1.9	3
5	Dermal Fungicide Exposure at Realistic Field Rates Induces Lethal and Sublethal Effects on Juvenile European Common Frogs (<i>Rana temporaria</i>). <i>Environmental Toxicology and Chemistry</i> , 2021, 40, 1289-1297.	4.3	9
6	Interspecific sensitivity of European amphibians towards two pesticides and comparison to standard test species. <i>Environmental Sciences Europe</i> , 2021, 33, .	5.5	9
7	Diversity of Insects in Nature protected Areas (DINA): an interdisciplinary German research project. <i>Biodiversity and Conservation</i> , 2021, 30, 2605-2614.	2.6	15
8	Biodiversity in European agricultural landscapes: transformative societal changes needed. <i>Trends in Ecology and Evolution</i> , 2021, 36, 1067-1070.	8.7	29
9	Co-formulants and adjuvants affect the acute aquatic and terrestrial toxicity of a cycloxydim herbicide formulation to European common frogs (<i>Rana temporaria</i>). <i>Science of the Total Environment</i> , 2021, 789, 147865.	8.0	6
10	Direct herbicide effects on terrestrial nontarget organisms belowground and aboveground. , 2021, , 181-229.		5
11	Direct pesticide exposure of insects in nature conservation areas in Germany. <i>Scientific Reports</i> , 2021, 11, 24144.	3.3	63
12	Environmental and socioeconomic effects of mosquito control in Europe using the biocide <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> (Bt). <i>Science of the Total Environment</i> , 2020, 724, 137800.	8.0	62
13	Avoidance behavior of juvenile common toads (<i>Bufo bufo</i>) in response to surface contamination by different pesticides. <i>PLoS ONE</i> , 2020, 15, e0242720.	2.5	7
14	Fungicide Exposure Induces Sensitivity Differences in Aquatic Life Stages of European Common Frogs (<i>Rana temporaria</i>). <i>Journal of Herpetology</i> , 2020, 54, .	0.5	5
15	Is <i>Osmia bicornis</i> an adequate regulatory surrogate? Comparing its acute contact sensitivity to <i>Apis mellifera</i> . <i>PLoS ONE</i> , 2019, 14, e0201081.	2.5	18
16	The Impact of Pesticides on Flower-visiting Insects: A Review with Regard to European Risk Assessment. <i>Environmental Toxicology and Chemistry</i> , 2019, 38, 2355-2370.	4.3	58
17	Biodiversity Decline as a Consequence of an Inappropriate Environmental Risk Assessment of Pesticides. <i>Frontiers in Environmental Science</i> , 2019, 7, .	3.3	184
18	Mosquito control actions affect chironomid diversity in temporary wetlands of the Upper Rhine Valley. <i>Molecular Ecology</i> , 2019, 28, 4300-4316.	3.9	10

#	ARTICLE	IF	CITATIONS
19	Mosquito control based on <i>Bacillus thuringiensis israelensis</i> (Bti) interrupts artificial wetland food chains. <i>Science of the Total Environment</i> , 2019, 686, 1173-1184.	8.0	24
20	Fungicides: An Overlooked Pesticide Class?. <i>Environmental Science & Technology</i> , 2019, 53, 3347-3365.	10.0	374
21	Adverse effects of mosquito control using <i>Bacillus thuringiensis</i> var. <i>israelensis</i> : Reduced chironomid abundances in mesocosm, semi-field and field studies. <i>Ecotoxicology and Environmental Safety</i> , 2019, 169, 786-796.	6.0	36
22	European common frog <i>Rana temporaria</i> (Anura: Ranidae) larvae show subcellular responses under field-relevant <i>Bacillus thuringiensis</i> var. <i>israelensis</i> (Bti) exposure levels. <i>Environmental Research</i> , 2018, 162, 271-279.	7.5	14
23	How Does Changing Pesticide Usage Over Time Affect Migrating Amphibians: A Case Study on the Use of Glyphosate-Based Herbicides in German Agriculture Over 20 Years. <i>Frontiers in Environmental Science</i> , 2018, 6, .	3.3	20
24	Decreasing <i>Bacillus thuringiensis israelensis</i> sensitivity of <i>Chironomus riparius</i> larvae with age indicates potential environmental risk for mosquito control. <i>Scientific Reports</i> , 2017, 7, 13565.	3.3	30
25	Biological relevance of the magnitude of effects (considering mortality, sublethal and reproductive) of glyphosate on amphibians and reptiles. <i>EFSA Supporting Publications</i> , 2017, 14, 1251E.	0.7	6
26	Nocturnal Risks-High Bat Activity in the Agricultural Landscape Indicates Potential Pesticide Exposure. <i>Frontiers in Environmental Science</i> , 2017, 5, .	3.3	24
27	Amphibian population genetics in agricultural landscapes: does viticulture drive the population structuring of the European common frog (<i>Rana temporaria</i>)?. <i>PeerJ</i> , 2017, 5, e3520.	2.0	24
28	Amphibians and plant-protection products: what research and action is needed?. <i>Environmental Sciences Europe</i> , 2016, 28, 17.	5.5	9
29	Interspecific sensitivity of bees towards dimethoate and implications for environmental risk assessment. <i>Scientific Reports</i> , 2016, 6, 34439.	3.3	35
30	The secret pollinators: an overview of moth pollination with a focus on Europe and North America. <i>Arthropod-Plant Interactions</i> , 2016, 10, 21-28.	1.1	76
31	Non-target effects of a glyphosate-based herbicide on Common toad larvae (<i>Bufo bufo</i>). <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 1033-1040.	2.0	36
32	Assessing the Risk of Herbicides to Terrestrial Non-Target Plants Using Higher-Tier Studies. <i>Human and Ecological Risk Assessment (HERA)</i> , 2015, 21, 2137-2154.	3.4	7
33	Temporal coincidence of amphibian migration and pesticide applications on arable fields in spring. <i>Basic and Applied Ecology</i> , 2015, 16, 54-63.	2.7	43
34	The effects of agrochemicals on Lepidoptera, with a focus on moths, and their pollination service in field margin habitats. <i>Agriculture, Ecosystems and Environment</i> , 2015, 207, 153-162.	5.3	40
35	Review on environmental alterations propagating from aquatic to terrestrial ecosystems. <i>Science of the Total Environment</i> , 2015, 538, 246-261.	8.0	88
36	Effects of herbicide-treated host plants on the development of <i>Mamestra brassicae</i> L. caterpillars. <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 2633-2638.	4.3	14

#	ARTICLE	IF	CITATIONS
37	Characterization of field margins in intensified agroecosystems—why narrow margins should matter in terrestrial pesticide risk assessment and management. <i>Integrated Environmental Assessment and Management</i> , 2014, 10, 456-462.	2.9	13
38	Agrochemicals in field margins—Field evaluation of plant reproduction effects. <i>Agriculture, Ecosystems and Environment</i> , 2014, 189, 82-91.	5.3	38
39	Agrochemicals in field margins — An experimental field study to assess the impacts of pesticides and fertilizers on a natural plant community. <i>Agriculture, Ecosystems and Environment</i> , 2014, 193, 60-69.	5.3	55
40	Evaluating the risk of pesticide exposure for amphibian species listed in Annex II of the European Union Habitats Directive. <i>Biological Conservation</i> , 2014, 176, 64-70.	4.1	21
41	Terrestrial pesticide exposure of amphibians: An underestimated cause of global decline?. <i>Scientific Reports</i> , 2013, 3, 1135.	3.3	210
42	An expert-based landscape permeability model for assessing the impact of agricultural management on amphibian migration. <i>Basic and Applied Ecology</i> , 2013, 14, 442-451.	2.7	20
43	AGROCHEMICALS IN FIELD MARGINS—ASSESSING THE IMPACTS OF HERBICIDES, INSECTICIDES, AND FERTILIZER ON THE COMMON BUTTERCUP (<i>RANUNCULUS ACRIS</i>). <i>Environmental Toxicology and Chemistry</i> , 2013, 32, 1124-1131.	4.3	35
44	Averting biodiversity collapse in tropical forest protected areas. <i>Nature</i> , 2012, 489, 290-294.	27.8	909
45	16th SETAC GLB (Society of Environmental Toxicology and Chemistry German Language Branch) Annual meeting held under the main theme —EcoTOXICOlogy and Environmental CHEMISTRY: crossing borders— from 18th to 20th September 2011 at Landau. <i>Environmental Sciences Europe</i> , 2012, 24, .	5.5	0
46	Bats at risk? Bat activity and insecticide residue analysis of food items in an apple orchard. <i>Environmental Toxicology and Chemistry</i> , 2012, 31, 1556-1563.	4.3	36
47	Constructed wetlands support bats in agricultural landscapes. <i>Basic and Applied Ecology</i> , 2012, 13, 196-203.	2.7	57
48	Bats as bioindicators — the need of a standardized method for acoustic bat activity surveys. <i>Methods in Ecology and Evolution</i> , 2012, 3, 503-508.	5.2	58
49	Global warming, elevational ranges and the vulnerability of tropical biota. <i>Biological Conservation</i> , 2011, 144, 548-557.	4.1	185
50	Global diversity in light of climate change: the case of ants. <i>Diversity and Distributions</i> , 2011, 17, 652-662.	4.1	87
51	Amphibians at risk? Susceptibility of terrestrial amphibian life stages to pesticides. <i>Environmental Toxicology and Chemistry</i> , 2011, 30, 2465-2472.	4.3	107
52	Fuelling the biodiversity crisis: species loss of ground-dwelling forest ants in oil palm plantations in Sabah, Malaysia (Borneo). <i>Biodiversity and Conservation</i> , 2010, 19, 519-529.	2.6	104
53	Climatic drivers of hemispheric asymmetry in global patterns of ant species richness. <i>Ecology Letters</i> , 2009, 12, 324-333.	6.4	233
54	Biofuel Plantations on Forested Lands: Double Jeopardy for Biodiversity and Climate. <i>Conservation Biology</i> , 2009, 23, 348-358.	4.7	445

#	ARTICLE	IF	CITATIONS
55	Fuelling the biodiversity crisis: species loss of ground-dwelling forest ants in oil palm plantations in Sabah, Malaysia (Borneo). <i>Topics in Biodiversity and Conservation</i> , 2009, , 207-217.	1.0	1
56	How will oil palm expansion affect biodiversity?. <i>Trends in Ecology and Evolution</i> , 2008, 23, 538-545.	8.7	1,052
57	Influence of Habitat Fragmentation on the Genetic Variability in Leaf Litter Ant Populations in Tropical Rainforests of Sabah, Borneo. <i>Biodiversity and Conservation</i> , 2006, 15, 157-175.	2.6	26
58	Influence of habitat fragmentation on the genetic variability in leaf litter ant populations in tropical rainforests of Sabah, Borneo. , 2006, , 143-161.		1
59	Title is missing!. <i>Biodiversity and Conservation</i> , 2003, 12, 1371-1389.	2.6	94
60	Nesting and nest trees of stingless bees (Apidae: Meliponini) in lowland dipterocarp forests in Sabah, Malaysia, with implications for forest management. <i>Forest Ecology and Management</i> , 2003, 172, 301-313.	3.2	86
61	Determinants of stingless bee nest density in lowland dipterocarp forests of Sabah, Malaysia. <i>Oecologia</i> , 2002, 131, 27-34.	2.0	95
62	Altitudinal distribution of leaf litter ants along a transect in primary forests on Mount Kinabalu, Sabah, Malaysia. <i>Journal of Tropical Ecology</i> , 1999, 15, 265-277.	1.1	143
63	Stratification of ants (Hymenoptera, Formicidae) in a primary rain forest in Sabah, Borneo. <i>Journal of Tropical Ecology</i> , 1998, 14, 285-297.	1.1	135