

# Sally Jary

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7820054/publications.pdf>

Version: 2024-02-01

25  
papers

671  
citations

623734

14  
h-index

752698

20  
g-index

28  
all docs

28  
docs citations

28  
times ranked

752  
citing authors

#	ARTICLE	IF	CITATIONS
1	An Age-Specific Atlas for Delineation of White Matter Pathways in Children Aged 6â€“8 Years. <i>Brain Connectivity</i> , 2022, 12, 402-416.	1.7	4
2	MRI combined with early clinical variables are excellent outcome predictors for newborn infants undergoing therapeutic hypothermia after perinatal asphyxia. <i>EClinicalMedicine</i> , 2021, 36, 100885.	7.1	23
3	Morphine and fentanyl exposure during therapeutic hypothermia does not impair neurodevelopment. <i>EClinicalMedicine</i> , 2021, 36, 100892.	7.1	16
4	Disrupted brain connectivity in children treated with therapeutic hypothermia for neonatal encephalopathy. <i>NeuroImage: Clinical</i> , 2021, 30, 102582.	2.7	16
5	Motor function and white matter connectivity in children cooled for neonatal encephalopathy. <i>NeuroImage: Clinical</i> , 2021, 32, 102872.	2.7	9
6	School-age outcomes of children without cerebral palsy cooled for neonatal hypoxicâ€“ischaemic encephalopathy in 2008â€“2010. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 8-13.	2.8	59
7	Motor performance and cognitive correlates in children cooled for neonatal encephalopathy without cerebral palsy at school age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 1773-1780.	1.5	30
8	Early intervention programmes for infants at high risk of atypical neurodevelopmental outcome. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 1362-1367.	2.1	39
9	Attention and visuo-spatial function in children without cerebral palsy who were cooled for neonatal encephalopathy: a case-control study. <i>Brain Injury</i> , 2019, 33, 894-898.	1.2	21
10	The Standardized Infant NeuroDevelopmental Assessment: validation of a new scale. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 623-623.	2.1	2
11	Ten-year follow-up of a randomised trial of drainage, irrigation and fibrinolytic therapy (DRIFT) in infants with post-haemorrhagic ventricular dilatation. <i>Health Technology Assessment</i> , 2019, 23, 1-116.	2.8	34
12	Reduced infancy and childhood epilepsy following hypothermiaâ€“treated neonatal encephalopathy. <i>Epilepsia</i> , 2017, 58, 1902-1911.	5.1	47
13	Motor impairment in children born preterm: assessment with the Movement <sc>ABC</sc>. <i>Developmental Medicine and Child Neurology</i> , 2017, 59, 455-455.	2.1	0
14	Less severe cerebral palsy outcomes in infants treated with therapeutic hypothermia. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, 1241-1247.	1.5	30
15	The effect of resuscitation in 100% oxygen on brain injury in a newborn rat model of severe hypoxic-ischaemic encephalopathy. <i>Resuscitation</i> , 2015, 96, 214-219.	3.0	8
16	Cooling neonates who do not fulfil the standard cooling criteria - short- and long-term outcomes. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, 138-145.	1.5	41
17	PS-215â€“...Sepsis Reduction Care Bundles Improve Cognitive Outcome In Very Low Birth Weight Infants. <i>Archives of Disease in Childhood</i> , 2014, 99, A190.2-A190.	1.9	0
18	Comparison of <sc>B</sc> and <sc>B</sc> scores at 18 months in term infants following neonatal encephalopathy and therapeutic hypothermia. <i>Developmental Medicine and Child Neurology</i> , 2013, 55, 1053-1059.	2.1	78

#	ARTICLE	IF	CITATIONS
19	G172 Neonatal Seizures: The Utility of Magnetic Resonance Imaging in Diagnosis and Prediction of Neurodisability. Archives of Disease in Childhood, 2013, 98, A79-A79.	1.9	0
20	Quantitative cranial ultrasound prediction of severity of disability in premature infants with post-haemorrhagic ventricular dilatation. Archives of Disease in Childhood, 2012, 97, 955-959.	1.9	19
21	Impaired brain growth and neurodevelopment in preterm infants with posthaemorrhagic ventricular dilatation. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 743-748.	1.5	27
22	Hypocarbia Soon after Birth is not Associated with Poor Outcome in Infants Treated with Therapeutic Hypothermia after Perinatal Asphyxia. Pediatric Research, 2011, 70, 347-347.	2.3	0
23	Differentiating Developmental Outcome between Infants with Severe Disability in Research Studies: The Role of Bayley Developmental Quotients. Journal of Pediatrics, 2011, 159, 211-214.e1.	1.8	14
24	Randomized Trial of Drainage, Irrigation and Fibrinolytic Therapy for Premature Infants with Posthemorrhagic Ventricular Dilatation: Developmental Outcome at 2 years. Pediatrics, 2010, 125, e852-e858.	2.1	152
25	Vision function in children 10 years after grade 3 or 4 intraventricular haemorrhage with ventricular dilation: A masked prospective study. Developmental Medicine and Child Neurology, 0, , .	2.1	1