

Tony R Larson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7821050/publications.pdf>

Version: 2024-02-01

75
papers

8,701
citations

57758

44
h-index

76900

74
g-index

79
all docs

79
docs citations

79
times ranked

10714
citing authors

#	ARTICLE	IF	CITATIONS
1	Pelagic Sargassum events in Jamaica: Provenance, morphotype abundance, and influence of sample processing on biochemical composition of the biomass. <i>Science of the Total Environment</i> , 2022, 817, 152761.	8.0	19
2	Multi-omic based production strain improvement (MOBpsi) for bio-manufacturing of toxic chemicals. <i>Metabolic Engineering</i> , 2022, 72, 133-149.	7.0	6
3	Gene discovery and virus-induced gene silencing reveal branched pathways to major classes of bioactive diterpenoids in <i>Euphorbia peplus</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2203890119.	7.1	7
4	A functionally conserved STORR gene fusion in Papaver species that diverged 16.8 million years ago. <i>Nature Communications</i> , 2022, 13, .	12.8	7
5	Techniques for the Measurement of Molecular Species of Acyl-CoA in Plants and Microalgae. <i>Methods in Molecular Biology</i> , 2021, 2295, 203-218.	0.9	2
6	Engineering Production of a Novel Diterpene Synthase Precursor in <i>Nicotiana benthamiana</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 757186.	3.6	2
7	PRMT7 regulates RNA-binding capacity and protein stability in <i>Leishmania</i> parasites. <i>Nucleic Acids Research</i> , 2020, 48, 5511-5526.	14.5	14
8	A microbubble-sparged yeast propagationâ€“fermentation process for bioethanol production. <i>Biotechnology for Biofuels</i> , 2020, 13, 104.	6.2	15
9	Flavonoid Versus Artemisinin Anti-malarial Activity in <i>Artemisia annua</i> Whole-Leaf Extracts. <i>Frontiers in Plant Science</i> , 2019, 10, 984.	3.6	25
10	cis-12-Oxo-phytodienoic acid represses <i>Arabidopsis</i> seed germination in shade conditions. <i>Journal of Experimental Botany</i> , 2019, 70, 5919-5927.	4.8	11
11	Systems Analyses Reveal the Resilience of <i>Escherichia coli</i> Physiology during Accumulation and Export of the Nonnative Organic Acid Citramalate. <i>MSystems</i> , 2019, 4, .	3.8	9
12	Low-oxygen response is triggered by an ATP-dependent shift in oleoyl-CoA in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E12101-E12110.	7.1	55
13	Contrasting nutrientâ€“disease relationships: Potassium gradients in barley leaves have opposite effects on two fungal pathogens with different sensitivities to jasmonic acid. <i>Plant, Cell and Environment</i> , 2018, 41, 2357-2372.	5.7	25
14	<i>MOTHER-OF-FT-AND-TFL1</i> represses seed germination under far-red light by modulating phytohormone responses in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 8442-8447.	7.1	74
15	Silencing amorpha-4,11-diene synthase Genes in <i>Artemisia annua</i> Leads to FPP Accumulation. <i>Frontiers in Plant Science</i> , 2018, 9, 547.	3.6	19
16	Detailed Phytochemical Analysis of High- and Low Artemisinin-Producing Chemotypes of <i>Artemisia annua</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 641.	3.6	33
17	Perturbed cholesterol and vesicular trafficking associated with dengue blocking in <i>Wolbachia</i> -infected <i>Aedes aegypti</i> cells. <i>Nature Communications</i> , 2017, 8, 526.	12.8	139
18	A Cytochrome P450â€“Mediated Intramolecular Carbonâ€“Carbon Ring Closure in the Biosynthesis of Multidrugâ€“Resistanceâ€“Reversing Lathyrane Diterpenoids. <i>ChemBioChem</i> , 2016, 17, 1593-1597.	2.6	28

#	ARTICLE	IF	CITATIONS
19	<i>Artemisia annua</i> mutant impaired in artemisinin synthesis demonstrates importance of nonenzymatic conversion in terpenoid metabolism. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 15150-15155.	7.1	92
20	The Breakdown of Stored Triacylglycerols Is Required during Light-Induced Stomatal Opening. Current Biology, 2016, 26, 707-712.	3.9	111
21	Morphinan biosynthesis in opium poppy requires a P450-oxidoreductase fusion protein. Science, 2015, 349, 309-312.	12.6	130
22	Targeted mutation of $\Delta 12$ and $\Delta 15$ desaturase genes in hemp produce major alterations in seed fatty acid composition including a high oleic hemp oil. Plant Biotechnology Journal, 2014, 12, 613-623.	8.3	29
23	Effect of a mutagenized acyl-ACP thioesterase FATA allele from sunflower with improved activity in tobacco leaves and Arabidopsis seeds. Planta, 2014, 239, 667-677.	3.2	16
24	Production of Bioactive Diterpenoids in the Euphorbiaceae Depends on Evolutionarily Conserved Gene Clusters. Plant Cell, 2014, 26, 3286-3298.	6.6	84
25	A survey of artemisinic and dihydroartemisinic acid contents in glasshouse and global field-grown populations of the artemisinin-producing plant <i>Artemisia annua</i> L.. Industrial Crops and Products, 2013, 45, 1-6.	5.2	30
26	An inhibitor of oil body mobilization in Arabidopsis. New Phytologist, 2013, 200, 641-649.	7.3	25
27	Acyl-Lipid Metabolism. The Arabidopsis Book, 2013, 11, e0161.	0.5	974
28	CAMERA: An Integrated Strategy for Compound Spectra Extraction and Annotation of Liquid Chromatography/Mass Spectrometry Data Sets. Analytical Chemistry, 2012, 84, 283-289.	6.5	930
29	A Cytosolic Acyltransferase Contributes to Triacylglycerol Synthesis in Sucrose-Rescued Arabidopsis Seed Oil Catabolism Mutants. Plant Physiology, 2012, 160, 215-225.	4.8	136
30	A <i>Papaver somniferum</i> 10-Gene Cluster for Synthesis of the Anticancer Alkaloid Noscapine. Science, 2012, 336, 1704-1708.	12.6	301
31	Rosiglitazone increases fatty acid $\Delta 9$ -desaturation and decreases elongase activity index in human skeletal muscle in vivo. Metabolism: Clinical and Experimental, 2012, 61, 108-116.	3.4	12
32	Reduced expression of FatA thioesterases in Arabidopsis affects the oil content and fatty acid composition of the seeds. Planta, 2012, 235, 629-639.	3.2	55
33	Tissue-Specific Whole Transcriptome Sequencing in Castor, Directed at Understanding Triacylglycerol Lipid Biosynthetic Pathways. PLoS ONE, 2012, 7, e30100.	2.5	117
34	12-Oxo-Phytodienoic Acid Accumulation during Seed Development Represses Seed Germination in Arabidopsis. Plant Cell, 2011, 23, 583-599.	6.6	207
35	Evidence that ACN1 (acetate non-utilizing 1) prevents carbon leakage from peroxisomes during lipid mobilization in Arabidopsis seedlings. Biochemical Journal, 2011, 437, 505-513.	3.7	17
36	Analysis of a Range of Catabolic Mutants Provides Evidence That Phytanoyl-Coenzyme A Does Not Act as a Substrate of the Electron-Transfer Flavoprotein/Ubiquinone Oxidoreductase Complex in Arabidopsis during Dark-Induced Senescence. Plant Physiology, 2011, 157, 55-69.	4.8	39

#	ARTICLE	IF	CITATIONS
37	Toxicity of unsaturated fatty acids to the biohydrogenating ruminal bacterium, <i>Butyrivibrio fibrisolvens</i> . <i>BMC Microbiology</i> , 2010, 10, 52.	3.3	189
38	Potassium deficiency induces the biosynthesis of oxylipins and glucosinolates in <i>Arabidopsis thaliana</i> . <i>BMC Plant Biology</i> , 2010, 10, 172.	3.6	87
39	Plant lipid-associated fibrillin proteins condition jasmonate production under photosynthetic stress. <i>Plant Journal</i> , 2010, 61, 436-445.	5.7	105
40	Enhancement of Plant Metabolite Fingerprinting by Machine Learning. <i>Plant Physiology</i> , 2010, 153, 1506-1520.	4.8	24
41	The Genetic Map of <i>Artemisia annua</i> L. Identifies Loci Affecting Yield of the Antimalarial Drug Artemisinin. <i>Science</i> , 2010, 327, 328-331.	12.6	325
42	Acyl-Lipid Metabolism. <i>The Arabidopsis Book</i> , 2010, 8, e0133.	0.5	287
43	Identification of the 2-Hydroxyglutarate and Isovaleryl-CoA Dehydrogenases as Alternative Electron Donors Linking Lysine Catabolism to the Electron Transport Chain of <i>Arabidopsis</i> Mitochondria. <i>Plant Cell</i> , 2010, 22, 1549-1563.	6.6	296
44	The synthesis and accumulation of stearidonic acid in transgenic plants: a novel source of ω -3 fatty acids. <i>Plant Biotechnology Journal</i> , 2009, 7, 704-716.	8.3	65
45	Hydrophilic interaction chromatography/electrospray mass spectrometry analysis of carbohydrate-related metabolites from <i>Arabidopsis thaliana</i> leaf tissue. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 1399-1407.	1.5	95
46	Yield assessment of integument-led seed growth following targeted repair of auxin response factor 2. <i>Plant Biotechnology Journal</i> , 2008, 6, 758-769.	8.3	33
47	Metabolic engineering of hydroxy fatty acid production in plants: RcDGAT2 drives dramatic increases in ricinoleate levels in seed oil. <i>Plant Biotechnology Journal</i> , 2008, 6, 819-831.	8.3	292
48	Detoxification of the explosive 2,4,6-trinitrotoluene in <i>Arabidopsis</i> : discovery of bifunctional <i>O</i> - and <i>C</i> -glucosyltransferases. <i>Plant Journal</i> , 2008, 56, 963-974.	5.7	142
49	The Coenzyme A Biosynthetic Enzyme Phosphopantetheine Adenylyltransferase Plays a Crucial Role in Plant Growth, Salt/Osmotic Stress Resistance, and Seed Lipid Storage. <i>Plant Physiology</i> , 2008, 148, 546-556.	4.8	38
50	Engineering a Catabolic Pathway in Plants for the Degradation of 1,2-Dichloroethane. <i>Plant Physiology</i> , 2008, 147, 1192-1198.	4.8	50
51	Transcriptomic and Reverse Genetic Analyses of Branched-Chain Fatty Acid and Acyl Sugar Production in <i>Solanum pennellii</i> and <i>Nicotiana benthamiana</i> . <i>Plant Physiology</i> , 2008, 148, 1830-1846.	4.8	95
52	Novel Insights into Seed Fatty Acid Synthesis and Modification Pathways from Genetic Diversity and Quantitative Trait Loci Analysis of the Brassica C Genome. <i>Plant Physiology</i> , 2007, 144, 1827-1842.	4.8	78
53	Rational metabolic engineering of transgenic plants for biosynthesis of omega-3 polyunsaturates. <i>Current Opinion in Biotechnology</i> , 2007, 18, 142-147.	6.6	86
54	Quantification of sugars and sugar phosphates in <i>Arabidopsis thaliana</i> tissues using porous graphitic carbon liquid chromatography-electrospray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2007, 1172, 170-178.	3.7	85

#	ARTICLE	IF	CITATIONS
55	The Arabidopsis thaliana multifunctional protein gene (MFP2) of peroxisomal β -oxidation is essential for seedling establishment. <i>Plant Journal</i> , 2006, 45, 930-941.	5.7	92
56	The mitochondrial electron transfer flavoprotein complex is essential for survival of Arabidopsis in extended darkness. <i>Plant Journal</i> , 2006, 47, 751-760.	5.7	128
57	An Arabidopsis Mutant Impaired in Coenzyme A Biosynthesis Is Sugar Dependent for Seedling Establishment. <i>Plant Physiology</i> , 2006, 140, 830-843.	4.8	32
58	Sucrose rescues seedling establishment but not germination of Arabidopsis mutants disrupted in peroxisomal fatty acid catabolism. <i>Plant Journal</i> , 2005, 43, 861-872.	5.7	157
59	Fatty acid desaturases from the microalga <i>Thalassiosira pseudonana</i> . <i>FEBS Journal</i> , 2005, 272, 3401-3412.	4.7	90
60	Acyl-CoA elongase activity and gene from the marine microalga <i>Pavlova lutheri</i> (Haptophyceae). <i>Journal of Applied Phycology</i> , 2005, 17, 111-118.	2.8	3
61	The Critical Role of Arabidopsis Electron-Transfer Flavoprotein: Ubiquinone Oxidoreductase during Dark-Induced Starvation. <i>Plant Cell</i> , 2005, 17, 2587-2600.	6.6	211
62	Jasmonic Acid Levels Are Reduced in COMATOSE ATP-Binding Cassette Transporter Mutants. Implications for Transport of Jasmonate Precursors into Peroxisomes. <i>Plant Physiology</i> , 2005, 137, 835-840.	4.8	248
63	Reserve Mobilization in the Arabidopsis Endosperm Fuels Hypocotyl Elongation in the Dark, Is Independent of Abscisic Acid, and Requires PHOSPHOENOLPYRUVATE CARBOXYKINASE1. <i>Plant Cell</i> , 2004, 16, 2705-2718.	6.6	246
64	Identification of a fatty acid Δ^{11} -desaturase from the microalga <i>Thalassiosira pseudonana</i> 1. <i>FEBS Letters</i> , 2004, 563, 28-34.	2.8	39
65	Identification of a very long chain polyunsaturated fatty acid Δ^4 -desaturase from the microalga <i>Pavlova lutheri</i> 1. <i>FEBS Letters</i> , 2003, 553, 440-444.	2.8	73
66	Arabidopsis Mutants in Short- and Medium-chain Acyl-CoA Oxidase Activities Accumulate Acyl-CoAs and Reveal That Fatty Acid β -Oxidation Is Essential for Embryo Development. <i>Journal of Biological Chemistry</i> , 2003, 278, 21370-21377.	3.4	98
67	Acyl CoA profiles of transgenic plants that accumulate medium-chain fatty acids indicate inefficient storage lipid synthesis in developing oilseeds. <i>Plant Journal</i> , 2002, 32, 519-527.	5.7	73
68	Long chain polyunsaturated fatty acid production and partitioning to triacylglycerols in four microalgae. <i>Phytochemistry</i> , 2002, 61, 15-24.	2.9	239
69	Control of germination and lipid mobilization by COMATOSE, the Arabidopsis homologue of human ALDP. <i>EMBO Journal</i> , 2002, 21, 2912-2922.	7.8	280
70	Futile Cycling Through β -Oxidation as a Barrier to Increased Yields of Novel Oils. , 2002, , 445-463.		0
71	Requirement for 3-ketoacyl-CoA thiolase-2 in peroxisome development, fatty acid β -oxidation and breakdown of triacylglycerol in lipid bodies of Arabidopsis seedlings. <i>Plant Journal</i> , 2001, 28, 1-12.	5.7	233
72	Technical Advance: A novel technique for the sensitive quantification of acyl CoA esters from plant tissues. <i>Plant Journal</i> , 2001, 25, 115-125.	5.7	24

#	ARTICLE	IF	CITATIONS
73	A novel technique for the sensitive quantification of acyl CoA esters from plant tissues. <i>Plant Journal</i> , 2001, 25, 115-125.	5.7	192
74	No Induction of β -oxidation in leaves of <i>Arabidopsis</i> that over-produce lauric acid. <i>Planta</i> , 1999, 207, 385-392.	3.2	29
75	CHANGES IN CELL COMPOSITION AND LIPID METABOLISM MEDIATED BY SODIUM AND NITROGEN AVAILABILITY IN THE MARINE DIATOM PHAEODACTYLUM TRICORNUTUM (BACILLARIOPHYCEAE)1. <i>Journal of Phycology</i> , 1996, 32, 388-393.	2.3	46