

Gabor Cserni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7824665/publications.pdf>

Version: 2024-02-01

191
papers

5,142
citations

87888

38
h-index

118850

62
g-index

215
all docs

215
docs citations

215
times ranked

4690
citing authors

#	ARTICLE	IF	CITATIONS
1	Sentinel lymph node assessment in breast cancer – an update on current recommendations. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 95-107.	2.8	16
2	Preoperative axillary nodal staging of invasive lobular breast cancer with ultrasound guided fine needle aspiration in patients with suspicious ultrasound findings versus aspiration in all patients – A retrospective single institutional analysis. <i>European Journal of Surgical Oncology</i> , 2022, 48, 742-747.	1.0	1
3	ONEST (Observers Needed to Evaluate Subjective Tests) suggests four or more observers for a reliable assessment of the consistency of histological grading of invasive breast carcinoma: A reproducibility study with a retrospective view on previous studies. <i>Pathology Research and Practice</i> , 2022, 229, 153718.	2.3	4
4	Exercise training worsens cardiac performance in males but does not change ejection fraction and improves hypertrophy in females in a mouse model of metabolic syndrome. <i>Biology of Sex Differences</i> , 2022, 13, 5.	4.1	5
5	High expression of progesterone receptor may be an adverse prognostic factor in oestrogen receptor-negative/progesterone receptor-positive breast cancer: results of comprehensive re-evaluation of multi-institutional case series. <i>Pathology</i> , 2022, 54, 269-278.	0.6	4
6	Investigation of the Antiremodeling Effects of Losartan, Mirabegron and Their Combination on the Development of Doxorubicin-Induced Chronic Cardiotoxicity in a Rat Model. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2201.	4.1	9
7	Inter-observer agreement for the histological diagnosis of invasive lobular breast carcinoma. <i>Journal of Pathology: Clinical Research</i> , 2022, 8, 191-205.	3.0	19
8	Mixed Invasive Apocrine Papillary/Micropapillary Carcinoma of the Breast: Another Brick in the Triple-Negative Wall. <i>International Journal of Surgical Pathology</i> , 2021, 29, 420-426.	0.8	1
9	The panel of syntaxin 1 and insulinoma-associated protein 1 outperforms classic neuroendocrine markers in pulmonary neuroendocrine neoplasms. <i>Apmis</i> , 2021, 129, 186-194.	2.0	6
10	The Added Value of SOX10 Immunohistochemistry to Other Breast Markers in Identifying Cytokeratin 5-Positive Triple Negative Breast Cancers as of Mammary Origin. <i>Pathobiology</i> , 2021, 88, 228-233.	3.8	9
11	Lobular Breast Cancer: Histomorphology and Different Concepts of a Special Spectrum of Tumors. <i>Cancers</i> , 2021, 13, 3695.	3.7	35
12	The additional value of ONEST (Observers Needed to Evaluate Subjective Tests) in assessing reproducibility of oestrogen receptor, progesterone receptor, and Ki67 classification in breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 1101-1109.	2.8	5
13	Intra-Tumour Heterogeneity Is One of the Main Sources of Inter-Observer Variation in Scoring Stromal Tumour Infiltrating Lymphocytes in Triple Negative Breast Cancer. <i>Cancers</i> , 2021, 13, 4410.	3.7	8
14	Ischemic preconditioning protects the heart against ischemia-reperfusion injury in chronic kidney disease in both males and females. <i>Biology of Sex Differences</i> , 2021, 12, 49.	4.1	10
15	Comparison of the antiremodeling effects of losartan and mirabegron in a rat model of uremic cardiomyopathy. <i>Scientific Reports</i> , 2021, 11, 17495.	3.3	13
16	Syntaxin-1 and Insulinoma-Associated Protein 1 Expression in Breast Neoplasms with Neuroendocrine Features. <i>Pathology and Oncology Research</i> , 2021, 27, 1610039.	1.9	3
17	Triple-Negative Breast Cancer Histological Subtypes with a Favourable Prognosis. <i>Cancers</i> , 2021, 13, 5694.	3.7	41
18	Investigation of the Antihypertrophic and Antifibrotic Effects of Losartan in a Rat Model of Radiation-Induced Heart Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12963.	4.1	11

#	ARTICLE	IF	CITATIONS
19	Immunohistochemical Characterization of Reactive Epithelial Changes in Odontogenic Keratocysts. <i>Pathology and Oncology Research</i> , 2020, 26, 1717-1724.	1.9	8
20	Negative pressure wound therapy of <i>Corynebacterium jeikeium</i> associated granulomatous mastitis. <i>Breast Journal</i> , 2020, 26, 508-510.	1.0	3
21	Grading Ductal Carcinoma In Situ (DCIS) of the Breast – What’s Wrong with It?. <i>Pathology and Oncology Research</i> , 2020, 26, 665-671.	1.9	17
22	How current assay approval policies are leading to unintended imprecision medicine. <i>Lancet Oncology</i> , The, 2020, 21, 1399-1401.	10.7	34
23	Examination of Tumor Regression Grading Systems in Breast Cancer Patients Who Received Neoadjuvant Therapy. <i>Pathology and Oncology Research</i> , 2020, 26, 2747-2754.	1.9	13
24	Prognostic value of histopathological DCIS features in a large-scale international interrater reliability study. <i>Breast Cancer Research and Treatment</i> , 2020, 183, 759-770.	2.5	16
25	Comparison of Nottingham Prognostic Index, PREDICT and PrognostILs in Triple Negative Breast Cancer – a Retrospective Cohort Study. <i>Pathology and Oncology Research</i> , 2020, 26, 2443-2450.	1.9	6
26	Architectural Grade Combined With Spread Through Air Spaces (STAS) Predicts Recurrence and is Suitable for Stratifying Patients Who Might Be Eligible for Lung Sparing Surgery for Stage I Adenocarcinomas. <i>Pathology and Oncology Research</i> , 2020, 26, 2451-2458.	1.9	9
27	A Clinicopathological Approach to Odontogenic Cysts: the Role of Cytokeratin 17 and bcl2 Immunohistochemistry in Identifying Odontogenic Keratocysts. <i>Pathology and Oncology Research</i> , 2020, 26, 2613-2620.	1.9	4
28	Theoretical and practical knowledge curriculum for European Breast Surgeons. <i>European Journal of Surgical Oncology</i> , 2020, 46, 717-736.	1.0	12
29	ER-/PgR+ breast cancer is a separate entity characterized by distinct phenotype: Comprehensive reevaluation of cases from Polish and Hungarian centers.. <i>Journal of Clinical Oncology</i> , 2020, 38, e12554-e12554.	1.6	2
30	Histological type and typing of breast carcinomas and the WHO classification changes over time. <i>Pathologica</i> , 2020, 112, 25-41.	3.4	60
31	Sentinel Node. <i>Encyclopedia of Pathology</i> , 2020, , 355-362.	0.0	0
32	Selective Heart Irradiation Induces Cardiac Overexpression of the Pro-hypertrophic miR-212. <i>Frontiers in Oncology</i> , 2019, 9, 598.	2.8	21
33	Pre-operative management of Pleomorphic and florid lobular carcinoma in situ of the breast: Report of a large multi-institutional series and review of the literature. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2279-2286.	1.0	32
34	Influence of mutagenic versus non-mutagenic pre-operative chemotherapy on the immune infiltration of residual breast cancer. <i>Acta Oncologica</i> , 2019, 58, 1603-1611.	1.8	4
35	Spontaneous pathological complete regression of high-grade triple-negative breast cancer with axillary metastasis. <i>Polish Journal of Pathology</i> , 2019, 70, 139-143.	0.3	5
36	Sentinel lymph node biopsy following previous axillary surgery in recurrent breast cancer. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1835-1838.	1.0	11

#	ARTICLE	IF	CITATIONS
37	Chronic kidney disease induces left ventricular overexpression of the pro-hypertrophic microRNA-212. <i>Scientific Reports</i> , 2019, 9, 1302.	3.3	32
38	Patterns of Regression in Breast Cancer after Primary Systemic Treatment. <i>Pathology and Oncology Research</i> , 2019, 25, 1153-1161.	1.9	6
39	Inflammatory breast cancer: The pathologists' perspective. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1128-1134.	1.0	16
40	The more the micropapillary pattern in stage I lung adenocarcinoma, the worse the prognosis—a retrospective study on digitalized slides. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 949-958.	2.8	14
41	Solid papillary breast carcinomas resembling the tall cell variant of papillary thyroid neoplasms (solid papillary carcinomas with reverse polarity) harbour recurrent mutations affecting <i>IDH2</i> and <i>PIK3CA</i> : a validation cohort. <i>Histopathology</i> , 2018, 73, 339-344.	2.9	44
42	The new TNM-based staging of breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 697-703.	2.8	151
43	Analysis of membranous Ki-67 staining in breast cancer and surrounding breast epithelium. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 145-153.	2.8	5
44	Is Regression after Neoadjuvant Chemotherapy for Locally Advanced Breast Cancer Different in Sentinel and Non-sentinel Nodes?. <i>Pathology and Oncology Research</i> , 2018, 24, 167-170.	1.9	1
45	Immunohistochemical Analysis of the Expression of Breast Markers in Basal-like Breast Carcinomas Defined as Triple Negative Cancers Expressing Keratin 5. <i>Pathology and Oncology Research</i> , 2018, 24, 259-267.	1.9	8
46	Evaluation of grading systems in stage I lung adenocarcinomas: a retrospective cohort study. <i>Journal of Clinical Pathology</i> , 2018, 71, 135-140.	2.0	10
47	Elastic stains in the evaluation of DCIS with comedo necrosis in breast cancers. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 1007-1014.	2.8	2
48	Expression of growth hormone-releasing hormone receptors in apocrine adnexal tumours and apocrine glands of the skin. <i>Polish Journal of Pathology</i> , 2018, 69, 48-52.	0.3	3
49	Reproducibility and predictive value of scoring stromal tumour infiltrating lymphocytes in triple-negative breast cancer: a multi-institutional study. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 1-9.	2.5	37
50	Stanniocalcin 2 expression is associated with a favourable outcome in male breast cancer. <i>Journal of Pathology: Clinical Research</i> , 2018, 4, 241-249.	3.0	12
51	Apocrine Encapsulated Papillary Carcinoma of the Breast: The First Reported Case with an Infiltrative Component. <i>Journal of Breast Cancer</i> , 2018, 21, 227.	1.9	11
52	Breast cancer brain metastases show increased levels of genomic aberration-based homologous recombination deficiency scores relative to their corresponding primary tumors. <i>Annals of Oncology</i> , 2018, 29, 1948-1954.	1.2	60
53	The expression of GHRH and its receptors in breast carcinomas with apocrine differentiation—further evidence of the presence of a GHRH pathway in these tumors. <i>Human Pathology</i> , 2017, 64, 164-170.	2.0	9
54	Solid Papillary Breast Carcinomas Resembling the Tall Cell Variant of Papillary Thyroid Neoplasms. <i>American Journal of Surgical Pathology</i> , 2017, 41, 887-895.	3.7	52

#	ARTICLE	IF	CITATIONS
55	Invasive lobular carcinoma with extracellular mucin productionâ€”a novel pattern of lobular carcinomas of the breast. Clinico-pathological description of eight cases. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 471, 3-12.	2.8	31
56	Characterisation of male breast cancer: a descriptive biomarker study from a large patient series. Scientific Reports, 2017, 7, 45293.	3.3	50
57	A Case-Matched Gender Comparison Transcriptomic Screen Identifies eIF4E and eIF5 as Potential Prognostic Markers in Male Breast Cancer. Clinical Cancer Research, 2017, 23, 2575-2583.	7.0	16
58	The role of preoperative axillary ultrasound and fine-needle aspiration cytology in identifying patients with extensive axillary lymph node involvement. European Journal of Surgical Oncology, 2017, 43, 2021-2028.	1.0	4
59	A cell line thought to represent mucinous breast cancer probably represents lobular carcinoma with extracellular mucin production. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 471, 433-434.	2.8	2
60	Solitary breast metastasis from oestrogen receptor-positive pulmonary adenocarcinoma: report of a case with a potential pitfall. Polish Journal of Pathology, 2017, 2, 168-172.	0.3	2
61	The role of sentinel node biopsy in male breast cancer. Breast Cancer, 2016, 23, 85-91.	2.9	12
62	Elastic staining does not assist detection of venous invasion in cutaneous melanoma. Pathology Research and Practice, 2016, 212, 51-53.	2.3	0
63	Consistency in recognizing microinvasion in breast carcinomas is improved by immunohistochemistry for myoepithelial markers. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 468, 473-481.	2.8	11
64	The Petersen prognostic index revisited in Dukes B colon cancer â€” Inter-institutional differences. Pathology Research and Practice, 2016, 212, 73-76.	2.3	1
65	High-dose Radiation Induced Heart Damage in a Rat Model. In Vivo, 2016, 30, 623-31.	1.3	21
66	Evaluation of p40 as a Myoepithelial Marker in Different Breast Lesions. Pathobiology, 2015, 82, 166-171.	3.8	12
67	CD10 Immunohistochemical Expression in Apocrine Lesions of the Breast. Pathobiology, 2015, 82, 259-263.	3.8	6
68	Incidentally Discovered Diffuse Large B-Cell Lymphoma Limited to the Endocervical Mucosa in a Young Female Patient. Gynecologic and Obstetric Investigation, 2015, 80, 134-138.	1.6	2
69	Regional Disease Control in Selected Patients with Sentinel Lymph Node Involvement and Omission of Axillary Lymph Node Dissection. Pathology and Oncology Research, 2015, 21, 861-866.	1.9	2
70	Methylation biomarkers for pleomorphic lobular breast cancer - a short report. Cellular Oncology (Dordrecht), 2015, 38, 397-405.	4.4	10
71	Different Methods of Pretreatment Ki-67 Labeling Index Evaluation in Core Biopsies of Breast Cancer Patients Treated with Neoadjuvant Chemotherapy and Their Relation to Response to Therapy. Pathology and Oncology Research, 2015, 21, 147-155.	1.9	16
72	Retrospective health-care associated infection surveillance in oral and maxillofacial reconstructive microsurgery. Acta Microbiologica Et Immunologica Hungarica, 2014, 61, 407-416.	0.8	1

#	ARTICLE	IF	CITATIONS
73	Pathological non-response to chemotherapy in a neoadjuvant setting of breast cancer: an inter-institutional study. <i>Breast Cancer Research and Treatment</i> , 2014, 148, 511-523.	2.5	34
74	Reversed polarity of the glandular epithelial cells in micropapillary carcinoma of the large intestine and the EMA/MUC1 immunostain. <i>Pathology</i> , 2014, 46, 527-532.	0.6	18
75	The Use of Digital Images Improves Reproducibility of the Ki-67 Labeling Index as a Proliferation Marker in Breast Cancer. <i>Pathology and Oncology Research</i> , 2014, 20, 391-397.	1.9	16
76	Internal Mammary Sentinel Node Biopsy in Breast Cancer. Is it Indicated?. <i>Pathology and Oncology Research</i> , 2014, 20, 169-177.	1.9	13
77	Differential immunostaining of various types of breast carcinomas for growth hormone-releasing hormone receptor - Apocrine epithelium and carcinomas emerging as uniformly positive. <i>Apmis</i> , 2014, 122, 824-831.	2.0	10
78	A Predictive Tool to Estimate the Risk of Axillary Metastases in Breast Cancer Patients with Negative Axillary Ultrasound. <i>Annals of Surgical Oncology</i> , 2014, 21, 2229-2236.	1.5	18
79	E12. Sentinel node status from a pathologist's point of view. <i>European Journal of Cancer</i> , 2014, 50, S24-S25.	2.8	0
80	Distribution pattern of the Ki67 labelling index in breast cancer and its implications for choosing cut-off values. <i>Breast</i> , 2014, 23, 259-263.	2.2	53
81	Selective Ductectomy for the Diagnosis and Treatment of Intraductal Papillary Lesions Presenting with Single Duct Discharge. <i>Pathology and Oncology Research</i> , 2013, 19, 589-595.	1.9	4
82	Patients' Choice on Axillary Lymph Node Dissection Following Sentinel Lymph Node Micrometastasis - First Report on Prospective Use of a Nomogram in Very Low Risk Patients. <i>Pathology and Oncology Research</i> , 2013, 19, 211-216.	1.9	7
83	Spatial Clustering of Childhood Acute Lymphoblastic Leukaemia in Hungary. <i>Pathology and Oncology Research</i> , 2013, 19, 297-302.	1.9	11
84	International multicenter tool to predict the risk of four or more tumor-positive axillary lymph nodes in breast cancer patients with sentinel node macrometastases. <i>Breast Cancer Research and Treatment</i> , 2013, 138, 817-827.	2.5	36
85	Multi-Institutional Comparison of Non-sentinel Lymph Node Predictive Tools in Breast Cancer Patients with High Predicted Risk of Further Axillary Metastasis. <i>Pathology and Oncology Research</i> , 2013, 19, 95-101.	1.9	12
86	Unifocal, multifocal and diffuse carcinomas: A reproducibility study of breast cancer distribution. <i>Breast</i> , 2013, 22, 34-38.	2.2	7
87	An Intra- and Interobserver Reproducibility Analysis of the Ki-67 Proliferation Marker Assessment on Core Biopsies of Breast Cancer Patients and Its Potential Clinical Implications. <i>Pathobiology</i> , 2013, 80, 111-118.	3.8	31
88	Diagnosing vascular invasion in colorectal carcinomas: improving reproducibility and potential pitfalls. <i>Journal of Clinical Pathology</i> , 2013, 66, 543-547.	2.0	10
89	Papillary renal cell carcinoma embedded in an oncocytoma: Case report of a rare combined tumour of the kidney. <i>Canadian Urological Association Journal</i> , 2013, 7, 513.	0.6	18
90	Intraoperative analysis of sentinel lymph nodes in breast cancer by one-step nucleic acid amplification. <i>Journal of Clinical Pathology</i> , 2012, 65, 193-199.	2.0	100

#	ARTICLE	IF	CITATIONS
91	International Multicenter Tool to Predict the Risk of Nonsentinel Node Metastases in Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2012, 104, 1888-1896.	6.3	71
92	How Much is Enough? Pathologic Evaluation of Sentinel Lymph Nodes. <i>Current Breast Cancer Reports</i> , 2012, 4, 89-95.	1.0	7
93	A comparative biomarker study of 514 matched cases of male and female breast cancer reveals gender-specific biological differences. <i>Breast Cancer Research and Treatment</i> , 2012, 133, 949-958.	2.5	119
94	Benign apocrine papillary lesions of the breast lacking or virtually lacking myoepithelial cells-potential pitfalls in diagnosing malignancy. <i>Apmis</i> , 2012, 120, 249-252.	2.0	30
95	Multicentre validation of different predictive tools of non-sentinel lymph node involvement in breast cancer. <i>Surgical Oncology</i> , 2012, 21, 59-65.	1.6	35
96	Petroleum jelly-induced penile paraffinoma with inguinal lymphadenitis mimicking incarcerated inguinal hernia. <i>Canadian Urological Association Journal</i> , 2012, 6, E137-9.	0.6	1
97	Distinction of isolated tumour cells and micrometastasis in lymph nodes of breast cancer patients according to the new Tumour Node Metastasis (TNM) definitions. <i>European Journal of Cancer</i> , 2011, 47, 887-894.	2.8	19
98	Estrogen Receptor Negative and Progesterone Receptor Positive Breast Carcinomas—How Frequent are they?. <i>Pathology and Oncology Research</i> , 2011, 17, 663-668.	1.9	29
99	The current TNM classification of breast carcinomas: Controversial issues in early breast cancer. <i>Memo - Magazine of European Medical Oncology</i> , 2011, 4, 144-148.	0.5	3
100	Limited lymph-node recovery based on lymph-node localisation is sufficient for accurate staging. <i>Journal of Clinical Pathology</i> , 2011, 64, 13-15.	2.0	8
101	Pathology Issues Related to SN Procedures and Increased Detection of Micrometastases and Isolated Tumor Cells. <i>Breast Disease</i> , 2010, 31, 65-81.	0.8	10
102	Nodal-Stage Classification in Invasive Lobular Breast Carcinoma: Influence of Different Interpretations of the pTNM Classification. <i>Journal of Clinical Oncology</i> , 2010, 28, 999-1004.	1.6	18
103	Venous invasion demonstrated by orcein staining of colorectal carcinoma specimens is associated with the development of distant metastasis. <i>Journal of Clinical Pathology</i> , 2010, 63, 575-578.	2.0	32
104	Technical limits of comparison of stepâ€sectioning, immunohistochemistry and RTâ€PCR on breast cancer sentinel nodes: a study on methacarnâ€fixed tissue. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 4042-4050.	3.6	22
105	Vascular invasion demonstrated by elastic stainâ€a common phenomenon in benign granular cell tumors. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 454, 211-215.	2.8	10
106	Basal Phenotype in Breast Carcinoma Occurring in Women Aged 35 or Younger. <i>Pathology and Oncology Research</i> , 2009, 15, 41-45.	1.9	4
107	Heterogeneity of pT3 Colorectal Carcinomas According to the Depth of Invasion. <i>Pathology and Oncology Research</i> , 2009, 15, 527-532.	1.9	19
108	Predicting Non-Sentinel Lymph Node Status After Positive Sentinel Biopsy in Breast Cancer: What Model Performs the Best in a Czech Population?. <i>Pathology and Oncology Research</i> , 2009, 15, 733-740.	1.9	51

#	ARTICLE	IF	CITATIONS
109	The Effect of Adjuvant Radiotherapy on Mortality Differs According to Primary Tumor Location in Women with Node-Positive Breast Cancer. <i>Strahlentherapie Und Onkologie</i> , 2009, 185, 161-168.	2.0	13
110	Isolated tumour cells versus micrometastases and non-sentinel node involvement in breast cancer. <i>European Journal of Surgical Oncology</i> , 2009, 35, 897-898.	1.0	4
111	Immunohistochemistry to detect sentinel nodal metastases in mammary lobular carcinoma. <i>Human Pathology</i> , 2009, 40, 441.	2.0	1
112	Prognostic value of nodal ratios in node-positive breast cancer: a compiled update. <i>Future Oncology</i> , 2009, 5, 1585-1603.	2.4	51
113	Lack of myoepithelium in apocrine glands of the breast does not necessarily imply malignancy. <i>Histopathology</i> , 2008, 52, 253-255.	2.9	25
114	The Role of Radiotherapy in the Conservative Treatment of Ductal Carcinoma in Situ of the Breast. <i>Pathology and Oncology Research</i> , 2008, 14, 179-192.	1.9	12
115	Minimal Disease in Sentinel Nodes. <i>Pathology and Oncology Research</i> , 2008, 14, 117-121.	1.9	6
116	The case of the purple colon. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 703-703.	2.8	6
117	The number of positive nodes and the ratio of positive to excised nodes are significant predictors of survival in women with micrometastatic node-positive breast cancer. <i>European Journal of Cancer</i> , 2008, 44, 1670-1677.	2.8	97
118	Variations in sentinel node isolated tumour cells/micrometastasis and non-sentinel node involvement rates according to different interpretations of the TNM definitions. <i>European Journal of Cancer</i> , 2008, 44, 2185-2191.	2.8	63
119	Presence of Basement Membrane Material around the Tubules of Tubulolobular Carcinoma. <i>Breast Care</i> , 2008, 3, 423-425.	1.4	1
120	Nodal Stage Classification for Breast Carcinoma: Improving Interobserver Reproducibility Through Standardized Histologic Criteria and Image-Based Training. <i>Journal of Clinical Oncology</i> , 2008, 26, 258-263.	1.6	89
121	Commentary on in-transit lymph node metastases in breast cancer: a possible source of local recurrence after Sentinel Node procedure. <i>Journal of Clinical Pathology</i> , 2008, 61, 1233-1235.	2.0	7
122	Feline vaccine-associated fibrosarcoma induced by aluminium compound in two cats: Short communication. <i>Acta Veterinaria Hungarica</i> , 2008, 56, 111-116.	0.5	12
123	Axillary sentinel lymph node micrometastases with extracapsular extension: a distinct pattern of breast cancer metastasis?. <i>Journal of Clinical Pathology</i> , 2007, 61, 115-118.	2.0	19
124	Comparison of different validation studies on the use of the Memorial-Sloan Kettering Cancer Center nomogram predicting nonsentinel node involvement in sentinel node-positive breast cancer patients. <i>American Journal of Surgery</i> , 2007, 194, 699-700.	1.8	25
125	Validation of clinical prediction rules for a low probability of nonsentinel and extensive lymph node involvement in breast cancer patients. <i>American Journal of Surgery</i> , 2007, 194, 288-293.	1.8	13
126	Sentinel lymph node biopsy and non-sentinel node involvement in special type breast carcinomas with a good prognosis. <i>European Journal of Cancer</i> , 2007, 43, 1407-1414.	2.8	12

#	ARTICLE	IF	CITATIONS
127	Pathological Evaluation of Sentinel Lymph Nodes. <i>Surgical Oncology Clinics of North America</i> , 2007, 16, 17-34.	1.5	12
128	Pathological Examination of Sentinel Lymph Nodes: Work-Up “ Interpretation “ Clinical Implications. <i>Breast Care</i> , 2007, 2, 102-108.	1.4	7
129	The impact of the largest metastasis size on nodal tumor burden in colorectal carcinomas: implications for the sentinel lymph node theory in cancers of the large intestine. <i>Journal of Surgical Oncology</i> , 2007, 95, 629-634.	1.7	1
130	Prognostic value of histopathology and trends in cervical cancer: a SEER population study. <i>BMC Cancer</i> , 2007, 7, 164.	2.6	168
131	What is a positive sentinel lymph node in a breast cancer patient? A practical approach. <i>Breast</i> , 2007, 16, 152-160.	2.2	24
132	Sentinel lymph node biopsy in staging small (up to 15 mm) breast carcinomas. Results from a European multi-institutional study. <i>Pathology and Oncology Research</i> , 2007, 13, 5-14.	1.9	33
133	Effects of radiotherapy and surgery for early breast cancer. <i>Lancet, The</i> , 2006, 367, 1652-1653.	13.7	3
134	Further Axillary Metastases Associated With Isolated Tumor Cells in Sentinel Lymph Nodes of Breast Cancer Patients. <i>Annals of Surgery</i> , 2006, 243, 287.	4.2	4
135	Histopathologic Examination of the Sentinel Lymph Nodes. <i>Breast Journal</i> , 2006, 12, S152-S156.	1.0	31
136	Estrogen receptor- β is expressed in stromal cells of fibroadenoma and phyllodes tumors of the breast. <i>Modern Pathology</i> , 2006, 19, 599-606.	5.5	74
137	Divergences in diagnosing nodular breast lesions of noncarcinomatous nature. <i>Pathology and Oncology Research</i> , 2006, 12, 216-221.	1.9	5
138	Discriminating between micrometastases and isolated tumor cells in a regional and institutional setting. <i>Breast</i> , 2006, 15, 347-354.	2.2	26
139	Reventilation with room air or 100% oxygen after asphyxia differentially affects cerebral neuropathology in newborn pigs. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006, 95, 1109-1115.	1.5	11
140	The value of cytokeratin immunohistochemistry in the evaluation of axillary sentinel lymph nodes in patients with lobular breast carcinoma. <i>Journal of Clinical Pathology</i> , 2006, 59, 518-522.	2.0	75
141	Modeling the Effect of Tumor Size in Early Breast Cancer. <i>Annals of Surgery</i> , 2005, 241, 309-318.	4.2	67
142	A new concept for esophageal resection “ prevascularization: an experimental study. <i>Ecological Management and Restoration</i> , 2005, 18, 274-280.	0.4	3
143	Evaluation of sentinel lymph nodes in breast cancer. <i>Histopathology</i> , 2005, 46, 697-702.	2.9	42
144	Modeling the effect of age in T1-2 breast cancer using the SEER database. <i>BMC Cancer</i> , 2005, 5, 130.	2.6	44

#	ARTICLE	IF	CITATIONS
145	Minimum follow-up time required for the estimation of statistical cure of cancer patients: verification using data from 42 cancer sites in the SEER database. <i>BMC Cancer</i> , 2005, 5, 48.	2.6	35
146	Improving the reproducibility of diagnosing micrometastases and isolated tumor cells. <i>Cancer</i> , 2005, 103, 358-367.	4.1	125
147	Axillary Sentinel Node and Tumour-related Factors Associated with Non-sentinel Node Involvement in Breast Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2004, 34, 519-524.	1.3	36
148	Discrepancies in current practice of pathological evaluation of sentinel lymph nodes in breast cancer. Results of a questionnaire based survey by the European Working Group for Breast Screening Pathology. <i>Journal of Clinical Pathology</i> , 2004, 57, 695-701.	2.0	147
149	A model for determining the optimum histology of sentinel lymph nodes in breast cancer. <i>Journal of Clinical Pathology</i> , 2004, 57, 467-471.	2.0	57
150	PM-SCL autoantibody positive scleroderma with polymyositis (mechanic's hand: clinical aid in the) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	2.4	19
151	Survival of patients with metastatic breast cancer: twenty-year data from two SEER registries. <i>BMC Cancer</i> , 2004, 4, 60.	2.6	32
152	Consistency of staining and reporting of oestrogen receptor immunocytochemistry within the European Union – an inter-laboratory study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004, 445, 119-128.	2.8	43
153	Surgical pathological staging of breast cancer by sentinel lymph node biopsy with special emphasis on the histological work-up of axillary sentinel lymph nodes. <i>Breast Cancer</i> , 2004, 11, 242-249.	2.9	13
154	Meta-analysis of non-sentinel node metastases associated with micrometastatic sentinel nodes in breast cancer. <i>British Journal of Surgery</i> , 2004, 91, 1245-1252.	0.3	254
155	Ratios of involved nodes in early breast cancer. <i>Breast Cancer Research</i> , 2004, 6, R680-8.	5.0	141
156	Use and limitations of a nomogram predicting the likelihood of non-sentinel node involvement after a positive sentinel node biopsy in breast cancer patients. <i>American Surgeon</i> , 2004, 70, 1019-24.	0.8	69
157	Endometrial adenocarcinoma with coexisting adenomatoid tumor of the uterus. <i>Gynecologic Oncology</i> , 2003, 90, 207-210.	1.4	8
158	Transplantation and microsurgical anastomosis of free omental grafts: Experimental animal model of a new operative technique in dogs. <i>Microsurgery</i> , 2003, 23, 414-418.	1.3	10
159	Overinterpretation of the role of cytokeratin 19 RT-PCR of sentinel nodes in breast carcinoma. <i>Surgery</i> , 2003, 133, 124.	1.9	2
160	Nodal staging of colorectal carcinomas and sentinel nodes. <i>Journal of Clinical Pathology</i> , 2003, 56, 327-335.	2.0	61
161	Effect of the number of uninvolved nodes on survival in early breast cancer. <i>Oncology Reports</i> , 2003, 10, 363-8.	2.6	30
162	Functional form of the effect of the numbers of axillary nodes on survival in early breast cancer. <i>International Journal of Oncology</i> , 2003, 22, 697-704.	3.3	27

#	ARTICLE	IF	CITATIONS
163	Complete sectioning of axillary sentinel nodes in patients with breast cancer. Analysis of two different step sectioning and immunohistochemistry protocols in 246 patients. <i>Journal of Clinical Pathology</i> , 2002, 55, 926-931.	2.0	84
164	Metastasis of pulmonary adenocarcinoma in right Sylvian secretory meningioma. <i>British Journal of Neurosurgery</i> , 2002, 16, 66-68.	0.8	17
165	Is there a minimum number of lymph nodes that should be histologically assessed for a reliable nodal staging of T3N0M0 colorectal carcinomas?. <i>Journal of Surgical Oncology</i> , 2002, 81, 63-69.	1.7	111
166	Revertant mammary solid papillary carcinoma in lymph node metastasis. <i>Pathology and Oncology Research</i> , 2002, 8, 74-77.	1.9	10
167	Sarcomatoid renal cell carcinoma with foci of chromophobe carcinoma. <i>Pathology and Oncology Research</i> , 2002, 8, 142-144.	1.9	11
168	Comparison of vital dye-guided lymphatic mapping and dye plus gamma probe-guided sentinel node biopsy in breast cancer. <i>World Journal of Surgery</i> , 2002, 26, 592-597.	1.6	59
169	Extent of Nodal Involvement in Stage III Colorectal Carcinoma. <i>Diseases of the Colon and Rectum</i> , 2002, 45, 1218-1222.	1.3	15
170	Sentinel Lymph Node Biopsy as a Tool for the Staging of Ductal Carcinoma In Situ in Patients with Breast Carcinoma. <i>Surgery Today</i> , 2002, 32, 99-103.	1.5	23
171	Sentinel Lymph Node Histopathology in Breast Cancer. <i>American Journal of Surgical Pathology</i> , 2002, 26, 1368.	3.7	3
172	The influence of nodal size on the staging of colorectal carcinomas. <i>Journal of Clinical Pathology</i> , 2002, 55, 386-390.	2.0	38
173	Internal mammary lymph nodes and sentinel node biopsy in breast cancer. <i>Surgical Oncology</i> , 2001, 10, 25-33.	1.6	40
174	Distance of Lymph Nodes From the Tumor. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 246-249.	2.5	20
175	Value of Axillary Sentinel Nodal Status in Breast Cancer. <i>World Journal of Surgery</i> , 2000, 24, 341-344.	1.6	23
176	Mapping Metastases in Sentinel Lymph Nodes of Breast Cancer. <i>American Journal of Clinical Pathology</i> , 2000, 113, 351-354.	0.7	40
177	Blue Nodes Left Behind After Vital Blue Dye-guided Axillary Sentinel Node Biopsy in Breast Cancer Patients. <i>Japanese Journal of Clinical Oncology</i> , 2000, 30, 263-266.	1.3	4
178	Granulomatous Lobular Mastitis Following Drug-Induced Galactorrhea and Blunt Trauma. <i>Breast Journal</i> , 1999, 5, 398-403.	1.0	74
179	Estimating the overlap between sentinel lymph nodes and axillary node samples in breast cancer. <i>Pathology and Oncology Research</i> , 1999, 5, 129-133.	1.9	21
180	Nodal staging of colorectal carcinomas from quantitative and qualitative aspects. Can lymphatic mapping help staging?. <i>Pathology and Oncology Research</i> , 1999, 5, 291-296.	1.9	60

#	ARTICLE	IF	CITATIONS
181	Reproducibility of a diagnosis of invasive lobular carcinoma. , 1999, 70, 217-221.		19
182	Proliferative epithelial changes in ectopic gastric mucosa of Meckel's diverticula. Pathology and Oncology Research, 1998, 4, 130-134.	1.9	3
183	The impact of axillary lymphadenopathy on further treatment in Breast Cancer? A model for clinical staging. Pathology and Oncology Research, 1998, 4, 301-303.	1.9	4
184	Misidentification of an axillary sentinel lymph node due to anthracosis. European Journal of Surgical Oncology, 1998, 24, 168.	1.0	10
185	Elimination of Phenol from the Auramine Fluorescence Staining Method for Acid Fast Bacilli. Journal of Histotechnology, 1998, 21, 241-242.	0.5	1
186	Immunohistochemical and ultrastructural analysis of a mammary cystic hypersecretory carcinoma. Pathology and Oncology Research, 1997, 3, 287-292.	1.9	6
187	Changes in benign to malignant ratio of surgically treated breast diseases in a district hospital. Pathology and Oncology Research, 1997, 3, 109-114.	1.9	3
188	Adaptation of mitotic scoring of breast carcinomas. Human Pathology, 1996, 27, 617-618.	2.0	1
189	Gastric Pathology in Meckel's Diverticulum: Review of Cases Resected Between 1965 and 1995. American Journal of Clinical Pathology, 1996, 106, 782-785.	0.7	51
190	Brain and core temperatures and peripheral vasomotion during sleep and wakefulness at various ambient temperatures in the rat. Pflugers Archiv European Journal of Physiology, 1990, 417, 336-341.	2.8	97
191	Pathological Diagnosis, Work-Up and Reporting of Breast Cancer 1st Central-Eastern European Professional Consensus Statement on Breast Cancer. Pathology and Oncology Research, 0, 28, .	1.9	9