
Hyun-Sook Pai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7825022/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Light-stabilized FHA2 suppresses miRNA biogenesis through interactions with DCL1 and HYL1. Molecular Plant, 2021, 14, 647-663.	8.3	26
2	Chaperone-like protein DAY plays critical roles in photomorphogenesis. Nature Communications, 2021, 12, 4194.	12.8	5
3	The in vivo functions of ARPF2 and ARRS1 in ribosomal RNA processing and ribosome biogenesis in Arabidopsis. Journal of Experimental Botany, 2020, 71, 2596-2611.	4.8	4
4	A chloroplast-targeted pentatricopeptide repeat protein PPR287 is crucial for chloroplast function and Arabidopsis development. BMC Plant Biology, 2019, 19, 244.	3.6	18
5	Functional characterization of chaperonin containing T-complex polypeptide-1 and its conserved and novel substrates in Arabidopsis. Journal of Experimental Botany, 2019, 70, 2741-2757.	4.8	19
6	Characterization of Maf1 in Arabidopsis: function under stress conditions and regulation by the TOR signaling pathway. Planta, 2019, 249, 527-542.	3.2	20
7	The subfamily II catalytic subunits of protein phosphatase 2A (PP2A) are involved in cortical microtubule organization. Planta, 2018, 248, 1551-1567.	3.2	15
8	Functional characterization of chloroplast-targeted RbgA GTPase in higher plants. Plant Molecular Biology, 2017, 95, 463-479.	3.9	8
9	<i>MRF</i> Family Genes Are Involved in Translation Control, Especially under Energy-Deficient Conditions, and Their Expression and Functions Are Modulated by the TOR Signaling Pathway. Plant Cell, 2017, 29, 2895-2920.	6.6	36
10	Functional characterization of the ribosome biogenesis factors PES, BOP1, and WDR12 (PeBoW), and mechanisms of defective cell growth and proliferation caused by PeBoW deficiency in Arabidopsis. Journal of Experimental Botany, 2016, 67, 5217-5232.	4.8	33
11	Heterologous Expression of Der Homologs in an Escherichia coli der Mutant and Their Functional Complementation. Journal of Bacteriology, 2016, 198, 2284-2296.	2.2	4
12	A nuclearâ€encoded chloroplastâ€targeted S1 <scp>RNA</scp> â€binding domain protein affects chloroplast <scp>rRNA</scp> processing and is crucial for the normal growth of <i>Arabidopsis thaliana</i> . Plant Journal, 2015, 83, 277-289.	5.7	17
13	Overexpression of the PP2A regulatory subunit Tap46 leads to enhanced plant growth through stimulation of the TOR signalling pathway. Journal of Experimental Botany, 2015, 66, 827-840.	4.8	69
14	InsP6-Sensitive Variants of the Gle1 mRNA Export Factor Rescue Growth and Fertility Defects of the <i>ipk1</i> Low-Phytic-Acid Mutation in Arabidopsis. Plant Cell, 2015, 27, 417-431.	6.6	43
15	The nucleolar GTPase nucleostemin-like 1 plays a role in plant growth and senescence by modulating ribosome biogenesis. Journal of Experimental Botany, 2015, 66, 6297-6310.	4.8	27
16	Physiological Functions of the COPI Complex in Higher Plants. Molecules and Cells, 2015, 38, 866-875.	2.6	41
17	DER containing two consecutive GTP-binding domains plays an essential role in chloroplast ribosomal RNA processing and ribosome biogenesis in higher plants. Journal of Experimental Botany, 2014, 65, 117-130.	4.8	30
18	Genome sequence of the hot pepper provides insights into the evolution of pungency in Capsicum species. Nature Genetics, 2014, 46, 270-278.	21.4	867

Ηγυν-Sook Ραι

#	Article	IF	CITATIONS
19	Silencing of Nicotiana benthamiana Neuroblastoma-Amplified Genecauses ER stress and cell death. BMC Plant Biology, 2013, 13, 69.	3.6	3
20	The forkhead-associated domain 2 (FHA2) in Arabidopsis plays a role in plant fertility by regulating stamen development. Planta, 2013, 237, 1015-1023.	3.2	12
21	Characterization of in vivo functions of Nicotiana benthamiana RabE1. Planta, 2013, 237, 161-172.	3.2	20
22	Cell Growth Defect Factor1/CHAPERONE-LIKE PROTEIN OF POR1 Plays a Role in Stabilization of Light-Dependent Protochlorophyllide Oxidoreductase in <i>Nicotiana benthamiana</i> and <i>Arabidopsis</i> Â Â. Plant Cell, 2013, 25, 3944-3960.	6.6	35
23	Pescadillo plays an essential role in plant cell growth and survival by modulating ribosome biogenesis. Plant Journal, 2013, 76, 393-405.	5.7	29
24	Characterization of Cell Death Induced by NbBPSI Silencing in Nicotiana benthamiana. Molecules and Cells, 2012, 34, 185-192.	2.6	4
25	S1 domain ontaining STF modulates plastid transcription and chloroplast biogenesis in <i>Nicotiana benthamiana</i> . New Phytologist, 2012, 193, 349-363.	7.3	24
26	PRBP plays a role in plastid ribosomal RNA maturation and chloroplast biogenesis in Nicotiana benthamiana. Planta, 2011, 233, 1073-1085.	3.2	8
27	Molecular Characterization of NLP Function in Nicotiana benthamiana. Journal of Plant Biology, 2011, 54, 199-208.	2.1	Ο
28	Molecular functions of the PP2A regulatory subunit Tap46 in plants. Plant Signaling and Behavior, 2011, 6, 1067-1068.	2.4	5
29	The PP2A Regulatory Subunit Tap46, a Component of the TOR Signaling Pathway, Modulates Growth and Metabolism in Plants. Plant Cell, 2011, 23, 185-209.	6.6	158
30	Silencing of NbCEP1 Encoding a Chloroplast Envelope Protein Containing 15 Leucine-Rich-Repeats Disrupts Chloroplast Biogenesis in Nicotiana benthamiana. Molecules and Cells, 2010, 29, 175-184.	2.6	6
31	In vivo effects of NbSiR silencing on chloroplast development in Nicotiana benthamiana. Plant Molecular Biology, 2010, 72, 569-583.	3.9	24
32	Suppression of the ER-Localized AAA ATPase NgCDC48 Inhibits Tobacco Growth and Development. Molecules and Cells, 2009, 28, 57-66.	2.6	24
33	Mobile Macromolecules in Plant Development. Journal of Plant Biology, 2009, 52, 186-192.	2.1	7
34	Dual functions of <i>Nicotiana benthamiana</i> Rae1 in interphase and mitosis. Plant Journal, 2009, 59, 278-291.	5.7	56
35	Physiological function of IspE, a plastid MEP pathway gene for isoprenoid biosynthesis, in organelle biogenesis and cell morphogenesis in Nicotiana benthamiana. Plant Molecular Biology, 2008, 66, 503-517.	3.9	39
36	Silencing of a BYPASS1 homolog results in root-independent pleiotrophic developmental defects in Nicotiana benthamiana. Plant Molecular Biology, 2008, 68, 423-437.	3.9	13

ΗγυΝ-SOOK ΡΑΙ

#	Article	IF	CITATIONS
37	Silencing of NbBTF3 results in developmental defects and disturbed gene expression in chloroplasts and mitochondria of higher plants. Planta, 2007, 225, 1459-1469.	3.2	40
38	Mitochondria-Associated Hexokinases Play a Role in the Control of Programmed Cell Death in Nicotiana benthamiana Â. Plant Cell, 2006, 18, 2341-2355.	6.6	202
39	Comparative microarray analysis of programmed cell death induced by proteasome malfunction and hypersensitive response in plants. Biochemical and Biophysical Research Communications, 2006, 342, 514-521.	2.1	17
40	Prohibitin is involved in mitochondrial biogenesis in plants. Plant Journal, 2006, 46, 658-667.	5.7	118
41	Depletion of UDP-d-apiose/UDP-d-xylose Synthases Results in Rhamnogalacturonan-II Deficiency, Cell Wall Thickening, and Cell Death in Higher Plants. Journal of Biological Chemistry, 2006, 281, 13708-13716.	3.4	86
42	Retinoblastoma protein regulates cell proliferation, differentiation, and endoreduplication in plants. Plant Journal, 2005, 42, 153-163.	5.7	108
43	Functional characterization of NtCEF1, an AP2/EREBP-type transcriptional activator highly expressed in tobacco callus. Planta, 2005, 222, 211-224.	3.2	27
44	Inactivation of Organellar Glutamyl- and Seryl-tRNA Synthetases Leads to Developmental Arrest of Chloroplasts and Mitochondria in Higher Plants. Journal of Biological Chemistry, 2005, 280, 37098-37106.	3.4	35
45	Silencing ofNbECRencoding a putative enoyl-CoA reductase results in disorganized membrane structures and epidermal cell ablation inNicotiana benthamiana. FEBS Letters, 2005, 579, 4459-4464.	2.8	16
46	Hypoxia Inhibits Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand-Induced Apoptosis by Blocking Bax Translocation. Cancer Research, 2004, 64, 4078-4081.	0.9	64
47	DNA Gyrase Is Involved in Chloroplast Nucleoid Partitioning. Plant Cell, 2004, 16, 2665-2682.	6.6	80
48	Phytocalpain controls the proliferation and differentiation fates of cells in plant organ development. Plant Journal, 2004, 38, 969-981.	5.7	70
49	EST and microarray analyses of pathogen-responsive genes in hot pepper (Capsicum annuum L.) non-host resistance against soybean pustule pathogen (Xanthomonas axonopodis pv. glycines). Functional and Integrative Genomics, 2004, 4, 196-205.	3.5	56
50	CHRK1, a chitinase-related receptor-like kinase, plays a role in plant development and cytokinin homeostasis in tobacco. Plant Molecular Biology, 2003, 53, 877-890.	3.9	29
51	Interaction of NtCDPK1 calcium-dependent protein kinase with NtRpn3 regulatory subunit of the 26S proteasome inNicotiana tabacum. Plant Journal, 2003, 33, 825-840.	5.7	113
52	Expression of a novel tobacco gene, NgCDM1, is preferentially associated with pathogen-induced cell death. Physiological and Molecular Plant Pathology, 2003, 62, 227-235.	2.5	26
53	Activation of the Programmed Cell Death Pathway by Inhibition of Proteasome Function in Plants. Journal of Biological Chemistry, 2003, 278, 19406-19415.	3.4	190
54	Molecular characterization of NbPAF encoding the alpha6 subunit of the 20S proteasome in Nicotiana benthamiana. Molecules and Cells, 2003, 15, 127-32.	2.6	6

Ηγυν-Sook Ραι

#	Article	IF	CITATIONS
55	Forkhead-associated Domains of the Tobacco NtFHA1 Transcription Activator and the Yeast Fhl1 Forkhead Transcription Factor Are Functionally Conserved. Journal of Biological Chemistry, 2002, 277, 38781-38790.	3.4	31
56	A novel dual-specificity protein kinase targeted to the chloroplast in tobacco1. FEBS Letters, 2001, 497, 124-130.	2.8	10
57	Interaction of PRK1 Receptor-like Kinase with a Putative elF2B β-Subunit in Tobacco. Molecules and Cells, 2000, 10, 626-632.	2.6	3
58	CHRK1, a Chitinase-Related Receptor-Like Kinase in Tobacco. Plant Physiology, 2000, 123, 905-916.	4.8	68