
GraŻyna Sypniewska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7827459/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Relationships between Bone Turnover Markers and Factors Associated with Metabolic Syndrome in Prepubertal Girls and Boys. Nutrients, 2022, 14, 1205.	4.1	6
2	The Kynurenine Pathway in Obese Middle-Aged Women with Normoglycemia and Type 2 Diabetes. Metabolites, 2022, 12, 492.	2.9	8
3	Serum ANGPTL8 and ANGPTL3 as Predictors of Triglyceride Elevation in Adult Women. Metabolites, 2022, 12, 539.	2.9	3
4	Cardioprotective Effects of Nutraceuticals: Focus on Omega-3 Polyunsaturated Fatty Acids. Nutrients, 2021, 13, 3184.	4.1	4
5	The Association between Branched-Chain Amino Acids (BCAAs) and Cardiometabolic Risk Factors in Middle-Aged Caucasian Women Stratified According to Glycemic Status. Nutrients, 2021, 13, 3307.	4.1	10
6	Low Serum 25-hydroxyvitamin D Level Does Not Adversely Affect Bone Turnover in Prepubertal Children. Nutrients, 2021, 13, 3324.	4.1	1
7	Effect of fasting hyperglycemia and insulin resistance on bone turnover markers in children aged 9–11Âyears. Journal of Diabetes and Its Complications, 2021, 35, 108000.	2.3	6
8	Relationship between Serum Angiopoietin-like Proteins 3 and 8 and Atherogenic Lipid Biomarkers in Non-Diabetic Adults Depends on Gender and Obesity. Nutrients, 2021, 13, 4339.	4.1	5
9	2021 PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on the diagnosis and therapy of lipid disorders in Poland. Diagnostyka Laboratoryjna I WiadomoÅ·ci PTDL, 2021, 57, 1-99.	0.1	0
10	PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on diagnosis and therapy of lipid disorders in Poland 2021. Archives of Medical Science, 2021, 17, 1447-1547.	0.9	78
11	Quantifying atherogenic lipoproteins for lipid-lowering strategies: consensus-based recommendations from EAS and EFLM. Clinical Chemistry and Laboratory Medicine, 2020, 58, 496-517.	2.3	119
12	Bone health and hyperglycemia in pediatric populations. Critical Reviews in Clinical Laboratory Sciences, 2020, 57, 444-457.	6.1	5
13	Quantifying atherogenic lipoproteins for lipid-lowering strategies: Consensus-based recommendations from EAS and EFLM. Atherosclerosis, 2020, 294, 46-61.	0.8	137
14	Plasma midregional proadrenomedullin (MR-proADM) concentrations and their biological determinants in a reference population. Clinical Chemistry and Laboratory Medicine, 2018, 56, 1161-1168.	2.3	23
15	Association between Fasting Glucose Concentration, Lipid Profile and 25(OH)D Status in Children Aged 9–11. Nutrients, 2018, 10, 1359.	4.1	10
16	Quantifying Atherogenic Lipoproteins: Current and Future Challenges in the Era of Personalized Medicine and Very Low Concentrations of LDL Cholesterol. A Consensus Statement from EAS and EFLM. Clinical Chemistry, 2018, 64, 1006-1033.	3.2	189
17	Non-fasting lipid profile determination in presumably healthy children: Impact on the assessment of lipid abnormalities. PLoS ONE, 2018, 13, e0198433.	2.5	7
18	High-sensitivity cardiac troponin assays: From improved analytical performance to enhanced risk stratification. Critical Reviews in Clinical Laboratory Sciences, 2017, 54, 143-172.	6.1	51

#	Article	IF	CITATIONS
19	Establishing reference intervals for galectin-3 concentrations in serum requires careful consideration of its biological determinants. Clinical Biochemistry, 2017, 50, 599-604.	1.9	14
20	Fasting Is Not Routinely Required for Determination of a Lipid Profile: Clinical and Laboratory Implications Including Flagging at Desirable Concentration Cutpoints—A Joint Consensus Statement from the European Atherosclerosis Society and European Federation of Clinical Chemistry and Laboratory Medicine. Clinical Chemistry, 2016, 62, 930-946.	3.2	145
21	Impact of lipid markers and high-sensitivity C-reactive protein on the value of the 99th percentile upper reference limit for high-sensitivity cardiac troponin I. Clinica Chimica Acta, 2016, 462, 193-200.	1.1	7
22	Fasting is not routinely required for determination of a lipid profile: clinical and laboratory implications including flagging at desirable concentration cut-points—a joint consensus statement from the European Atherosclerosis Society and European Federation of Clinical Chemistry and Laboratory Medicine. European Heart Journal, 2016, 37, 1944-1958.	2.2	542
23	Gender differences in association of serum nesfatinâ€l with selected metabolic risk factors in normoglycemic subjects: A preliminary study在血糖æ£å"çš"å⊷试者ä¸è¡€æ,…nesfatinâ€lä,Žé€‰å®šçš"ä	»£è ^d ¢å±é™	⁴©å›ç´ä¹‹é–≦á
24	Laboratory assessment of cardiometabolic risk in overweight and obese children. Clinical Biochemistry, 2015, 48, 370-376.	1.9	27
25	Defining normality in a European multinational cohort: Critical factors influencing the 99th percentile upper reference limit for high sensitivity cardiac troponin I. International Journal of Cardiology, 2015, 187, 256-263.	1.7	41
26	Metabolic Syndrome and Menopause. Advances in Clinical Chemistry, 2015, 72, 1-75.	3.7	158
27	Response to "The Putative Role of Vitamin D in Essential Hypertension: Stepping Into the Light?― American Journal of Hypertension, 2014, 27, 987-988.	2.0	0
28	European multicenter analytical evaluation of the Abbott ARCHITECT STAT high sensitive troponin I immunoassay. Clinical Chemistry and Laboratory Medicine, 2014, 52, 1657-65.	2.3	117
29	25-Hydroxyvitamin D, Biomarkers of Endothelial Dysfunction and Subclinical Organ Damage in Adults With Hypertension. American Journal of Hypertension, 2014, 27, 114-121.	2.0	30
30	Association of FSH with metabolic syndrome in postmenopausal women: a comparison with CRP, adiponectin and leptin. Biomarkers in Medicine, 2014, 8, 921-930.	1.4	28
31	A-FABP Concentration Is More Strongly Associated with Cardiometabolic Risk Factors and the Occurrence of Metabolic Syndrome in Premenopausal Than in Postmenopausal Middle-Aged Women. BioMed Research International, 2014, 2014, 1-10.	1.9	4
32	Secreted frizzled-related protein 4 (SFRP4) and fractalkine (CX3CL1) — Potential new biomarkers for β-cell dysfunction and diabetes. Clinical Biochemistry, 2014, 47, 529-532.	1.9	29
33	Critical appraisal of inflammatory markers in cardiovascular risk stratification. Critical Reviews in Clinical Laboratory Sciences, 2014, 51, 263-279.	6.1	67
34	Diabetes as a complication of adipose tissue dysfunction. Is there a role for potential new biomarkers?. Clinical Chemistry and Laboratory Medicine, 2013, 51, 177-185.	2.3	65
35	A-FABP and its association with atherogenic risk profile and insulin resistance in young overweight and obese women. Biomarkers in Medicine, 2013, 7, 723-730.	1.4	8
36	Serum Anti-Müllerian Hormone Levels in Patients with Epithelial Ovarian Cancer. International Journal of Endocrinology, 2013, 2013, 1-6.	1.5	5

GraŻyna Sypniewska

#	Article	IF	CITATIONS
37	Value of C-Reactive Protein as a Risk Factor for Acute Coronary Syndrome: A Comparison with Apolipoprotein Concentrations and Lipid Profile. Mediators of Inflammation, 2012, 2012, 1-10.	3.0	19
38	Association of follicle-stimulating hormone and sex hormone binding globulin with the metabolic syndrome in postmenopausal women. Clinical Biochemistry, 2012, 45, 703-706.	1.9	31
39	Diagnostic efficacy of myeloperoxidase for the detection of acute coronary syndromes. European Journal of Clinical Investigation, 2011, 41, 667-671.	3.4	23
40	Comparison between C-reactive protein and adipocyte fatty acid-binding protein as a component of metabolic syndrome in middle-aged women. Clinical Biochemistry, 2011, 44, 304-306.	1.9	10
41	The quality of the extra-analytical phase of laboratory practice in some developing European countries and Mexico – a multicentric study. Clinical Chemistry and Laboratory Medicine, 2011, 49, 215-228.	2.3	27
42	How Do Apolipoproteins ApoB and ApoA-I Perform in Patients with Acute Coronary Syndromes. Journal of Medical Biochemistry, 2011, 30, 237-243.	1.7	13
43	Is there an association of allergy and cardiovascular disease?. Biochemia Medica, 2011, 21, 210-218.	2.7	14
44	Effect of second and third generation oral contraceptives on C-reactive protein, lipids and apolipoproteins in young, non-obese, non-smoking apparently healthy women. Clinical Biochemistry, 2010, 43, 626-628.	1.9	12
45	Biochemical Markers of Bone Cell Activity in Children with Type 1 Diabetes Mellitus. Journal of Pediatric Endocrinology and Metabolism, 2010, 23, 81-6.	0.9	40
46	The Use of Biochip Cardiac Array Technology for Early Diagnosis of Acute Coronary Syndromes. Journal of Medical Biochemistry, 2009, 28, 293-299.	1.7	9
47	Local Calcitriol Injections as a Suppressive Treatment of Secondary Hyperparathyroidism in Chronic Dialysis Patients. Renal Failure, 2007, 29, 941-945.	2.1	1
48	Association of C-Reactive Protein and Other Markers of Inflammation with Risk of Complications in Diabetic Subjects. Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine, 2006, 17, 8-11.	0.7	3
49	Combined periprocedural evaluation of CRP and TNF-alpha enhances the prediction of clinical restenosis and major adverse cardiac events in patients undergoing percutaneous coronary interventions. International Journal of Molecular Medicine, 2005, 16, 173-80.	4.0	21
50	Bone turnover markers and cytokines in joint fluid: Analyses in 10 patients with loose hip prosthesis and 39 with coxarthrosis. Acta Orthopaedica, 2002, 73, 518-522.	1.4	14
51	Bone Turnover Markers and Estradiol Level in Postmenopausal Women. Clinical Chemistry and Laboratory Medicine, 2000, 38, 1115-9.	2.3	10
52	Increased DNA synthesis in adipocytes and capillary endothelium in rat adipose tissue during overfeeding. European Journal of Clinical Investigation, 1987, 17, 202-207.	3.4	9
53	Microalbuminuria and risk of cardiovascular diseases in patients with diabetes and hypertension. Biochemia Medica, 0, , 25-34.	2.7	1