Krisztina Németh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7832280/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Bioorthogonal Ligationâ€Activated Fluorogenic FRET Dyads. Angewandte Chemie - International Edition, 2022, 61, e202111855.	13.8	10
2	Bioorthogonal Ligationâ \in Activated Fluorogenic FRET Dyads. Angewandte Chemie, 2022, 134, .	2.0	1
3	A Bioorthogonal Double Fluorogenic Probe to Visualize Protein–DNA Interaction. Chemosensors, 2022, 10, 37.	3.6	6
4	Incorporation of Oxidized Phenylalanine Derivatives into Insulin Signaling Relevant Proteins May Link Oxidative Stress to Signaling Conditions Underlying Chronic Insulin Resistance. Biomedicines, 2022, 10, 975.	3.2	4
5	Large Stokes-shift bioorthogonal probes for STED, 2P-STED and multi-color STED nanoscopy. Methods and Applications in Fluorescence, 2021, 9, 015006.	2.3	6
6	A Genetically Encoded Isonitrile Lysine for Orthogonal Bioorthogonal Labeling Schemes. Molecules, 2021, 26, 4988.	3.8	10
7	Conditionally Activatable Visible-Light Photocages. Journal of the American Chemical Society, 2020, 142, 15164-15171.	13.7	56
8	A Bioorthogonally Applicable, Fluorogenic, Large Stokes-Shift Probe for Intracellular Super-Resolution Imaging of Proteins. Biomolecules, 2020, 10, 397.	4.0	17
9	Twisted paddlewheel rhodium complexes: Contribution of central and axial chirality to ECD, VCD, and NMR spectra. Chirality, 2020, 32, 446-456.	2.6	4
10	Microscope laser assisted photooxidative activation of bioorthogonal ClickOx probes. Chemical Communications, 2020, 56, 5425-5428.	4.1	7
11	Bioorthogonally Applicable Fluorogenic Cyanine-Tetrazines for No-Wash Super-Resolution Imaging. Bioconjugate Chemistry, 2018, 29, 1312-1318.	3.6	58
12	Discovery of isatin and 1H-indazol-3-ol derivatives as d-amino acid oxidase (DAAO) inhibitors. Bioorganic and Medicinal Chemistry, 2018, 26, 1579-1587.	3.0	10
13	A rapid and concise setup for the fast screening of FRET pairs using bioorthogonalized fluorescent dyes. Organic and Biomolecular Chemistry, 2018, 16, 2997-3005.	2.8	8
14	A road map for prioritizing warheads for cysteine targeting covalent inhibitors. European Journal of Medicinal Chemistry, 2018, 160, 94-107.	5.5	80
15	Tracking down protein–protein interactionsviaa FRET-system using site-specific thiol-labeling. Organic and Biomolecular Chemistry, 2018, 16, 5756-5763.	2.8	6
16	Bisazide Cyanine Dyes as Fluorogenic Probes for Bis-Cyclooctynylated Peptide Tags and as Fluorogenic Cross-Linkers of Cyclooctynylated Proteins. Bioconjugate Chemistry, 2017, 28, 1552-1559.	3.6	20
17	Capillary electrophoresis study on the base-catalyzed formation of bioactive oxidized metabolites of 20-hydroxyecdysone. Journal of Pharmaceutical and Biomedical Analysis, 2017, 146, 188-194.	2.8	5
18	Comparative HPLC and CE studies on the formation of 20-hydroxyecdysone metabolites from base-catalyzed autoxidation and Fenton reaction. Planta Medica International Open, 2017, 4.	0.5	0

Krisztina Németh

#	Article	IF	CITATIONS
19	A Doubleâ€Clicking Bisâ€Azide Fluorogenic Dye for Bioorthogonal Self‣abeling Peptide Tags. Chemistry - A European Journal, 2016, 22, 6382-6388.	3.3	24
20	A systematic study of protein labeling by fluorogenic probes using cysteine targeting vinyl sulfone-cyclooctyne tags. Organic and Biomolecular Chemistry, 2016, 14, 6071-6078.	2.8	8
21	Development of novel chiral capillary electrophoresis methods for the serotonin receptor (5-HT2A) antagonist MDL 100,907 (volinanserin) and for its key intermediate compound. Journal of Pharmaceutical and Biomedical Analysis, 2014, 88, 579-583.	2.8	5
22	Cationic permethylated 6-monoamino-6-monodeoxy-β-cyclodextrin as chiral selector of dansylated amino acids in capillary electrophoresis. Journal of Pharmaceutical and Biomedical Analysis, 2014, 99, 16-21.	2.8	10
23	Structure and stability of warfarin-sodium inclusion complexes formed with permethylated monoamino-l²-cyclodextrin. Journal of Pharmaceutical and Biomedical Analysis, 2013, 72, 292-298.	2.8	13
24	Stereoselective analysis of endomorphin diastereomers: Resolution of biologically active analogues by capillary electrophoresis applying cyclodextrins as mobile phase additives. Journal of Pharmaceutical and Biomedical Analysis, 2012, 70, 32-39.	2.8	8