

Sally I Sharp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7833577/publications.pdf>

Version: 2024-02-01

39
papers

3,342
citations

394421

19
h-index

330143

37
g-index

41
all docs

41
docs citations

41
times ranked

8075
citing authors

#	ARTICLE	IF	CITATIONS
1	Rare coding variants in ten genes confer substantial risk for schizophrenia. <i>Nature</i> , 2022, 604, 509-516.	27.8	326
2	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
3	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	2.8	20
4	The KINGS <i>Ins2</i> +G32S Mouse: A Novel Model of β -Cell Endoplasmic Reticulum Stress and Human Diabetes. <i>Diabetes</i> , 2020, 69, 2667-2677.	0.6	16
5	F130EXOME SEQUENCE ANALYSIS IDENTIFY RARE GENETIC VARIANT IMPLICATED IN SUSCEPTIBILITY TO SCHIZOPHRENIA. <i>European Neuropsychopharmacology</i> , 2019, 29, S1181.	0.7	0
6	GENETIC ASSOCIATION AND FUNCTIONAL CHARACTERIZATION OF A VARIANT IN THE MCPH1 GENE IN BIPOLAR DISORDER AND SCHIZOPHRENIA. <i>European Neuropsychopharmacology</i> , 2019, 29, S966-S967.	0.7	0
7	Genetic association and functional characterization of <i>MCPH1</i> gene variation in bipolar disorder and schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 258-265.	1.7	2
8	Rare variant analysis in multiply affected families, association studies and functional analysis suggest a role for the <i>ITCI4</i> gene in schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2018, 199, 181-188.	2.0	11
9	Exome sequence analysis and follow up genotyping implicates rare <i>ULK1</i> variants to be involved in susceptibility to schizophrenia. <i>Annals of Human Genetics</i> , 2018, 82, 88-92.	0.8	16
10	Identification of rare nonsynonymous variants in SYNE1/CPG2 in bipolar affective disorder. <i>Psychiatric Genetics</i> , 2017, 27, 81-88.	1.1	6
11	Mutation intolerant genes and targets of FMRP are enriched for nonsynonymous alleles in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 724-731.	1.7	19
12	Genetic variant analysis of the putative regulatory regions of the LRRC7 gene in bipolar disorder. <i>Psychiatric Genetics</i> , 2016, 26, 99-100.	1.1	2
13	Genetic variation in the <i>miR708</i> gene and its binding targets in bipolar disorder. <i>Bipolar Disorders</i> , 2016, 18, 650-656.	1.9	14
14	Association of rare variation in the glutamate receptor gene SLC1A2 with susceptibility to bipolar disorder and schizophrenia. <i>European Journal of Human Genetics</i> , 2015, 23, 1200-1206.	2.8	45
15	Genetic variants in or near <i>ADH1B</i> and <i>ADH1C</i> affect susceptibility to alcohol dependence in a British and Irish population. <i>Addiction Biology</i> , 2015, 20, 594-604.	2.6	33
16	The UK10K project identifies rare variants in health and disease. <i>Nature</i> , 2015, 526, 82-90.	27.8	1,014
17	The functional GRM3 Kozak sequence variant rs148754219 affects the risk of schizophrenia and alcohol dependence as well as bipolar disorder. <i>Psychiatric Genetics</i> , 2014, 24, 277-278.	1.1	33
18	Evidence for genetic susceptibility to the alcohol dependence syndrome from the thiamine transporter 2 gene solute carrier SLC19A3. <i>Psychiatric Genetics</i> , 2014, 24, 122-123.	1.1	2

#	ARTICLE	IF	CITATIONS
19	Genetic association of the tachykinin receptor 1 <i>TACR1</i> gene in bipolar disorder, attention deficit hyperactivity disorder, and the alcohol dependence syndrome. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 373-380.	1.7	39
20	A rare variant in APOC3 is associated with plasma triglyceride and VLDL levels in Europeans. <i>Nature Communications</i> , 2014, 5, 4871.	12.8	62
21	Determining the Association of the 5HTTLPR Polymorphism with Delusions and Hallucinations in Lewy Body Dementias. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 580-586.	1.2	19
22	The effect of clozapine on mRNA expression for genes encoding G protein-coupled receptors and the protein components of clathrin-mediated endocytosis. <i>Psychiatric Genetics</i> , 2013, 23, 153-162.	1.1	10
23	Genetic Association, Mutation Screening, and Functional Analysis of a Kozak Sequence Variant in the Metabotropic Glutamate Receptor 3 Gene in Bipolar Disorder. <i>JAMA Psychiatry</i> , 2013, 70, 591.	11.0	43
24	A nonconservative amino acid change in the UPP3B gene in a patient with schizophrenia. <i>Psychiatric Genetics</i> , 2012, 22, 150-151.	1.1	18
25	No association of COMT val158met polymorphism and psychotic symptoms in Lewy body dementias. <i>Neuroscience Letters</i> , 2012, 531, 1-4.	2.1	7
26	Sequencing of the <i>ANKYRIN 3</i> gene (<i>ANK3</i>) encoding ankyrin G in bipolar disorder reveals a nonconservative amino acid change in a short isoform of ankyrin G. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 328-335.	1.7	14
27	Hypertension is a potential risk factor for vascular dementia: systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 661-669.	2.7	184
28	Lack of allelic association between markers at the DRD2 and ANKK1 gene loci with the alcohol-dependence syndrome and criminal activity. <i>Psychiatric Genetics</i> , 2011, 21, 323-324.	1.1	6
29	Genetic Associations of Autopsy-Confirmed Vascular Dementia Subtypes. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 247-253.	1.5	19
30	Association of Plasma Clusterin Concentration With Severity, Pathology, and Progression in Alzheimer Disease. <i>Archives of General Psychiatry</i> , 2010, 67, 739.	12.3	353
31	Choline Acetyltransferase Activity in Vascular Dementia and Stroke. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 233-238.	1.5	36
32	Genetics of attention-deficit hyperactivity disorder (ADHD). <i>Neuropharmacology</i> , 2009, 57, 590-600.	4.1	113
33	Neuropsychiatric symptoms in dementia: Importance and treatment considerations. <i>International Review of Psychiatry</i> , 2008, 20, 396-404.	2.8	89
34	Cortical Serotonin 1A Receptor Levels Are Associated with Depression in Patients with Dementia with Lewy Bodies and Parkinson's Disease Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 26, 330-338.	1.5	48
35	Aggressive Behavior and Neuroleptic Medication Are Associated With Increased Number of Alpha1-Adrenoceptors in Patients With Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 435-437.	1.2	35
36	Psychiatric and behavioral symptoms in Alzheimer's disease and other dementias: Etiology and management. <i>Current Neurology and Neuroscience Reports</i> , 2005, 5, 345-354.	4.2	23

#	ARTICLE	IF	CITATIONS
37	Neurochemistry of severe dementia. <i>Reviews in Clinical Gerontology</i> , 2005, 15, 105-123.	0.5	1
38	Investigation of the biological relevance of <i>Helicobacter pylori</i> cagA locus diversity, presence of CagA tyrosine phosphorylation motifs and vacuolating cytotoxin genotype on IL-8 induction in gastric epithelial cells. <i>FEMS Immunology and Medical Microbiology</i> , 2003, 36, 135-140.	2.7	20
39	Identification of <i>cagA</i> Tyrosine Phosphorylation DNA Motifs in <i>Helicobacter pylori</i> Isolates from Peptic Ulcer Patients by Novel PCR-Restriction Fragment Length Polymorphism and Real-Time Fluorescence PCR Assays. <i>Journal of Clinical Microbiology</i> , 2003, 41, 3112-3118.	3.9	14