

# David M Meads

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7836264/publications.pdf>

Version: 2024-02-01

75  
papers

1,688  
citations

430874

18  
h-index

315739

38  
g-index

75  
all docs

75  
docs citations

75  
times ranked

3115  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of tight control of inflammation in early psoriatic arthritis (TICOPA): a UK multicentre, open-label, randomised controlled trial. <i>Lancet, The</i> , 2015, 386, 2489-2498.	13.7	389
2	Do electronic cigarettes increase cigarette smoking in UK adolescents? Evidence from a 12-month prospective study. <i>Tobacco Control</i> , 2018, 27, 365-372.	3.2	130
3	Levofloxacin prophylaxis in patients with newly diagnosed myeloma (TEAMM): a multicentre, double-blind, placebo-controlled, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , 2019, 20, 1760-1772.	10.7	109
4	Functionality and feedback: a protocol for a realist synthesis of the collation, interpretation and utilisation of PROMs data to improve patient care. <i>BMJ Open</i> , 2014, 4, e005601-e005601.	1.9	107
5	Patient Acceptability of the Yorkshire Dialysis Decision AID (YODDA) Booklet: A Prospective Non-Randomized Comparison Study across 6 Predialysis Services. <i>Peritoneal Dialysis International</i> , 2016, 36, 374-381.	2.3	73
6	How do aggregated patient-reported outcome measures data stimulate health care improvement? A realist synthesis. <i>Journal of Health Services Research and Policy</i> , 2018, 23, 57-65.	1.7	69
7	Exploring self-report and proxy-report quality-of-life measures for people living with dementia in care homes. <i>Quality of Life Research</i> , 2020, 29, 463-472.	3.1	48
8	Safety and efficacy of co-careldopa as an add-on therapy to occupational and physical therapy in patients after stroke (DARS): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology, The</i> , 2019, 18, 530-538.	10.2	39
9	Equity and the financial costs of informal caregiving in palliative care: a critical debate. <i>BMC Palliative Care</i> , 2020, 19, 71.	1.8	36
10	What factors affect patients' ability to access healthcare? An overview of systematic reviews. <i>Tropical Medicine and International Health</i> , 2021, 26, 1177-1188.	2.3	36
11	A Systematic Review of Discrete-Choice Experiments and Conjoint Analysis Studies in People with Multiple Sclerosis. <i>Patient</i> , 2018, 11, 391-402.	2.7	32
12	The PiTSTOP study: a feasibility cluster randomized trial of delirium prevention in care homes for older people. <i>Age and Ageing</i> , 2016, 45, 651-660.	1.6	31
13	Development of a Discrete-Choice Experiment (DCE) to Elicit Adolescent and Parent Preferences for Hypodontia Treatment. <i>Patient</i> , 2019, 12, 137-148.	2.7	28
14	Evaluating the effectiveness and cost-effectiveness of Dementia Care Mapping, to enable person-centred care for people with dementia and their carers (DCM-EPIC) in care homes: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 300.	1.6	27
15	The future for diagnostic tests of acute kidney injury in critical care: evidence synthesis, care pathway analysis and research prioritisation. <i>Health Technology Assessment</i> , 2018, 22, 1-274.	2.8	27
16	Patient Preferences for Pain Management in Advanced Cancer: Results from a Discrete Choice Experiment. <i>Patient</i> , 2017, 10, 643-651.	2.7	25
17	Prevention of delirium (POD) for older people in hospital: study protocol for a randomised controlled feasibility trial. <i>Trials</i> , 2015, 16, 340.	1.6	24
18	A qualitative study of patients' feedback about Outpatient Parenteral Antimicrobial Therapy (OPAT) services in Northern England: implications for service improvement. <i>BMJ Open</i> , 2018, 8, e019099.	1.9	23

#	ARTICLE	IF	CITATIONS
19	Patterns and predictors of e-cigarette, cigarette and dual use uptake in UK adolescents: evidence from a 24-month prospective study. <i>Addiction</i> , 2019, 114, 2048-2055.	3.3	21
20	Dementia Care Mapping, to reduce agitation in care home residents with dementia: the EPIC cluster RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-172.	2.8	20
21	An adaptable implementation package targeting evidence-based indicators in primary care: A pragmatic cluster-randomised evaluation. <i>PLoS Medicine</i> , 2020, 17, e1003045.	8.4	18
22	The Community IntraVenous Antibiotic Study (CIVAS): a mixed-methods evaluation of patient preferences for and cost-effectiveness of different service models for delivering outpatient parenteral antimicrobial therapy. <i>Health Services and Delivery Research</i> , 2017, 5, 1-272.	1.4	17
23	Healthcare utilization and productivity loss in glioma patients and family caregivers: the impact of treatable psychological symptoms. <i>Journal of Neuro-Oncology</i> , 2020, 147, 485-494.	2.9	16
24	Financial incentives to discontinue long-term benzodiazepine use: a discrete choice experiment investigating patient preferences and willingness to participate. <i>BMJ Open</i> , 2017, 7, e016229.	1.9	15
25	Rituximab versus the modified Ponticelli regimen in the treatment of primary membranous nephropathy: a Health Economic Model. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 2145-2155.	0.7	15
26	How Should We Capture Health State Utility in Dementia? Comparisons of DEMQOL-Proxy-U and of Self- and Proxy-Completed EQ-5D-5L. <i>Value in Health</i> , 2019, 22, 1417-1426.	0.3	15
27	What's important in AAC decision making for children? Evidence from a best-worst scaling survey. <i>AAC: Augmentative and Alternative Communication</i> , 2019, 35, 80-94.	1.4	15
28	Cost-Effectiveness of Dementia Care Mapping in Care-Home Settings: Evaluation of a Randomised Controlled Trial. <i>Applied Health Economics and Health Policy</i> , 2020, 18, 237-247.	2.1	15
29	Action to Support Practices Implement Research Evidence (ASPIRE): protocol for a cluster-randomised evaluation of adaptable implementation packages targeting "high impact" clinical practice recommendations in general practice. <i>Implementation Science</i> , 2015, 11, 25.	6.9	13
30	Use of Bayesian Markov Chain Monte Carlo Methods to Estimate EQ-5D Utility Scores from EORTC QLQ Data in Myeloma for Use in Cost-Effectiveness Analysis. <i>Medical Decision Making</i> , 2015, 35, 351-360.	2.4	13
31	Transforming discrete choice experiment latent scale values for EQ-5D-3L using the visual analogue scale. <i>European Journal of Health Economics</i> , 2020, 21, 787-800.	2.8	13
32	Identification and appraisal of outcome measures used to evaluate hypodontia care: A systematic review. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 153, 184-194.e18.	1.7	12
33	Cost-Effectiveness of Tight Control of Inflammation in Early Psoriatic Arthritis: Economic Analysis of a Multicenter Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2018, 70, 462-468.	3.4	12
34	Supporting patient access to medicines in community palliative care: on-line survey of health professionals' practice, perceived effectiveness and influencing factors. <i>BMC Palliative Care</i> , 2020, 19, 148.	1.8	12
35	Improving the management of pain from advanced cancer in the community: study protocol for a pragmatic multicentre randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e021965.	1.9	11
36	Cost-Effectiveness of Docetaxel and Paclitaxel for Adjuvant Treatment of Early Breast Cancer: Adaptation of a Model-Based Economic Evaluation From the United Kingdom to South Africa. <i>Value in Health Regional Issues</i> , 2019, 19, 65-74.	1.2	11

#	ARTICLE	IF	CITATIONS
37	Does a health crisis change how we value health?. Health Economics (United Kingdom), 2021, 30, 2547-2560.	1.7	11
38	Cost-Effectiveness of Pain Management Strategies in Advanced Cancer. International Journal of Technology Assessment in Health Care, 2019, 35, 141-149.	0.5	10
39	Assessment of information resources for people with hypodontia. BDJ Open, 2018, 4, 18001.	2.1	9
40	Self-management toolkit and delivery strategy for end-of-life pain: the mixed-methods feasibility study. Health Technology Assessment, 2017, 21, 1-292.	2.8	9
41	Evidence that an intervention weakens the relationship between adolescent electronic cigarette use and tobacco smoking: a 24-month prospective study. Tobacco Control, 2019, 29, tobaccocontrol-2018-054905.	3.2	8
42	Finding the best fit: examining the decision-making of augmentative and alternative communication professionals in the UK using a discrete choice experiment. BMJ Open, 2019, 9, e030274.	1.9	8
43	Effectiveness of Dementia Care Mapping, to reduce agitation in care home residents with dementia: an open-cohort cluster randomised controlled trial. Aging and Mental Health, 2021, 25, 1410-1423.	2.8	8
44	Sacral nerve stimulation versus the magnetic sphincter augmentation device for adult faecal incontinence: the SaFaRI RCT. Health Technology Assessment, 2021, 25, 1-96.	2.8	8
45	Impact of communication on first treatment decisions in people with relapsing-remitting multiple sclerosis. Patient Education and Counseling, 2020, 103, 2540-2547.	2.2	8
46	Ixazomib with cyclophosphamide and dexamethasone in relapsed or refractory myeloma: MUKeight phase II randomised controlled trial results. Blood Cancer Journal, 2022, 12, 52.	6.2	8
47	Making Public Involvement in Research More Inclusive of People With Complex Speech and Motor Disorders: The I-ASC Project. Qualitative Health Research, 2021, 31, 1260-1274.	2.1	7
48	Developing and evaluating packages to support implementation of quality indicators in general practice: the ASPIRE research programme, including two cluster RCTs. Programme Grants for Applied Research, 2020, 8, 1-96.	1.0	7
49	The decision-making process in recommending electronic communication aids for children and young people who are non-speaking: the I-ASC mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-158.	1.4	7
50	The Cost Effectiveness of Docetaxel and Active Symptom Control versus Active Symptom Control Alone for Refractory Oesophagogastric Adenocarcinoma: Economic Analysis of the COUGAR-02 Trial. Pharmacoeconomics, 2016, 34, 33-42.	3.3	6
51	Modelling the impact of physical activity on public health: A review and critique. Health Policy, 2020, 124, 1155-1164.	3.0	6
52	Attribute Selection for a Discrete Choice Experiment Incorporating a Best-Worst Scaling Survey. Value in Health, 2021, 24, 575-584.	0.3	6
53	Bayesian statistical models to estimate <sc>EQâ€5D</sc> utility scores from <sc>EORTC QLQ</sc> data in myeloma. Pharmaceutical Statistics, 2018, 17, 358-371.	1.3	5
54	The Impact of Reproductive Issues on Preferences of Women with Relapsing Multiple Sclerosis for Disease-Modifying Treatments. Patient, 2020, 13, 583-597.	2.7	5

#	ARTICLE	IF	CITATIONS
55	What factors affect patients' access to healthcare? Protocol for an overview of systematic reviews. <i>Systematic Reviews</i> , 2020, 9, 18.	5.3	5
56	Cost-effectiveness of a proportionate universal offer of free exercise: Leeds Let's Get Active. <i>Journal of Public Health</i> , 2021, 43, 876-886.	1.8	4
57	Patient choice in colorectal cancer treatment – A systematic review and narrative synthesis of attribute-based stated preference studies. <i>Colorectal Disease</i> , 2022, 24, 1295-1307.	1.4	4
58	The MUK eight protocol: a randomised phase II trial of cyclophosphamide and dexamethasone in combination with ixazomib, in relapsed or refractory multiple myeloma (RRMM) patients who have relapsed after treatment with thalidomide, lenalidomide and a proteasome inhibitor. <i>Trials</i> , 2020, 21, 826.	1.6	3
59	A cluster randomised trial of a Needs Assessment Tool for adult Cancer patients and their carers (NAT-C) in primary care: A feasibility study. <i>PLoS ONE</i> , 2021, 16, e0245647.	2.5	3
60	Prophylactic levofloxacin to prevent infections in newly diagnosed symptomatic myeloma: the TEAMM RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-94.	2.8	3
61	Modelling decay in effectiveness for evaluation of behaviour change interventions: a tutorial for public health economists. <i>European Journal of Health Economics</i> , 2022, 23, 1151-1157.	2.8	3
62	Exploration of likely engagement with Monetary Contingency Contracts for weight loss: a questionnaire study. <i>Psychology, Health and Medicine</i> , 2017, 22, 1278-1283.	2.4	2
63	Longer-term health and social care strategies for stroke survivors and their carers: the LoTS2Care research programme including cluster feasibility RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-268.	1.0	2
64	Taking a local government perspective for economic evaluation of a population-level programme to promote exercise. <i>Health Policy</i> , 2021, 125, 651-657.	3.0	2
65	Does providing everyone with free-of-charge organised exercise opportunities work in public health?. <i>Health Policy</i> , 2022, 126, 129-142.	3.0	2
66	Changing the eligibility criteria for welfare payments at the end of life – a budget impact analysis for England and Wales. <i>BMC Health Services Research</i> , 2021, 21, 421.	2.2	1
67	Pain self-management interventions for community-based patients with advanced cancer: a research programme including the IMPACCT RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-92.	1.0	1
68	UK General Population Utility Values for the SIDECAR-D Instrument Measuring the Impact of Caring for People With Dementia. <i>Value in Health</i> , 2020, 23, 1079-1086.	0.3	0
69	The Prevention of Delirium system of care for older patients admitted to hospital for emergency care: the POD research programme including feasibility RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-180.	1.0	0
70	Title is missing!. , 2020, 17, e1003045.		0
71	Title is missing!. , 2020, 17, e1003045.		0
72	Title is missing!. , 2020, 17, e1003045.		0

#	ARTICLE	IF	CITATIONS
73	Title is missing!. , 2020, 17, e1003045.		0
74	Title is missing!. , 2020, 17, e1003045.		0
75	Cancer patients's needs assessment in primary care: study protocol for a cluster randomised controlled trial (cRCT), economic evaluation and normalisation process theory evaluation of the needs assessment tool cancer (CANAssess). BMJ Open, 2022, 12, e051394.	1.9	0