Martin J Prince

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7841236/publications.pdf

Version: 2024-02-01

425 papers 40,452 citations

82 h-index 187 g-index

458 all docs 458 docs citations

458 times ranked

42098 citing authors

#	Article	IF	CITATIONS
1	Global prevalence of dementia: a Delphi consensus study. Lancet, The, 2005, 366, 2112-2117.	13.7	4,496
2	The global prevalence of dementia: A systematic review and metaanalysis. Alzheimer's and Dementia, 2013, 9, 63.	0.8	3,654
3	No health without mental health. Lancet, The, 2007, 370, 859-877.	13.7	2,727
4	The Lancet Commission on global mental health and sustainable development. Lancet, The, 2018, 392, 1553-1598.	13.7	1,534
5	The burden of disease in older people and implications for health policy and practice. Lancet, The, 2015, 385, 549-562.	13.7	1,393
6	Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2129-2143.	13.7	1,013
7	Alzheimer's disease and vascular dementia in developing countries: prevalence, management, and risk factors. Lancet Neurology, The, 2008, 7, 812-826.	10.2	960
8	The worldwide economic impact of dementia 2010. Alzheimer's and Dementia, 2013, 9, 1.	0.8	780
9	The worldwide costs of dementia 2015 and comparisons with 2010. Alzheimer's and Dementia, 2017, 13, 1-7.	0.8	762
10	Recent global trends in the prevalence and incidence of dementia, and survival with dementia. Alzheimer's Research and Therapy, 2016, 8, 23.	6.2	566
11	Dementia diagnosis in developing countries: a cross-cultural validation study. Lancet, The, 2003, 361, 909-917.	13.7	489
12	Frailty: An Emerging Public Health Priority. Journal of the American Medical Directors Association, 2016, 17, 188-192.	2.5	489
13	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. World Psychiatry, 2017, 16, 30-40.	10.4	477
14	PRIME: A Programme to Reduce the Treatment Gap for Mental Disorders in Five Low- and Middle-Income Countries. PLoS Medicine, 2012, 9, e1001359.	8.4	436
15	Epidemiology of Dementias and Alzheimer's Disease. Archives of Medical Research, 2012, 43, 600-608.	3.3	389
16	Contribution of chronic diseases to disability in elderly people in countries with low and middle incomes: a 10/66 Dementia Research Group population-based survey. Lancet, The, 2009, 374, 1821-1830.	13.7	370
17	Prevalence of dementia in Latin America, India, and China: a population-based cross-sectional survey. Lancet, The, 2008, 372, 464-474.	13.7	358
18	Reducing the treatment gap for mental disorders: a WPA survey. World Psychiatry, 2010, 9, 169-176.	10.4	301

#	Article	IF	CITATIONS
19	The protocols for the 10/66 dementia research group population-based research programme. BMC Public Health, 2007, 7, 165.	2.9	298
20	Global Mental Health. JAMA - Journal of the American Medical Association, 2010, 303, 1976.	7.4	297
21	Prevalence of multimorbidity in community settings: A systematic review and meta-analysis of observational studies. Journal of Comorbidity, 2019, 9, 2235042X1987093.	3.9	291
22	Research priorities to reduce the global burden of dementia by 2025. Lancet Neurology, The, 2016, 15, 1285-1294.	10.2	284
23	Obsessive-Compulsive Disorder: Prevalence, Comorbidity, Impact, and Help-Seeking in the British National Psychiatric Morbidity Survey of 2000. American Journal of Psychiatry, 2006, 163, 1978-1985.	7.2	281
24	Is the cognitive function of older patients affected by antihypertensive treatment? Results from 54 months of the Medical Research Council's treatment trial of hypertension in older adults. BMJ: British Medical Journal, 1996, 312, 801-805.	2.3	281
25	Mental health and the built environment: Cross – sectional survey of individual and contextual risk factors for depression. British Journal of Psychiatry, 2002, 180, 428-433.	2.8	257
26	Challenges and Opportunities for Implementing Integrated Mental Health Care: A District Level Situation Analysis from Five Low- and Middle-Income Countries. PLoS ONE, 2014, 9, e88437.	2.5	255
27	Dementia incidence and mortality in middle-income countries, and associations with indicators of cognitive reserve: a 10/66 Dementia Research Group population-based cohort study. Lancet, The, 2012, 380, 50-58.	13.7	254
28	Evidence-Based Guidelines for Mental, Neurological, and Substance Use Disorders in Low- and Middle-Income Countries: Summary of WHO Recommendations. PLoS Medicine, 2011, 8, e1001122.	8.4	246
29	Levels of anxiety and depression as predictors of mortality: the HUNT study. British Journal of Psychiatry, 2009, 195, 118-125.	2.8	235
30	Anxiety, Depression, and Cause-Specific Mortality: The HUNT Study. Psychosomatic Medicine, 2007, 69, 323-331.	2.0	231
31	Care arrangements for people with dementia in developing countries. International Journal of Geriatric Psychiatry, 2004, 19, 170-177.	2.7	226
32	Detecting perinatal common mental disorders in Ethiopia: Validation of the self-reporting questionnaire and Edinburgh Postnatal Depression Scale. Journal of Affective Disorders, 2008, 108, 251-262.	4.1	222
33	Prevalence of depressive symptoms and syndromes in later life in ten European countries. British Journal of Psychiatry, 2007, 191, 393-401.	2.8	215
34	Ageing and mental health in a developing country: who cares? Qualitative studies from Goa, India. Psychological Medicine, 2001, 31, 29-38.	4.5	212
35	CONCURRENT AND CONSTRUCT VALIDITY OF THE AUDIT IN AN URBAN BRAZILIAN SAMPLE. Alcohol and Alcoholism, 2005, 40, 584-589.	1.6	210
36	A Population-Based Cohort Study of the Effect of Common Mental Disorders on Disability Pension Awards. American Journal of Psychiatry, 2006, 163, 1412-1418.	7.2	184

#	Article	IF	Citations
37	The Effectiveness of a Home Care Program for Supporting Caregivers of Persons with Dementia in Developing Countries: A Randomised Controlled Trial from Goa, India. PLoS ONE, 2008, 3, e2333.	2.5	182
38	Public health significance of mixed anxiety and depression: beyond current classification. British Journal of Psychiatry, 2008, 192, 171-177.	2.8	174
39	Body mass index in midlife and dementia: Systematic review and metaâ€regression analysis of 589,649 men and women followed in longitudinal studies. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 8, 165-178.	2.4	169
40	Economic burden of multimorbidity among older adults: impact on healthcare and societal costs. BMC Health Services Research, 2016, 16, 173.	2.2	157
41	Depression among older people in Europe: the EURODEP studies. World Psychiatry, 2004, 3, 45-9.	10.4	148
42	Economic barriers to better mental health practice and policy. Health Policy and Planning, 2006, 21, 157-170.	2.7	147
43	Diabetes, Common Mental Disorders, and Disability: Findings From the UK National Psychiatric Morbidity Survey. Psychosomatic Medicine, 2007, 69, 543-550.	2.0	144
44	Prevalence, Distribution, and Impact of Mild Cognitive Impairment in Latin America, China, and India: A 10/66 Population-Based Study. PLoS Medicine, 2012, 9, e1001170.	8.4	143
45	Common mental disorders among those attending primary health clinics and traditional healers in urban Tanzania. British Journal of Psychiatry, 2003, 183, 349-355.	2.8	139
46	Prevalence of stroke and related burden among older people living in Latin America, India and China. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 1074-1082.	1.9	137
47	Impact of antenatal common mental disorders upon perinatal outcomes in Ethiopia: the Pâ€MaMiE populationâ€based cohort study. Tropical Medicine and International Health, 2009, 14, 156-166.	2.3	132
48	Risk factors for mental disorders in women survivors of human trafficking: a historical cohort study. BMC Psychiatry, 2013, 13, 204.	2.6	132
49	Maternal psychological morbidity and low birth weight in India. British Journal of Psychiatry, 2006, 188, 284-285.	2.8	131
50	Validity of brief screening questionnaires to detect depression in primary care in Ethiopia. Journal of Affective Disorders, 2015, 186, 32-39.	4.1	131
51	Mental disorder and the outcome of HIV/AIDS in low-income and middle-income countries. Aids, 2012, 26, S117-S135.	2.2	130
52	Excess mortality in severe mental illness: 10-year population-based cohort study in rural Ethiopia. British Journal of Psychiatry, 2015, 206, 289-296.	2.8	130
53	Fear of crime, mobility and mental health in inner-city London, UK. Social Science and Medicine, 2005, 61, 1678-1688.	3.8	129
54	Ascertaining lateâ€life depressive symptoms in Europe: an evaluation of the survey version of the EUROâ€D scale in 10 nations. The SHARE project. International Journal of Methods in Psychiatric Research, 2008, 17, 12-29.	2.1	125

#	Article	IF	CITATIONS
55	Dental health, nutritional status and recent-onset dementia in a Korean community population. International Journal of Geriatric Psychiatry, 2007, 22, 850-855.	2.7	118
56	Nature, prevalence and factors associated with depression among the elderly in a rural south Indian community. International Psychogeriatrics, 2009, 21, 372.	1.0	118
57	Prevalence of dementia in mainland China, Hong Kong and Taiwan: an updated systematic review and meta-analysis. International Journal of Epidemiology, 2018, 47, 709-719.	1.9	113
58	Prevalence of Dementia in People Aged 60 Years and Above: Results from the WiSE Study. Journal of Alzheimer's Disease, 2015, 45, 1127-1138.	2.6	112
59	The Impact of Epidemic Violence on the Prevalence of Psychiatric Disorders in Sao Paulo and Rio de Janeiro, Brazil. PLoS ONE, 2013, 8, e63545.	2.5	109
60	The 10/66 Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the 10/66 dementia algorithm and a clinician diagnosis: a population validation study. BMC Public Health, 2008, 8, 219.	2.9	108
61	Genome-wide linkage analysis of a composite index of neuroticism and mood-related scales in extreme selected sibships. Human Molecular Genetics, 2004, 13, 2173-2182.	2.9	107
62	Outcome of major depression in Ethiopia. British Journal of Psychiatry, 2006, 189, 241-246.	2.8	107
63	Belief models in first episode schizophrenia in South India. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 446-451.	3.1	107
64	Understanding the effect of ethnic density on mental health: multi-level investigation of survey data from England. BMJ: British Medical Journal, 2010, 341, c5367-c5367.	2.3	107
65	Prevalence and predictors of undernutrition among infants aged six and twelve months in Butajira, Ethiopia: The P-MaMiE Birth Cohort. BMC Public Health, 2010, 10, 27.	2.9	106
66	Case–control study of suicide in Karachi, Pakistan. British Journal of Psychiatry, 2008, 193, 402-405.	2.8	105
67	The comparative validity of screening scales for postnatal common mental disorder in Kintampo, Ghana. Journal of Affective Disorders, 2009, 113, 109-117.	4.1	105
68	Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: Results from the EURODEP concerted action. Journal of Affective Disorders, 2014, 155, 266-272.	4.1	105
69	Frailty and the prediction of dependence and mortality in low- and middle-income countries: a 10/66 population-based cohort study. BMC Medicine, 2015, 13, 138.	5 . 5	101
70	Population ageing and health. Lancet, The, 2012, 379, 1295-1296.	13.7	99
71	Population level mental distress in rural Ethiopia. BMC Psychiatry, 2014, 14, 194.	2.6	98
72	Ethnicity and prediction of cardiovascular disease: performance of QRISK2 and Framingham scores in a UK tri-ethnic prospective cohort study (SABRE—Southall And Brent REvisited). Heart, 2014, 100, 60-67.	2.9	98

#	Article	IF	CITATIONS
73	Prevalence of anxiety and its correlates among older adults in Latin America, India and China: cross-cultural study. British Journal of Psychiatry, 2011, 199, 485-491.	2.8	97
74	Long-term predictors of cognitive outcome in a cohort of older people with hypertension. British Journal of Psychiatry, 2000, 177, 66-71.	2.8	94
75	"The contribution of chronic diseases to the prevalence of dependence among older people in Latin America, China and India: a 10/66 Dementia Research Group population-based survey". BMC Geriatrics, 2010, 10, 53.	2.7	94
76	Development of a scalable mental healthcare plan for a rural district in Ethiopia. British Journal of Psychiatry, 2016, 208, s4-s12.	2.8	93
77	Physical health, depression and cognitive function as correlates of disability in an older Korean population. International Journal of Geriatric Psychiatry, 2005, 20, 160-167.	2.7	92
78	Evaluation of district mental healthcare plans: The PRIME consortium methodology. British Journal of Psychiatry, 2016, 208, s63-s70.	2.8	92
79	Measuring disability across cultures — the psychometric properties of the WHODAS II in older people from seven low†and middleâ€income countries. The 10/66 Dementia Research Group populationâ€based survey. International Journal of Methods in Psychiatric Research, 2010, 19, 1-17.	2.1	88
80	Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). British Journal of Psychiatry, 2012, 201, 282-290.	2.8	88
81	Behavioral and Psychological Symptoms of Dementia in developing countries. International Psychogeriatrics, 2004, 16, 441-459.	1.0	87
82	What constitutes health-related quality of life in dementia? Development of a conceptual framework for people with dementia and their carers. International Journal of Geriatric Psychiatry, 2005, 20, 889-895.	2.7	87
83	Male gender preference, female gender disadvantage as risk factors for psychological morbidity in Pakistani women of childbearing age - a life course perspective. BMC Public Health, 2011, 11, 745.	2.9	86
84	Population normative data for the 10/66 Dementia Research Group cognitive test battery from Latin America, India and China: a cross-sectional survey. BMC Neurology, 2009, 9, 48.	1.8	85
85	Helping carers to careâ€"The 10/66 dementia research group's randomized control trial of a caregiver intervention in Russia. International Journal of Geriatric Psychiatry, 2009, 24, 347-354.	2.7	85
86	A brief dementia screener suitable for use by nonâ€specialists in resource poor settings—the crossâ€cultural derivation and validation of the brief Community Screening Instrument for Dementia. International Journal of Geriatric Psychiatry, 2011, 26, 899-907.	2.7	85
87	Care participation and burden among informal caregivers of older adults with care needs and associations with dementia. International Psychogeriatrics, 2016, 28, 221-231.	1.0	85
88	The impact of maternal experience of violence and common mental disorders on neonatal outcomes: a survey of adolescent mothers in Sao Paulo, Brazil. BMC Public Health, 2007, 7, 209.	2.9	84
89	Dietary fish and meat intake and dementia in Latin America, China, and India: a 10/66 Dementia Research Group population-based study. American Journal of Clinical Nutrition, 2009, 90, 392-400.	4.7	84
90	Hypertension prevalence, awareness, treatment and control among older people in Latin America, India and China. Journal of Hypertension, 2012, 30, 177-187.	0.5	83

#	Article	IF	CITATIONS
91	Ethnicity and excess mortality in severe mental illness: a cohort study. Lancet Psychiatry, the, 2017, 4, 389-399.	7.4	82
92	Measuring the built environment: validity of a site survey instrument for use in urban settings. Health and Place, 2001, 7, 283-292.	3.3	81
93	Chronic disease prevalence and care among the elderly in urban and rural Beijing, China - a 10/66 Dementia Research Group cross-sectional survey. BMC Public Health, 2009, 9, 394.	2.9	81
94	Psychometric properties of EURO-D, a geriatric depression scale: a cross-cultural validation study. BMC Psychiatry, 2015, 15, 12.	2.6	81
95	Screening women for high risk of postnatal depression. Journal of Psychosomatic Research, 1994, 38, 539-545.	2.6	80
96	Revealing a hidden problem. An evaluation of a community dementia case-finding program from the Indian 10/66 dementia research network. International Journal of Geriatric Psychiatry, 2002, 17, 222-225.	2.7	80
97	Equity in the delivery of community healthcare to older people: findings from 10/66 Dementia Research Group cross-sectional surveys in Latin America, China, India and Nigeria. BMC Health Services Research, 2011, 11, 153.	2.2	80
98	Strain and its correlates among carers of people with dementia in lowâ€income and middleâ€income countries. A 10/66 Dementia Research Group populationâ€based survey. International Journal of Geriatric Psychiatry, 2012, 27, 670-682.	2.7	80
99	Behavioral symptoms and caregiver burden in dementia. Indian Journal of Psychiatry, 2009, 51, 45.	0.7	80
100	Late-life depression in Peru, Mexico and Venezuela: the 10/66 population-based study. British Journal of Psychiatry, 2009, 195, 510-515.	2.8	79
101	Estimating the burden of early onset dementia; systematic review of disease prevalence. European Journal of Neurology, 2014, 21, 563-569.	3.3	79
102	Migration, social mobility and common mental disorders: critical review of the literature and meta-analysis. Ethnicity and Health, 2012, 17, 17-53.	2.5	78
103	Generating evidence to narrow the treatment gap for mental disorders in sub-Saharan Africa: rationale, overview and methods of AFFIRM. Epidemiology and Psychiatric Sciences, 2015, 24, 233-240.	3.9	77
104	Effects of education and culture on the validity of the Geriatric Mental State and its AGECAT algorithm. British Journal of Psychiatry, 2004, 185, 429-436.	2.8	76
105	The Lancet's Series on Global Mental Health: 1 year on. Lancet, The, 2008, 372, 1354-1357.	13.7	7 5
106	Rural–urban migration and depression in ageing family members left behind. British Journal of Psychiatry, 2009, 195, 54-60.	2.8	73
107	Outcome of first-episode schizophrenia in India: longitudinal study of effect of insight and psychopathology. British Journal of Psychiatry, 2010, 196, 454-459.	2.8	73
108	District mental healthcare plans for five low-and middle-income countries: Commonalities, variations and evidence gaps. British Journal of Psychiatry, 2016, 208, s47-s54.	2.8	73

#	Article	IF	CITATIONS
109	Integrated care for people with long-term mental and physical health conditions in low-income and middle-income countries. Lancet Psychiatry,the, 2019, 6, 174-186.	7.4	72
110	Alzheimer Disease International's 10/66 Dementia Research Group—One model for action research in developing countries. International Journal of Geriatric Psychiatry, 2004, 19, 178-181.	2.7	71
111	Packages of Care for Dementia in Low- and Middle-Income Countries. PLoS Medicine, 2009, 6, e1000176.	8.4	70
112	The impact of physical activity on healthy ageing trajectories: evidence from eight cohort studies. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 92.	4.6	68
113	Child and adolescent psychopathology in a developing country: testing the validity of the Strengths and Difficulties Questionnaire (Urdu version). International Journal of Methods in Psychiatric Research, 2005, 14, 158-166.	2.1	66
114	Self-rated health and its association with mortality in older adults in China, India and Latin America—a 10/66 Dementia Research Group study. Age and Ageing, 2017, 46, 932-939.	1.6	64
115	Validation of the World Health Organization Disability Assessment Schedule in people with severe mental disorders in rural Ethiopia. Health and Quality of Life Outcomes, 2017, 15, 64.	2.4	64
116	Ageing and dementia in low and middle income countries–Using research to engage with public and policy makers. International Review of Psychiatry, 2008, 20, 332-343.	2.8	62
117	Mortality and suicide after self-harm: community cohort study in Taiwan. British Journal of Psychiatry, 2011, 198, 31-36.	2.8	62
118	Impact of perinatal somatic and common mental disorder symptoms on functioning in Ethiopian women: The P-MaMiE population-based cohort study. Journal of Affective Disorders, 2012, 136, 340-349.	4.1	62
119	Maternal common mental disorders and infant development in Ethiopia: the P-MaMiE Birth Cohort. BMC Public Health, 2010, 10, 693.	2.9	61
120	The effect of maternal common mental disorders on infant undernutrition in Butajira, Ethiopia: The P-MaMiE study. BMC Psychiatry, 2010, 10, 32.	2.6	60
121	Dementia severity and weight loss: A comparison across eight cohorts. The 10/66 study. Alzheimer's and Dementia, 2013, 9, 649-656.	0.8	60
122	Identification of Dementia Cases in the Community: A Brazilian Experience. Journal of the American Geriatrics Society, 2005, 53, 1738-1742.	2.6	59
123	Nature and determinants of out-of-pocket health expenditure among older people in a rural Indian community. International Psychogeriatrics, 2012, 24, 1664-1673.	1.0	59
124	Pesticide exposure and suicidal ideation in rural communities in Zhejiang Province, China. Bulletin of the World Health Organization, 2009, 87, 745-753.	3.3	59
125	Postnatal mental distress in relation to the sociocultural practices of childbirth: An exploratory qualitative study from Ethiopia. Social Science and Medicine, 2009, 69, 1211-1219.	3.8	58
126	The Blackfriars Consensus on brain health and dementia. Lancet, The, 2014, 383, 1805-1806.	13.7	57

#	Article	IF	CITATIONS
127	Redesigning care for older people to preserve physical and mental capacity: WHO guidelines on community-level interventions in integrated care. PLoS Medicine, 2019, 16, e1002948.	8.4	57
128	Perinatal mental distress and infant morbidity in Ethiopia: a cohort study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2011, 96, F59-F64.	2.8	56
129	Exploring the Ethnic Density Effect: A Qualitative Study of a London Electoral Ward. International Journal of Social Psychiatry, 2006, 52, 376-391.	3.1	55
130	Social network typologies and mortality risk among older people in China, India, and Latin America: A 10/66 Dementia Research Group population-based cohort study. Social Science and Medicine, 2015, 147, 134-143.	3.8	54
131	Is the GDS-30 better than the GHQ-12 for screening depression in elderly people in the community? The Bambui Health Aging Study (BHAS). International Psychogeriatrics, 2006, 18, 493.	1.0	53
132	Obsessive–compulsive disorder and personality disorder. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 862-867.	3.1	53
133	Perceptions about psychosis and psychiatric services: a qualitative study from Vellore, India. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 231-238.	3.1	53
134	Co-occurrence of anxiety and depression amongst older adults in low- and middle-income countries: findings from the 10/66 study. Psychological Medicine, 2011, 41, 2047-2056.	4.5	53
135	Cohort Profile: The 10/66 study. International Journal of Epidemiology, 2017, 46, dyw056.	1.9	53
136	Socioeconomic Factors and All Cause and Cause-Specific Mortality among Older People in Latin America, India, and China: A Population-Based Cohort Study. PLoS Medicine, 2012, 9, e1001179.	8.4	52
137	Age variation in life events and their relationship with common mental disorders in a national survey population. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 611-616.	3.1	51
138	Measurement validity in cross-cultural comparative research. Epidemiologia E Psichiatria Sociale, 2008, 17, 211-220.	0.9	51
139	Helping carers to care: the 10/66 dementia research group's randomized control trial of a caregiver intervention in Peru. Revista Brasileira De Psiquiatria, 2011, 33, 47-54.	1.7	51
140	Reproductive period, endogenous estrogen exposure and dementia incidence among women in Latin America and China; A 10/66 population-based cohort study. PLoS ONE, 2018, 13, e0192889.	2.5	51
141	The Epidemiology of Dependence in Older People in Nigeria: Prevalence, Determinants, Informal Care, and Health Service Utilization. A 10/66 Dementia Research Group Crossâ€Sectional Survey. Journal of the American Geriatrics Society, 2009, 57, 1620-1627.	2.6	50
142	Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the BambuÃ-Cohort Study, Brazil. Journal of Sleep Research, 2011, 20, 303-310.	3.2	50
143	Mental health care for the elderly in low-income countries: a health systems approach. World Psychiatry, 2007, 6, 5-13.	10.4	50
144	Markers of inflammation and cognitive decline in an African aribbean population. International Journal of Geriatric Psychiatry, 2007, 22, 966-973.	2.7	49

#	Article	IF	Citations
145	Validity across translations of short survey psychiatric diagnostic instruments: CIDI-SF and CIS-R versus SCID-I/NP in four European countries. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 1149-1159.	3.1	48
146	Women in post-trafficking services in moldova: diagnostic interviews over two time periods to assess returning women's mental health. BMC Public Health, 2011, 11, 232.	2.9	48
147	Late-life depression symptom dimensions and cognitive functioning in the Longitudinal Aging Study Amsterdam (LASA). Journal of Affective Disorders, 2016, 201, 171-178.	4.1	48
148	Depression and mortality in a high-risk population. British Journal of Psychiatry, 2002, 181, 123-128.	2.8	47
149	Marital satisfaction in Pakistan: A pilot investigation. Sexual and Relationship Therapy, 2005, 20, 195-209.	1.2	47
150	Association of Antenatal Depression with Adverse Consequences for the Mother and Newborn in Rural Ghana: Findings from the DON Population-Based Cohort Study. PLoS ONE, 2014, 9, e116333.	2.5	47
151	Burden of mental disorders and unmet needs among street homeless people in Addis Ababa, Ethiopia. BMC Medicine, 2014, 12, 138.	5.5	47
152	DETERMINANTS OF POSTNATAL DEPRESSION IN RURAL GHANA: FINDINGS FROM THE DON POPULATION BASED COHORT STUDY. Depression and Anxiety, 2015, 32, 108-119.	4.1	47
153	The Prevalence and Correlates of Frailty in Urban and Rural Populations in Latin America, China, and India: A 10/66 Population-Based Survey. Journal of the American Medical Directors Association, 2018, 19, 287-295.e4.	2.5	47
154	The need for research on dementia in developing countries. Tropical Medicine and International Health, 1997, 2, 993-1000.	2.3	46
155	Understanding the explanatory model of the patient on their medically unexplained symptoms and its implication on treatment development research: a Sri Lanka Study. BMC Psychiatry, 2008, 8, 54.	2.6	46
156	"We lost all we had in a second― coping with grief and loss after a natural disaster. World Psychiatry, 2013, 12, 69-75.	10.4	46
157	Between life and death: exploring the sociocultural context of antenatal mental distress in rural Ethiopia. Archives of Women's Mental Health, 2010, 13, 385-393.	2.6	45
158	Alcohol use in a rural district in Uganda: findings from community-based and facility-based cross-sectional studies. International Journal of Mental Health Systems, 2018, 12, 12.	2.7	45
159	Prediction of dementia risk in low-income and middle-income countries (the 10/66 Study): an independent external validation of existing models. The Lancet Global Health, 2020, 8, e524-e535.	6.3	45
160	Assessing insight in schizophrenia: East meets West. British Journal of Psychiatry, 2007, 190, 243-247.	2.8	44
161	Diagnostic Procedures, Revascularization, and Inpatient Mortality After Acute Myocardial Infarction in Patients With Schizophrenia and Bipolar Disorder. Psychosomatic Medicine, 2013, 75, 52-59.	2.0	44
162	Diagnosis of Dementia by Machine learning methods in Epidemiological studies: a pilot exploratory study from south India. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 77-86.	3.1	44

#	Article	IF	CITATIONS
163	The prevalence of diagnoses, impairments, disabilities and handicaps in a population of elderly people living in a defined geographical area: the Gospel Oak project. Age and Ageing, 1998, 27, 707-714.	1.6	43
164	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. Behaviour Research and Therapy, 2020, 130, 103466.	3.1	43
165	Incidence and persistence of sleep complaints in a community older population. International Journal of Geriatric Psychiatry, 2010, 25, 37-45.	2.7	42
166	Subjective cognitive complaints across the adult life span: a 14-year analysis of trends and associations using the 1993, 2000 and 2007 English Psychiatric Morbidity Surveys. Psychological Medicine, 2014, 44, 1977-1987.	4.5	42
167	Prevalence and determinants of antenatal depression among pregnant women in a predominantly rural population in Ghana: The DON population-based study. Journal of Affective Disorders, 2014, 165, 1-7.	4.1	42
168	Prevalence of International Classification of Diseases, 10th Revision Common Mental Disorders in the Elderly in a Brazilian Community: The Bambui Health Ageing Study. American Journal of Geriatric Psychiatry, 2007, 15, 17-27.	1.2	41
169	The impact associated with caring for a person with dementia: a report from the 10/66 Dementia Research Group's Indian network. International Journal of Geriatric Psychiatry, 2004, 19, 182-184.	2.7	40
170	The validity of the Parental Bonding Instrument as a measure of maternal bonding among young Pakistani women. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 276-282.	3.1	40
171	The epidemiology of dependency among urban-dwelling older people in the Dominican Republic; a cross-sectional survey. BMC Public Health, 2008, 8, 285.	2.9	40
172	Associations of smoking and alcohol consumption with healthy ageing: a systematic review and meta-analysis of longitudinal studies. BMJ Open, 2018, 8, e019540.	1.9	40
173	Explanatory models of depression in sub-Saharan Africa: Synthesis of qualitative evidence. Social Science and Medicine, 2020, 246, 112760.	3.8	40
174	Age, Vascular Risk, and Cognitive Decline in an Older, British, African-Caribbean Population. Journal of the American Geriatrics Society, 2003, 51, 1547-1553.	2.6	39
175	Panic disorder and subthreshold panic in the UK general population: Epidemiology, comorbidity and functional limitation. European Psychiatry, 2011, 26, 354-362.	0.2	39
176	Task sharing for the care of severe mental disorders in a low-income country (TaSCS): study protocol for a randomised, controlled, non-inferiority trial. Trials, 2016, 17, 76.	1.6	39
177	Homelessness and severe mental illness in low- and middle-income countries: scoping review. BJPsych Open, 2019, 5, e57.	0.7	39
178	Intrinsic capacity and its associations with incident dependence and mortality in 10/66 Dementia Research Group studies in Latin America, India, and China: A population-based cohort study. PLoS Medicine, 2021, 18, e1003097.	8.4	39
179	Violence and post-traumatic stress disorder in Sao Paulo and Rio de Janeiro, Brazil: the protocol for an epidemiological and genetic survey. BMC Psychiatry, 2009, 9, 34.	2.6	38
180	Healthy ageing trajectories and lifestyle behaviour: the Mexican Health and Aging Study. Scientific Reports, 2019, 9, 11041.	3.3	38

#	Article	IF	CITATIONS
181	A Population-Based Study of the Association between <i>Trypanosoma cruzi</i> Infection and Cognitive Impairment in Old Age (The BambuÃ-Study). Neuroepidemiology, 2009, 32, 122-128.	2.3	37
182	A journey without maps—Understanding the costs of caring for dependent older people in Nigeria, China, Mexico and Peru. PLoS ONE, 2017, 12, e0182360.	2.5	37
183	Validity and Applicability of the Chinese Version of Community Screening Instrument for Dementia. Dementia and Geriatric Cognitive Disorders, 2003, 15, 10-18.	1.5	36
184	Association between probable postnatal depression and increased infant mortality and morbidity: findings from the DON population-based cohort study in rural Ghana. BMJ Open, 2015, 5, e006509.	1.9	36
185	Performance of the 16-Item Informant Questionnaire on Cognitive Decline for the Elderly (IQCODE) in an Arabic-Speaking Older Population. Dementia and Geriatric Cognitive Disorders, 2015, 40, 276-289.	1.5	36
186	Food insecurity, mental health and quality of life among people living with HIV commencing antiretroviral treatment in Ethiopia: a cross-sectional study. Health and Quality of Life Outcomes, 2016, 14, 37.	2.4	36
187	Recognition of depression by primary care clinicians in rural Ethiopia. BMC Family Practice, 2017, 18, 56.	2.9	36
188	Is Chronic Low-Level Lead Exposure in Early Life an Etiologic Factor in Alzheimer's Disease?. Epidemiology, 1998, 9, 618-621.	2.7	35
189	Diagnosing dementia in a developing nation: an evaluation of the GMSâ€AGECAT algorithm in an older Korean population. International Journal of Geriatric Psychiatry, 2003, 18, 331-336.	2.7	35
190	Task sharing of a psychological intervention for maternal depression in Khayelitsha, South Africa: study protocol for a randomized controlled trial. Trials, 2014, 15, 457.	1.6	35
191	Neuropsychiatric symptoms as risk factors of dementia in a Mexican population: A 10/66 Dementia Research Group study. Alzheimer's and Dementia, 2018, 14, 271-279.	0.8	35
192	Depression and Incidence of Frailty in Older People From Six Latin American Countries. American Journal of Geriatric Psychiatry, 2019, 27, 1072-1079.	1.2	35
193	Does Social Activity Influence the Accuracy of Subjective Memory Deficit? Findings from a British Community Survey. Journal of the American Geriatrics Society, 2006, 54, 1108-1113.	2.6	34
194	A review of the 10/66 dementia research group. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1-10.	3.1	34
195	The experience of abuse and mental health in the young Thai population. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 955-963.	3.1	33
196	The impact of quality and quantity of social support on help-seeking behavior prior to deliberate self-harm. General Hospital Psychiatry, 2011, 33, 37-44.	2.4	33
197	The association between common physical impairments and dementia in low and middle income countries, and, among people with dementia, their association with cognitive function and disability. A 10/66 Dementia Research Group population-based study. International Journal of Geriatric Psychiatry, 2011, 26, 511-519.	2.7	33
198	Functional disability and death wishes in older Europeans: results from the EURODEP concerted action. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1475-1482.	3.1	33

#	Article	IF	Citations
199	Engaging and staying engaged: a phenomenological study of barriers to equitable access to mental healthcare for people with severe mental disorders in a rural African setting. International Journal for Equity in Health, 2017, 16, 156.	3.5	33
200	Impact of district mental health care plans on symptom severity and functioning of patients with priority mental health conditions: the Programme for Improving Mental Health Care (PRIME) cohort protocol. BMC Psychiatry, 2018, 18, 61.	2.6	33
201	Multimorbidity and care dependence in older adults: a longitudinal analysis of findings from the 10/66 study. BMC Public Health, 2019, 19, 585.	2.9	33
202	The diagnosis of dementia in the community. International Psychogeriatrics, 2007, 19, 669-678.	1.0	32
203	A community-based study of case fatality proportion among those who carry out suicide acts. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 1005-1011.	3.1	32
204	Family violence and its â€~adversity package': a community survey of family violence and adverse mental outcomes among young people. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 825-831.	3.1	32
205	Midlife Hypertensive Status and Cognitive Function 20ÂYears Later: The <scp>S</scp> outhall and <scp>B</scp> rent Revisited Study. Journal of the American Geriatrics Society, 2013, 61, 1489-1498.	2.6	32
206	The importance of global mental health for the Sustainable Development Goals. Journal of Mental Health, 2014, 23, 283-286.	1.9	32
207	Development of a common scale for measuring healthy ageing across the world: results from the ATHLOS consortium. International Journal of Epidemiology, 2021, 50, 880-892.	1.9	32
208	Under detection of depression in primary care settings in low and middle-income countries: a systematic review and meta-analysis. Systematic Reviews, 2022, 11, 21.	5.3	32
209	Non-fatal suicidal behaviour in rural Ethiopia: a cross-sectional facility- and population-based study. BMC Psychiatry, 2016, 16, 75.	2.6	31
210	Associations between diagnoses, impairments, disability and handicap in a population of elderly people. International Journal of Epidemiology, 1998, 27, 261-268.	1.9	30
211	Resource utilisation for neuropsychiatric disorders in developing countries:. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 218-227.	3.1	30
212	Predictors of mortality among elderly people living in a south Indian urban community; a 10/66 Dementia Research Group prospective population-based cohort study. BMC Public Health, 2010, 10, 366.	2.9	30
213	Vascular risk factors and atherosclerosis as risk factors for cognitive decline and dementia. Journal of Psychosomatic Research, 1995, 39, 525-530.	2.6	29
214	Cognitive impairment and social distress as different pathways to depression in the elderly: a cross-sectional study., 1997, 12, 995-1000.		29
215	Commentary: Two-phase surveys. A death is announced; no flowers please. International Journal of Epidemiology, 2003, 32, 1078-1080.	1.9	29
216	Non-fatal repetition of self-harm: population-based prospective cohort study in Taiwan. British Journal of Psychiatry, 2010, 196, 31-35.	2.8	29

#	Article	IF	CITATIONS
217	Progress on dementia—leaving no one behind. Lancet, The, 2017, 390, e51-e53.	13.7	29
218	The Predictive Validity of the 10/66 Dementia Diagnosis in Chennai, India: A 3-Year Follow-up Study of Cases Identified at Baseline. Alzheimer Disease and Associated Disorders, 2010, 24, 296-302.	1.3	28
219	Reducing the scarcity in mental health research from low and middle income countries: A success story from Sri Lanka. International Review of Psychiatry, 2011, 23, 77-83.	2.8	27
220	The Prevalence, Correlates, Detection and Control of Diabetes among Older People in Low and Middle Income Countries. A 10/66 Dementia Research Group Population-Based Survey. PLoS ONE, 2016, 11, e0149616.	2.5	27
221	Dementia prevalence, care arrangement, and access to care in Lebanon: A pilot study. Alzheimer's and Dementia, 2017, 13, 1317-1326.	0.8	27
222	Using a mentorship model to localise the Practical Approach to Care Kit (PACK): from South Africa to Ethiopia. BMJ Global Health, 2019, 3, e001108.	4.7	27
223	The 10/66 dementia research group - 10 years on. Indian Journal of Psychiatry, 2009, 51 Suppl 1, S8-S15.	0.7	27
224	Beyond Rates: The Tragedy of Suicide in Pakistan. Tropical Doctor, 2003, 33, 67-69.	0.5	26
225	Measuring common mental disorders in women in Ethiopia. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 653-9.	3.1	26
226	Migration of Children and Impact on Depression in Older Parents in Rural Thailand, Southeast Asia. JAMA Psychiatry, 2013, 70, 226.	11.0	26
227	Social support network typologies and health outcomes of older people in low and middle income countries – A 10/66 Dementia Research Group population-based study. International Review of Psychiatry, 2014, 26, 476-485.	2.8	26
228	The association between, depression, anxiety, and mortality in older people across eight low―and middleâ€income countries: Results from the 10/66 cohort study. International Journal of Geriatric Psychiatry, 2020, 35, 29-36.	2.7	26
229	The development and initial validation of a telephone-administered cognitive test battery (TACT). International Journal of Methods in Psychiatric Research, 1999, 8, 49-57.	2.1	25
230	Depression and mortality in a high-risk population. British Journal of Psychiatry, 2002, 181, 123-128.	2.8	25
231	Interactions between genetic admixture, ethnic identity, APOE genotype and dementia prevalence in an admixed Cuban sample; a cross-sectional population survey and nested case-control study. BMC Medical Genetics, 2011, 12, 43.	2.1	25
232	Does childhood adversity account for poorer mental and physical health in second-generation Irish people living in Britain? Birth cohort study from Britain (NCDS). BMJ Open, 2013, 3, e001335.	1.9	25
233	Development of a brief assessment and algorithm for ascertaining dementia in low-income and middle-income countries: the 10/66 short dementia diagnostic schedule. BMJ Open, 2016, 6, e010712.	1.9	25
234	Loneliness Among Older Adults in Latin America, China, and India: Prevalence, Correlates and Association With Mortality. International Journal of Public Health, 2021, 66, 604449.	2.3	25

#	Article	IF	Citations
235	National context of healthcare, economy and religion, and the association between disability and depressive symptoms in older Europeans: results from the EURODEP concerted action. European Journal of Ageing, 2004, 1 , 26-36.	2.8	24
236	Sociocultural practices in Ethiopia: association with onset and persistence of postnatal common mental disorders. British Journal of Psychiatry, 2010, 197, 468-475.	2.8	24
237	Exploring the economic and social effects of care dependence in later life: protocol for the 10/66 research group INDEP study. SpringerPlus, 2014, 3, 379.	1.2	24
238	Equitable access to integrated primary mental healthcare for people with severe mental disorders in Ethiopia: a formative study. International Journal for Equity in Health, 2016, 15, 121.	3.5	24
239	The prevalence of dementia in a Portuguese community sample: a 10/66 Dementia Research Group study. BMC Geriatrics, 2017, 17, 261.	2.7	24
240	Partnerships in a Global Mental Health Research Programmeâ€"the Example of PRIME. Global Social Welfare, 2019, 6, 159-175.	1.9	24
241	Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. PLoS ONE, 2015, 10, e0134763.	2.5	24
242	The psychosis treatment gap and its consequences in rural Ethiopia. BMC Psychiatry, 2019, 19, 325.	2.6	23
243	Dependence- and Disability-Free Life Expectancy Across Eight Low- and Middle-Income Countries: A 10/66 Study. Journal of Aging and Health, 2020, 32, 401-409.	1.7	23
244	The relationship between common mental disorders (CMDs), food insecurity and domestic violence in pregnant women during the COVID-19 lockdown in Cape Town, South Africa. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 37-46.	3.1	23
245	Epidemiology of Suicide in Pakistan: Determining Rates in Six Cities. Archives of Suicide Research, 2008, 12, 155-160.	2.3	22
246	Determinants of disability among the elderly population in a rural south Indian community: the need to study local issues and contexts. International Psychogeriatrics, 2012, 24, 333-341.	1.0	22
247	Rural–urban migration, illicit drug use and hazardous/harmful drinking in the young Thai population. Addiction, 2008, 103, 91-100.	3.3	21
248	No Association between Fish Intake and Depression in over 15,000 Older Adults from Seven Low and Middle Income Countries–The 10/66 Study. PLoS ONE, 2012, 7, e38879.	2.5	21
249	Validation of the 10/66 Dementia Research Group Diagnostic Assessment for Dementia in Arabic. Journal of Geriatric Psychiatry and Neurology, 2014, 27, 282-290.	2.3	21
250	Determinants of common mental disorder, alcohol use disorder and cognitive morbidity among people coming for <scp>HIV</scp> testing in <scp>G</scp> oa, <scp>I</scp> ndia. Tropical Medicine and International Health, 2015, 20, 397-406.	2.3	21
251	The Societal Cost of Dementia in Singapore: Results from the WiSE Study. Journal of Alzheimer's Disease, 2016, 51, 439-449.	2.6	21
252	Associations of Lifestyle Behaviour and Healthy Ageing in Five Latin American and the Caribbean Countriesâ€"A 10/66 Population-Based Cohort Study. Nutrients, 2018, 10, 1593.	4.1	21

#	Article	IF	Citations
253	"When someone becomes old then every part of the body too becomes old†Experiences of living with dementia in Kintampo, rural Ghana. Transcultural Psychiatry, 2019, 56, 895-917.	1.6	21
254	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. Lancet Psychiatry,the, 2019, 6, 506-517.	7.4	21
255	Neurological Disorders. , 2016, , 87-107.		21
256	Genes Related to Vascular Disease (APOE, VLDL-R, DCP-1) and Other Vascular Factors in Late-Life Depression. American Journal of Geriatric Psychiatry, 2004, 12, 202-210.	1.2	20
257	Development and validation of a contextual measure of functioning for people living with severe mental disorders in rural Africa. BMC Psychiatry, 2016, 16, 311.	2.6	20
258	Developing a measure of mental health service satisfaction for use in low income countries: a mixed methods study. BMC Health Services Research, 2017, 17, 183.	2.2	20
259	Behavioral and psychological symptoms of dementia: prevalence, symptom groups and their correlates in community-based older adults with dementia in Singapore. International Psychogeriatrics, 2017, 29, 1363-1376.	1.0	20
260	The association between frailty and incidence of dementia in Beijing: findings from 10/66 dementia research group population-based cohort study. BMC Geriatrics, 2020, 20, 138.	2.7	20
261	The Clinical Interview Schedule – Sinhala version: validation in a community setting in Sri Lanka. International Journal of Methods in Psychiatric Research, 2002, 11, 169-177.	2.1	19
262	Quality of accommodation and risk of depression in later life: An analysis of prospective data from the Gospel Oak Project. International Journal of Geriatric Psychiatry, 2002, 17, 1091-1098.	2.7	19
263	Chronic diseases among older people and co-resident psychological morbidity: a 10/66 Dementia Research Group population-based survey. International Psychogeriatrics, 2011, 23, 1489-1501.	1.0	19
264	Identifying common impairments in frail and dependent older people: validation of the COPE assessment for non-specialised health workers in low resource primary health care settings. BMC Geriatrics, 2015, 15, 123.	2.7	19
265	Reviving the  double jeopardy' hypothesis: Physical health inequalities, ethnicity and severe mental illness. British Journal of Psychiatry, 2016, 209, 183-185.	2.8	19
266	Equitable access to mental healthcare integrated in primary care for people with severe mental disorders in rural Ethiopia: a community-based cross-sectional study. International Journal of Mental Health Systems, 2019, 13, 78.	2.7	19
267	WHO's proposal for a decade of healthy ageing. Lancet, The, 2019, 394, 2152-2153.	13.7	19
268	Dental caries experience and associated factors in adults: a cross-sectional community survey within Ethiopia. BMC Public Health, 2021, 21, 180.	2.9	19
269	ACE genotype and cognitive decline in an African-Caribbean population. Neurobiology of Aging, 2004, 25, 1369-1375.	3.1	18
270	Measuring Physical Characteristics of Housing: The Built Environment Site Survey Checklist (BESSC). Environment and Planning B: Planning and Design, 2005, 32, 265-280.	1.7	18

#	Article	IF	Citations
271	Can urban regeneration programmes assist coping and recovery for people with mental illness? Suggestions from a qualitative case study. Health Promotion International, 2006, 21, 19-26.	1.8	18
272	A multiple indicators multiple causes model of late-life depression in Latin American countries. Journal of Affective Disorders, 2015, 184, 129-136.	4.1	18
273	Allocating Family Responsibilities for Dependent Older People in Mexico and Peru. Journal of Development Studies, 2018, 54, 682-701.	2.1	18
274	Associations between Depression, Depressive Symptoms, and Incidence of Dementia in Latin America: A 10/66 Dementia Research Group Study. Journal of Alzheimer's Disease, 2019, 69, 433-441.	2.6	18
275	Tobacco smoking and risk for dementia: evidence from the 10/66 population-based longitudinal study. Aging and Mental Health, 2020, 24, 1796-1806.	2.8	18
276	Factors related with sarcopenia and sarcopenic obesity among low- and middle-income settings: the 10/66 DRG study. Scientific Reports, 2020, 10, 20453.	3.3	18
277	Sex differences in mortality: results from a population-based study of 12 longitudinal cohorts. Cmaj, 2021, 193, E361-E370.	2.0	18
278	Is there a link between rates of common mental disorder and deficits in social capital in Gospel Oak, London?. Health and Place, 2005, 11, 237-248.	3.3	17
279	Utility of the concept of minor depressive disorder: Evidence from a large rural community sample in a developing country setting. Journal of Affective Disorders, 2007, 104, 111-118.	4.1	17
280	Epidemiology of dementia. Psychiatry (Abingdon, England), 2007, 6, 488-490.	0.2	17
281	Ethics Review Committee approval and informed consent: an analysis of biomedical publications originating from Sri Lanka. BMC Medical Ethics, 2008, 9, 3.	2.4	17
282	The prevalence and social patterning of chronic diseases among older people in a population undergoing health transition. A 10/66 Group cross-sectional population-based survey in the Dominican Republic. BMC Public Health, 2010, 10, 344.	2.9	17
283	Crossâ€cultural factorial validation of the Clinical Interview Schedule – Revised (CISâ€R); findings from a nationally representative survey (EMPIRIC). International Journal of Methods in Psychiatric Research, 2014, 23, 229-244.	2.1	17
284	Validity and Reliability of a Taiwan Chinese Version of the Community Screening Instrument for Dementia. American Journal of Geriatric Psychiatry, 2005, 13, 581-588.	1.2	16
285	Tobacco use and dementia: evidence from the 1066 dementia populationâ€based surveys in Latin America, China and India. International Journal of Geriatric Psychiatry, 2011, 26, 1177-1185.	2.7	16
286	A premature mortality target for the SDG for health is ageist. Lancet, The, 2015, 385, 2147-2148.	13.7	16
287	A cohort study of the effects of older adult care dependence upon household economic functioning, in Peru, Mexico and China. PLoS ONE, 2018, 13, e0195567.	2.5	16
288	Burden, impact, and needs of caregivers of children living with mental health or neurodevelopmental conditions in low-income and middle-income countries: a scoping review. Lancet Psychiatry,the, 2021, 8, 919-928.	7.4	16

#	Article	IF	Citations
289	Thinking inside the bubble: evidence for a new contextual unit in urban mental health. Journal of Epidemiology and Community Health, 2005, 59, 893-897.	3.7	15
290	Cohort Profile: The 1934–66 Mysore Birth Records Cohort in South India. International Journal of Epidemiology, 2015, 44, 1833-1841.	1.9	15
291	Antipsychotic exposure prior to acute myocardial infarction in patients with serious mental illness. Acta Psychiatrica Scandinavica, 2015, 131, 213-222.	4.5	15
292	Impact of maternal common mental disorders on child educational outcomes at 7 and 9 years: a population-based cohort study in Ethiopia. BMJ Open, 2018, 8, e018916.	1.9	15
293	Dementia in Developing Countries. International Psychogeriatrics, 2001, 13, 389-393.	1.0	14
294	Validity of the Concept of Minor Depression in a Developing Country Setting. Journal of Nervous and Mental Disease, 2008, 196, 22-28.	1.0	14
295	Depression in carers of people with dementia from a minority ethnic background: Systematic review and metaâ€analysis of randomised controlled trials of psychosocial interventions. International Journal of Geriatric Psychiatry, 2019, 34, 790-806.	2.7	14
296	Returning the debt: how rich countries can invest in mental health capacity in developing countries. World Psychiatry, 2006, 5, 67-70.	10.4	14
297	Concurrent validity of a telephone-administered version of the Gospel Oak instrument (including the) Tj ETQq $1\ 1$	0.784314	l rggT /Overl
298	Dementia and lower blood pressure in Latin America, India, and China. Neurology, 2013, 81, 228-235.	1.1	13
299	An interpretative phenomenological analysis (IPA) of coercion towards community dwelling older adults with dementia: findings from Mysore studies of natal effects on ageing and health (MYNAH). Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1659-1664.	3.1	13
300	Pathways to HIV testing and care in Goa, India: exploring psychosocial barriers and facilitators using mixed methods. BMC Public Health, 2016, 16, 765.	2.9	13
301	Depression and cause-specific mortality in an ethnically diverse cohort from the UK: 8-year prospective study. Psychological Medicine, 2019, 49, 1639-1651.	4.5	13
302	Mortality Rates and Mortality Risk Factors in Older Adults with Dementia from Low- and Middle-Income Countries: The 10/66 Dementia Research Group Population-Based Cohort Study. Journal of Alzheimer's Disease, 2020, 75, 581-593.	2.6	13
303	Validity and Reliability of a Taiwan Chinese Version of the Community Screening Instrument for Dementia. American Journal of Geriatric Psychiatry, 2005, 13, 581-588.	1.2	13
304	The psychological impact of heavy drinking among the elderly on their co-residents: The 10/66 group population based survey in the Dominican Republic. Drug and Alcohol Dependence, 2011, 114, 82-86.	3.2	12
305	Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. International Psychogeriatrics, 2011, 23, 202-213.	1.0	12
306	Psychological predictors for attendance of post-HIV test counselling and linkage to care: the Umeed cohort study in Goa, India. BMC Psychiatry, 2014, 14, 188.	2.6	12

#	Article	IF	Citations
307	Care for bipolar disorder in LMICs needs evidence from local settings. Lancet Psychiatry, the, 2015, 2, 772-773.	7.4	12
308	Utility of the Health of the Nation Outcome Scales (HoNOS) in Predicting Mental Health Service Costs for Patients with Common Mental Health Problems: Historical Cohort Study. PLoS ONE, 2016, 11, e0167103.	2.5	12
309	Cohort Differences in Cognitive Aging in the Longitudinal Aging Study Amsterdam. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2016, 73, gbw129.	3.9	12
310	Type 2 diabetes mellitus as a risk factor for dementia in a Mexican population. Journal of Diabetes and Its Complications, 2016, 30, 1234-1239.	2.3	12
311	Liaison psychiatry for older adults in the general hospital: service activity, development and outcomes. BJPsych Bulletin, 2018, 42, 30-36.	1.1	12
312	Comparison of liaison psychiatry service models for older patients. Psychiatric Bulletin, 2004, 28, 171-173.	0.3	11
313	Are innerâ€cities bad for your health? Comparisons of residents' and third parties' perceptions of the urban neighbourhood of Gospel Oak, London. Sociology of Health and Illness, 2005, 27, 44-67.	2.1	11
314	The Association Between Childhood Seizures and Later Childhood Emotional and Behavioral Problems: Findings From a Nationally Representative Birth Cohort. Psychosomatic Medicine, 2016, 78, 620-628.	2.0	11
315	Fatigue as a manifestation of psychosocial distress in a lowâ€income country: a populationâ€based panel study. Tropical Medicine and International Health, 2016, 21, 365-372.	2.3	11
316	The prevalence of late-life depression in a Portuguese community sample: A 10/66 Dementia Research Group study. Journal of Affective Disorders, 2019, 246, 674-681.	4.1	11
317	HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality, evidence-informed surgical, maternal and newborn, and primary care: protocol for pre-implementation phase studies. Global Health Action, 2022, 15, 1987044.	1.9	11
318	Efficacy and cost-effectiveness of task-shared care for people with severe mental disorders in Ethiopia (TaSCS): a single-blind, randomised, controlled, phase 3 non-inferiority trial. Lancet Psychiatry,the, 2022, 9, 59-71.	7.4	11
319	Rural–Urban Migration and Experience of Childhood Abuse in the Young Thai Population. Journal of Family Violence, 2011, 26, 607-615.	3.3	10
320	Job Strain, Hazardous Drinking, and Alcohol-Related Disorders Among Brazilian Bank Workers. Journal of Studies on Alcohol and Drugs, 2013, 74, 212-222.	1.0	10
321	Socio-demographic and cardiovascular disease risk factors associated with dementia: Results of a cross-sectional study from Lebanon. Preventive Medicine Reports, 2018, 9, 1-5.	1.8	10
322	Development of a healthy ageing index in Latin American countries - a 10/66 dementia research group population-based study. BMC Medical Research Methodology, 2019, 19, 226.	3.1	10
323	The impact of NICE guidelines on the diagnosis and treatment of Alzheimer's disease among general medical hospital inpatients. International Journal of Geriatric Psychiatry, 2004, 19, 800-802.	2.7	9
324	Born into adversity: psychological distress in two birth cohorts of second-generation Irish children growing up in Britain. Journal of Public Health, 2014, 36, 92-103.	1.8	9

#	Article	IF	Citations
325	Calibrating EASY-Care independence scale to improve accuracy. Age and Ageing, 2016, 45, 890-893.	1.6	9
326	Validation of aÂLatent Construct forÂDementia in aÂPopulation-Wide DatasetÂfromÂSingapore. Journal of Alzheimer's Disease, 2016, 55, 823-833.	2.6	9
327	The economic status of older people's households in urban and rural settings in Peru, Mexico and China: a 10/66 INDEP study cross-sectional survey. SpringerPlus, 2016, 5, 258.	1.2	9
328	Birth size, risk factors across life and cognition in late life: protocol of prospective longitudinal follow-up of the MYNAH (MYsore studies of Natal effects on Ageing and Health) cohort. BMJ Open, 2017, 7, e012552.	1.9	9
329	Common Mental Disorder Symptoms among Patients with Malaria Attending Primary Care in Ethiopia: A Cross-Sectional Survey. PLoS ONE, 2014, 9, e108923.	2.5	9
330	Measurement in psychiatry. International Review of Psychiatry, 1998, 10, 264-271.	2.8	8
331	A five-year community-based longitudinal survival study of dementia in Beijing, China: a 10/66 Dementia Research Group population-based study. International Psychogeriatrics, 2010, 22, 761-768.	1.0	8
332	Understanding of research: a Sri Lankan perspective. BMC Medical Ethics, 2010, 11, 7.	2.4	8
333	Incidence of dementia and association with APOE genotype in older Cubans. Dementia E Neuropsychologia, 2014, 8, 356-363.	0.8	8
334	Cognitive function and disability in late life: an ecological validation of the 10/66 battery of cognitive tests among communityâ€dwelling older adults in South India. International Journal of Geriatric Psychiatry, 2016, 31, 879-891.	2.7	8
335	Dementia and family burden of care in Lebanon. BJPsych International, 2017, 14, 7-9.	1.4	8
336	Neurological signs as early determinants of dementia and predictors of mortality among older adults in Latin America: a 10/66 study using the NEUROEX assessment. BMC Neurology, 2018, 18, 163.	1.8	8
337	Reliability of a telephone-administered cognitive test battery (TACT) between telephone and face-to-face administration. International Journal of Methods in Psychiatric Research, 2001, 10, 22-28.	2.1	7
338	Epidemiology of dementia. Psychiatry (Abingdon, England), 2004, 3, 11-13.	0.2	7
339	Intermittent preventive treatment of malaria during Pathways to homelessness among older people in Rio de Janeiro, Brazil. Bulletin of the World Health Organization, 2007, 85, 888-889.	3 . 3	7
340	Mental capacity assessments among general hospital inpatients referred to a specialist liaison psychiatry service for older people. International Psychogeriatrics, 2009, 21, 729-737.	1.0	7
341	Symptoms of common mental disorder and cognitive associations with seropositivity among a cohort of people coming for testing for HIV/AIDS in Goa, India: a cross-sectional survey. BMC Public Health, 2013, 13, 204.	2.9	7
342	Dementia in China: east–west collaboration bears fruit. Lancet, The, 2013, 381, 1967-1968.	13.7	7

#	Article	IF	CITATIONS
343	Alcohol and tobacco consumption concordance and its correlates in older couples in Latin America. Geriatrics and Gerontology International, 2017, 17, 1849-1857.	1.5	7
344	Validation of the short version of the $10/66$ dementia diagnosis in multiethnic Asian older adults in Singapore. BMC Geriatrics, 2017, 17, 94.	2.7	7
345	Healthy ageing and the prediction of mortality and incidence dependence in low- and middle- income countries: a 10/66 population-based cohort study. BMC Medical Research Methodology, 2019, 19, 225.	3.1	7
346	Comorbid mental disorders and quality of life of people with epilepsy attending primary health care clinics in rural Ethiopia. PLoS ONE, 2021, 16, e0238137.	2.5	7
347	Health-related quality-of-life assessment in dementia: Evidence of cross-cultural validity in Latin America Psychological Assessment, 2019, 31, 1264-1277.	1.5	7
348	Contextual equipoise: a novel concept to inform ethical implications for implementation research in low-income and middle-income countries. BMJ Global Health, 2020, 5, e003456.	4.7	7
349	Impact of child emotional and behavioural difficulties on educational outcomes of primary school children in Ethiopia: a population-based cohort study. Child and Adolescent Psychiatry and Mental Health, 2020, 14, 22.	2.5	7
350	The Value of Four Mental Health Self-Report Scales in Predicting Interview-Based Mood and Anxiety Disorder Diagnoses in Sibling Pairs. Twin Research and Human Genetics, 2005, 8, 101-107.	0.6	6
351	Validation of the 10/66 Dementia Research Group's 10/66 Dementia diagnosis in Iran. International Psychogeriatrics, 2009, 21, 604.	1.0	6
352	10/66 Dementia Research Group: recently published survey data for seven Latin America sites. International Psychogeriatrics, 2010, 22, 158-159.	1.0	6
353	Prevalence and correlates of traumatic brain injury (TBI) in older adults: results from the Well-being of the Singapore Elderly (WiSE) study. International Psychogeriatrics, 2017, 29, 1899-1907.	1.0	6
354	UK's role in global health research innovation. Lancet, The, 2018, 391, 721-723.	13.7	6
355	Leg length, skull circumference, and the incidence of dementia in Latin America and China: A 10/66 population-based cohort study. PLoS ONE, 2018, 13, e0195133.	2.5	6
356	Perinatal mental distress in a rural Ethiopian community: a critical examination of psychiatric labels. BMC Psychiatry, 2020, 20, 223.	2.6	6
357	Alcohol Drinking and Health in Ageing: A Global Scale Analysis of Older Individual Data through the Harmonised Dataset of ATHLOS. Nutrients, 2020, 12, 1746.	4.1	6
358	Informed consent in Sri Lanka: A survey among ethics committee members. BMC Medical Ethics, 2008, 9, 10.	2.4	5
359	Could reverse causality or selective mortality explain associations between leg length, skull circumference and dementia? A South Indian cohort study. International Psychogeriatrics, 2011, 23, 328-330.	1.0	5
360	The prevalence, correlates and impact of anaemia among older people in Cuba, Dominican Republic, Mexico, Puerto Rico and Venezuela. British Journal of Haematology, 2013, 160, 387-398.	2.5	5

#	Article	lF	CITATIONS
361	Cross-Sectional Associations of Depressive Symptom Severity and Functioning with Health Service Use by Older People in Low-and-Middle Income Countries. International Journal of Environmental Research and Public Health, 2015, 12, 3774-3792.	2.6	5
362	Normative data for the 10/66 dementia research group neuropsychological test battery from Singapore's older adult population. Asian Journal of Psychiatry, 2020, 51, 102019.	2.0	5
363	Teaching psychiatry in Ethiopia. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2006, 3, 43-46.	0.1	4
364	Association of cognitive impairment, activity limitation with latent traits in the GHQ-12 in the older elderly. The Bambui Health and Aging Study (BHAS). Aging Clinical and Experimental Research, 2008, 20, 562-568.	2.9	4
365	Does social disadvantage over the life-course account for alcohol and tobacco use in Irish people? Birth cohort study. European Journal of Public Health, 2014, 24, 594-599.	0.3	4
366	Perinatal common mental disorders and child survival in <scp>E</scp> thiopia. Journal of Paediatrics and Child Health, 2014, 50, 57-63.	0.8	4
367	Implementação em Portugal de um estudo de prevalência da demência e da depressão geriátrica: a metodologia do 10/66 Dementia Research Group. Revista Portuguesa De Saude Publica, 2016, 34, 134-143.	0.3	4
368	"lf you can't measure it, you can't manage it―– essential truth, or costly myth?. World Psychiatry, 2018, 17, 1-2.	10.4	4
369	Linkage of Alzheimer disease families with Puerto Rican ancestry identifies a chromosome 9 locus. Neurobiology of Aging, 2021, 104, 115.e1-115.e7.	3.1	4
370	Common perinatal mental disorders and postâ€infancy child development in rural Ethiopia: A populationâ€based cohort study. Tropical Medicine and International Health, 2022, 27, 251-261.	2.3	4
371	The contribution of cross-cultural research to dementia care and policy:., 2010,, 163-182.		3
372	The Executive Interview (EXIT25) as a tool for assessing executive functioning in older medical and surgical inpatients referred to a psychiatry service: feasibility of creating a brief version. International Psychogeriatrics, 2014, 26, 935-941.	1.0	3
373	Translation and Validation of 10/66 Dementia Diagnostic Battery in Urdu in Karachi, Pakistan. Alzheimer Disease and Associated Disorders, 2020, 34, 163-169.	1.3	3
374	Ageing and dementia in developing countries â€" the work of the 10/66 Dementia Research Group. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2006, 3, 3-6.	0.1	3
375	A divisive hierarchical clustering methodology for enhancing the ensemble prediction power in large scale population studies: the ATHLOS project. Health Information Science and Systems, 2022, 10, 6.	5. 2	3
376	An overview of psychiatric epidemiology. International Review of Psychiatry, 1998, 10, 258-263.	2.8	2
377	The Development of the EURO-D Scale. , 0, , 159-160.		2
378	Patient Psychological Characteristics Have Minimal Influence on Surgical Prioritization. Psychosomatic Medicine, 2004, 66, 251-257.	2.0	2

#	Article	IF	CITATIONS
379	Global mental healthâ€"call for papers. Lancet, The, 2006, 367, 1471-1472.	13.7	2
380	Impact of perinatal and repeated maternal common mental disorders on educational outcomes of primary school children in rural Ethiopia: population-based cohort study. BJPsych Open, 2019, 5, e87.	0.7	2
381	Validation of the Short Version of the 10/66 Dementia Diagnosis in Urdu in Karachi, Pakistan. Alzheimer Disease and Associated Disorders, 2021, Publish Ahead of Print, .	1.3	2
382	Performance of primary health care workers in detection of mental disorders comorbid with epilepsy in rural Ethiopia. BMC Family Practice, 2021, 22, 204.	2.9	2
383	Size at birth, lifecourse factors, and cognitive function in late life: findings from the MYsore study of Natal effects on Ageing and Health (MYNAH) cohort in South India. International Psychogeriatrics, 2021, , 1-14.	1.0	2
384	LETTER TO THE EDITOR. Social Support Deficits and Cognitive Impairment. International Journal of Geriatric Psychiatry, 1996, 11, 1119-1120.	2.7	1
385	The cross-sectional survey. International Review of Psychiatry, 1998, 10, 272-277.	2.8	1
386	The Prueba Cognitiva de Leganes is a valid screening tool for diagnosing dementia in people with low educational level. Evidence-Based Mental Health, 2004, 7, 39-39.	4.5	1
387	Psychological determinants of primary care requests for urgent outpatient appointments in elective referrals. Journal of Evaluation in Clinical Practice, 2007, 13, 236-241.	1.8	1
388	Caregiving for dementia: global perspectives and transcultural issues., 0,, 99-106.		1
389	Born into adversity; The intergenerational transmission of psychological morbidity in second generation Irish children living in Britain. Journal of Epidemiology and Community Health, 2011, 65, A31-A32.	3.7	1
390	Back to the future with PACK. BMJ Global Health, 2018, 3, e001231.	4.7	1
391	P1â€625: PREVALENCE AND INCIDENCE OF MILD COGNITIVE IMPAIRMENT AND DEMENTIA IN FRAIL ELDERS IN LATIN AMERICA, CHINA AND INDIA: A 10/66 POPULATION–BASED SURVEY. Alzheimer's and Dementia, 2018, 14, P580.	0.8	1
392	Pathways into and out of homelessness among people with severe mental illness in rural Ethiopia: a qualitative study. BMC Public Health, 2021, 21, 568.	2.9	1
393	Cognitive impairment and social distress as different pathways to depression in the elderly: a crossâ€sectional study. International Journal of Geriatric Psychiatry, 1997, 12, 995-1000.	2.7	1
394	Health and economic correlates of autonomy among older people in Peru, Mexico and China: The 10/66 INDEP study. Wellcome Open Research, 0, 3, 57.	1.8	1
395	A computer practical. International Review of Psychiatry, 1998, 10, 353-361.	2.8	0
396	A pilot study of sibling resemblance in later life. , 2000, 15, 125-129.		0

#	Article	IF	CITATIONS
397	The Aetiology of Late-life Depression. , 0, , 381-386.		O
398	The aging brain and mind: cultural and anthropological perspectives. , 0, , 1-6.		0
399	Alzheimer's disease: the African American story. , 0, , 27-30.		0
400	The syndrome of vascular cognitive impairment: current concepts., 0,, 31-36.		0
401	Debate: is vascular dementia more common in some parts of the world?. , 0, , 37-46.		O
402	Infections and dementia: the view from a developing nation., 0,, 47-54.		0
403	Nutrition and dementia: where is the nexus?. , 0, , 55-62.		O
404	The experience of assessing cognition across cultures., 0,, 63-72.		0
405	Assessing behavior in dementia across cultures. , 0, , 73-86.		O
406	Quality of life in dementia: global perspective and transcultural issues., 0,, 87-98.		0
407	Care arrangements for patients with dementia: China. , 0, , 107-112.		O
408	Dementia services: developing rural and remote services., 0,, 113-116.		0
409	Non-pharmacological approaches: patient-centered approaches. , 0, , 117-122.		O
410	Peru (South America). , 0, , 123-126.		0
411	The United States of America. , 0, , 137-140.		O
412	Alzheimer's Disease International. , 0, , 153-158.		0
413	Perspectives from a developing nation. , 0, , 159-162.		0
414	Mild cognitive impairment: current concepts and cross-cultural issues., 0,, 7-26.		0

#	Article	IF	CITATIONS
415	Response to GPSâ€11â€0269. International Journal of Geriatric Psychiatry, 2012, 27, 1316-1316.	2.7	0
416	P3â€080: APOE Genotype and the Prevalence and Incidence of Dementia in Admixed Cuban Population: A 10/66 Populationâ€Based Cohort Study. Alzheimer's and Dementia, 2016, 12, P849.	0.8	0
417	Ethnicity, mortality, and severe mental illness – Authors' reply. Lancet Psychiatry,the, 2017, 4, 517-518.	7.4	O
418	[P4â€"390]: THE ASSOCIATION BETWEEN HEAD CIRCUMFERENCE WITH DEMENTIA PREVALENCE. Alzheimer's and Dementia, 2017, 13, P1443.	0.8	0
419	[O1–13–03]: CULTURE―AND EDUCATIONâ€FAIR 10/66 DEMENTIA DIAGNOSTIC ASSESSMENT: VALIDITY OF CORE MEASURES IN SUBâ€6AHARAN AFRICAN POPULATIONS. Alzheimer's and Dementia, 2017, 13, P226.	THE 0.8	0
420	P1â€589: THE 1066 SHORT SCHEDULE DEMENTIA DIAGNOSTIC ROUTINE †PORTED TO PORTABLE DEVICES†COMPARATIVE STUDY BETWEEN INDIA, THE UNITED STATES, AND SWITZERLAND. Alzheimer's and Dementia, 2018, 14, P562.	¹ : A 0.8	0
421	Abstract dementia risk prediction model development in low―and middle―ncome countries: The 10/66 study. Alzheimer's and Dementia, 2020, 16, e042071.	0.8	O
422	Chronic Disease Prevalence and Care Among the Elderly in Urban and Rural Beijing,China — A 10/66 Dementia Research Group Cross-Sectional Survey. , 2011, , 13-32.		0
423	Teaching psychiatry in Ethiopia. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2006, 3, 43-46.	0.1	0
424	Ageing and dementia in developing countries - the work of the 10/66 Dementia Research Group. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2006, 3, 3-6.	0.1	O
425	A lifecourse approach to the relationship between lung function and cognition function in late life: findings from the Mysore studies of Natal effect on Ageing and Health (MYNAH) in South India. Wellcome Open Research, 0, 7, 25.	1.8	0