

Anders Henricson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7841541/publications.pdf>

Version: 2024-02-01

26
papers

1,148
citations

471509

17
h-index

580821

25
g-index

26
all docs

26
docs citations

26
times ranked

729
citing authors

#	ARTICLE	IF	CITATIONS
1	The Swedish Ankle Arthroplasty Register: An analysis of 531 arthroplasties between 1993 and 2005. Monthly Notices of the Royal Astronomical Society: Letters, 2007, 78, 569-574.	3.3	228
2	10-year survival of total ankle arthroplasties. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 82, 655-659.	3.3	170
3	What is a revision of total ankle replacement?. Foot and Ankle Surgery, 2011, 17, 99-102.	1.7	93
4	Uncemented HA-coated Implant is the Optimum Fixation for TKA in the Young Patient. Clinical Orthopaedics and Related Research, 2006, 448, 129-139.	1.5	76
5	Cemented versus uncemented fixation of the femoral component of the NexGen CR total knee replacement in patients younger than 60Åyears. Knee, 2009, 16, 200-206.	1.6	64
6	Secondary surgery after total ankle replacement. Foot and Ankle Surgery, 2007, 13, 41-44.	1.7	54
7	Use of a trabecular metal implant in ankle arthrodesis after failed total ankle replacement. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 81, 745-747.	3.3	53
8	Outcome After Salvage Arthrodesis for Failed Total Ankle Replacement. Foot and Ankle International, 2016, 37, 255-261.	2.3	49
9	Mobile Bearings Do Not Improve Fixation in Cemented Total Knee Arthroplasty. Clinical Orthopaedics and Related Research, 2006, 448, 114-121.	1.5	41
10	Trabecular metal tibial knee component still stable at 10 years. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 504-510.	3.3	37
11	The AES total ankle replacement. Foot and Ankle Surgery, 2010, 16, 61-64.	1.7	36
12	The cartilaginous fracture callus in rats. Acta Orthopaedica, 1987, 58, 244-248.	1.4	34
13	Survival Analysis of the Single- and Double-Coated STAR Ankle up to 20 Years. Foot and Ankle International, 2015, 36, 1156-1160.	2.3	33
14	Better implant survival with modern ankle prosthetic designs: 1,226 total ankle prostheses followed for up to 20 years in the Swedish Ankle Registry. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 191-196.	3.3	31
15	Trabecular metal tibia still stable at 5 years. Monthly Notices of the Royal Astronomical Society: Letters, 2013, 84, 398-405.	3.3	30
16	Good outcome scores and high satisfaction rate after primary total ankle replacement. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 675-680.	3.3	29
17	Total ankle replacement and contralateral ankle arthrodesis in 16 patients from the Swedish Ankle Registry: Self-reported function and satisfaction. Foot and Ankle Surgery, 2016, 22, 32-34.	1.7	17
18	Uncemented or cemented femoral components work equally well in total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 1251-1258.	4.2	15

#	ARTICLE	IF	CITATIONS
19	Re-arthrodesis after primary ankle fusion: 134/1,716 cases from the Swedish Ankle Registry. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 560-564.	3.3	14
20	Bilateral Arthrodesis of the Ankle Joint: Self-Reported Outcomes in 35 Patients From the Swedish Ankle Registry. Journal of Foot and Ankle Surgery, 2016, 55, 1195-1198.	1.0	11
21	Uncemented monoblock trabecular metal posterior stabilized high-flex total knee arthroplasty: similar pattern of migration to the cruciate-retaining design – a prospective radiostereometric analysis (RSA) and clinical evaluation of 40 patients (49 knees) 60 years or younger with 9 years™ follow-up. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 460-466.	3.3	10
22	The Swedish National Ankle Registry. Fuss Und Sprunggelenk, 2014, 12, 65-69.	0.0	8
23	Survival of primary ankle replacements: data from global joint registries. Journal of Foot and Ankle Research, 2022, 15, 33.	1.9	8
24	Six year results of the Rebalance mobile bearing total ankle replacement. Foot and Ankle Surgery, 2021, 27, 66-69.	1.7	6
25	Re: Ankle replacement revision [Foot Ankle Surg 2013;19(2):69]. Foot and Ankle Surgery, 2013, 19, 293.	1.7	1
26	Response to “Letter Regarding: Survival Analysis of the Single- and Double-Coated STAR Ankle up to 20 Years: Long-term Follow-up of 324 Cases From the Swedish Ankle Registry” Foot and Ankle International, 2015, 36, 1162-1162.	2.3	0