

Martin H Spalding

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7841719/publications.pdf>

Version: 2024-02-01

79
papers

9,824
citations

81434

41
h-index

75989

78
g-index

83
all docs

83
docs citations

83
times ranked

11271
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The <i>Chlamydomonas</i> Genome Reveals the Evolution of Key Animal and Plant Functions. <i>Science</i> , 2007, 318, 245-250. | 6.0 | 2,354 |
| 2 | High-efficiency TALEN-based gene editing produces disease-resistant rice. <i>Nature Biotechnology</i> , 2012, 30, 390-392. | 9.4 | 965 |
| 3 | Redesigning photosynthesis to sustainably meet global food and bioenergy demand. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8529-8536. | 3.3 | 751 |
| 4 | Large chromosomal deletions and heritable small genetic changes induced by CRISPR/Cas9 in rice. <i>Nucleic Acids Research</i> , 2014, 42, 10903-10914. | 6.5 | 547 |
| 5 | TAL nucleases (TALNs): hybrid proteins composed of TAL effectors and FokI DNA-cleavage domain. <i>Nucleic Acids Research</i> , 2011, 39, 359-372. | 6.5 | 477 |
| 6 | Modularly assembled designer TAL effector nucleases for targeted gene knockout and gene replacement in eukaryotes. <i>Nucleic Acids Research</i> , 2011, 39, 6315-6325. | 6.5 | 368 |
| 7 | An <i>Agrobacterium</i> -delivered CRISPR/Cas9 system for high-frequency targeted mutagenesis in maize. <i>Plant Biotechnology Journal</i> , 2017, 15, 257-268. | 4.1 | 300 |
| 8 | The CO ₂ concentrating mechanism and photosynthetic carbon assimilation in limiting CO ₂ : how <i>Chlamydomonas</i> works against the gradient. <i>Plant Journal</i> , 2015, 82, 429-448. | 2.8 | 214 |
| 9 | Use of designer nucleases for targeted gene and genome editing in plants. <i>Plant Biotechnology Journal</i> , 2016, 14, 483-495. | 4.1 | 195 |
| 10 | Microalgal carbon-dioxide-concentrating mechanisms: <i>Chlamydomonas</i> inorganic carbon transporters. <i>Journal of Experimental Botany</i> , 2007, 59, 1463-1473. | 2.4 | 192 |
| 11 | Transcriptome-Wide Changes in <i>Chlamydomonas reinhardtii</i> Gene Expression Regulated by Carbon Dioxide and the CO ₂ -Concentrating Mechanism Regulator <i>CIA5</i> / <i>CCM1</i> . <i>Plant Cell</i> , 2012, 24, 1876-1893. | 3.1 | 180 |
| 12 | Carbonic Anhydrase-Deficient Mutant of <i>Chlamydomonas reinhardtii</i> Requires Elevated Carbon Dioxide Concentration for Photoautotrophic Growth. <i>Plant Physiology</i> , 1983, 73, 268-272. | 2.3 | 169 |
| 13 | Quantification of Compartmented Metabolic Fluxes in Developing Soybean Embryos by Employing Biosynthetically Directed Fractional ¹³ C Labeling, Two-Dimensional [¹³ C, ¹ H] Nuclear Magnetic Resonance, and Comprehensive Isotopomer Balancing. <i>Plant Physiology</i> , 2004, 136, 3043-3057. | 2.3 | 152 |
| 14 | Novel metabolism in <i>Chlamydomonas</i> through the lens of genomics. <i>Current Opinion in Plant Biology</i> , 2007, 10, 190-198. | 3.5 | 149 |
| 15 | <i>Chlamydomonas reinhardtii</i> thermal tolerance enhancement mediated by a mutualistic interaction with vitamin B12-producing bacteria. <i>ISME Journal</i> , 2013, 7, 1544-1555. | 4.4 | 140 |
| 16 | Carbon dioxide concentrating mechanism in <i>Chlamydomonas reinhardtii</i> : inorganic carbon transport and CO ₂ recapture. <i>Photosynthesis Research</i> , 2011, 109, 115-122. | 1.6 | 112 |
| 17 | Heritable site-specific mutagenesis using TALENs in maize. <i>Plant Biotechnology Journal</i> , 2015, 13, 1002-1010. | 4.1 | 110 |
| 18 | TALEN-mediated genome editing: prospects and perspectives. <i>Biochemical Journal</i> , 2014, 462, 15-24. | 1.7 | 109 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Reduced Inorganic Carbon Transport in a CO ₂ -Requiring Mutant of <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 1983, 73, 273-276. | 2.3 | 108 |
| 20 | Knockdown of limiting-CO ₂ -induced gene <i>HLA3</i> decreases HCO ₃ ⁻ transport and photosynthetic Ci affinity in <i>Chlamydomonas reinhardtii</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 5990-5995. | 3.3 | 102 |
| 21 | An inorganic carbon transport system responsible for acclimation specific to air levels of CO ₂ in <i>Chlamydomonas reinhardtii</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 10110-10115. | 3.3 | 94 |
| 22 | Growth, photosynthesis, and gene expression in <i>Chlamydomonas</i> over a range of CO ₂ concentrations and CO ₂ /O ₂ ratios: CO ₂ regulates multiple acclimation states. <i>Canadian Journal of Botany</i> , 2005, 83, 796-809. | 1.2 | 90 |
| 23 | Acclimation to Very Low CO ₂ : Contribution of Limiting CO ₂ Inducible Proteins, LCIB and LCIA, to Inorganic Carbon Uptake in <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 2014, 166, 2040-2050. | 2.3 | 87 |
| 24 | Periplasmic Carbonic Anhydrase Structural Gene (<i>Cah1</i>) Mutant in <i>Chlamydomonas reinhardtii</i> 1. <i>Plant Physiology</i> , 1999, 120, 757-764. | 2.3 | 83 |
| 25 | Influence of carbon dioxide concentration during growth on fluorescence induction characteristics of the Green Alga <i>Chlamydomonas reinhardtii</i> . <i>Photosynthesis Research</i> , 1984, 5, 169-176. | 1.6 | 76 |
| 26 | Photosynthesis is required for induction of the CO ₂ -concentrating system in <i>Chlamydomonas reinhardtii</i> . <i>FEBS Letters</i> , 1982, 145, 41-44. | 1.3 | 75 |
| 27 | Membrane-Associated Polypeptides Induced in <i>Chlamydomonas</i> by Limiting CO ₂ Concentrations. <i>Plant Physiology</i> , 1989, 89, 133-137. | 2.3 | 70 |
| 28 | Regulation of photosynthesis during <i>Arabidopsis</i> leaf development in continuous light. <i>Photosynthesis Research</i> , 2002, 72, 27-37. | 1.6 | 66 |
| 29 | Disruption of the glycolate dehydrogenase gene in the high-CO ₂ -requiring mutant HCR89 of <i>Chlamydomonas reinhardtii</i> . <i>Canadian Journal of Botany</i> , 2005, 83, 820-833. | 1.2 | 64 |
| 30 | A Photorespiratory Mutant of <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 1990, 93, 231-237. | 2.3 | 63 |
| 31 | Carbohydrate regulation of leaf development: Prolongation of leaf senescence in Rubisco antisense mutants of tobacco. <i>Photosynthesis Research</i> , 2000, 63, 1-8. | 1.6 | 62 |
| 32 | Thylakoid Lumen Carbonic Anhydrase (<i>CAH3</i>) Mutation Suppresses Air-Dier Phenotype of <i>LCIB</i> Mutant in <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 2009, 149, 929-937. | 2.3 | 61 |
| 33 | Expression activation and functional analysis of <i>HLA3</i> , a putative inorganic carbon transporter in <i>Chlamydomonas reinhardtii</i> . <i>Plant Journal</i> , 2015, 82, 1-11. | 2.8 | 61 |
| 34 | Changes in Photorespiratory Enzyme Activity in Response to Limiting CO ₂ in <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 1991, 97, 420-425. | 2.3 | 57 |
| 35 | A 36 Kilodalton Limiting-CO ₂ Induced Polypeptide of <i>Chlamydomonas</i> Is Distinct from the 37 Kilodalton Periplasmic Carbonic Anhydrase. <i>Plant Physiology</i> , 1990, 93, 116-121. | 2.3 | 56 |
| 36 | CO ₂ Acquisition, Concentration and Fixation in Cyanobacteria and Algae. <i>Advances in Photosynthesis and Respiration</i> , 2000, , 369-397. | 1.0 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | TALE activation of endogenous genes in <i>Chlamydomonas reinhardtii</i> . <i>Algal Research</i> , 2014, 5, 52-60. | 2.4 | 51 |
| 38 | Effects of growth condition on the structure of glycogen produced in cyanobacterium <i>Synechocystis</i> sp. PCC6803. <i>International Journal of Biological Macromolecules</i> , 2007, 40, 498-504. | 3.6 | 47 |
| 39 | Intracellular localization of phosphoenolpyruvate carboxykinase in leaves of C4 and CAM plants. <i>Plant Science Letters</i> , 1980, 19, 1-8. | 1.9 | 46 |
| 40 | Acclimation of <i>Chlamydomonas</i> to changing carbon availability. <i>Functional Plant Biology</i> , 2002, 29, 221. | 1.1 | 45 |
| 41 | Isolation and Oxidative Properties of Intact Mitochondria from the Leaves of <i>Sedum praealtum</i> . <i>Plant Physiology</i> , 1979, 64, 182-186. | 2.3 | 43 |
| 42 | High-throughput fluorescence-activated cell sorting for lipid hyperaccumulating <i>Chlamydomonas reinhardtii</i> mutants. <i>Plant Biotechnology Journal</i> , 2014, 12, 872-882. | 4.1 | 42 |
| 43 | Photosynthesis and photorespiration in freshwater green algae. <i>Aquatic Botany</i> , 1989, 34, 181-209. | 0.8 | 40 |
| 44 | Characterization of cyanobacterial glycogen isolated from the wild type and from a mutant lacking of branching enzyme. <i>Carbohydrate Research</i> , 2002, 337, 2195-2203. | 1.1 | 38 |
| 45 | Insertional Mutants of <i>Chlamydomonas reinhardtii</i> That Require Elevated CO ₂ for Survival. <i>Plant Physiology</i> , 2001, 127, 607-614. | 2.3 | 36 |
| 46 | Changes in protein and gene expression during induction of the CO ₂ -concentrating mechanism in wild-type and mutant <i>Chlamydomonas</i> . <i>Canadian Journal of Botany</i> , 1991, 69, 1008-1016. | 1.2 | 33 |
| 47 | Imazaquin and chlorsulfuron resistance and cross resistance in mutants of <i>Chlamydomonas reinhardtii</i> . <i>Molecular Genetics and Genomics</i> , 1988, 213, 394-399. | 2.4 | 31 |
| 48 | Translational Regulation of the Large and Small Subunits of Ribulose Bisphosphate Carboxylase/Oxygenase during Induction of the CO ₂ -Concentrating Mechanism in <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 1992, 98, 1409-1414. | 2.3 | 31 |
| 49 | Genetic and physiological analysis of the CO ₂ -concentrating system of <i>Chlamydomonas reinhardtii</i> . <i>Planta</i> , 1983, 159, 261-266. | 1.6 | 30 |
| 50 | Evidence for a saturable transport component in the inorganic carbon uptake of <i>Chlamydomonas reinhardtii</i> . <i>FEBS Letters</i> , 1983, 154, 335-338. | 1.3 | 30 |
| 51 | Lysis of <i>Chlamydomonas reinhardtii</i> by high-intensity focused ultrasound as a function of exposure time. <i>Ultrasonics Sonochemistry</i> , 2014, 21, 1258-1264. | 3.8 | 29 |
| 52 | Glycogen Synthase Isoforms in <i>Synechocystis</i> sp. PCC6803: Identification of Different Roles to Produce Glycogen by Targeted Mutagenesis. <i>PLoS ONE</i> , 2014, 9, e91524. | 1.1 | 29 |
| 53 | The CO ₂ -Concentrating Mechanism and Carbon Assimilation. , 2009, , 257-301. | | 28 |
| 54 | Adaptation of <i>Chlamydomonas reinhardtii</i> High-CO ₂ -Requiring Mutants to Limiting CO ₂ . <i>Plant Physiology</i> , 1989, 90, 1195-1200. | 2.3 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | LCI1, a <i>Chlamydomonas reinhardtii</i> plasma membrane protein, functions in active CO ₂ uptake under low CO ₂ . <i>Plant Journal</i> , 2020, 102, 1127-1141. | 2.8 | 27 |
| 56 | Photosynthesis in enzymatically isolated leaf cells from the CAM plant <i>Sedum telephium</i> L.. <i>Planta</i> , 1978, 141, 59-63. | 1.6 | 26 |
| 57 | LCIB in the <i>Chlamydomonas</i> CO ₂ -concentrating mechanism. <i>Photosynthesis Research</i> , 2014, 121, 185-192. | 1.6 | 25 |
| 58 | Photosynthesis in Isolated Chloroplasts of the Crassulacean Acid Metabolism Plant <i>Sedum praealtum</i> . <i>Plant Physiology</i> , 1980, 65, 1044-1048. | 2.3 | 23 |
| 59 | Malate decarboxylation in isolated mitochondria from the crassulacean acid metabolism plant <i>Sedum praealtum</i> . <i>Archives of Biochemistry and Biophysics</i> , 1980, 199, 448-456. | 1.4 | 22 |
| 60 | Alterations in photosynthesis in <i>Arabidopsis</i> lacking IMMUTANS, a chloroplast terminal oxidase. <i>Photosynthesis Research</i> , 2007, 91, 11-23. | 1.6 | 22 |
| 61 | In vivo evidence for a regulatory role of phosphorylation of <i>Arabidopsis</i> Rubisco activase at the Thr78 site. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 18723-18731. | 3.3 | 22 |
| 62 | Co-targeting strategy for precise, scarless gene editing with CRISPR/Cas9 and donor ssODNs in <i>Chlamydomonas</i> . <i>Plant Physiology</i> , 2021, 187, 2637-2655. | 2.3 | 18 |
| 63 | Quantum Requirement for Photosynthesis in <i>Sedum praealtum</i> during Two Phases of Crassulacean Acid Metabolism. <i>Plant Physiology</i> , 1980, 66, 463-465. | 2.3 | 17 |
| 64 | Structure and function of LCI1: a plasma membrane CO ₂ channel in the <i>Chlamydomonas</i> CO ₂ concentrating mechanism. <i>Plant Journal</i> , 2020, 102, 1107-1126. | 2.8 | 17 |
| 65 | The Plastid Casein Kinase 2 Phosphorylates Rubisco Activase at the Thr-78 Site but Is Not Essential for Regulation of Rubisco Activation State. <i>Frontiers in Plant Science</i> , 2016, 7, 404. | 1.7 | 15 |
| 66 | CRISPR/Cas9 Based Site-Specific Modification of FAD2 cis-Regulatory Motifs in Peanut (<i>Arachis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30 | 1.1 | 15 |
| 67 | Post-translational processing of the highly processed, secreted periplasmic carbonic anhydrase of <i>Chlamydomonas</i> is largely conserved in transgenic tobacco. <i>Plant Molecular Biology</i> , 1995, 29, 303-315. | 2.0 | 14 |
| 68 | Temperature response of CO ₂ fixation in isolated <i>Opuntia</i> cells. <i>Plant Science Letters</i> , 1978, 13, 389-396. | 1.9 | 11 |
| 69 | Microfluidic chip for automated screening of carbon dioxide conditions for microalgal cell growth. <i>Biomicrofluidics</i> , 2017, 11, 064104. | 1.2 | 10 |
| 70 | CO ₂ exchange characteristics during dark-light transitions in wild-type and mutant <i>Chlamydomonas reinhardtii</i> cells. <i>Photosynthesis Research</i> , 1985, 6, 363-369. | 1.6 | 9 |
| 71 | Effect of photon flux density on inorganic carbon accumulation and net CO ₂ exchange in a high-CO ₂ -requiring mutant of <i>Chlamydomonas reinhardtii</i> . <i>Photosynthesis Research</i> , 1990, 24, 245-252. | 1.6 | 9 |
| 72 | Insertional suppressors of <i>Chlamydomonas reinhardtii</i> that restore growth of air-dier lcib mutants in low CO ₂ . <i>Photosynthesis Research</i> , 2011, 109, 123-132. | 1.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Acclimation to low or limiting CO ₂ in non-synchronous <i>Chlamydomonas</i> causes a transient synchronization of the cell division cycle. <i>Photosynthesis Research</i> , 2011, 109, 161-168. | 1.6 | 7 |
| 74 | Flow rate and duty cycle effects in lysis of <i>Chlamydomonas reinhardtii</i> using high-energy pulsed focused ultrasound. <i>Journal of the Acoustical Society of America</i> , 2014, 135, 3632-3638. | 0.5 | 7 |
| 75 | Arabidopsis plants expressing only the redox-regulated Rca isoform have constrained photosynthesis and plant growth. <i>Plant Journal</i> , 2020, 103, 2250-2262. | 2.8 | 7 |
| 76 | Application of CRISPR/Cas9 System for Efficient Gene Editing in Peanut. <i>Plants</i> , 2022, 11, 1361. | 1.6 | 7 |
| 77 | Biocatalytic role of potato starch synthase III for Î±-glucan biosynthesis in <i>Synechocystis</i> sp. PCC6803 mutants. <i>International Journal of Biological Macromolecules</i> , 2015, 81, 710-717. | 3.6 | 5 |
| 78 | A novel activation domain is essential for CIA5-mediated gene regulation in response to CO ₂ changes in <i>Chlamydomonas reinhardtii</i> . <i>Algal Research</i> , 2017, 24, 207-217. | 2.4 | 5 |
| 79 | Opportunistic proteolytic processing of carbonic anhydrase 1 from <i>Chlamydomonas</i> in <i>Arabidopsis</i> reveals a novel route for protein maturation. <i>Journal of Experimental Botany</i> , 2016, 67, 2339-2351. | 2.4 | 2 |