

Martin H Spalding

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7841719/publications.pdf>

Version: 2024-02-01

80
papers

9,824
citations

71102

41
h-index

64796

79
g-index

83
all docs

83
docs citations

83
times ranked

10013
citing authors

#	ARTICLE	IF	CITATIONS
1	CRISPR/Cas9 Based Site-Specific Modification of FAD2 cis-Regulatory Motifs in Peanut (Arachis) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.3	15
2	Application of CRISPR/Cas9 System for Efficient Gene Editing in Peanut. Plants, 2022, 11, 1361.	3.5	7
3	Co-targeting strategy for precise, scarless gene editing with CRISPR/Cas9 and donor ssODNs in <i>Chlamydomonas</i> . Plant Physiology, 2021, 187, 2637-2655.	4.8	18
4	Structure and function of LCI1: a plasma membrane CO ₂ channel in the <i>Chlamydomonas</i> CO ₂ concentrating mechanism. Plant Journal, 2020, 102, 1107-1126.	5.7	17
5	Arabidopsis plants expressing only the redox-regulated Rca \pm isoform have constrained photosynthesis and plant growth. Plant Journal, 2020, 103, 2250-2262.	5.7	7
6	LCI1, a <i>Chlamydomonas reinhardtii</i> plasma membrane protein, functions in active CO ₂ uptake under low CO ₂ . Plant Journal, 2020, 102, 1127-1141.	5.7	27
7	In vivo evidence for a regulatory role of phosphorylation of <i>Arabidopsis</i> Rubisco activase at the Thr78 site. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 18723-18731.	7.1	22
8	A novel activation domain is essential for CIA5-mediated gene regulation in response to CO ₂ changes in <i>Chlamydomonas reinhardtii</i> . Algal Research, 2017, 24, 207-217.	4.6	5
9	Microfluidic chip for automated screening of carbon dioxide conditions for microalgal cell growth. Biomicrofluidics, 2017, 11, 064104.	2.4	10
10	An <i>Agrobacterium</i> -delivered CRISPR/Cas9 system for high-frequency targeted mutagenesis in maize. Plant Biotechnology Journal, 2017, 15, 257-268.	8.3	300
11	The Plastid Casein Kinase 2 Phosphorylates Rubisco Activase at the Thr-78 Site but Is Not Essential for Regulation of Rubisco Activation State. Frontiers in Plant Science, 2016, 7, 404.	3.6	15
12	Use of designer nucleases for targeted gene and genome editing in plants. Plant Biotechnology Journal, 2016, 14, 483-495.	8.3	195
13	Opportunistic proteolytic processing of carbonic anhydrase 1 from <i>Chlamydomonas</i> in <i>Arabidopsis</i> reveals a novel route for protein maturation. Journal of Experimental Botany, 2016, 67, 2339-2351.	4.8	2
14	The CO ₂ concentrating mechanism and photosynthetic carbon assimilation in limiting CO ₂ : how <i>Chlamydomonas</i> works against the gradient. Plant Journal, 2015, 82, 429-448.	5.7	214
15	Heritable site-specific mutagenesis using TALENs in maize. Plant Biotechnology Journal, 2015, 13, 1002-1010.	8.3	110
16	Expression activation and functional analysis of HLA ₃ , a putative inorganic carbon transporter in <i>C. reinhardtii</i> . Plant Journal, 2015, 82, 1-11.	5.7	61
17	Redesigning photosynthesis to sustainably meet global food and bioenergy demand. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 8529-8536.	7.1	751
18	Biocatalytic role of potato starch synthase III for \pm -glucan biosynthesis in <i>Synechocystis</i> sp. PCC6803 mutants. International Journal of Biological Macromolecules, 2015, 81, 710-717.	7.5	5

#	ARTICLE	IF	CITATIONS
19	Acclimation to Very Low CO ₂ : Contribution of Limiting CO ₂ Inducible Proteins, LCIB and LCIA, to Inorganic Carbon Uptake in <i>Chlamydomonas reinhardtii</i> . Plant Physiology, 2014, 166, 2040-2050.	4.8	87
20	Large chromosomal deletions and heritable small genetic changes induced by CRISPR/Cas9 in rice. Nucleic Acids Research, 2014, 42, 10903-10914.	14.5	547
21	High-throughput fluorescence-activated cell sorting for lipid hyperaccumulating <i>Chlamydomonas reinhardtii</i> mutants. Plant Biotechnology Journal, 2014, 12, 872-882.	8.3	42
22	TALEN-mediated genome editing: prospects and perspectives. Biochemical Journal, 2014, 462, 15-24.	3.7	109
23	Flow rate and duty cycle effects in lysis of <i>Chlamydomonas reinhardtii</i> using high-energy pulsed focused ultrasound. Journal of the Acoustical Society of America, 2014, 135, 3632-3638.	1.1	7
24	LCIB in the <i>Chlamydomonas</i> CO ₂ -concentrating mechanism. Photosynthesis Research, 2014, 121, 185-192.	2.9	25
25	Lysis of <i>Chlamydomonas reinhardtii</i> by high-intensity focused ultrasound as a function of exposure time. Ultrasonics Sonochemistry, 2014, 21, 1258-1264.	8.2	29
26	TALE activation of endogenous genes in <i>Chlamydomonas reinhardtii</i> . Algal Research, 2014, 5, 52-60.	4.6	51
27	Glycogen Synthase Isoforms in <i>Synechocystis</i> sp. PCC6803: Identification of Different Roles to Produce Glycogen by Targeted Mutagenesis. PLoS ONE, 2014, 9, e91524.	2.5	29
28	<i>Chlamydomonas reinhardtii</i> thermal tolerance enhancement mediated by a mutualistic interaction with vitamin B12-producing bacteria. ISME Journal, 2013, 7, 1544-1555.	9.8	140
29	Transcriptome-Wide Changes in <i>Chlamydomonas reinhardtii</i> Gene Expression Regulated by Carbon Dioxide and the CO ₂ -Concentrating Mechanism Regulator <i>CIA5</i> / <i>CCM1</i> . Plant Cell, 2012, 24, 1876-1893.	6.6	180
30	High-efficiency TALEN-based gene editing produces disease-resistant rice. Nature Biotechnology, 2012, 30, 390-392.	17.5	965
31	Modularly assembled designer TAL effector nucleases for targeted gene knockout and gene replacement in eukaryotes. Nucleic Acids Research, 2011, 39, 6315-6325.	14.5	368
32	Acclimation to low or limiting CO ₂ in non-synchronous <i>Chlamydomonas</i> causes a transient synchronization of the cell division cycle. Photosynthesis Research, 2011, 109, 161-168.	2.9	7
33	Insertional suppressors of <i>Chlamydomonas reinhardtii</i> that restore growth of air-dier lcib mutants in low CO ₂ . Photosynthesis Research, 2011, 109, 123-132.	2.9	9
34	Carbon dioxide concentrating mechanism in <i>Chlamydomonas reinhardtii</i> : inorganic carbon transport and CO ₂ recapture. Photosynthesis Research, 2011, 109, 115-122.	2.9	112
35	TAL nucleases (TALNs): hybrid proteins composed of TAL effectors and FokI DNA-cleavage domain. Nucleic Acids Research, 2011, 39, 359-372.	14.5	477
36	Knockdown of limiting-CO ₂ -induced gene <i>HLA3</i> decreases HCO ₃ ⁻ transport and photosynthetic Ci affinity in <i>Chlamydomonas reinhardtii</i> . Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 5990-5995.	7.1	102

#	ARTICLE	IF	CITATIONS
37	Thylakoid Lumen Carbonic Anhydrase (<i>CAH3</i>) Mutation Suppresses Air-Dier Phenotype of <i>LCIB</i> Mutant in <i>Chlamydomonas reinhardtii</i> . Plant Physiology, 2009, 149, 929-937.	4.8	61
38	The CO ₂ -Concentrating Mechanism and Carbon Assimilation. , 2009, , 257-301.		28
39	Microalgal carbon-dioxide-concentrating mechanisms: Chlamydomonas inorganic carbon transporters. Journal of Experimental Botany, 2007, 59, 1463-1473.	4.8	192
40	Effects of growth condition on the structure of glycogen produced in cyanobacterium Synechocystis sp. PCC6803. International Journal of Biological Macromolecules, 2007, 40, 498-504.	7.5	47
41	Novel metabolism in Chlamydomonas through the lens of genomics. Current Opinion in Plant Biology, 2007, 10, 190-198.	7.1	149
42	The <i>Chlamydomonas</i> Genome Reveals the Evolution of Key Animal and Plant Functions. Science, 2007, 318, 245-250.	12.6	2,354
43	Alterations in photosynthesis in Arabidopsis lacking IMMUTANS, a chloroplast terminal oxidase. Photosynthesis Research, 2007, 91, 11-23.	2.9	22
44	An inorganic carbon transport system responsible for acclimation specific to air levels of CO ₂ in Chlamydomonas reinhardtii. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 10110-10115.	7.1	94
45	Disruption of the glycolate dehydrogenase gene in the high-CO ₂ -requiring mutant HCR89 of Chlamydomonas reinhardtii. Canadian Journal of Botany, 2005, 83, 820-833.	1.1	64
46	Growth, photosynthesis, and gene expression in Chlamydomonas over a range of CO ₂ concentrations and CO ₂ /O ₂ ratios: CO ₂ regulates multiple acclimation states. Canadian Journal of Botany, 2005, 83, 796-809.	1.1	90
47	Quantification of Compartmented Metabolic Fluxes in Developing Soybean Embryos by Employing Biosynthetically Directed Fractional ¹³ C Labeling, Two-Dimensional [¹³ C, ¹ H] Nuclear Magnetic Resonance, and Comprehensive Isotopomer Balancing. Plant Physiology, 2004, 136, 3043-3057.	4.8	152
48	Characterization of cyanobacterial glycogen isolated from the wild type and from a mutant lacking of branching enzyme. Carbohydrate Research, 2002, 337, 2195-2203.	2.3	38
49	Regulation of photosynthesis during Arabidopsis leaf development in continuous light. Photosynthesis Research, 2002, 72, 27-37.	2.9	66
50	Acclimation of Chlamydomonas to changing carbon availability. Functional Plant Biology, 2002, 29, 221.	2.1	45
51	Insertional Mutants of <i>Chlamydomonas reinhardtii</i> That Require Elevated CO ₂ for Survival. Plant Physiology, 2001, 127, 607-614.	4.8	36
52	Insertional Mutants of Chlamydomonas reinhardtii That Require Elevated CO ₂ for Survival. Plant Physiology, 2001, 127, 607-614.	4.8	3
53	Carbohydrate regulation of leaf development: Prolongation of leaf senescence in Rubisco antisense mutants of tobacco. Photosynthesis Research, 2000, 63, 1-8.	2.9	62
54	CO ₂ Acquisition, Concentration and Fixation in Cyanobacteria and Algae. Advances in Photosynthesis and Respiration, 2000, , 369-397.	1.0	55

#	ARTICLE	IF	CITATIONS
55	Periplasmic Carbonic Anhydrase Structural Gene (Cah1) Mutant in <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 1999, 120, 757-764.	4.8	83
56	Post-translational processing of the highly processed, secreted periplasmic carbonic anhydrase of <i>Chlamydomonas</i> is largely conserved in transgenic tobacco. <i>Plant Molecular Biology</i> , 1995, 29, 303-315.	3.9	14
57	Translational Regulation of the Large and Small Subunits of Ribulose Bisphosphate Carboxylase/Oxygenase during Induction of the CO ₂ -Concentrating Mechanism in <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 1992, 98, 1409-1414.	4.8	31
58	Changes in Photorespiratory Enzyme Activity in Response to Limiting CO ₂ in <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 1991, 97, 420-425.	4.8	57
59	Changes in protein and gene expression during induction of the CO ₂ -concentrating mechanism in wild-type and mutant <i>Chlamydomonas</i> . <i>Canadian Journal of Botany</i> , 1991, 69, 1008-1016.	1.1	33
60	Effect of photon flux density on inorganic carbon accumulation and net CO ₂ exchange in a high-CO ₂ -requiring mutant of <i>Chlamydomonas reinhardtii</i> . <i>Photosynthesis Research</i> , 1990, 24, 245-252.	2.9	9
61	A 36 Kilodalton Limiting-CO ₂ Induced Polypeptide of <i>Chlamydomonas</i> Is Distinct from the 37 Kilodalton Periplasmic Carbonic Anhydrase. <i>Plant Physiology</i> , 1990, 93, 116-121.	4.8	56
62	A Photorespiratory Mutant of <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 1990, 93, 231-237.	4.8	63
63	Adaptation of <i>Chlamydomonas reinhardtii</i> High-CO ₂ -Requiring Mutants to Limiting CO ₂ . <i>Plant Physiology</i> , 1989, 90, 1195-1200.	4.8	27
64	Membrane-Associated Polypeptides Induced in <i>Chlamydomonas</i> by Limiting CO ₂ Concentrations. <i>Plant Physiology</i> , 1989, 89, 133-137.	4.8	70
65	Photosynthesis and photorespiration in freshwater green algae. <i>Aquatic Botany</i> , 1989, 34, 181-209.	1.6	40
66	Imazaquin and chlorsulfuron resistance and cross resistance in mutants of <i>Chlamydomonas reinhardtii</i> . <i>Molecular Genetics and Genomics</i> , 1988, 213, 394-399.	2.4	31
67	CO ₂ exchange characteristics during dark-light transitions in wild-type and mutant <i>Chlamydomonas reinhardtii</i> cells. <i>Photosynthesis Research</i> , 1985, 6, 363-369.	2.9	9
68	Influence of carbon dioxide concentration during growth on fluorescence induction characteristics of the Green Alga <i>Chlamydomonas reinhardtii</i> . <i>Photosynthesis Research</i> , 1984, 5, 169-176.	2.9	76
69	Genetic and physiological analysis of the CO ₂ -concentrating system of <i>Chlamydomonas reinhardtii</i> . <i>Planta</i> , 1983, 159, 261-266.	3.2	30
70	Evidence for a saturable transport component in the inorganic carbon uptake of <i>Chlamydomonas reinhardtii</i> . <i>FEBS Letters</i> , 1983, 154, 335-338.	2.8	30
71	Reduced Inorganic Carbon Transport in a CO ₂ -Requiring Mutant of <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 1983, 73, 273-276.	4.8	108
72	Carbonic Anhydrase-Deficient Mutant of <i>Chlamydomonas reinhardtii</i> Requires Elevated Carbon Dioxide Concentration for Photoautotrophic Growth. <i>Plant Physiology</i> , 1983, 73, 268-272.	4.8	169

#	ARTICLE	IF	CITATIONS
73	Photosynthesis is required for induction of the CO ₂ -concentrating system in <i>Chlamydomonas reinhardtii</i> . FEBS Letters, 1982, 145, 41-44.	2.8	75
74	Photosynthesis in Isolated Chloroplasts of the Crassulacean Acid Metabolism Plant <i>Sedum praealtum</i> . Plant Physiology, 1980, 65, 1044-1048.	4.8	23
75	Quantum Requirement for Photosynthesis in <i>Sedum praealtum</i> during Two Phases of Crassulacean Acid Metabolism. Plant Physiology, 1980, 66, 463-465.	4.8	17
76	Intracellular localization of phosphoenolpyruvate carboxykinase in leaves of C4 and CAM plants. Plant Science Letters, 1980, 19, 1-8.	1.8	46
77	Malate decarboxylation in isolated mitochondria from the crassulacean acid metabolism plant <i>Sedum praealtum</i> . Archives of Biochemistry and Biophysics, 1980, 199, 448-456.	3.0	22
78	Isolation and Oxidative Properties of Intact Mitochondria from the Leaves of <i>Sedum praealtum</i> . Plant Physiology, 1979, 64, 182-186.	4.8	43
79	Photosynthesis in enzymatically isolated leaf cells from the CAM plant <i>Sedum telephium</i> L.. Planta, 1978, 141, 59-63.	3.2	26
80	Temperature response of CO ₂ fixation in isolated <i>Opuntia</i> cells. Plant Science Letters, 1978, 13, 389-396.	1.8	11