

Pooi See Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7842906/publications.pdf>

Version: 2024-02-01

403
papers

31,772
citations

2675

95
h-index

5255

165
g-index

418
all docs

418
docs citations

418
times ranked

31150
citing authors

#	ARTICLE	IF	CITATIONS
1	3D carbon based nanostructures for advanced supercapacitors. <i>Energy and Environmental Science</i> , 2013, 6, 41-53.	30.8	1,389
2	Highly Stretchable Piezoresistive Grapheneâ€“Nanocellulose Nanopaper for Strain Sensors. <i>Advanced Materials</i> , 2014, 26, 2022-2027.	21.0	1,009
3	Extremely Stretchable Strain Sensors Based on Conductive Selfâ€“Healing Dynamic Crossâ€“Links Hydrogels for Humanâ€“Motion Detection. <i>Advanced Science</i> , 2017, 4, 1600190.	11.2	728
4	Hybrid Materials and Polymer Electrolytes for Electrochromic Device Applications. <i>Advanced Materials</i> , 2012, 24, 4071-4096.	21.0	672
5	Recent progress in layered transition metal carbides and/or nitrides (MXenes) and their composites: synthesis and applications. <i>Journal of Materials Chemistry A</i> , 2017, 5, 3039-3068.	10.3	625
6	Large Areal Mass, Flexible and Freeâ€“Standing Reduced Graphene Oxide/Manganese Dioxide Paper for Asymmetric Supercapacitor Device. <i>Advanced Materials</i> , 2013, 25, 2809-2815.	21.0	562
7	Facile Coating of Manganese Oxide on Tin Oxide Nanowires with High-Performance Capacitive Behavior. <i>ACS Nano</i> , 2010, 4, 4247-4255.	14.6	518
8	Next-Generation Multifunctional Electrochromic Devices. <i>Accounts of Chemical Research</i> , 2016, 49, 1469-1476.	15.6	516
9	Skin-touch-actuated textile-based triboelectric nanogenerator with black phosphorus for durable biomechanical energy harvesting. <i>Nature Communications</i> , 2018, 9, 4280.	12.8	433
10	Rational Design of MnO/Carbon Nanopeapods with Internal Void Space for High-Rate and Long-Life Li-Ion Batteries. <i>ACS Nano</i> , 2014, 8, 6038-6046.	14.6	420
11	Enhancing electrochemical reaction sites in nickelâ€“cobalt layered double hydroxides on zinc tin oxide nanowires: a hybrid material for an asymmetric supercapacitor device. <i>Nanoscale</i> , 2012, 4, 7266.	5.6	409
12	Synthesis, Assembly, and Electrochromic Properties of Uniform Crystalline WO ₃ Nanorods. <i>Journal of Physical Chemistry C</i> , 2008, 112, 14306-14312.	3.1	404
13	Stretchable and Wearable Electrochromic Devices. <i>ACS Nano</i> , 2014, 8, 316-322.	14.6	399
14	Highly Stable Transparent Conductive Silver Grid/PEDOT:PSS Electrodes for Integrated Bifunctional Flexible Electrochromic Supercapacitors. <i>Advanced Energy Materials</i> , 2016, 6, 1501882.	19.5	391
15	Smart Windows: Electroâ€“, Thermoâ€“, Mechanoâ€“, Photochromics, and Beyond. <i>Advanced Energy Materials</i> , 2019, 9, 1902066.	19.5	383
16	Electrochromo-supercapacitor based on direct growth of NiO nanoparticles. <i>Nano Energy</i> , 2015, 12, 258-267.	16.0	360
17	Dodecyl sulfate-induced fast faradic process in nickel cobalt oxideâ€“reduced graphite oxide composite material and its application for asymmetric supercapacitor device. <i>Journal of Materials Chemistry</i> , 2012, 22, 23114.	6.7	338
18	Polydopamine Spheres as Active Templates for Convenient Synthesis of Various Nanostructures. <i>Small</i> , 2013, 9, 596-603.	10.0	323

#	ARTICLE	IF	CITATIONS
19	Highly Transparent, Stretchable, and Self-Healing Ionic-Skin Triboelectric Nanogenerators for Energy Harvesting and Touch Applications. <i>Advanced Materials</i> , 2017, 29, 1702181.	21.0	322
20	High-rate electrochemical capacitors from highly graphitic carbon-tipped manganese oxide/mesoporous carbon/manganese oxide hybrid nanowires. <i>Energy and Environmental Science</i> , 2011, 4, 1813.	30.8	315
21	Extremely stretchable and self-healing conductor based on thermoplastic elastomer for all-three-dimensional printed triboelectric nanogenerator. <i>Nature Communications</i> , 2019, 10, 2158.	12.8	308
22	High performance porous nickel cobalt oxide nanowires for asymmetric supercapacitor. <i>Nano Energy</i> , 2014, 3, 119-126.	16.0	304
23	Nickel Cobalt Oxide-Single Wall Carbon Nanotube Composite Material for Superior Cycling Stability and High-Performance Supercapacitor Application. <i>Journal of Physical Chemistry C</i> , 2012, 116, 12448-12454.	3.1	295
24	Stretchable Graphene Thermistor with Tunable Thermal Index. <i>ACS Nano</i> , 2015, 9, 2130-2137.	14.6	293
25	Controlled Synthesis of WO_3 Nanorods and Their Electrochromic Properties in H_2SO_4 Electrolyte. <i>Journal of Physical Chemistry C</i> , 2009, 113, 9655-9658.	3.1	287
26	Enhanced Piezoelectric Energy Harvesting Performance of Flexible PVDF-TrFE Bilayer Films with Graphene Oxide. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 521-529.	8.0	284
27	Functional Fibers and Fabrics for Soft Robotics, Wearables, and Human-Robot Interface. <i>Advanced Materials</i> , 2021, 33, e2002640.	21.0	278
28	Flexible and Highly Scalable V_2O_5 -rGO Electrodes in an Organic Electrolyte for Supercapacitor Devices. <i>Advanced Energy Materials</i> , 2014, 4, 1400236.	19.5	276
29	Sulfidation of NiMn-Layered Double Hydroxides/Graphene Oxide Composites toward Supercapacitor Electrodes with Enhanced Performance. <i>Advanced Energy Materials</i> , 2016, 6, 1501745.	19.5	254
30	Rational Design of Nanostructured Electrode Materials toward Multifunctional Supercapacitors. <i>Advanced Functional Materials</i> , 2020, 30, 1902564.	14.9	252
31	Ultrahigh-Performance Solar-Blind Photodetectors Based on Individual Single-Crystalline $In_2Ge_2O_7$ Nanobelts. <i>Advanced Materials</i> , 2010, 22, 5145-5149.	21.0	249
32	Inkjet Printed Large Area Multifunctional Smart Windows. <i>Advanced Energy Materials</i> , 2017, 7, 1602598.	19.5	239
33	Highly Stretchable and Self-Deformable Alternating Current Electroluminescent Devices. <i>Advanced Materials</i> , 2015, 27, 2876-2882.	21.0	238
34	Wearable All-Fabric-Based Triboelectric Generator for Water Energy Harvesting. <i>Advanced Energy Materials</i> , 2017, 7, 1701243.	19.5	220
35	Core-shell nanofiber mats for tactile pressure sensor and nanogenerator applications. <i>Nano Energy</i> , 2018, 44, 248-255.	16.0	216
36	Leaf-inspired multiresponsive MXene-based actuator for programmable smart devices. <i>Science Advances</i> , 2019, 5, eaaw7956.	10.3	213

#	ARTICLE	IF	CITATIONS
37	Metal Organic Frameworkâ€Derived Metal Phosphates as Electrode Materials for Supercapacitors. <i>Advanced Energy Materials</i> , 2016, 6, 1501833.	19.5	212
38	A Stretchable and Selfâ€Healing Energy Storage Device Based on Mechanically and Electrically Restorative Liquidâ€Metal Particles and Carboxylated Polyurethane Composites. <i>Advanced Materials</i> , 2019, 31, e1805536.	21.0	209
39	Printable Superelastic Conductors with Extreme Stretchability and Robust Cycling Endurance Enabled by Liquidâ€Metal Particles. <i>Advanced Materials</i> , 2018, 30, e1706157.	21.0	208
40	Self-Assembly-Induced Alternately Stacked Single-Layer MoS ₂ and N-doped Graphene: A Novel van der Waals Heterostructure for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 2372-2379.	8.0	202
41	Ultra-large optical modulation of electrochromic porous WO ₃ film and the local monitoring of redox activity. <i>Chemical Science</i> , 2016, 7, 1373-1382.	7.4	198
42	Extremely Stretchable Electroluminescent Devices with Ionic Conductors. <i>Advanced Materials</i> , 2016, 28, 4490-4496.	21.0	193
43	Nonâ€Volatile Organic Memory Applications Enabled by In Situ Synthesis of Gold Nanoparticles in a Selfâ€Assembled Block Copolymer. <i>Advanced Materials</i> , 2008, 20, 2325-2331.	21.0	186
44	Surface functionalization of BaTiO ₃ nanoparticles and improved electrical properties of BaTiO ₃ /polyvinylidene fluoride composite. <i>RSC Advances</i> , 2011, 1, 576.	3.6	177
45	Hexagonal Boron Nitride Thin Film for Flexible Resistive Memory Applications. <i>Advanced Functional Materials</i> , 2016, 26, 2176-2184.	14.9	167
46	Achieving High Rate Performance in Layered Hydroxide Supercapacitor Electrodes. <i>Advanced Energy Materials</i> , 2014, 4, 1301240.	19.5	166
47	Inorganicâ€organic hybrid polymer with multiple redox for high-density data storage. <i>Chemical Science</i> , 2014, 5, 3404-3408.	7.4	164
48	An Intrinsically Stretchable Nanowire Photodetector with a Fully Embedded Structure. <i>Advanced Materials</i> , 2014, 26, 943-950.	21.0	163
49	Deformable conductors for humanâ€machine interface. <i>Materials Today</i> , 2018, 21, 508-526.	14.2	163
50	Wide-bandgap Zn ₂ GeO ₄ nanowire networks as efficient ultraviolet photodetectors with fast response and recovery time. <i>Applied Physics Letters</i> , 2010, 96, .	3.3	162
51	All 3D-printed stretchable piezoelectric nanogenerator with non-protruding kirigami structure. <i>Nano Energy</i> , 2020, 72, 104676.	16.0	161
52	Inkjet-printed all solid-state electrochromic devices based on NiO/WO ₃ nanoparticle complementary electrodes. <i>Nanoscale</i> , 2016, 8, 348-357.	5.6	157
53	Novel polymer nanocomposites from bioinspired green aqueous functionalization of BNNTs. <i>Polymer Chemistry</i> , 2012, 3, 962.	3.9	155
54	Recent Advances in Flexible Electrochromic Devices: Prerequisites, Challenges, and Prospects. <i>Energy Technology</i> , 2018, 6, 33-45.	3.8	155

#	ARTICLE	IF	CITATIONS
55	A light-stimulated synaptic transistor with synaptic plasticity and memory functions based on InGaZnOx/Al ₂ O ₃ thin film structure. Journal of Applied Physics, 2016, 119, .	2.5	153
56	Progress on triboelectric nanogenerator with stretchability, self-healability and bio-compatibility. Nano Energy, 2019, 59, 237-257.	16.0	151
57	Orthorhombic niobium oxide nanowires for next generation hybrid supercapacitor device. Nano Energy, 2015, 11, 765-772.	16.0	149
58	MOFs-derived copper sulfides embedded within porous carbon octahedra for electrochemical capacitor applications. Chemical Communications, 2015, 51, 3109-3112.	4.1	145
59	DNA Sensing by Field-Effect Transistors Based on Networks of Carbon Nanotubes. Journal of the American Chemical Society, 2007, 129, 14427-14432.	13.7	144
60	Gold-Nanoparticle-Functionalized In ₂ O ₃ Nanowires as CO Gas Sensors with a Significant Enhancement in Response. ACS Applied Materials & Interfaces, 2011, 3, 2246-2252.	8.0	144
61	Charging phenomena in pentacene-gold nanoparticle memory device. Applied Physics Letters, 2007, 90, 042906.	3.3	141
62	Green aqueous modification of fluoropolymers for energy storage applications. Journal of Materials Chemistry, 2012, 22, 5951.	6.7	141
63	Recent Progress in Artificial Muscles for Interactive Soft Robotics. Advanced Materials, 2021, 33, e2003088.	21.0	139
64	Ultrafast Laser Pulses Enable One-Step Graphene Patterning on Woods and Leaves for Green Electronics. Advanced Functional Materials, 2019, 29, 1902771.	14.9	138
65	Spin-Orbit Splitting in Single-Layer MoS_2 Revealed by Triply Resonant Raman Scattering. Physical Review Letters, 2013, 111, 126801.	7.8	137
66	Thin SnO ₂ Nanowires with Uniform Diameter as Excellent Field Emitters: A Stability of More Than 2400 Minutes. Advanced Functional Materials, 2012, 22, 1613-1622.	14.9	134
67	Synthesis of In ₂ O ₃ /ZnO core-shell nanowires and their application in gas sensing. Sensors and Actuators B: Chemical, 2011, 160, 1346-1351.	7.8	133
68	V ₂ O ₅ Loaded on SnO ₂ Nanowires for High-Rate Li Ion Batteries. Advanced Materials, 2011, 23, 746-750.	21.0	132
69	A Stretchable and Transparent Nanocomposite Nanogenerator for Self-Powered Physiological Monitoring. ACS Applied Materials & Interfaces, 2017, 9, 42200-42209.	8.0	131
70	NiMn layered double hydroxides as efficient electrocatalysts for the oxygen evolution reaction and their application in rechargeable Zn-air batteries. Nanoscale, 2017, 9, 774-780.	5.6	130
71	Carbon Coated Bimetallic Sulfide Hollow Nanocubes as Advanced Sodium Ion Battery Anode. Advanced Energy Materials, 2017, 7, 1700180.	19.5	130
72	Plasma Modified MoS ₂ Nanoflakes for Surface Enhanced Raman Scattering. Small, 2014, 10, 1090-1095.	10.0	129

#	ARTICLE	IF	CITATIONS
73	Room temperature CO gas sensing using Zn-doped In ₂ O ₃ single nanowire field effect transistors. <i>Sensors and Actuators B: Chemical</i> , 2010, 150, 19-24.	7.8	128
74	Stretchable Silver-Zinc Batteries Based on Embedded Nanowire Elastic Conductors. <i>Advanced Energy Materials</i> , 2014, 4, 1301396.	19.5	127
75	Stretchable Energy Storage and Conversion Devices. <i>Small</i> , 2014, 10, 3443-3460.	10.0	126
76	A fiber asymmetric supercapacitor based on FeOOH/PPy on carbon fibers as an anode electrode with high volumetric energy density for wearable applications. <i>Nanoscale</i> , 2017, 9, 10794-10801.	5.6	126
77	Molecular Level Assembly for High-Performance Flexible Electrochromic Energy-Storage Devices. <i>ACS Energy Letters</i> , 2020, 5, 1159-1166.	17.4	126
78	Synthesis, Characterization, and Non-Volatile Memory Device Application of an N-Substituted Heteroacene. <i>Chemistry - an Asian Journal</i> , 2014, 9, 779-783.	3.3	123
79	Nanostructured electrochromic films by inkjet printing on large area and flexible transparent silver electrodes. <i>Nanoscale</i> , 2014, 6, 4572.	5.6	120
80	Water-Processable, Stretchable, Self-Healable, Thermally Stable, and Transparent Ionic Conductors for Actuators and Sensors. <i>Advanced Materials</i> , 2020, 32, e1906679.	21.0	119
81	Self-powered pressure sensor for ultra-wide range pressure detection. <i>Nano Research</i> , 2017, 10, 3557-3570.	10.4	117
82	Self-restoring, waterproof, tunable microstructural shape memory triboelectric nanogenerator for self-powered water temperature sensor. <i>Nano Energy</i> , 2019, 61, 584-593.	16.0	117
83	Polarization Orientation, Piezoelectricity, and Energy Harvesting Performance of Ferroelectric PVDF-TrFE Nanotubes Synthesized by Nanoconfinement. <i>Advanced Energy Materials</i> , 2014, 4, 1400723.	19.5	111
84	Poly(vinylidene fluoride)-graft-poly(2-hydroxyethyl methacrylate): a novel material for high energy density capacitors. <i>Journal of Materials Chemistry</i> , 2011, 21, 3751.	6.7	110
85	Recent Advances in Electrochromic Smart Fenestration. <i>Advanced Sustainable Systems</i> , 2017, 1, 1700074.	5.3	110
86	Dopant induced hollow BaTiO ₃ nanostructures for application in high performance capacitors. <i>Journal of Materials Chemistry</i> , 2011, 21, 16500.	6.7	109
87	Electrochemical Supercapacitors: From Mechanism Understanding to Multifunctional Applications. <i>Advanced Energy Materials</i> , 2021, 11, 2003311.	19.5	109
88	Nanoarchitected current collector for high rate capability of polyaniline based supercapacitor electrode. <i>Electrochimica Acta</i> , 2012, 65, 190-195.	5.2	108
89	Stretchable, Breathable, and Stable Lead-Free Perovskite/Polymer Nanofiber Composite for Hybrid Triboelectric and Piezoelectric Energy Harvesting. <i>Advanced Materials</i> , 2022, 34, e2200042.	21.0	108
90	Enhanced organic ferroelectric field effect transistor characteristics with strained poly(vinylidene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	2.6	106

#	ARTICLE	IF	CITATIONS
91	The Advances of Metal Sulfides and In Situ Characterization Methods beyond Li Ion Batteries: Sodium, Potassium, and Aluminum Ion Batteries. <i>Small Methods</i> , 2020, 4, 1900648.	8.6	106
92	Manganese oxide micro-supercapacitors with ultra-high areal capacitance. <i>Nanoscale</i> , 2013, 5, 4119.	5.6	103
93	Stress-induced structural changes in electrospun polyvinylidene difluoride nanofibers collected using a modified rotating disk. <i>Polymer</i> , 2008, 49, 4196-4203.	3.8	100
94	Micellar poly(styrene-b-4-vinylpyridine)-nanoparticle hybrid system for non-volatile organic transistor memory. <i>Journal of Materials Chemistry</i> , 2009, 19, 7354.	6.7	99
95	High-efficiency transfer of percolating nanowire films for stretchable and transparent photodetectors. <i>Nanoscale</i> , 2014, 6, 10734-10739.	5.6	99
96	Breathable Nanogenerators for an On-Plant Self-Powered Sustainable Agriculture System. <i>ACS Nano</i> , 2021, 15, 5307-5315.	14.6	99
97	Fast charging self-powered electric double layer capacitor. <i>Journal of Power Sources</i> , 2017, 342, 70-78.	7.8	98
98	Transparent, Flexible Cellulose Nanofibrilâ€“Phosphorene Hybrid Paper as Triboelectric Nanogenerator. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700651.	3.7	97
99	Foldable Electrochromics Enabled by Nanopaper Transfer Method. <i>Advanced Functional Materials</i> , 2015, 25, 4203-4210.	14.9	96
100	A Deformable and Highly Robust Ethyl Cellulose Transparent Conductor with a Scalable Silver Nanowires Bundle Micromesh. <i>Advanced Materials</i> , 2018, 30, e1802803.	21.0	95
101	Locomotion of Miniature Soft Robots. <i>Advanced Materials</i> , 2021, 33, e2003558.	21.0	95
102	Polystyrene grafted polyvinylidene fluoride copolymers with high capacitive performance. <i>Polymer Chemistry</i> , 2011, 2, 2000.	3.9	94
103	Electrochemical energy storage in a $\text{I}^2\text{-Na}_0.33\text{V}_2\text{O}_5$ nanobelt network and its application for supercapacitors. <i>Journal of Materials Chemistry</i> , 2010, 20, 8368.	6.7	91
104	Cryogel Synthesis of Hierarchical Interconnected Macro-/Mesoporous Co_3O_4 with Superb Electrochemical Energy Storage. <i>Journal of Physical Chemistry C</i> , 2012, 116, 4930-4935.	3.1	90
105	Self-healable sticky porous elastomer for gas-solid interacted power generation. <i>Science Advances</i> , 2020, 6, eabb4246.	10.3	88
106	Mechanically interlocked stretchable nanofibers for multifunctional wearable triboelectric nanogenerator. <i>Nano Energy</i> , 2020, 78, 105358.	16.0	88
107	Ferroelastic-switching-driven large shear strain and piezoelectricity in a hybrid ferroelectric. <i>Nature Materials</i> , 2021, 20, 612-617.	27.5	87
108	New salicidation technology with Ni(Pt) alloy for MOSFETs. <i>IEEE Electron Device Letters</i> , 2001, 22, 568-570.	3.9	85

#	ARTICLE	IF	CITATIONS
109	Formation of hexagonal-molybdenum trioxide (h-MoO ₃) nanostructures and their pseudocapacitive behavior. <i>Nanoscale</i> , 2015, 7, 11777-11786.	5.6	85
110	Transparent and stretchable bimodal triboelectric nanogenerators with hierarchical micro-nanostructures for mechanical and water energy harvesting. <i>Nano Energy</i> , 2019, 64, 103904.	16.0	85
111	Direct Observation of Indium Conductive Filaments in Transparent, Flexible, and Transferable Resistive Switching Memory. <i>ACS Nano</i> , 2017, 11, 1712-1718.	14.6	83
112	Significant electrochemical stability of manganese dioxide/polyaniline coaxial nanowires by self-terminated double surfactant polymerization for pseudocapacitor electrode. <i>Journal of Materials Chemistry</i> , 2012, 22, 23921.	6.7	82
113	“Nano to nano” electrodeposition of WO ₃ crystalline nanoparticles for electrochromic coatings. <i>Journal of Materials Chemistry A</i> , 2014, 2, 16224-16229.	10.3	81
114	Direct Observation of Conducting Filaments in Tungsten Oxide Based Transparent Resistive Switching Memory. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 27885-27891.	8.0	80
115	Progress on wearable triboelectric nanogenerators in shapes of fiber, yarn, and textile. <i>Science and Technology of Advanced Materials</i> , 2019, 20, 837-857.	6.1	79
116	Layer-by-Layer Assembly of PEDOT:PSS and WO ₃ Nanoparticles: Enhanced Electrochromic Coloration Efficiency and Mechanism Studies by Scanning Electrochemical Microscopy. <i>Electrochimica Acta</i> , 2015, 174, 57-65.	5.2	78
117	Direct inkjet-patterning of energy efficient flexible electrochromics. <i>Nano Energy</i> , 2018, 49, 147-154.	16.0	78
118	Rugged Soft Robots using Tough, Stretchable, and Self-Healable Adhesive Elastomers. <i>Advanced Functional Materials</i> , 2021, 31, 2103097.	14.9	77
119	One-pot sequential electrochemical deposition of multilayer poly(3,4-ethylenedioxythiophene):poly(4-styrenesulfonic acid)/tungsten trioxide hybrid films and their enhanced electrochromic properties. <i>Journal of Materials Chemistry A</i> , 2014, 2, 2708-2717.	10.3	74
120	Redox Active Polyaniline-h-MoO ₃ Hollow Nanorods for Improved Pseudocapacitive Performance. <i>Journal of Physical Chemistry C</i> , 2015, 119, 9041-9049.	3.1	74
121	Synthesis and Structure Characterization of Ternary Zn ₂ GeO ₄ Nanowires by Chemical Vapor Transport. <i>Journal of Physical Chemistry C</i> , 2009, 113, 14135-14139.	3.1	73
122	Electrophoretic deposition (EPD) of WO ₃ nanorods for electrochromic application. <i>Journal of the European Ceramic Society</i> , 2010, 30, 1139-1144.	5.7	73
123	Electrochemical Mechanism Investigation of Cu ₂ MoS ₄ Hollow Nanospheres for Fast and Stable Sodium Ion Storage. <i>Advanced Functional Materials</i> , 2019, 29, 1807753.	14.9	72
124	One-Dimensional “d Conjugated Coordination Polymer for Electrochromic Energy Storage Device with Exceptionally High Performance. <i>Advanced Science</i> , 2020, 7, 1903109.	11.2	72
125	A High-Performance Lithium-Ion Capacitor Based on 2D Nanosheet Materials. <i>Small</i> , 2017, 13, 1602893.	10.0	70
126	Emerging Soft Conductors for Bioelectronic Interfaces. <i>Advanced Functional Materials</i> , 2020, 30, 1907184.	14.9	70

#	ARTICLE	IF	CITATIONS
127	Micro-Raman Spectroscopy Investigation of Nickel Silicides and Nickel (Platinum) Silicides. <i>Electrochemical and Solid-State Letters</i> , 1999, 3, 153.	2.2	67
128	Highly Transparent Conducting Nanopaper for Solid State Foldable Electrochromic Devices. <i>Small</i> , 2016, 12, 6370-6377.	10.0	66
129	Rewritable Multilevel Memory Performance of a Tetraazatetracene Donor-Acceptor Derivative with Good Endurance. <i>Chemistry - an Asian Journal</i> , 2015, 10, 116-119.	3.3	65
130	Synthesis, growth mechanism and room-temperature blue luminescence emission of uniform WO ₃ nanosheets with W as starting material. <i>Journal of Crystal Growth</i> , 2009, 311, 316-319.	1.5	64
131	Development and applications of transparent conductive nanocellulose paper. <i>Science and Technology of Advanced Materials</i> , 2017, 18, 620-633.	6.1	64
132	Hollow LiMn ₂ O ₄ Nanocones as Superior Cathode Materials for Lithium-Ion Batteries with Enhanced Power and Cycle Performances. <i>Small</i> , 2014, 10, 1096-1100.	10.0	63
133	Spray coated ultrathin films from aqueous tungsten molybdenum oxide nanoparticle ink for high contrast electrochromic applications. <i>Journal of Materials Chemistry C</i> , 2016, 4, 33-38.	5.5	63
134	Coaxial Ag-base metal nanowire networks with high electrochemical stability for transparent and stretchable asymmetric supercapacitors. <i>Nanoscale Horizons</i> , 2017, 2, 199-204.	8.0	63
135	Deformable and Transparent Ionic and Electronic Conductors for Soft Energy Devices. <i>Advanced Energy Materials</i> , 2017, 7, 1701369.	19.5	63
136	Network-Enhanced Photoresponse Time of Ge Nanowire Photodetectors. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 1794-1797.	8.0	62
137	Wide-Spectrum Modulated Electrochromic Smart Windows Based on MnO ₂ /PB Films. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 1443-1451.	8.0	62
138	Dopant distribution in the recrystallization transient at the maximum melt depth induced by laser annealing. <i>Applied Physics Letters</i> , 2006, 89, 172111.	3.3	61
139	Layer-by-Layer Assembled Solid Polymer Electrolyte for Electrochromic Devices. <i>Chemistry of Materials</i> , 2011, 23, 2142-2149.	6.7	61
140	Stretchable Energy Storage Devices: From Materials and Structural Design to Device Assembly. <i>Advanced Energy Materials</i> , 2021, 11, 2003308.	19.5	61
141	Resistive switching effects of HfO ₂ high-k dielectric. <i>Microelectronic Engineering</i> , 2008, 85, 2420-2424.	2.4	60
142	High switching speed and coloration efficiency of titanium-doped vanadium oxide thin film electrochromic devices. <i>Journal of Materials Chemistry C</i> , 2013, 1, 7380.	5.5	60
143	Sustainable wearable energy storage devices self-charged by human-body bioenergy. <i>SusMat</i> , 2021, 1, 285-302.	14.9	60
144	One-step facile electrochemical preparation of WO ₃ /graphene nanocomposites with improved electrochromic properties. <i>Electrochimica Acta</i> , 2014, 117, 139-144.	5.2	59

#	ARTICLE	IF	CITATIONS
145	Novel concepts in functional resistive switching memories. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9637-9645.	5.5	59
146	Binder-free Co(OH) ₂ nanoflake@ITO nanowire heterostructured electrodes for electrochemical energy storage with improved high-rate capabilities. <i>Journal of Materials Chemistry</i> , 2011, 21, 10482.	6.7	58
147	Green synthesis of nanobelt-membrane hybrid structured vanadium oxide with high electrochromic contrast. <i>Journal of Materials Chemistry C</i> , 2014, 2, 4727-4732.	5.5	58
148	Interfacial reactions of Ni on Si _{1-x} Ge _x (x=0.2, 0.3) at low temperature by rapid thermal annealing. <i>Journal of Applied Physics</i> , 2002, 92, 214-217.	2.5	57
149	Fully laser-patterned stretchable microsupercapacitors integrated with soft electronic circuit components. <i>NPG Asia Materials</i> , 2018, 10, 959-969.	7.9	56
150	Enhanced Ferroelectric Switching Characteristics of P(VDF-TrFE) for Organic Memory Devices. <i>Journal of Physical Chemistry B</i> , 2010, 114, 13289-13293.	2.6	55
151	Topotactic Phase Transformation of Hexagonal MoO ₃ to Layered MoO ₃ -II and Its Two-Dimensional (2D) Nanosheets. <i>Chemistry of Materials</i> , 2014, 26, 5533-5539.	6.7	55
152	Holey graphene-wrapped porous TiNb ₂ O ₆ microparticles as high-performance intercalation pseudocapacitive anode materials for lithium-ion capacitors. <i>NPG Asia Materials</i> , 2018, 10, 406-416.	7.9	55
153	Enhanced Electrochromism with Rapid Growth Layer-by-Layer Assembly of Polyelectrolyte Complexes. <i>Advanced Functional Materials</i> , 2015, 25, 401-408.	14.9	54
154	Hydrolytically Stable MOF in 3D-Printed Structures. <i>Advanced Sustainable Systems</i> , 2018, 2, 1700150.	5.3	54
155	Investigation of turn-on voltage shift in organic ferroelectric transistor with high polarity gate dielectric. <i>Organic Electronics</i> , 2007, 8, 415-422.	2.6	53
156	Thermal reaction of nickel and Si _{0.75} Ge _{0.25} alloy. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2002, 20, 1903.	2.1	52
157	Advances in self-healing supramolecular soft materials and nanocomposites. <i>Nano Convergence</i> , 2019, 6, 29.	12.1	52
158	Flexible Superamphiphobic Film for Water Energy Harvesting. <i>Advanced Materials Technologies</i> , 2017, 2, 1600186.	5.8	51
159	Electrical detection of hybridization and threading intercalation of deoxyribonucleic acid using carbon nanotube network field-effect transistors. <i>Applied Physics Letters</i> , 2006, 89, 232104.	3.3	50
160	Printable elastomeric electrodes with sweat-enhanced conductivity for wearables. <i>Science Advances</i> , 2021, 7, .	10.3	50
161	Surface modification of liquid metal as an effective approach for deformable electronics and energy devices. <i>Chemical Science</i> , 2021, 12, 2760-2777.	7.4	49
162	Natural Polymer in Soft Electronics: Opportunities, Challenges, and Future Prospects. <i>Advanced Materials</i> , 2022, 34, e2105020.	21.0	49

#	ARTICLE	IF	CITATIONS
163	Formation of PVDF-g-HEMA/BaTiO ₃ nanocomposites via in situ nanoparticle synthesis for high performance capacitor applications. <i>Journal of Materials Chemistry A</i> , 2013, 1, 14455.	10.3	48
164	Oxidative Intercalation for Monometallic Ni ²⁺ -Ni ³⁺ Layered Double Hydroxide and Enhanced Capacitance in Exfoliated Nanosheets. <i>Small</i> , 2015, 11, 2044-2050.	10.0	48
165	Zinc-Ion Hybrid Supercapacitors: Progress and Future Perspective. <i>Batteries and Supercaps</i> , 2021, 4, 1529-1546.	4.7	48
166	Tunable Intracrystal Cavity in Tungsten Bronze-Like Bimetallic Oxides for Electrochromic Energy Storage. <i>Advanced Energy Materials</i> , 2022, 12, 2103106.	19.5	48
167	Deformable High Loading Liquid Metal Nanoparticles Composites for Thermal Energy Management. <i>Advanced Energy Materials</i> , 2021, 11, 2101387.	19.5	47
168	On the Ni ²⁺ /Si phase transformation with/without native oxide. <i>Microelectronic Engineering</i> , 2000, 51-52, 583-594.	2.4	45
169	Rational design of a high performance all solid state flexible micro-supercapacitor on paper. <i>RSC Advances</i> , 2013, 3, 15827.	3.6	45
170	Insights on the Fundamental Capacitive Behavior: A Case Study of MnO ₂ . <i>Small</i> , 2014, 10, 3568-3578.	10.0	45
171	Solution-assembled nanowires for high performance flexible and transparent solar-blind photodetectors. <i>Journal of Materials Chemistry C</i> , 2015, 3, 596-600.	5.5	45
172	Aniline Tetramer-Graphene Oxide Composites for High Performance Supercapacitors. <i>Advanced Energy Materials</i> , 2014, 4, 1400781.	19.5	44
173	Inkjet-printed metal oxide nanoparticles on elastomer for strain-adaptive transmissive electrochromic energy storage systems. <i>Science and Technology of Advanced Materials</i> , 2018, 19, 759-770.	6.1	44
174	Ti-Doped WO ₃ synthesized by a facile wet bath method for improved electrochromism. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9995-10000.	5.5	43
175	Piezoelectric Energy Harvesting Technology: From Materials, Structures, to Applications. <i>Small Structures</i> , 2022, 3, 2100128.	12.0	43
176	High ionic conductivity P(VDF-TrFE)/PEO blended polymer electrolytes for solid electrochromic devices. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 13319.	2.8	42
177	Encapsulation of MnS Nanocrystals into N, S-Co-doped Carbon as Anode Material for Full Cell Sodium-Ion Capacitors. <i>Nano-Micro Letters</i> , 2020, 12, 34.	27.0	42
178	Nuclear wastewater decontamination by 3D-Printed hierarchical zeolite monoliths. <i>RSC Advances</i> , 2020, 10, 5766-5776.	3.6	42
179	One-Pot Synthesis of Hierarchically Assembled Tungsten Oxide (Hydrates) Nano/Microstructures by a Crystal-Seed-Assisted Hydrothermal Process. <i>Crystal Growth and Design</i> , 2009, 9, 2293-2299.	3.0	41
180	The temperature-controlled growth of In ₂ O ₃ nanowires, nanotowers and ultra-long layered nanorods. <i>Nanotechnology</i> , 2009, 20, 195605.	2.6	41

#	ARTICLE	IF	CITATIONS
181	Titanium doped niobium oxide for stable pseudocapacitive lithium ion storage and its application in 3 V non-aqueous supercapacitors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 21706-21712.	10.3	41
182	Ferroelectric Tunnel Junction Memory Devices made from Monolayers of Vinylidene Fluoride Oligomers. <i>Advanced Materials</i> , 2012, 24, 4163-4169.	21.0	40
183	Investigation of Charge Transfer Kinetics of Polyaniline Supercapacitor Electrodes by Scanning Electrochemical Microscopy. <i>Advanced Materials Interfaces</i> , 2015, 2, 1400154.	3.7	40
184	Enhancing dynamic actuation performance of dielectric elastomer actuators by tuning viscoelastic effects with polar crosslinking. <i>NPG Asia Materials</i> , 2019, 11, .	7.9	40
185	Sulfur-Rich Colloidal Nickel Sulfides as Bifunctional Catalyst for All-Solid-State, Flexible and Rechargeable Zn-Air Batteries. <i>ChemCatChem</i> , 2019, 11, 1205-1213.	3.7	40
186	Multi-responsive supercapacitors: Smart solution to store electrical energy. <i>Materials Today Energy</i> , 2017, 4, 41-57.	4.7	39
187	Enhancing charge-storage capacity of non-volatile memory devices using template-directed assembly of gold nanoparticles. <i>Nanoscale</i> , 2012, 4, 2296.	5.6	38
188	Highly spectrum-selective ultraviolet photodetector based on p-NiO/n-IGZO thin film heterojunction structure. <i>Optics Express</i> , 2015, 23, 27683.	3.4	37
189	A Nonpresodiate Sodium-Ion Capacitor with High Performance. <i>Small</i> , 2018, 14, e1804035.	10.0	36
190	Robust Trioptical-State Electrochromic Energy Storage Device Enabled by Reversible Metal Electrodeposition. <i>ACS Energy Letters</i> , 2021, 6, 4328-4335.	17.4	36
191	Ionic covalent organic framework based electrolyte for fast-response ultra-low voltage electrochemical actuators. <i>Nature Communications</i> , 2022, 13, 390.	12.8	36
192	Monitoring electroactive ions at manganese dioxide pseudocapacitive electrodes with scanning electrochemical microscope for supercapacitor electrodes. <i>Journal of Power Sources</i> , 2012, 207, 205-211.	7.8	35
193	Design of Mixed-Metal Silver Decamolybdate Nanostructures for High Specific Energies at High Power Density. <i>Advanced Materials</i> , 2016, 28, 6966-6975.	21.0	35
194	Solid Polymer Electrolyte with High Ionic Conductivity via Layer-by-Layer Deposition. <i>Chemistry of Materials</i> , 2016, 28, 2934-2940.	6.7	35
195	Progress and Prospects in Stretchable Electroluminescent Devices. <i>Nanophotonics</i> , 2017, 6, 435-451.	6.0	35
196	A copper-based reversible electrochemical mirror device with switchability between transparent, blue, and mirror states. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6547-6554.	5.5	35
197	3D Printing of a Thermo- and Solvatochromic Composite Material Based on a Cu(II)-Thymine Coordination Polymer with Moisture Sensing Capabilities. <i>Advanced Functional Materials</i> , 2019, 29, 1808424.	14.9	35
198	Emerging Thermal Technology Enabled Augmented Reality. <i>Advanced Functional Materials</i> , 2021, 31, 2007952.	14.9	35

#	ARTICLE	IF	CITATIONS
199	Comparative study of current-voltage characteristics of Ni and Ni(Pt)-alloy silicided p+/n diodes. Applied Physics Letters, 2001, 78, 3256-3258.	3.3	34
200	Chemical sensing investigations on Zn-In ₂ O ₃ nanowires. Sensors and Actuators B: Chemical, 2012, 171-172, 244-248.	7.8	34
201	Improved NiSi salicide process using presilicide N ₂ /sup +/ implant for MOSFETs. IEEE Electron Device Letters, 2000, 21, 566-568.	3.9	33
202	Enhanced photoluminescence of ZnO-Er ₂ O ₃ core-shell structure nanorods synthesized by pulsed laser deposition. Applied Physics Letters, 2007, 90, 263106.	3.3	33
203	Sticky tubes and magnetic hydrogels co-assembled by a short peptide and melanin-like nanoparticles. Chemical Communications, 2015, 51, 5432-5435.	4.1	33
204	Electrochemical Approach for Effective Antifouling and Antimicrobial Surfaces. ACS Applied Materials & Interfaces, 2017, 9, 26503-26509.	8.0	33
205	Ti ₃ C ₂ MXene Paper for the Effective Adsorption and Controllable Release of Aroma Molecules. Small, 2019, 15, e1903281.	10.0	32
206	Photothermal actuated origamis based on graphene oxide-cellulose programmable bilayers. Nanoscale Horizons, 2020, 5, 730-738.	8.0	32
207	A Tailorable Spray-Assembly Strategy of Silver Nanowires-Bundle Mesh for Transferable High-Performance Transparent Conductor. Advanced Functional Materials, 2021, 31, .	14.9	32
208	Morphology Control of Indium Germanate Nanowires, Nanoribbons, and Hierarchical Nanostructures. Crystal Growth and Design, 2009, 9, 3697-3701.	3.0	30
209	Towards High-Performance Aqueous Sodium Ion Batteries: Constructing Hollow NaTi ₂ (PO ₄) ₃ @C Nanocube Anode with Zn Metal-Induced Pre-Sodiation and Deep Eutectic Electrolyte. Advanced Energy Materials, 2022, 12, .	19.5	30
210	Covalent Assembly of Gold Nanoparticles for Nonvolatile Memory Applications. ACS Applied Materials & Interfaces, 2011, 3, 4619-4625.	8.0	29
211	Spontaneous Growth and Phase Transformation of Highly Conductive Nickel Germanide Nanowires. ACS Nano, 2011, 5, 5006-5014.	14.6	29
212	Synthesis of pyramidal and prismatic hexagonal MoO ₃ nanorods using thiourea. CrystEngComm, 2013, 15, 7663.	2.6	29
213	<i>Diphyllia grayi</i> -Inspired Stretchable Hydrochromics with Large Optical Modulation in the Visible-Near-Infrared Region. ACS Applied Materials & Interfaces, 2018, 10, 37685-37693.	8.0	29
214	Low-Voltage Soft Actuators for Interactive Human-Machine Interfaces. Advanced Intelligent Systems, 2022, 4, 2100075.	6.1	29
215	Kinking-Induced Structural Evolution of Metal Oxide Nanowires into Single-Crystalline Nanorings. ACS Nano, 2010, 4, 5350-5356.	14.6	28
216	Toward Electrochromic Device Using Solid Electrolyte with Polar Polymer Host. Journal of Physical Chemistry B, 2009, 113, 8006-8010.	2.6	27

#	ARTICLE	IF	CITATIONS
217	Self-powered graphene thermistor. <i>Nano Energy</i> , 2016, 26, 586-594.	16.0	27
218	Interaction of Copper Phthalocyanine with Nitrogen Dioxide and Ammonia Investigation Using X-ray Absorption Spectroscopy and Chemiresistive Gas Measurements. <i>ACS Omega</i> , 2019, 4, 10388-10395.	3.5	27
219	Electropolymerized 1D Growth Coordination Polymer for Hybrid Electrochromic Aqueous Zinc Battery. <i>Advanced Science</i> , 2021, 8, e2101944.	11.2	27
220	Crystallographic Alignment of ZnO Nanorod Arrays on Zn ₂ GeO ₄ Nanocrystals: Promising Lattice-Matched Substrates. <i>Journal of Physical Chemistry C</i> , 2010, 114, 265-268.	3.1	26
221	Facile preparation of aqueous suspensions of WO ₃ /sulfonated PEDOT hybrid nanoparticles for electrochromic applications. <i>Chemical Communications</i> , 2016, 52, 9379-9382.	4.1	26
222	A Quasi-Solid-State Tristate Reversible Electrochemical Mirror Device with Enhanced Stability. <i>Advanced Science</i> , 2020, 7, 1903198.	11.2	26
223	Room-temperature synthesis of MnO ₂ ·3H ₂ O ultrathin nanostructures and their morphological transformation to well-dispersed nanorods. <i>Chemical Communications</i> , 2010, 46, 2468.	4.1	25
224	Sensing properties of different classes of gases based on the nanowire-electrode junction barrier modulation. <i>Nanoscale</i> , 2011, 3, 1760.	5.6	25
225	Resistive Switching Memory Phenomena in PEDOT PSS: Coexistence of Switchable Diode Effect and Write Once Read Many Memory. <i>Scientific Reports</i> , 2016, 6, 19594.	3.3	25
226	Investigation of Charge Transfer Kinetics at Carbon/Hydroquinone Interfaces for Redox-Active-Electrolyte Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 33728-33734.	8.0	25
227	Phase and Layer Stability of Ni- and Ni(Pt)-Silicides on Narrow Poly-Si Lines. <i>Journal of the Electrochemical Society</i> , 2002, 149, G331.	2.9	24
228	Single Crystalline Semi-Nanotubes of Indium Germanate. <i>Crystal Growth and Design</i> , 2008, 8, 3144-3147.	3.0	24
229	Catalytic Growth of Germanium Oxide Nanowires, Nanotubes, and Germanium Nanowires: Temperature-Dependent Effect. <i>Journal of Physical Chemistry C</i> , 2009, 113, 1705-1708.	3.1	24
230	Covalent Assembly of Gold Nanoparticles: An Application toward Transistor Memory. <i>Journal of Physical Chemistry B</i> , 2012, 116, 9784-9790.	2.6	24
231	Stretchable and Wearable Resistive Switching Random Access Memory. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000007.	6.1	24
232	Dendrimer-encapsulated Pt nanoparticles in supercritical medium: Synthesis, characterization, and application to device fabrication. <i>Journal of Colloid and Interface Science</i> , 2009, 332, 505-510.	9.4	23
233	Amorphous Si-Based Resistive Switching Memories with Highly Reduced Electroforming Voltage and Enlarged Memory Window. <i>Advanced Electronic Materials</i> , 2016, 2, 1500370.	5.1	23
234	A high-performance soft actuator based on a poly(vinylidene fluoride) piezoelectric bimorph. <i>Smart Materials and Structures</i> , 2019, 28, 055011.	3.5	23

#	ARTICLE	IF	CITATIONS
235	Demonstration of Schottky Barrier NMOS Transistors With Erbium Silicided Source/Drain and Silicon Nanowire Channel. IEEE Electron Device Letters, 2008, 29, 1167-1170.	3.9	22
236	Bismuth-Catalyzed Growth of Germanium Nanowires in Vapor Phase. Journal of Physical Chemistry C, 2009, 113, 2208-2211.	3.1	22
237	A comparison of carbon supports in MnO ₂ /C supercapacitors. RSC Advances, 2014, 4, 31416.	3.6	22
238	A semitransparent snake-like tactile and olfactory bionic sensor with reversibly stretchable properties. NPG Asia Materials, 2017, 9, e437-e437.	7.9	22
239	Reconfigurable and programmable origami dielectric elastomer actuators with 3D shape morphing and emissive architectures. NPG Asia Materials, 2019, 11, .	7.9	21
240	All 3D Printed Stretchable Piezoelectric Nanogenerator for Self-Powered Sensor Application. Sensors, 2020, 20, 6748.	3.8	21
241	Enhanced stability of Ni monosilicide on MOSFETs poly-Si gate stack. Microelectronic Engineering, 2002, 60, 171-181.	2.4	20
242	Thermal stability of rare-earth based ultrathin Lu ₂ O ₃ for high-k dielectrics. Journal of Vacuum Science & Technology B, 2007, 25, 1203.	1.3	20
243	Electret mechanism, hysteresis, and ambient performance of sol-gel silica gate dielectrics in pentacene field-effect transistors. Applied Physics Letters, 2007, 91, .	3.3	20
244	Charging dynamics of discrete gold nanoparticle arrays self-assembled within a poly(styrene-b-4-vinylpyridine) diblock copolymer template. Applied Physics Letters, 2008, 93, 222908.	3.3	20
245	Solution-processed trilayer inorganic dielectric for high performance flexible organic field effect transistors. Applied Physics Letters, 2008, 93, 183503.	3.3	20
246	Flow assisted synthesis of highly ordered silica nanowire arrays. Applied Physics A: Materials Science and Processing, 2009, 94, 763-766.	2.3	20
247	Postchemistry of Organic Microrods: Thermopolymerization in Aqueous Solution. Chemistry - an Asian Journal, 2011, 6, 801-803.	3.3	20
248	Photoluminescence via gap plasmons between single silver nanowires and a thin gold film. Nanoscale, 2013, 5, 12086.	5.6	20
249	Dependencies of Donor-Acceptor Memory on Molecular Levels. Journal of Physical Chemistry C, 2013, 117, 677-682.	3.1	20
250	Ge nanocrystals in lanthanide-based Lu ₂ O ₃ high-k dielectric for nonvolatile memory applications. Journal of Applied Physics, 2007, 102, .	2.5	19
251	Effect of low fluence laser annealing on ultrathin Lu ₂ O ₃ high-k dielectric. Applied Physics Letters, 2007, 91, 092903.	3.3	19
252	Nickel-Silicided Schottky Junction CMOS Transistors With Gate-All-Around Nanowire Channels. IEEE Electron Device Letters, 2008, 29, 902-905.	3.9	19

#	ARTICLE	IF	CITATIONS
253	Copper nanoparticles embedded in a polyimide film for non-volatile memory applications. <i>Materials Letters</i> , 2012, 68, 287-289.	2.6	19
254	Open-circuit voltage improvement in tantalum-doped TiO ₂ nanocrystals. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 25679-25683.	2.8	19
255	Pyramidal structural defects in erbium silicide thin films. <i>Applied Physics Letters</i> , 2006, 88, 021908.	3.3	18
256	Formation, photoluminescence and charge storage characteristics of Au nanocrystals embedded in amorphous Al ₂ O ₃ matrix. <i>Europhysics Letters</i> , 2007, 80, 67003.	2.0	18
257	Enhancement of photoluminescence of Ge/GeO ₂ core/shell nanoparticles. <i>Europhysics Letters</i> , 2008, 83, 47010.	2.0	18
258	Alternative resistive switching mechanism based on migration of charged counter-ions within conductive polymers. <i>Organic Electronics</i> , 2011, 12, 185-189.	2.6	18
259	Coexistence of Write Once Read Many Memory and Memristor in blend of Poly(3,4-ethylenedioxythiophene): polystyrene sulfonate and Polyvinyl Alcohol. <i>Scientific Reports</i> , 2016, 6, 38816.	3.3	18
260	NiMn layered double hydroxides derived multiphase Mn-doped Ni sulfides with reduced graphene oxide composites as anode materials with superior cycling stability for sodium ion batteries. <i>Materials Today Energy</i> , 2018, 9, 74-82.	4.7	18
261	Recent Progresses in Improving Nanowire Photodetector Performances. <i>Science of Advanced Materials</i> , 2012, 4, 241-253.	0.7	18
262	Molecular-Level Methylcellulose/MXene Hybrids with Greatly Enhanced Electrochemical Actuation. <i>Advanced Materials</i> , 2022, 34, e2200660.	21.0	18
263	Trap-controlled behavior in ultrathin Lu ₂ O ₃ high- κ gate dielectrics. <i>Solid State Communications</i> , 2006, 138, 571-573.	1.9	17
264	Enhanced Functional and Structural Characteristics of Poly(vinylidene-trifluoroethylene) Copolymer Thin Films by Corona Poling. <i>Journal of the Electrochemical Society</i> , 2007, 154, G224.	2.9	17
265	Zn ₂ GeO ₄ Nanowires As Efficient Electron Injection Material for Electroluminescent Devices. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 6793-6796.	8.0	17
266	Graphene: Highly Stretchable Piezoresistive Graphene-Nanocellulose Nanopaper for Strain Sensors (<i>Adv. Mater.</i> 13/2014). <i>Advanced Materials</i> , 2014, 26, 1950-1950.	21.0	17
267	Uncovering the Indium Filament Revolution in Transparent Bipolar ITO/SiO _x /ITO Resistive Switching Memories. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 4579-4585.	8.0	17
268	Synthesis through 3D printing: formation of 3D coordination polymers. <i>RSC Advances</i> , 2020, 10, 14812-14817.	3.6	17
269	Heat-Insulating Black Electrochromic Device Enabled by Reversible Nickel-Copper Electrodeposition. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 20237-20246.	8.0	17
270	Nickel silicide formation on Si(100) and Poly-Si with a presilicide N ₂ + implantation. <i>Journal of Electronic Materials</i> , 2001, 30, 1554-1559.	2.2	16

#	ARTICLE	IF	CITATIONS
271	Formation of ultra-shallow p+/n junctions in silicon-on-insulator (SOI) substrate using laser annealing. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2004, 114-115, 25-28.	3.5	16
272	Anomalous polarization switching in organic ferroelectric field effect transistors. <i>Applied Physics Letters</i> , 2007, 91, 042909.	3.3	16
273	Three dimensional printed nanogenerators. <i>EcoMat</i> , 2021, 3, e12098.	11.9	16
274	Synergistic Effect of PVDF-Coated PCL-TCP Scaffolds and Pulsed Electromagnetic Field on Osteogenesis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6438.	4.1	16
275	Flexible electrochromic fiber with rapid color switching and high optical modulation. <i>Nano Research</i> , 2023, 16, 5473-5479.	10.4	16
276	A simple approach to form Ge nanocrystals embedded in amorphous Lu ₂ O ₃ high- k gate dielectric by pulsed laser ablation. <i>Europhysics Letters</i> , 2006, 74, 177-180.	2.0	15
277	Laser-induced Ni(Ti) silicide formation. <i>Applied Physics Letters</i> , 2006, 88, 113108.	3.3	15
278	Supercritical Carbon Dioxide-Treated Electrospun Poly(vinylidene fluoride) Nanofibrous Membranes: Morphology, Structures and Properties as an Ionic-Liquid Host. <i>Macromolecular Rapid Communications</i> , 2010, 31, 1779-1784.	3.9	15
279	A polydopamine coated polyaniline single wall carbon nanotube composite material as a stable supercapacitor cathode in an organic electrolyte. <i>Journal of Materials Research</i> , 2015, 30, 3575-3583.	2.6	15
280	Organic memory effect from donor-acceptor polymers based on 7-perfluorophenyl-6H-[1,2,5]thiadiazole[3,4-g]benzoimidazole. <i>RSC Advances</i> , 2015, 5, 77122-77129.	3.6	15
281	Polymer Light-Emitting Electrochemical Cell Blends Based on Selection of Lithium Salts, LiX [X = Trifluoromethanesulfonate, Hexafluorophosphate, and Bis(trifluoromethylsulfonyl)imide] with Low Turn-On Voltage. <i>Journal of Physical Chemistry C</i> , 2016, 120, 11324-11330.	3.1	15
282	Rational Design of Amphiphilic Peptides and Its Effect on Antifouling Performance. <i>Biomacromolecules</i> , 2018, 19, 3620-3627.	5.4	15
283	Transparent Flexible Polymer Actuator with Enhanced Output Force Enabled by Conductive Nanowires Interlayer. <i>Advanced Materials Technologies</i> , 2020, 5, 1900762.	5.8	15
284	Inkjet-Printed Iontronics for Transparent, Elastic, and Strain-Insensitive Touch Sensing Matrix. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000088.	6.1	15
285	Rectifying ionic current with ionoelastomers. <i>Science</i> , 2020, 367, 735-736.	12.6	15
286	Thermal effects on LPCVD amorphous silicon. <i>Thin Solid Films</i> , 2006, 504, 145-148.	1.8	14
287	Charge-induced conductance modulation of carbon nanotube field effect transistor memory devices. <i>Carbon</i> , 2009, 47, 3063-3070.	10.3	14
288	Self-assembled polymer layers of linear polyethylenimine for enhancing electrochromic cycling stability. <i>Journal of Materials Chemistry C</i> , 2013, 1, 3651.	5.5	14

#	ARTICLE	IF	CITATIONS
289	Scalable Inkjet Printing of Electrochromic Smart Windows for Building Energy Modulation. <i>Advanced Energy and Sustainability Research</i> , 2022, 3, 2100172.	5.8	14
290	Pseudocapacitive and dual-functional electrochromic Zn batteries. <i>Materials Today Energy</i> , 2022, 27, 101048.	4.7	14
291	Enhanced charge storage capability of Ge/GeO ₂ core/shell nanostructure. <i>Nanotechnology</i> , 2008, 19, 355206.	2.6	13
292	Synthesis, Characterization, and Memory Performance of Two Phenazine/Triphenylamine-Based Organic Small Molecules through Donor-Acceptor Design. <i>Asian Journal of Organic Chemistry</i> , 2015, 4, 646-651.	2.7	13
293	Hierarchically Built Gold Nanoparticle Supercluster Arrays as Charge Storage Centers for Enhancing the Performance of Flash Memory Devices. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 279-286.	8.0	13
294	On the Morphological Changes of Ni- and Ni(Pt)-Silicides. <i>Journal of the Electrochemical Society</i> , 2005, 152, G305.	2.9	12
295	Dopant activation in subamorphized silicon upon laser annealing. <i>Applied Physics Letters</i> , 2006, 89, 082101.	3.3	12
296	Low-voltage organic ferroelectric field effect transistors using Langmuir-Schaefer films of poly(vinylidene fluoride-trifluoroethylene). <i>Organic Electronics</i> , 2009, 10, 145-151.	2.6	12
297	Tuning Photoluminescence of Ge/GeO ₂ Core/Shell Nanoparticles by Strain. <i>Journal of Physical Chemistry C</i> , 2009, 113, 19863-19866.	3.1	12
298	Smart Windows: Smart Windows: Electrochromic, Thermochromic, Mechanochromic, Photochromics, and Beyond (<i>Adv. Energy Technol.</i>)	19.5	12
299	LaAlO ₃ Nanocrystals Embedded in Amorphous Lu ₂ O ₃ High-k Gate Dielectric for Floating Gate Memory Application. <i>Electrochemical and Solid-State Letters</i> , 2006, 9, F53.	2.2	11
300	Leakage conduction mechanism of amorphous Lu ₂ O ₃ high-k dielectric films fabricated by pulsed laser ablation. <i>Europhysics Letters</i> , 2007, 77, 67001.	2.0	11
301	Improved pentacene device characteristics with sol-gel SiO ₂ dielectric films. <i>Organic Electronics</i> , 2007, 8, 455-459.	2.6	11
302	Water-soluble conjugated polymers as active elements for organic nonvolatile memories. <i>RSC Advances</i> , 2015, 5, 30542-30548.	3.6	11
303	Study of Multilevel High-Resistance States in HfO ₂ -Based Resistive Switching Random Access Memory by Impedance Spectroscopy. <i>IEEE Transactions on Electron Devices</i> , 2015, 62, 2684-2688.	3.0	11
304	Ni(Pt) alloy silicidation on (100) Si and poly-silicon lines. <i>Thin Solid Films</i> , 2004, 462-463, 137-145.	1.8	10
305	Nickel silicide formation using multiple-pulsed laser annealing. <i>Journal of Applied Physics</i> , 2007, 101, 034307.	2.5	10
306	Optically readout write once read many memory with single active organic layer. <i>Applied Physics Letters</i> , 2016, 108, .	3.3	10

#	ARTICLE	IF	CITATIONS
307	Interplay of Nanoscale, Hybrid P3HT/ZTO Interface on Optoelectronics and Photovoltaic Cells. ACS Applied Materials & Interfaces, 2017, 9, 33212-33219.	8.0	10
308	Localized Charge Transfer in Two-Dimensional Molybdenum Trioxide. ACS Applied Materials & Interfaces, 2017, 9, 27045-27053.	8.0	10
309	Three-dimensional printing of tactile sensors for soft robotics. MRS Bulletin, 2021, 46, 330-336.	3.5	10
310	Effect of Ion Implantation on Layer Inversion of Ni Silicided Poly-Si. Journal of the Electrochemical Society, 2002, 149, G505.	2.9	9
311	Layer Inversion of Ni(Pt)Si on Mixed Phase Si Films. Electrochemical and Solid-State Letters, 2002, 5, C15.	2.2	9
312	Silicide Formation from Laser Thermal Processing of Ti/Co Bilayers. Electrochemical and Solid-State Letters, 2004, 7, G213.	2.2	9
313	Improved electrical performance of erbium silicide Schottky diodes formed by Pre-RTA amorphization of Si. IEEE Electron Device Letters, 2006, 27, 93-95.	3.9	9
314	Effect of Ti alloying in nickel silicide formation. Thin Solid Films, 2006, 504, 153-156.	1.8	9
315	Effects of Si(001) surface amorphization on ErSi ₂ thin film. Thin Solid Films, 2006, 504, 157-160.	1.8	9
316	Lu ₂ O ₃ •Al ₂ O ₃ gate dielectrics for germanium metal-oxide-semiconductor devices. Applied Physics Letters, 2008, 93, 062901.	3.3	9
317	Tailoring insoluble nanobelts into soluble anti-UV nanoporous. Nanoscale, 2011, 3, 4742.	5.6	9
318	Towards Control of the Size, Composition and Surface Area of NiO Nanostructures by Sn Doping. Nanomaterials, 2021, 11, 444.	4.1	9
319	In situ XRD analysis of Ni(Pt)/Si(100) reactions in low temperature regime ~400°C. Solid State Communications, 2003, 128, 325-328.	1.9	8
320	Formation of SrTiO ₃ nanocrystals in amorphous Lu ₂ O ₃ high-k gate dielectric for floating gate memory application. Applied Physics Letters, 2006, 89, 043104.	3.3	8
321	Rare-earth based ultra-thin Lu ₂ O ₃ for high-k dielectrics. Journal of Physics: Conference Series, 2007, 61, 229-233.	0.4	8
322	Hybrid Materials and Polymer Electrolytes for Electrochromic Device Applications (Adv. Mater.)	21.0	8
323	Nickel Cobalt Oxide Nanowire-Reduced Graphite Oxide Composite Material and Its Application for High Performance Supercapacitor Electrode Material. Journal of Nanoscience and Nanotechnology, 2014, 14, 7104-7110.	0.9	8
324	Nanomaterials for Energy and Water Management. Small, 2014, 10, 3432-3433.	10.0	8

#	ARTICLE	IF	CITATIONS
325	Piezoelectric Energy Harvesting with an Ultrasonic Vibration Source. <i>Actuators</i> , 2019, 8, 8.	2.3	8
326	Laser-induced Ni(Pt) germanosilicide formation through a self-limiting melting phenomenon on Si _{1-x} Ge _x /Si heterostructure. <i>Applied Physics Letters</i> , 2007, 90, 073108.	3.3	7
327	Physical and electrical properties of bilayer CeO ₂ /TiO ₂ gate dielectric stack. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2016, 210, 57-63.	3.5	7
328	Multifunctional Supercapacitors: Rational Design of Nanostructured Electrode Materials toward Multifunctional Supercapacitors (<i>Adv. Funct. Mater.</i> 2/2020). <i>Advanced Functional Materials</i> , 2020, 30, 2070008.	14.9	7
329	Performance optimization strategies of halide perovskite-based mechanical energy harvesters. <i>Nanoscale Horizons</i> , 2022, 7, 1029-1046.	8.0	7
330	Plasmon-enhanced polarized Raman spectroscopy for sensitive surface characterization. <i>Journal of Raman Spectroscopy</i> , 2008, 39, 1338-1342.	2.5	6
331	Textured Ni(Pt) Germanosilicide Formation on a Condensed Si _{1-x} Ge _x /Si Substrate. <i>Journal of the Electrochemical Society</i> , 2009, 156, H500.	2.9	6
332	Tri-rutile layered niobium-molybdates for all solid-state symmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2020, 8, 20141-20150.	10.3	6
333	Reconfigurable Origami Transparent Cellulose Triboelectric Paper for Multimodal Energy Harvesting. <i>ChemNanoMat</i> , 2022, 8, .	2.8	6
334	Micro-RBS study of nickel silicide formation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2001, 181, 399-403.	1.4	5
335	Analysis of laterally non-uniform layers and sub-micron devices by Rutherford backscattering spectrometry. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2004, 215, 495-500.	1.4	5
336	Multiple-pulse laser thermal annealing for the formation of Co-silicided junction. <i>IEEE Electron Device Letters</i> , 2006, 27, 237-239.	3.9	5
337	Erbium silicidation on SiGe for advanced MOS application. <i>Thin Solid Films</i> , 2006, 504, 91-94.	1.8	5
338	Formation of SiO ₂ nanocrystals in Lu ₂ O ₃ high-k dielectric by pulsed laser ablation and application in memory device. <i>Nanotechnology</i> , 2006, 17, 3175-3177.	2.6	5
339	Interface strain study of thin Lu ₂ O ₃ /Si using HRBS. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2008, 266, 1486-1489.	1.4	5
340	Lithium storage improvement from hierarchical double-shelled SnO ₂ hollow spheres. <i>RSC Advances</i> , 2014, 4, 10450-10453.	3.6	5
341	Electrochemical Cycling Induced Surface Segregation of AuPt Nanoparticles in HClO ₄ and H ₂ SO ₄ . <i>Journal of the Electrochemical Society</i> , 2016, 163, F752-F760.	2.9	5
342	Resistive Switching in p-Type Nickel Oxide/n-Type Indium Gallium Zinc Oxide Thin Film Heterojunction Structure. <i>ECS Journal of Solid State Science and Technology</i> , 2016, 5, Q239-Q243.	1.8	5

#	ARTICLE	IF	CITATIONS
343	Vanadium Oxide Nanosheets for Flexible Dendrite-Free Hybrid Aluminium-Lithium Ion Batteries with Excellent Cycling Performance. Batteries and Supercaps, 2019, 2, 205-212.	4.7	5
344	Effects of Ti/Co and Co/Ti systems on the germanosilicidation of poly-Si capped poly-Si _{1-x} Ge _x substrate. Thin Solid Films, 2004, 462-463, 209-212.	1.8	4
345	Characterization of the junction leakage of Ti-capped Ni-silicided junctions. Thin Solid Films, 2004, 462-463, 202-208.	1.8	4
346	Role of low temperature rapid thermal annealing in post-laser-annealed p-channel metal-oxide-semiconductor field effect transistor. Applied Physics Letters, 2006, 89, 122113.	3.3	4
347	FABRICATION OF SILICON NANOCRYSTALS AND ITS ROOM TEMPERATURE LUMINESCENCE EFFECTS. International Journal of Nanoscience, 2006, 05, 565-570.	0.7	4
348	Al ₂ O ₃ nanocrystals embedded in amorphous Lu ₂ O ₃ high-k gate dielectric for floating gate memory application. Journal of Physics: Conference Series, 2007, 61, 1312-1316.	0.4	4
349	Erbium silicided Schottky Source/Drain Silicon Nanowire N-Metal-Oxide-Semiconductor Field-Effect Transistors. Japanese Journal of Applied Physics, 2008, 47, 3277-3281.	1.5	4
350	Oxygen-Ions-Mediated Pseudocapacitive Charge Storage in Molybdenum Trioxide Nanobelts. ChemNanoMat, 2015, 1, 403-408.	2.8	4
351	Strain Sensors: Extremely Stretchable Strain Sensors Based on Conductive Self-Healing Dynamic Cross-Links Hydrogels for Human Motion Detection (Adv. Sci. 2/2017). Advanced Science, 2017, 4, .	11.2	4
352	Multi-layered metal nanocrystals in a sol-gel spin-on-glass matrix for flash memory applications. Materials Chemistry and Physics, 2017, 186, 36-43.	4.0	4
353	Zinc Ion Hybrid Supercapacitors: Progress and Future Perspective. Batteries and Supercaps, 2021, 4, 1527-1528.	4.7	4
354	The impact of etch-stop layer for borderless contacts on deep submicron CMOS device performance—a comparative study. Thin Solid Films, 2004, 462-463, 29-33.	1.8	3
355	Time resolved emission spectroscopy investigations of pulsed laser ablated plasmas of ZrO ₂ and Al ₂ O ₃ . Journal of Physics: Conference Series, 2006, 28, 100-104.	0.4	3
356	Pulsed laser-induced silicidation on TiN-capped Co-Si bilayers. Journal of Applied Physics, 2006, 99, 044902.	2.5	3
357	Design for Manufacturability and its Role in Enhancing Stress Migration Reliability of Porous Ultra Low-k Copper Interconnects. , 2007, , .		3
358	Lanthanide-based graded barrier structure for enhanced nanocrystal memory properties. Applied Physics Letters, 2009, 95, 113113.	3.3	3
359	Electroluminescent Devices: Highly Stretchable and Self-Deformable Alternating Current Electroluminescent Devices (Adv. Mater. 18/2015). Advanced Materials, 2015, 27, 2947-2947.	21.0	3
360	Bridging Unilamellar Nanosheets for High Performance Additive-Free Supercapacitor Electrodes. Advanced Materials Interfaces, 2016, 3, 1600108.	3.7	3

#	ARTICLE	IF	CITATIONS
361	Ionic Conductors: Water-Processable, Stretchable, Self-Healable, Thermally Stable, and Transparent Ionic Conductors for Actuators and Sensors (Adv. Mater. 7/2020). Advanced Materials, 2020, 32, 2070048.	21.0	3
362	Berkovich nanoindentation study of 16Ånm Cu/Nb ARB nanolaminate: Effect of anisotropy on the surface pileup. MRS Advances, 2021, 6, 495-499.	0.9	3
363	Continuous Tuning of the Fermi Level in Disorder-Engineered Amorphous Films of Li-Doped ZnO for Thermoelectric Applications. ACS Applied Materials & Interfaces, 2021, 13, 55029-55039.	8.0	3
364	Crystallographic Anisotropy Dependence of Interfacial Sliding Phenomenon in a Cu(16)/Nb(16) ARB (Accumulated Rolling Bonding) Nanolaminate. Nanomaterials, 2022, 12, 308.	4.1	3
365	Capacitance-voltage measurement in memory devices using ferroelectric polymer. , 2005, 6037, 201.		2
366	Biomimetic processing of bioactive interface on silicon substrates. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2008, 85B, 368-377.	3.4	2
367	Laser-Induced Melt-Mediated Ni(Pt) Germanosilicide Formation on Condensed Si _{1-x} Ge _x /Si Substrates. Electrochemical and Solid-State Letters, 2008, 11, H262.	2.2	2
368	Materials and Electrical Characterization of Er(Si _{1-x} Ge _x) _{2y} Films Formed on Si _{1-x} Ge _x (001) (x=0-0.3) via Rapid Thermal Annealing. Journal of the Electrochemical Society, 2008, 155, H26.	2.9	2
369	Synthesis of one-dimensional (1D) Ge-based ternary oxide nanostructures. , 2010, , .		2
370	Supercapacitors: Highly Stable Transparent Conductive Silver Grid/PEDOT:PSS Electrodes for Integrated Bifunctional Flexible Electrochromic Supercapacitors (Adv. Energy Mater. 4/2016). Advanced Energy Materials, 2016, 6, n/a-n/a.	19.5	2
371	Capacitors: A High-Performance Lithium-Ion Capacitor Based on 2D Nanosheet Materials (Small 6/2017). Small, 2017, 13, .	10.0	2
372	Reversible Electrochemical Mirror Devices: A Quasi-Solid-State Tristate Reversible Electrochemical Mirror Device with Enhanced Stability (Adv. Sci. 13/2020). Advanced Science, 2020, 7, 2070073.	11.2	2
373	Artificial Muscles: Recent Progress in Artificial Muscles for Interactive Soft Robotics (Adv. Mater.) TJ ETQq1 1 0.784314 rgBT /Overlock	21.0	2
374	Magnetically Directed Co-nanoinitiators for Cross-Linking Adhesives and Enhancing Mechanical Properties. ACS Applied Materials & Interfaces, 2021, 13, 57851-57863.	8.0	2
375	Top electrode modulated W/Ag/MgO/Au resistive random access memory for improved electronic synapse performance. Journal of Applied Physics, 2022, 132, 014502.	2.5	2
376	Evolution of surface roughness during metal silicides phase transformation. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2004, 22, 122-128.	2.1	1
377	Ferroelectric copolymer P(VDF-TrFE) as gate dielectric in organic field effect transistors for memory application devices. , 0, , .		1
378	Formation of Silicided Hyper-Shallow p+/n- Junctions by Pulsed Laser Annealing. ECS Transactions, 2007, 11, 379-394.	0.5	1

#	ARTICLE	IF	CITATIONS
379	Formation of Ge Nanocrystals in Lu ₂ O ₃ High-k Dielectric and its Application in Non-Volatile Memory Device. Materials Research Society Symposia Proceedings, 2007, 997, 1.	0.1	1
380	Gas flow induced by ultrasonic cavitation bubble clouds and surface capillary wave. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2014, 61, 1042-1046.	3.0	1
381	Stretchable Electronics: Stretchable Energy Storage and Conversion Devices (Small 17/2014). Small, 2014, 10, 3442-3442.	10.0	1
382	Composites: Oxidative Intercalation for Monometallic Ni ²⁺ -Ni ³⁺ Layered Double Hydroxide and Enhanced Capacitance in Exfoliated Nanosheets (Small 17/2015). Small, 2015, 11, 1986-1986.	10.0	1
383	Foldable Electronics: Foldable Electrochromics Enabled by Nanopaper Transfer Method (Adv. Funct.) Tj ETQq1 1 0.784314 rgBT /Overlock 14.9 1		
384	Electroluminescent Devices: Extremely Stretchable Electroluminescent Devices with Ionic Conductors (Adv. Mater. 22/2016). Advanced Materials, 2016, 28, 4489-4489.	21.0	1
385	Special proceedings of the Symposium A: "Advances in energy storage systems: lithium batteries, supercapacitors and beyond", during ICMAT 2015, June 28-July 3, Singapore. Journal of Solid State Electrochemistry, 2016, 20, 1819-1820.	2.5	1
386	Thickness-dependent sensitivity of Copper Phthalocyanine chemiresistive Nitrogen Dioxide sensors. , 2016, , .		1
387	Nanogenerators: Transparent, Flexible Cellulose Nanofibril-Phosphorene Hybrid Paper as Triboelectric Nanogenerator (Adv. Mater. Interfaces 22/2017). Advanced Materials Interfaces, 2017, 4, .	3.7	1
388	Metal Organic Framework: Hydrolytically Stable MOF in 3D-Printed Structures (Adv. Sustainable Syst.) Tj ETQq0 0.0 rgBT /Overlock 5.3 1		
389	Ingenuity of Materials and Designs in Soft Robotics. Advanced Materials, 2021, 33, e2007638.	21.0	1
390	Pulsed laser annealing technology for nanoscale fabrication of silicon-based devices in semiconductors. , 2010, , 327-364.		0
391	Conductivity Changes Of Conducting Polymers With Electro-statically Bonded Counter-ions For Organic Memories. , 2011, , .		0
392	Augmented one dimensional nanostructured sensor elements. , 2012, , .		0
393	Materials Research at Nanyang Technological University, Singapore. Advanced Materials, 2012, 24, 4038-4040.	21.0	0
394	Flexible Printed Supercapacitors Based on Nanostructured Materials. Materials Research Society Symposia Proceedings, 2013, 1540, 3901.	0.1	0
395	Supercapacitors: Achieving High Rate Performance in Layered Hydroxide Supercapacitor Electrodes (Adv. Energy Mater. 6/2014). Advanced Energy Materials, 2014, 4, n/a-n/a.	19.5	0
396	Nanowire Photodetectors: An Intrinsically Stretchable Nanowire Photodetector with a Fully Embedded Structure (Adv. Mater. 6/2014). Advanced Materials, 2014, 26, 979-979.	21.0	0

#	ARTICLE	IF	CITATIONS
397	Supercapacitor Electrodes: Investigation of Charge Transfer Kinetics of Polyaniline Supercapacitor Electrodes by Scanning Electrochemical Microscopy (Adv. Mater. Interfaces 1/2015). Advanced Materials Interfaces, 2015, 2, n/a-n/a.	3.7	0
398	Electrochromic Films: Enhanced Electrochromism with Rapid Growth Layer-by-Layer Assembly of Polyelectrolyte Complexes (Adv. Funct. Mater. 3/2015). Advanced Functional Materials, 2015, 25, 400-400.	14.9	0
399	Foldable Electronic Devices: Highly Transparent Conducting Nanopaper for Solid State Foldable Electrochromic Devices (Small 46/2016). Small, 2016, 12, 6418-6418.	10.0	0
400	Water Energy Harvesting: Flexible Superamphiphobic Film for Water Energy Harvesting (Adv. Mater.) Tj ETQq0 0 0 ggBT /Overlock 10 Tf 9.8		0
401	Electronic Materials Research in Singapore. , 2016, , 197-223.		0
402	Energy-Efficient Flexible Electrochromic Display: A Promising Trend In The Development Of Smart Displays. , 2018, , .		0
403	Energy, Sustainability, and Climate Change. Advanced Energy and Sustainability Research, 2022, 3, .	5.8	0