

Thomas R Spitzer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7843600/publications.pdf>

Version: 2024-02-01

120
papers

3,610
citations

279798

23
h-index

138484

58
g-index

121
all docs

121
docs citations

121
times ranked

4458
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | HLA-Mismatched Renal Transplantation without Maintenance Immunosuppression. <i>New England Journal of Medicine</i> , 2008, 358, 353-361. | 27.0 | 965 |
| 2 | Increasing Incidence of Chronic Graft-versus-Host Disease in Allogeneic Transplantation: A Report from the Center for International Blood and Marrow Transplant Research. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 266-274. | 2.0 | 331 |
| 3 | Effect of Inpatient Palliative Care on Quality of Life 2 Weeks After Hematopoietic Stem Cell Transplantation. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 2094. | 7.4 | 301 |
| 4 | Phase I Trial of Maintenance Sorafenib after Allogeneic Hematopoietic Stem Cell Transplantation for Fms-like Tyrosine Kinase 3 Internal Tandem Duplication Acute Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 2042-2048. | 2.0 | 219 |
| 5 | Third-party fecal microbiota transplantation following allo-HCT reconstitutes microbiome diversity. <i>Blood Advances</i> , 2018, 2, 745-753. | 5.2 | 167 |
| 6 | Haematopoietic cell transplantation with and without sorafenib maintenance for patients with FLT3 acute myeloid leukaemia in first complete remission. <i>British Journal of Haematology</i> , 2016, 175, 496-504. | 2.5 | 162 |
| 7 | Effect of Inpatient Palliative Care During Hematopoietic Stem-Cell Transplant on Psychological Distress 6 Months After Transplant: Results of a Randomized Clinical Trial. <i>Journal of Clinical Oncology</i> , 2017, 35, 3714-3721. | 1.6 | 153 |
| 8 | Long-Term Follow-Up of Recipients of Combined Human Leukocyte Antigen-Matched Bone Marrow and Kidney Transplantation for Multiple Myeloma With End-Stage Renal Disease. <i>Transplantation</i> , 2011, 91, 672-676. | 1.0 | 143 |
| 9 | Impact of prophylactic donor leukocyte infusions on mixed chimerism, graft-versus-host disease, and antitumor response in patients with advanced hematologic malignancies treated with nonmyeloablative conditioning and allogeneic bone marrow transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2003, 9, 320-329. | 2.0 | 140 |
| 10 | Quality of life and mood predict posttraumatic stress disorder after hematopoietic stem cell transplantation. <i>Cancer</i> , 2016, 122, 806-812. | 4.1 | 92 |
| 11 | Dose-Reduced Busulfan, Cyclophosphamide, and Autologous Stem Cell Transplantation for Human Immunodeficiency Virus-Associated Lymphoma: AIDS Malignancy Consortium Study 020. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 59-66. | 2.0 | 85 |
| 12 | Improved Survival After Transplantation of More Donor Plasmacytoid Dendritic or Naïve T Cells From Unrelated-Donor Marrow Grafts: Results From BMTCTN 0201. <i>Journal of Clinical Oncology</i> , 2014, 32, 2365-2372. | 1.6 | 77 |
| 13 | Haploidentical Stem Cell Transplantation: The Always Present but Overlooked Donor. <i>Hematology American Society of Hematology Education Program</i> , 2005, 2005, 390-395. | 2.5 | 47 |
| 14 | Preclinical and clinical studies for transplant tolerance via the mixed chimerism approach. <i>Human Immunology</i> , 2018, 79, 258-265. | 2.4 | 40 |
| 15 | Peripheral Blood or Bone Marrow Stem Cells? Practical Considerations in Hematopoietic Stem Cell Transplantation. <i>Transfusion Medicine Reviews</i> , 2019, 33, 43-50. | 2.0 | 39 |
| 16 | Allogeneic bone marrow transplantation in a patient with hypereosinophilic syndrome. <i>American Journal of Hematology</i> , 1996, 51, 164-165. | 4.1 | 35 |
| 17 | Phase 1 multicenter trial of brentuximab vedotin for steroid-refractory acute graft-versus-host disease. <i>Blood</i> , 2017, 129, 3256-3261. | 1.4 | 34 |
| 18 | Combined Bone Marrow and Kidney Transplantation for the Induction of Specific Tolerance. <i>Advances in Hematology</i> , 2016, 2016, 1-8. | 1.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Improved Treatment-Related Mortality and Overall Survival of Patients with Grade IV Acute GVHD in the Modern Years. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 910-918. | 2.0 | 32 |
| 20 | Multimodal psychosocial intervention for family caregivers of patients undergoing hematopoietic stem cell transplantation: A randomized clinical trial. <i>Cancer</i> , 2020, 126, 1758-1765. | 4.1 | 32 |
| 21 | Pilot study of a multimodal intervention to enhance sexual function in survivors of hematopoietic stem cell transplantation. <i>Cancer</i> , 2018, 124, 2438-2446. | 4.1 | 28 |
| 22 | Coping and Modifiable Psychosocial Factors are Associated with Mood and Quality of Life in Patients with Chronic Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2234-2242. | 2.0 | 28 |
| 23 | Survival after autologous hematopoietic stem cell transplantation for patients with inflammatory breast carcinoma. <i>Cancer</i> , 1999, 85, 93-99. | 4.1 | 25 |
| 24 | Engraftment syndrome after allogeneic hematopoietic cell transplantation in adults. <i>American Journal of Hematology</i> , 2014, 89, 698-705. | 4.1 | 23 |
| 25 | Autologous Stem Cell Transplantation in Elderly Lymphoma Patients in Their 70s: Outcomes and Analysis. <i>Oncologist</i> , 2018, 23, 624-630. | 3.7 | 21 |
| 26 | Twenty-year Follow-up of Histocompatibility Leukocyte Antigen-matched Kidney and Bone Marrow Cotransplantation for Multiple Myeloma With End-stage Renal Disease: Lessons Learned. <i>Transplantation</i> , 2019, 103, 2366-2372. | 1.0 | 19 |
| 27 | Phase II Trial of Tandem High-Dose Chemotherapy with Autologous Stem Cell Transplantation Followed by Reduced-Intensity Allogeneic Stem Cell Transplantation for Patients with High-Risk Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1583-1588. | 2.0 | 18 |
| 28 | Haploidentical hematopoietic cell and kidney transplantation for hematological malignancies and end-stage renal failure. <i>Blood</i> , 2019, 134, 211-215. | 1.4 | 18 |
| 29 | The expanding frontier of hematopoietic cell transplantation. <i>Cytometry Part B - Clinical Cytometry</i> , 2012, 82B, 271-279. | 1.5 | 17 |
| 30 | Phase I Study of Urate Oxidase in the Reduction of Acute Graft-Versus-Host Disease after Myeloablative Allogeneic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 730-734. | 2.0 | 16 |
| 31 | Phase II Trial of Reduced-Intensity Busulfan/Clofarabine Conditioning with Allogeneic Hematopoietic Stem Cell Transplantation for Patients with Acute Myeloid Leukemia, Myelodysplastic Syndromes, and Acute Lymphoid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 80-85. | 2.0 | 14 |
| 32 | Lack of impact of umbilical cord blood unit processing techniques on clinical outcomes in adult double cord blood transplant recipients. <i>Cytotherapy</i> , 2017, 19, 272-284. | 0.7 | 13 |
| 33 | Related peripheral blood stem cell donors experience more severe symptoms and less complete recovery at one year compared to unrelated donors. <i>Haematologica</i> , 2019, 104, 844-854. | 3.5 | 13 |
| 34 | GRFS and CRFS in alternative donor hematopoietic cell transplantation for pediatric patients with acute leukemia. <i>Blood Advances</i> , 2019, 3, 1441-1449. | 5.2 | 12 |
| 35 | Hematopoietic Stem-Cell Transplantation in the Resource-Limited Setting: Establishing the First Bone Marrow Transplantation Unit in Bangladesh. <i>Journal of Global Oncology</i> , 2018, 4, 1-10. | 0.5 | 11 |
| 36 | Effect of Aging and Predonation Comorbidities on the Related Peripheral Blood Stem Cell Donor Experience: Report from the Related Donor Safety Study. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 699-711. | 2.0 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Weighty choices: selecting optimal G-CSF doses for stem cell mobilization to optimize yield. <i>Blood Advances</i> , 2020, 4, 706-716. | 5.2 | 11 |
| 38 | FT1050 (16,16-dimethyl Prostaglandin E2)-Enhanced Umbilical Cord Blood Accelerates Hematopoietic Engraftment After Reduced Intensity Conditioning and Double Umbilical Cord Blood Transplantation. <i>Blood</i> , 2011, 118, 653-653. | 1.4 | 11 |
| 39 | Difficulties in hematopoietic progenitor cell collection from a patient with TEMPI syndrome and severe iatrogenic iron deficiency. <i>Transfusion</i> , 2015, 55, 2142-2148. | 1.6 | 10 |
| 40 | Matching at Human Leukocyte Antigen-C Improved the Outcomes after Double Umbilical Cord Blood Transplantation for Recipients of Two to Four of Six Human Leukocyte Antigen-Matched Grafts. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 126-133. | 2.0 | 10 |
| 41 | Infusion of Alloenergized Donor Lymphocytes after CD34-selected Haploidentical Myeloablative Hematopoietic Stem Cell Transplantation. <i>Clinical Cancer Research</i> , 2018, 24, 4098-4109. | 7.0 | 9 |
| 42 | Conversion to Full Donor Chimerism without Gvhd Using High-Dose DLI in Minimally Conditioned Miniature Swine Recipients of Haploidentical HCT.. <i>Blood</i> , 2008, 112, 2336-2336. | 1.4 | 9 |
| 43 | Phase I Trial of Brentuximab Vedotin for Steroid-Refractory Chronic Graft-versus-Host Disease after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1836-1840. | 2.0 | 8 |
| 44 | Posttransplant cyclophosphamide in allogeneic bone marrow transplantation for the treatment of nonmalignant hematological diseases. <i>Bone Marrow Transplantation</i> , 2020, 55, 758-762. | 2.4 | 7 |
| 45 | Impact of autologous blood transfusion after bone marrow harvest on unrelated donor's health and outcome: a CIBMTR analysis. <i>Bone Marrow Transplantation</i> , 2020, 55, 2121-2131. | 2.4 | 7 |
| 46 | Excellent Disease-Free Survival after Double Cord Blood Transplantation Using a Reduced Intensity Chemotherapy Only Conditioning Regimen in a Diverse Adult Population.. <i>Blood</i> , 2005, 106, 2048-2048. | 1.4 | 7 |
| 47 | Allele Matching At HLA-C or DRB1 Is Associated with Improved Survival After Reduced Intensity Double Umbilical Cord Blood Transplantation. <i>Blood</i> , 2012, 120, 2010-2010. | 1.4 | 7 |
| 48 | Phase I Trial of Maintenance Sorafenib after Allogeneic Hematopoietic Stem Cell Transplantation for Patients with FLT3-ITD AML. <i>Blood</i> , 2014, 124, 671-671. | 1.4 | 7 |
| 49 | Miniature Swine as a Clinically Relevant Model of Graft-Versus-Host Disease. <i>Comparative Medicine</i> , 2015, 65, 429-43. | 1.0 | 7 |
| 50 | Donor Lymphocyte Infusion-Mediated Graft-versus-Host Responses in a Preclinical Swine Model of Haploidentical Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1953-1960. | 2.0 | 5 |
| 51 | Ciprofloxacin prophylaxis is associated with a lower incidence of gram-negative bacteremia in patients undergoing allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2020, 55, 2319-2321. | 2.4 | 5 |
| 52 | Larger Numbers of Donor Naïve CD8+ T-Cells and Plasmacytoid Dendritic Cell Precursors In Allogeneic BM Grafts From Unrelated Donors Are Associated with Improved Survival: Results From BMT CTN 0201. <i>Blood</i> , 2011, 118, 1004-1004. | 1.4 | 5 |
| 53 | Phase 1 Study of CD37-Directed CAR T Cells in Patients with Relapsed or Refractory CD37+ Hematologic Malignancies. <i>Blood</i> , 2021, 138, 653-653. | 1.4 | 5 |
| 54 | Collection of Peripheral Blood Progenitor Cells in 1 Day Is Associated with Decreased Donor Toxicity Compared to 2 Days in Unrelated Donors. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1210-1217. | 2.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Declining bone marrow harvest quality over 24 years: a single institution experience. Bone Marrow Transplantation, 2021, 56, 983-985. | 2.4 | 4 |
| 56 | Prognostic understanding, quality of life (QOL), and mood in patients undergoing hematopoietic stem cell transplantation (HCT).. Journal of Clinical Oncology, 2014, 32, 219-219. | 1.6 | 4 |
| 57 | A phase II study of reduced intensity double umbilical cord blood transplantation using fludarabine, melphalan, and low dose total body irradiation. Bone Marrow Transplantation, 2020, 55, 804-810. | 2.4 | 3 |
| 58 | A phase 2 trial of the somatostatin analog pasireotide to prevent GI toxicity and acute GVHD in allogeneic hematopoietic stem cell transplant. PLoS ONE, 2021, 16, e0252995. | 2.5 | 3 |
| 59 | Pre-Infusion Characteristics of the Predominant Cord Blood Unit Correlate with Hematopoietic Engraftment in the Setting of Non-Myeloablative Double Cord Blood Transplant (DCBT).. Blood, 2005, 106, 3027-3027. | 1.4 | 3 |
| 60 | Defibrotide (DF) In the Treatment of Severe Hepatic Veno-Occlusive Disease (VOD) with Multi-Organ Failure (MOF): Results of a Treatment IND Expanded Access Protocol. Blood, 2010, 116, 906-906. | 1.4 | 3 |
| 61 | Impact Of Umbilical Cord Unit Banking Conditions On Clinical Outcomes In Double Cord Transplant Recipients. Blood, 2013, 122, 695-695. | 1.4 | 3 |
| 62 | Prognostic Understanding, Quality of Life, and Mood in Patients Undergoing Hematopoietic Stem Cell Transplantation. Blood, 2014, 124, 1296-1296. | 1.4 | 3 |
| 63 | Transplantation Tolerance through Hematopoietic Chimerism. New England Journal of Medicine, 2022, 386, 2332-2333. | 27.0 | 3 |
| 64 | The journey of stem cell transplantation in Bangladesh: a hike to the state of the art with collaboration between DMCH and MGH. Blood Advances, 2017, 1, 62-64. | 5.2 | 2 |
| 65 | Hypoxemic Respiratory Failure Following Ruxolitinib Discontinuation in Allogeneic Hematopoietic Cell Transplantation Recipients. Oncologist, 2021, 26, e2082-e2085. | 3.7 | 2 |
| 66 | Influence of First-Line Regimens on the Outcomes of High-Dose Chemotherapy with Autologous Hematopoietic Stem-Cell Transplantation for Patients with Newly Diagnosed Multiple Myeloma.. Blood, 2004, 104, 931-931. | 1.4 | 2 |
| 67 | Parathyroid Hormone May Improve Autologous Stem Cell Mobilization Via the Stem Cell Niche.. Blood, 2005, 106, 1968-1968. | 1.4 | 2 |
| 68 | Impaired Immune Reconstitution after Cord Blood Transplantation in Adults Is Associated with Delayed Recovery but Not Functional Impairment of CD8+T Cells.. Blood, 2007, 110, 1057-1057. | 1.4 | 2 |
| 69 | High Rate of Second Malignancies after Reduced Intensity Double Cord Blood Transplants in Adults.. Blood, 2008, 112, 1958-1958. | 1.4 | 2 |
| 70 | Psychological distress during hospitalization for hematopoietic stem cell transplantation to predict lower quality of life and high post-traumatic stress disorder symptoms at 6 months post-transplant.. Journal of Clinical Oncology, 2015, 33, 9557-9557. | 1.6 | 2 |
| 71 | Effect of inpatient palliative care during hematopoietic stem cell transplantation (HCT) hospitalization on psychological distress at six months post-HCT.. Journal of Clinical Oncology, 2017, 35, 10005-10005. | 1.6 | 2 |
| 72 | Changing Stripes to Avoid Graft Versus Leukemia. Transplantation, 2012, 93, 674-675. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Intersection of Hematopoietic Cell and Solid Organ Transplantation: Lessons Learned and Unanswered Questions. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 2037-2038. | 2.0 | 1 |
| 74 | Cytokine syndromes associated with hematopoietic cellular therapy. <i>Advances in Cell and Gene Therapy</i> , 2021, 4, . | 0.9 | 1 |
| 75 | Development of HHV-6-Specific Immunity after Cord Blood Transplantation in Adults Depends on Reconstitution of Thymopoiesis and Regeneration of CD4+ T Cells. <i>Blood</i> , 2019, 134, 3275-3275. | 1.4 | 1 |
| 76 | Dose Adjusted IV Busulfan/Cyclophosphamide (BU/CY) and Autologous (AU) Stem Cell Transplantation (SCT) for Recurrent Lymphoma.. <i>Blood</i> , 2004, 104, 1884-1884. | 1.4 | 1 |
| 77 | Outcomes of Patients with Engraftment Syndrome (ES) Following Nonmyeloablative Hematopoietic Stem Cell Transplant (SCT) for Hematologic Malignancy(HM).. <i>Blood</i> , 2005, 106, 3661-3661. | 1.4 | 1 |
| 78 | Effects of Cord Blood Cell Subset Populations in the Development of the Dominant Cord Blood Unit in Non-Myeloablative Sequential Double Cord Blood Transplantation (DCBT).. <i>Blood</i> , 2006, 108, 3148-3148. | 1.4 | 1 |
| 79 | Double Umbilical Cord Blood Transplantation with Reduced Intensity Conditioning and Sirolimus-Based GVHD Prophylaxis.. <i>Blood</i> , 2007, 110, 2016-2016. | 1.4 | 1 |
| 80 | Long Term Follow-up of Recipients of Combined HLA-Matched Nonmyeloablative Bone Marrow and Kidney Transplantation for Multiple Myeloma with End-Stage Renal Disease.. <i>Blood</i> , 2009, 114, 3368-3368. | 1.4 | 1 |
| 81 | Antigen Level Matching at HLA-C Improves Long-Term Outcomes after Double Umbilical Cord Blood Transplantation. <i>Blood</i> , 2015, 126, 2022-2022. | 1.4 | 1 |
| 82 | Hematopoietic Stem Cell Transplantation in the Developing World: A Case Study of Dhaka Medical College, Bangladesh. <i>Blood</i> , 2015, 126, 5626-5626. | 1.4 | 1 |
| 83 | Reduced Intensity Conditioning (RIC) with Double Umbilical Cord Blood Transplantation Has Similar Outcomes Compared to RIC Transplantation From Related or Unrelated Adult Donors. <i>Blood</i> , 2010, 116, 2367-2367. | 1.4 | 1 |
| 84 | Engraftment Syndrome After Allogeneic Hematopoietic Cell Transplantation: Relationship to Acute Gvhd and Impact on Transplant Outcomes. <i>Blood</i> , 2011, 118, 3013-3013. | 1.4 | 1 |
| 85 | Quality of life and depression during hospitalization for hematopoietic stem cell transplantation to predict quality of life and post-traumatic stress disorder symptoms at 6 months post-transplant.. <i>Journal of Clinical Oncology</i> , 2015, 33, 215-215. | 1.6 | 1 |
| 86 | Psychological distress in patients with moderate to severe chronic graft-versus-host disease (cGVHD).. <i>Journal of Clinical Oncology</i> , 2018, 36, e22137-e22137. | 1.6 | 1 |
| 87 | Effect of inpatient palliative care on supportive care measures in patients undergoing hematopoietic cell transplantation (HCT).. <i>Journal of Clinical Oncology</i> , 2019, 37, 70-70. | 1.6 | 1 |
| 88 | Establishing the First Hematopoietic Stem Cell Transplant Unit in Nepal. <i>Transplantation and Cellular Therapy</i> , 2022, 28, 223-224. | 1.2 | 1 |
| 89 | Panel Reactive Antibodies in Women with Ovarian Cancer Undergoing High-Dose Chemotherapy with Peripheral Stem Cell Rescue: A Case Control Study. <i>Journal of Hematotherapy and Stem Cell Research</i> , 2000, 9, 501-505. | 1.8 | 0 |
| 90 | Successful Autologous Stem Cell Transplantation in Patients with Non-Hodgkin's Lymphoma over the Age of 70 Years.. <i>Blood</i> , 2005, 106, 5290-5290. | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Minimal HLA Disparity and KIR Ligand Compatibility in Host Versus Graft Direction May Facilitate Donor Engraftment Following In Vivo and Ex Vivo T Cell Depleted (TCD) Nonmyeloablative Haploidentical Stem Cell Transplantation for Hematologic Malignancies.. Blood, 2005, 106, 3668-3668. | 1.4 | 0 |
| 92 | In Vivo and Ex Vivo T-Cell Depleted (TCD) Nonmyeloablative Haploidentical Stem Cell Transplantation (NSCT) for Hematologic Malignancy (HM).. Blood, 2005, 106, 5431-5431. | 1.4 | 0 |
| 93 | Development of Late over Early Full Donor Chimerism (FDC) Results in Improved Progression-Free and Overall Survival in Patients with Advanced Malignant Lymphomas Receiving Nonmyeloablative Allogeneic Hematopoietic Stem Cell Transplantation (HSCT).. Blood, 2005, 106, 3665-3665. | 1.4 | 0 |
| 94 | Fludarabine Treatment Is Associated with Depletion of Host CD4+CD25high, FOXP3+, CTLA-4+ Cells and Increased Incidences of Full Donor Chimerism and GVHD in Non-Myeloablative Haploidentical Hematopoietic Cell Transplant Recipients.. Blood, 2005, 106, 2898-2898. | 1.4 | 0 |
| 95 | Outcomes of 40 Adult Patients after Double Cord Blood Transplantation Using a Reduced Intensity Chemotherapy Conditioning Regimen.. Blood, 2006, 108, 605-605. | 1.4 | 0 |
| 96 | KIR Ligand Incompatibility in HLA-Identical Sibling Nonmyeloablative Hematopoietic Stem Cell Transplantation for Hematologic Malignancies.. Blood, 2006, 108, 5371-5371. | 1.4 | 0 |
| 97 | Non-Myeloablative T-Cell Depleted (TCD) Haploidentical Hematopoietic Cell Transplantation (HCT) Followed by Donor Leukocyte Infusion(s) for Hematologic Malignancies: The MGH Experience.. Blood, 2007, 110, 5088-5088. | 1.4 | 0 |
| 98 | Impact of the Addition of Rituximab to Initial CHOP Chemotherapy Compared with CHOP Alone in Patients with Relapsed Diffuse Large B-Cell Lymphoma Who Underwent Autologous Stem Cell Transplantation.. Blood, 2007, 110, 5124-5124. | 1.4 | 0 |
| 99 | Cardiac Transplant Followed by High-Dose Melphalan and Autologous Stem Cell Transplantation (ASCT) for Patients with AL Amyloidosis and Severe Heart Failure.. Blood, 2007, 110, 732-732. | 1.4 | 0 |
| 100 | HLA Locus-Specific Outcomes in Double Umbilical Cord Blood Reduced Intensity Transplantation (DCBT) in Adults.. Blood, 2007, 110, 2032-2032. | 1.4 | 0 |
| 101 | The Type of Upfront Induction Therapy for Newly Diagnosed Multiple Myeloma Patients Has No Significant Impact on Clinical Outcomes after Autologous Hematopoietic Stem Cell Transplantation.. Blood, 2007, 110, 5128-5128. | 1.4 | 0 |
| 102 | Development of CMV-SPECIFIC Immunity after Cord Blood Transplantation in Adults Depends on Reconstitution of Thymopoiesis and Regeneration of NAIVE CD8+ T Cells. Blood, 2008, 112, 1167-1167. | 1.4 | 0 |
| 103 | Phase 1 Clinical Study of Adoptive Immunotherapy with Delayed Infusion of Alloanergized Donor T Cells to Improve Immune Reconstitution after Haploidentical Stem Cell Transplantation.. Blood, 2008, 112, 1156-1156. | 1.4 | 0 |
| 104 | A Comparative Analysis of Immune Reconstitution Following Reduced Intensity Conditioning with CAMPATH-1H and Total Lymphoid Irradiation/Anti-Thymocyte Globulin Prior to Allogeneic Stem Cell Transplantation.. Blood, 2009, 114, 1148-1148. | 1.4 | 0 |
| 105 | Busulfan Dosing May Affect Survival Following Reduced Intensity Stem Cell Transplantation in Patients with Acute Myelogenous Leukemia.. Blood, 2009, 114, 4328-4328. | 1.4 | 0 |
| 106 | Risk Factors Associated with the Development of Pneumonitis After High-Dose Chemotherapy with Cyclophosphamide, BCNU, and Etoposide (CBV) Followed by Autologous Stem Cell Transplant. Blood, 2010, 116, 903-903. | 1.4 | 0 |
| 107 | Addition of Clofarabine to TLI/ATG Conditioning: Impact on Immune Reconstitution and Clinical Outcomes,. Blood, 2011, 118, 4066-4066. | 1.4 | 0 |
| 108 | Immune Reconstitution After Cord Blood Transplantation in Adults Depends on Activity of Thymic Epithelial Cells and Vascular Endothelial Elements,. Blood, 2011, 118, 4075-4075. | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Histological Assessment of Cutaneous Acute Graft-Versus-Host Disease in a Preclinical Swine Model of Hematopoietic Cell Transplantation and Vascularized Skin Flap Tolerance. <i>Blood</i> , 2012, 120, 1894-1894. | 1.4 | 0 |
| 110 | Patients' and family caregivers' (FC) quality of life (QOL) and mood during hospitalization for hematopoietic stem cell transplantation (HCT).. <i>Journal of Clinical Oncology</i> , 2014, 32, 160-160. | 1.6 | 0 |
| 111 | Serum Uric Acid Levels during Allogeneic Hematopoietic Cell Transplantation and Subsequent Graft Versus Host Disease. <i>Blood</i> , 2014, 124, 2493-2493. | 1.4 | 0 |
| 112 | Randomized trial of an inpatient palliative care intervention in patients hospitalized for hematopoietic stem cell transplantation (HCT).. <i>Journal of Clinical Oncology</i> , 2016, 34, 10004-10004. | 1.6 | 0 |
| 113 | Hematopoietic Stem Cell Transplantation in the Resource-Limited Setting: Establishing the First Bone Marrow Transplant Unit in Bangladesh and Initial Outcomes. <i>Blood</i> , 2016, 128, 2384-2384. | 1.4 | 0 |
| 114 | Risk Factors and Impact of Neurological Complications after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2016, 128, 5742-5742. | 1.4 | 0 |
| 115 | A multimodal intervention to enhance sexual function and quality of life (QOL) in hematopoietic stem cell transplant (HCT) survivors.. <i>Journal of Clinical Oncology</i> , 2017, 35, 10013-10013. | 1.6 | 0 |
| 116 | The relationship between coping strategies and quality of life (QOL) in patients with chronic graft-versus-host disease (cGVHD).. <i>Journal of Clinical Oncology</i> , 2018, 36, e19016-e19016. | 1.6 | 0 |
| 117 | Efficacy of Lenalidomide and Bortezomib for Acute Myeloid Leukemia (AML) or Myelodysplastic Syndrome (MDS) Relapsing after Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2018, 132, 4587-4587. | 1.4 | 0 |
| 118 | The association between physical functioning, symptom burden, and coping strategies with quality of life (QOL) in patients with chronic graft-versus-host disease (cGVHD).. <i>Journal of Clinical Oncology</i> , 2018, 36, 178-178. | 1.6 | 0 |
| 119 | Elevated Galectin-3 Plasma Concentrations in Recipients of Allogeneic Hematopoietic Cell Transplantation. <i>Clinical Hematology International</i> , 2019, 1, 201-204. | 1.7 | 0 |
| 120 | Post-Transplant Cyclophosphamide in Allogeneic Bone Marrow Transplantation for the Treatment of Benign Hematologic Diseases. <i>Blood</i> , 2019, 134, 1978-1978. | 1.4 | 0 |