

# Grethe S Tell

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7844373/publications.pdf>

Version: 2024-02-01

341  
papers

17,973  
citations

11651

70  
h-index

19749

117  
g-index

350  
all docs

350  
docs citations

350  
times ranked

24976  
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in the occurrence of ischaemic heart disease over time in rheumatoid arthritis: 1821 patients from 1972 to 2017. <i>Scandinavian Journal of Rheumatology</i> , 2023, 52, 233-242.	1.1	4
2	Intake of carbohydrates and SFA and risk of CHD in middle-age adults: the Hordaland Health Study (HUSK). <i>Public Health Nutrition</i> , 2022, 25, 634-648.	2.2	4
3	Stage 1 hypertension, sex, and acute coronary syndromes during midlife: the Hordaland Health Study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 147-154.	1.8	30
4	Primary cardiovascular risk prediction by LDL-cholesterol in Caucasian middle-aged and older adults: a joint analysis of three cohorts. <i>European Journal of Preventive Cardiology</i> , 2022, 29, e128-e137.	1.8	9
5	Association of Markers of Inflammation, the Kynurenine Pathway and B Vitamins with Age and Mortality, and a Signature of Inflammaging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 826-836.	3.6	28
6	Effectiveness and safety of non-vitamin K antagonist oral anticoagulants and warfarin in atrial fibrillation: a Scandinavian population-based cohort study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 8, 577-587.	4.0	7
7	Assessment of Dietary Choline Intake, Contributing Food Items, and Associations with One-Carbon and Lipid Metabolites in Middle-Aged and Elderly Adults: The Hordaland Health Study. <i>Journal of Nutrition</i> , 2022, 152, 513-524.	2.9	8
8	Increased risk of peripheral artery disease in persons with familial hypercholesterolaemia: a prospective registry study. <i>European Journal of Preventive Cardiology</i> , 2022, 28, e11-e13.	1.8	6
9	End-stage renal disease: incidence and prediction by coronary heart disease, and educational level. Follow-up from diagnosis of childhood-onset type 1 diabetes throughout Norway 1973-2017. <i>Annals of Epidemiology</i> , 2022, 76, 181-187.	1.9	2
10	Is the risk of cardiovascular disease in women with pre-eclampsia modified by very low or very high offspring birth weight? A nationwide cohort study in Norway. <i>BMJ Open</i> , 2022, 12, e055467.	1.9	0
11	Nine-fold higher risk of acute myocardial infarction in subjects with type 1 diabetes compared to controls in Norway 1973-2017. <i>Cardiovascular Diabetology</i> , 2022, 21, 59.	6.8	6
12	Contribution of an extensive medication-based comorbidity index (Rx-Risk) in explaining the excess mortality after hip fracture in older Norwegians: a NOREPOS cohort study. <i>BMJ Open</i> , 2022, 12, e057823.	1.9	4
13	Validation of the cardiovascular risk model NORRISK 2 in South Asians and people with diabetes. <i>Scandinavian Cardiovascular Journal</i> , 2021, 55, 56-62.	1.2	3
14	Contribution of elevation and residential proximity to the coast in explaining geographic variations in hip fracture incidence. A Norwegian Epidemiologic Osteoporosis Studies (NOREPOS) study. <i>Osteoporosis International</i> , 2021, 32, 1001-1006.	3.1	4
15	Prevalence and incidence rates of atrial fibrillation in Norway 2004-2014. <i>Heart</i> , 2021, 107, 201-207.	2.9	23
16	2.5-fold increased risk of recurrent acute myocardial infarction with familial hypercholesterolemia. <i>Atherosclerosis</i> , 2021, 319, 28-34.	0.8	17
17	Casual blood glucose and subsequent cardiovascular disease and all-cause mortality among 159,731 participants in Cohort of Norway (CONOR). <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e001928.	2.8	3
18	Association of fatal myocardial infarction with past level of physical activity: a pooled analysis of cohort studies. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 1590-1598.	1.8	6

#	ARTICLE	IF	CITATIONS
19	Associations of Binge Drinking With the Risks of Ischemic Heart Disease and Stroke: A Study of Pooled Norwegian Health Surveys. <i>American Journal of Epidemiology</i> , 2021, 190, 1592-1603.	3.4	5
20	Pharmacologically treated diabetes and hospitalization among older Norwegians receiving homecare services from 2009 to 2014: a nationwide register study. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002000.	2.8	2
21	Use of patient-reported outcome measures (PROMs) in clinical diabetes consultations: the DiaPROM randomised controlled pilot trial. <i>BMJ Open</i> , 2021, 11, e042353.	1.9	12
22	SCORE2-OP risk prediction algorithms: estimating incident cardiovascular event risk in older persons in four geographical risk regions. <i>European Heart Journal</i> , 2021, 42, 2455-2467.	2.2	210
23	Trimethyllysine predicts all-cause and cardiovascular mortality in community-dwelling adults and patients with coronary heart disease. <i>European Heart Journal Open</i> , 2021, 1, .	2.3	4
24	Associations of overweight, obesity and osteoporosis with ankle fractures. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 723.	1.9	7
25	OP20â€¦The impact of the secular increase in body mass index on hip fracture risk in the norwegian population. , 2021, , .		0
26	Serum Galectin-3 and Subsequent Risk of Coronary Heart Disease in Subjects With Childhood-Onset Type 1 Diabetes: A Cohort Study. <i>Diabetes Care</i> , 2021, 44, 810-816.	8.6	9
27	OUP accepted manuscript. <i>European Journal of Preventive Cardiology</i> , 2021, , .	1.8	0
28	The association between serum high-sensitivity cardiac troponin T and acute myocardial infarction in patients with suspected chronic coronary syndrome is modified by body mass index. <i>International Journal of Cardiology Cardiovascular Risk and Prevention</i> , 2021, 11, 200109.	1.1	2
29	Prevalence and incidence rates of atrial fibrillation in Denmark 2004â€“2018. <i>European Heart Journal</i> , 2021, 42, .	2.2	1
30	Development and validation of a ceramide- and phospholipid-based cardiovascular risk estimation score for coronary artery disease patients. <i>European Heart Journal</i> , 2020, 41, 371-380.	2.2	180
31	Ischemic heart failure as a complication of incident acute myocardial infarction: Timing and time trends: A national analysis including 78,814 Danish patients during 2000â€“2009. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 294-302.	2.3	13
32	Tryptophan catabolites as metabolic markers of vitamin B-6 status evaluated in cohorts of healthy adults and cardiovascular patients. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 178-186.	4.7	29
33	Heart failure in Norway, 2000â€“2014: analysing incident, total and readmission rates using data from the Cardiovascular Disease in Norway (CVDNOR) Project. <i>European Journal of Heart Failure</i> , 2020, 22, 241-248.	7.1	19
34	Overall Treatment Satisfaction 5ÂˆYears After Bariatric Surgery. <i>Obesity Surgery</i> , 2020, 30, 206-213.	2.1	6
35	Estimating the future burden of hip fractures in Norway. A NOREPOS study. <i>Bone</i> , 2020, 131, 115156.	2.9	22
36	Socioeconomic Gradients in Mortality Following HF Hospitalization in a Country With Universal Health Care Coverage. <i>JACC: Heart Failure</i> , 2020, 8, 917-927.	4.1	5

#	ARTICLE	IF	CITATIONS
37	Quantitative assessment of the lifelong, substantial increased risk of coronary revascularization in familial hypercholesterolemia. <i>Atherosclerosis</i> , 2020, 315, e38-e39.	0.8	0
38	No association between osteoporosis and AO classification of distal radius fractures: an observational study of 289 patients. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 811.	1.9	4
39	Initiation of anti-osteoporotic drugs in high-risk female patients starting glucocorticoid treatment: a population study in Norway. <i>Archives of Osteoporosis</i> , 2020, 15, 121.	2.4	2
40	Effect of a telemedicine intervention for diabetes-related foot ulcers on health, well-being and quality of life: secondary outcomes from a cluster randomized controlled trial (DiaFOTo). <i>BMC Endocrine Disorders</i> , 2020, 20, 157.	2.2	12
41	Heart Failure in Women With Hypertensive Disorders of Pregnancy. <i>Hypertension</i> , 2020, 76, 1506-1513.	2.7	48
42	Lipid parameters and vitamin A modify cardiovascular risk prediction by plasma neopterin. <i>Heart</i> , 2020, 106, 1073-1079.	2.9	4
43	Transsulfuration metabolites and the association with incident atrial fibrillation – An observational cohort study among Norwegian patients with stable angina pectoris. <i>International Journal of Cardiology</i> , 2020, 317, 75-80.	1.7	5
44	Factors associated with increase in blood pressure and incident hypertension in early midlife: the Hordaland Health Study. <i>Blood Pressure</i> , 2020, 29, 267-275.	1.5	15
45	Association of dietary vitamin K and risk of coronary heart disease in middle-age adults: the Hordaland Health Study Cohort. <i>BMJ Open</i> , 2020, 10, e035953.	1.9	21
46	A novel patient-reported outcome monitoring with clinical feedback system in bariatric surgery care: study protocol, design and plan for evaluation. <i>BMJ Open</i> , 2020, 10, e037685.	1.9	5
47	3-Hydroxyisobutyrate, A Strong Marker of Insulin Resistance in Type 2 Diabetes and Obesity That Modulates White and Brown Adipocyte Metabolism. <i>Diabetes</i> , 2020, 69, 1903-1916.	0.6	42
48	Systemic Cardiac Troponin T Associated With Incident Atrial Fibrillation Among Patients With Suspected Stable Angina Pectoris. <i>American Journal of Cardiology</i> , 2020, 127, 30-35.	1.6	1
49	Examining the lower range of the association between alcohol intake and risk of incident hospitalization with atrial fibrillation. <i>IJC Heart and Vasculature</i> , 2020, 31, 100679.	1.1	2
50	Individuals with familial hypercholesterolemia have increased risk of re-hospitalization after acute myocardial infarction compared with controls. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
51	Is high-normal blood pressure a more important risk factor for cardiovascular disease in women than in men? The Hordaland Health study. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
52	Time trends in incidence rates of atrial fibrillation-related strokes in Norway 2001–2014: a nationwide analysis using data from the cardiovascular disease in Norway (CVDNOR) project. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
53	Diabetes prevalence among older people receiving care at home: associations with symptoms, health status and psychological well-being. <i>Diabetic Medicine</i> , 2019, 36, 96-104.	2.3	14
54	Adherence to the Healthy Nordic Food Index and the incidence of acute myocardial infarction and mortality among patients with stable angina pectoris. <i>Journal of Human Nutrition and Dietetics</i> , 2019, 32, 86-97.	2.5	15

#	ARTICLE	IF	CITATIONS
55	Inequity in disability pension: an intersectional analysis of the co-constitution of gender, education and age. The Hordaland Health Study. <i>Critical Public Health</i> , 2019, 29, 302-313.	2.4	5
56	Mortality following first-time hospitalization with acute myocardial infarction in Norway, 2001–2014: Time trends, underlying causes and place of death. <i>International Journal of Cardiology</i> , 2019, 294, 6-12.	1.7	13
57	Association of Low-Density Lipoprotein Cholesterol With Risk of Aortic Valve Stenosis in Familial Hypercholesterolemia. <i>JAMA Cardiology</i> , 2019, 4, 1156.	6.1	31
58	Kynurenines, Neuropsychiatric Symptoms, and Cognitive Prognosis in Patients with Mild Dementia. <i>International Journal of Tryptophan Research</i> , 2019, 12, 117864691987788.	2.3	13
59	Hypertensive pregnancy disorders increase the risk of maternal cardiovascular disease after adjustment for cardiovascular risk factors. <i>International Journal of Cardiology</i> , 2019, 282, 81-87.	1.7	39
60	Vitamin B6 catabolism and lung cancer risk: results from the Lung Cancer Cohort Consortium (LC3). <i>Annals of Oncology</i> , 2019, 30, 478-485.	1.2	15
61	Long-term cardiovascular morbidity following hyperemesis gravidarum: A Norwegian nationwide cohort study. <i>PLoS ONE</i> , 2019, 14, e0218051.	2.5	2
62	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019, 569, 260-264.	27.8	469
63	Electronic capturing of patient-reported outcome measures on a touchscreen computer in clinical diabetes practice (the DiaPROM trial): a feasibility study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 29.	1.2	12
64	Association Between Maternal Folic Acid Supplementation and Congenital Heart Defects in Offspring in Birth Cohorts From Denmark and Norway. <i>Journal of the American Heart Association</i> , 2019, 8, e011615.	3.7	41
65	Use of patient-reported outcome measures (PROMs) in clinical diabetes consultations: study protocol for the DiaPROM randomised controlled trial pilot study. <i>BMJ Open</i> , 2019, 9, e024008.	1.9	16
66	Changes in quality of life 5 years after sleeve gastrectomy: a prospective cohort study. <i>BMJ Open</i> , 2019, 9, e031170.	1.9	19
67	Urban–Rural Differences in Hip Fracture Mortality: A Nationwide NOREPOS Study. <i>JBMR Plus</i> , 2019, 3, e10236.	2.7	12
68	Urinary excretion of homocysteine thiolactone and the risk of acute myocardial infarction in coronary artery disease patients: the WENBIT trial. <i>Journal of Internal Medicine</i> , 2019, 285, 232-244.	6.0	42
69	The Role of Comorbidity in Mortality After Hip Fracture: A Nationwide Norwegian Study of 38,126 Women With Hip Fracture Matched to a General-Population Comparison Cohort. <i>American Journal of Epidemiology</i> , 2019, 188, 398-407.	3.4	54
70	Reply to Letter to Editor: Trends in incident acute myocardial infarction in Norway: An updated analysis to 2014 using national data from the CVDNOR project. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 333-333.	1.8	0
71	Eating self-efficacy as predictor of long-term weight loss and obesity-specific quality of life after sleeve gastrectomy: A prospective cohort study. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, 161-167.	1.2	20
72	The kynurenine pathway and cognitive performance in community-dwelling older adults. The Hordaland Health Study. <i>Brain, Behavior, and Immunity</i> , 2019, 75, 155-162.	4.1	46

#	ARTICLE	IF	CITATIONS
73	Risk of Ischemic Stroke and Total Cerebrovascular Disease in Familial Hypercholesterolemia. <i>Stroke</i> , 2019, 50, 172-174.	2.0	12
74	Total and lean fish intake is positively associated with bone mineral density in older women in the community-based Hordaland Health Study. <i>European Journal of Nutrition</i> , 2019, 58, 1403-1413.	3.9	2
75	Which Aspects of Positive Affect Are Related to Mortality? Results From a General Population Longitudinal Study. <i>Annals of Behavioral Medicine</i> , 2018, 52, 571-581.	2.9	25
76	Impact of age on excess risk of coronary heart disease in patients with familial hypercholesterolaemia. <i>Heart</i> , 2018, 104, 1600-1607.	2.9	49
77	Plasma Concentrations and Dietary Intakes of Choline and Betaine in Association With Atrial Fibrillation Risk: Results From 3 Prospective Cohorts With Different Health Profiles. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	31
78	Ceramide stearic to palmitic acid ratio predicts incident diabetes. <i>Diabetologia</i> , 2018, 61, 1424-1434.	6.3	85
79	The PAr index, an indicator reflecting altered vitamin B-6 homeostasis, is associated with long-term risk of stroke in the general population: the Hordaland Health Study (HUSK). <i>American Journal of Clinical Nutrition</i> , 2018, 107, 105-112.	4.7	17
80	Association of plasma neopterin with risk of an inpatient hospital diagnosis of atrial fibrillation: results from two prospective cohort studies. <i>Journal of Internal Medicine</i> , 2018, 283, 578-587.	6.0	6
81	Serum Carnitine Metabolites and Incident Type 2 Diabetes Mellitus in Patients With Suspected Stable Angina Pectoris. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1033-1041.	3.6	27
82	The gender gap in accrued pension rights – an indicator of women’s accumulated disadvantage over the course of working life. The Hordaland Health Study (HUSK). <i>Scandinavian Journal of Public Health</i> , 2018, 46, 417-424.	2.3	4
83	Results from the European Prospective Investigation into Cancer and Nutrition Link Vitamin B6 Catabolism and Lung Cancer Risk. <i>Cancer Research</i> , 2018, 78, 302-308.	0.9	18
84	Smoking, plasma cotinine and risk of atrial fibrillation: the Hordaland Health Study. <i>Journal of Internal Medicine</i> , 2018, 283, 73-82.	6.0	19
85	The Effect of Telemedicine Follow-up Care on Diabetes-Related Foot Ulcers: A Cluster-Randomized Controlled Noninferiority Trial. <i>Diabetes Care</i> , 2018, 41, 96-103.	8.6	51
86	Plasma Cystathionine and Risk of Incident Stroke in Patients With Suspected Stable Angina Pectoris. <i>Journal of the American Heart Association</i> , 2018, 7, e008824.	3.7	14
87	Positive IgA against transglutaminase 2 in patients with distal radius and ankle fractures compared to community-based controls. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 1212-1216.	1.5	5
88	A review of systematic reviews on the effects of patient-reported outcome monitoring with clinical feedback systems on health-related quality of life – implications for a novel technology in obesity treatment. <i>Clinical Obesity</i> , 2018, 8, 452-464.	2.0	7
89	The impact of age and sex on excess risk of coronary heart disease in patients with familial hypercholesterolemia: A registry study. <i>Atherosclerosis</i> , 2018, 275, e175.	0.8	1
90	Association Between Gestational Hypertension and Risk of Cardiovascular Disease Among 617 589 Norwegian Women. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	85

#	ARTICLE	IF	CITATIONS
91	Trends in incident acute myocardial infarction in Norway: An updated analysis to 2014 using national data from the CVDNOR project. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1031-1039.	1.8	46
92	Usefulness of Higher Levels of Cardiac Troponin T in Patients With Stable Angina Pectoris to Predict Risk of Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018, 122, 1142-1147.	1.6	11
93	Increased plasma trimethylamine- N -oxide is associated with incident atrial fibrillation. <i>International Journal of Cardiology</i> , 2018, 267, 100-106.	1.7	67
94	The association between alcohol consumption and risk of hip fracture differs by age and gender in Cohort of Norway: a NOREPOS study. <i>Osteoporosis International</i> , 2018, 29, 2457-2467.	3.1	17
95	The risk association of plasma total homocysteine with acute myocardial infarction is modified by serum vitamin A. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1612-1620.	1.8	9
96	Limited Benefit of Fish Consumption on Risk of Hip Fracture among Men in the Community-Based Hordaland Health Study. <i>Nutrients</i> , 2018, 10, 873.	4.1	7
97	Alcohol and drug use among internationally adopted adolescents: Results from a Norwegian population-based study.. <i>American Journal of Orthopsychiatry</i> , 2018, 88, 226-235.	1.5	12
98	NORRISK 2: A Norwegian risk model for acute cerebral stroke and myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 773-782.	1.8	42
99	Dietary Choline Intake Is Directly Associated with Bone Mineral Density in the Hordaland Health Study. <i>Journal of Nutrition</i> , 2017, 147, 572-578.	2.9	13
100	Incident Coronary Heart Disease After Preeclampsia: Role of Reduced Fetal Growth, Preterm Delivery, and Parity. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	77
101	Time Trends and Educational Inequalities in Out-of-Hospital Coronary Deaths in Norway 1995-2009: A Cardiovascular Disease in Norway (CVDNOR) Project. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	4
102	Serum Acylcarnitines and Risk of Cardiovascular Death and Acute Myocardial Infarction in Patients With Stable Angina Pectoris. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	70
103	Recurrence of congenital heart defects among siblings—a nationwide study. <i>American Journal of Medical Genetics, Part A</i> , 2017, 173, 1575-1585.	1.2	28
104	Trends in the risk of early and late-onset heart failure as an adverse outcome of acute myocardial infarction: A Cardiovascular Disease in Norway project. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 971-980.	1.8	13
105	Associations between omega-3 fatty acids and 25(OH)D and psychological distress among Inuit in Canada. <i>International Journal of Circumpolar Health</i> , 2017, 76, 1302684.	1.2	6
106	The kynurenine:tryptophan ratio as a predictor of incident type 2 diabetes mellitus in individuals with coronary artery disease. <i>Diabetologia</i> , 2017, 60, 1712-1721.	6.3	58
107	Relations between lipoprotein(a) concentrations, LPA genetic variants, and the risk of mortality in patients with established coronary heart disease: a molecular and genetic association study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 534-543.	11.4	84
108	B Vitamins and Hip Fracture: Secondary Analyses and Extended Follow-Up of Two Large Randomized Controlled Trials. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 1981-1989.	2.8	18



#	ARTICLE	IF	CITATIONS
109	Prognostic Impact of In-Hospital and Postdischarge Heart Failure in Patients With Acute Myocardial Infarction: A Nationwide Analysis Using Data From the Cardiovascular Disease in Norway (CVDNOR) Project. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	25
110	Educational inequalities in mortality of patients with atrial fibrillation in Norway. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 82-87.	1.2	12
111	Mental Health in Internationally Adopted Adolescents: A Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 203-213.e1.	0.5	68
112	Standardized incidence ratio of peripheral arterial disease and aortic stenosis in genotyped familial hypercholesterolemia in Norway during 2001-2009. <i>Atherosclerosis</i> , 2017, 263, e78.	0.8	0
113	Increased risk of heart failure and atrial fibrillation in heterozygous familial hypercholesterolemia. <i>Atherosclerosis</i> , 2017, 266, 69-73.	0.8	16
114	Incidence of various types of atherosclerotic disease in patients with genotyped familial hypercholesterolemia. <i>Atherosclerosis</i> , 2017, 263, e26.	0.8	3
115	Cardiovascular disease risk associated with serum apolipoprotein B is modified by serum vitamin A. <i>Atherosclerosis</i> , 2017, 265, 325-330.	0.8	12
116	Associations between fish intake and the metabolic syndrome and its components among middle-aged men and women: the Hordaland Health Study. <i>Food and Nutrition Research</i> , 2017, 61, 1347479.	2.6	15
117	Thirty-five-year Trends in First-time Hospitalization for Hip Fracture, 1-year Mortality, and the Prognostic Impact of Comorbidity. <i>Epidemiology</i> , 2017, 28, 898-905.	2.7	63
118	Association between pregravid physical activity and family history of stroke and risk of stillbirth: population-based cohort study. <i>BMJ Open</i> , 2017, 7, e017034.	1.9	2
119	Neopterin as an Effect Modifier of the Cardiovascular Risk Predicted by Total Homocysteine: A Prospective Cohort Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	12
120	Association between weight change and mortality in community living older people followed for up to 14 years. The Hordaland Health Study (HUSK). <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 909-917.	3.3	21
121	The influence of birth weight and length on bone mineral density and content in adolescence: The TromsÅ, Study, Fit Futures. <i>Archives of Osteoporosis</i> , 2017, 12, 54.	2.4	10
122	THE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2017, 185, 511-513.	3.4	0
123	Can traditional risk factors explain the higher risk of cardiovascular disease in South Asians compared to Europeans in Norway and New Zealand? Two cohort studies. <i>BMJ Open</i> , 2017, 7, e016819.	1.9	10
124	Physical activity is independently associated with reduced mortality: 15-years follow-up of the Hordaland Health Study (HUSK). <i>PLoS ONE</i> , 2017, 12, e0172932.	2.5	14
125	The gender gap in accrued pension points: an indicator of women's accumulated disadvantages. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
126	Positive predictive values of ICD-10 codes to identify incident acute pancreatitis and incident primary malignancy in the Scandinavian national patient registries among women with postmenopausal osteoporosis. <i>Clinical Epidemiology</i> , 2017, Volume 9, 411-419.	3.0	6



#	ARTICLE	IF	CITATIONS
127	Positive predictive values of International Classification of Diseases, 10th revision codes for dermatologic events and hypersensitivity leading to hospitalization or emergency room visit among women with postmenopausal osteoporosis in the Danish and Swedish national patient registries. <i>Clinical Epidemiology</i> , 2017, Volume 9, 179-184.	3.0	0
128	The relation of CUN-BAE index and BMI with body fat, cardiovascular events and diabetes during a 6-year follow-up: the Hordaland Health Study. <i>Clinical Epidemiology</i> , 2017, Volume 9, 555-566.	3.0	23
129	Airflow limitation as a risk factor for low bone mineral density and hip fracture. <i>European Clinical Respiratory Journal</i> , 2016, 3, 32214.	1.5	3
130	Anxiety and Depressive Symptoms as Predictors of All-Cause Mortality among People with Insulin-Dependent Type 2 Diabetes: 17-Year Follow-Up of the Second Nord-Trøndelag Health Survey (HUNT2), Norway. <i>PLoS ONE</i> , 2016, 11, e0160861.	2.5	13
131	Trends in Mortality of Congenital Heart Defects. <i>Congenital Heart Disease</i> , 2016, 11, 160-168.	0.2	32
132	Maternal Diabetes, Birth Weight, and Neonatal Risk of Congenital Heart Defects in Norway, 1994-2009. <i>Obstetrics and Gynecology</i> , 2016, 128, 1116-1125.	2.4	47
133	Mortality and complications in 3495 children with isolated ventricular septal defects. <i>Archives of Disease in Childhood</i> , 2016, 101, 808-813.	1.9	32
134	Health anxiety and risk of ischaemic heart disease: a prospective cohort study linking the Hordaland Health Study (HUSK) with the Cardiovascular Diseases in Norway (CVDNOR) project. <i>BMJ Open</i> , 2016, 6, e012914.	1.9	30
135	A combination of low serum concentrations of vitamins K1 and D is associated with increased risk of hip fractures in elderly Norwegians: a NOREPOS study. <i>Osteoporosis International</i> , 2016, 27, 1645-1652.	3.1	24
136	Circulating Folate and Vitamin B12 and Risk of Prostate Cancer: A Collaborative Analysis of Individual Participant Data from Six Cohorts Including 6875 Cases and 8104 Controls. <i>European Urology</i> , 2016, 70, 941-951.	1.9	46
137	Coronary angiography and myocardial revascularization following the first acute myocardial infarction in Norway during 2001-2009: Analyzing time trends and educational inequalities using data from the CVDNOR project. <i>International Journal of Cardiology</i> , 2016, 212, 122-128.	1.7	17
138	Plasma ceramides predict cardiovascular death in patients with stable coronary artery disease and acute coronary syndromes beyond LDL-cholesterol. <i>European Heart Journal</i> , 2016, 37, 1967-1976.	2.2	433
139	Preconception Cardiovascular Risk Factor Differences Between Gestational Hypertension and Preeclampsia. <i>Hypertension</i> , 2016, 67, 1173-1180.	2.7	67
140	Cardiovascular disease in patients with genotyped familial hypercholesterolemia in Norway during 1994-2009, a registry study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1962-1969.	1.8	31
141	Serum acylcarnitines and risk of incident type 2 diabetes in patients with suspected stable angina pectoris - A prospective cohort study. <i>Atherosclerosis</i> , 2016, 252, e204.	0.8	0
142	Higher education is associated with reduced risk of heart failure among patients with acute myocardial infarction: A nationwide analysis using data from the CVDNOR project. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1743-1750.	1.8	7
143	High population attributable fractions of myocardial infarction associated with waist-hip ratio. <i>Obesity</i> , 2016, 24, 1162-1169.	3.0	14
144	Insomnia symptoms and mortality: a register-linked study among women and men from Finland, Norway and Lithuania. <i>Journal of Sleep Research</i> , 2016, 25, 96-103.	3.2	38

#	ARTICLE	IF	CITATIONS
145	Possible Common Aetiology behind Maternal Preeclampsia and Congenital Heart Defects in the Child: a Cardiovascular Diseases in Norway Project Study. Paediatric and Perinatal Epidemiology, 2016, 30, 76-85.	1.7	54
146	Methylenetetrahydrofolate Dehydrogenase 1 Polymorphisms Modify the Associations of Plasma Glycine and Serine With Risk of Acute Myocardial Infarction in Patients With Stable Angina Pectoris in WENBIT (Western Norway B Vitamin Intervention Trial). Circulation: Cardiovascular Genetics, 2016, 9, 541-547.	5.1	6
147	Age and Sex Differences in Body Mass Index as a Predictor of Hip Fracture: A NOREPOS Study. American Journal of Epidemiology, 2016, 184, 510-519.	3.4	32
148	The prospective relationships of circulating and urinary choline metabolites with incident type 2 diabetes among patients with suspected stable angina pectoris. Atherosclerosis, 2016, 252, e205.	0.8	0
149	Validity of self-reported myocardial infarction and stroke in regions with Sami and Norwegian populations: the SAMINOR 1 Survey and the CVDNOR project. BMJ Open, 2016, 6, e012717.	1.9	24
150	Continued decline in hip fracture incidence in Norway: a NOREPOS study. Osteoporosis International, 2016, 27, 2217-2222.	3.1	53
151	The universal 2012 definition of myocardial infarction compared to the 2007 definition. Scandinavian Cardiovascular Journal, 2016, 50, 201-205.	1.2	8
152	Cardiovascular risk estimation in older persons: SCORE O.P.. European Journal of Preventive Cardiology, 2016, 23, 1093-1103.	1.8	138
153	Heart Failure Complicating Acute Myocardial Infarction; Burden and Timing of Occurrence: A Nationwide Analysis Including 86 771 Patients From the Cardiovascular Disease in Norway (CVDNOR) Project. Journal of the American Heart Association, 2016, 5, .	3.7	69
154	Plasma Glycine and Risk of Acute Myocardial Infarction in Patients With Suspected Stable Angina Pectoris. Journal of the American Heart Association, 2016, 5, .	3.7	73
155	Prospective Associations of Systemic and Urinary Choline Metabolites with Incident Type 2 Diabetes. Clinical Chemistry, 2016, 62, 755-765.	3.2	70
156	Plasma Biomarkers of Inflammation, the Kynurenine Pathway, and Risks of All-Cause, Cancer, and Cardiovascular Disease Mortality. American Journal of Epidemiology, 2016, 183, 249-258.	3.4	126
157	Sudden unexpected death in children with congenital heart defects. European Heart Journal, 2016, 37, 621-626.	2.2	34
158	Attempts to improve and confidence in improving health behaviour in 40-49 year olds with and without coronary heart disease: The Hordaland Health Study. European Journal of Cardiovascular Nursing, 2016, 15, e60-e69.	0.9	3
159	Telemedicine Versus Standard Follow-Up Care for Diabetes-Related Foot Ulcers: Protocol for a Cluster Randomized Controlled Noninferiority Trial (DiaFOTo). JMIR Research Protocols, 2016, 5, e148.	1.0	17
160	Periconceptual Folic Acid Supplementation and Infant Risk of Congenital Heart Defects in Norway 1999-2009. Paediatric and Perinatal Epidemiology, 2015, 29, 391-400.	1.7	25
161	Ethnic inequalities in acute myocardial infarction and stroke rates in Norway 1994-2009: a nationwide cohort study (CVDNOR). BMC Public Health, 2015, 15, 1073.	2.9	34
162	Educational Inequalities in Post-Hip Fracture Mortality: A NOREPOS Study. Journal of Bone and Mineral Research, 2015, 30, 2221-2228.	2.8	10

#	ARTICLE	IF	CITATIONS
163	Abdominal obesity increases the risk of hip fracture. A population-based study of 43 000 women and men aged 60–79 years followed for 8 years. Cohort of Norway. Journal of Internal Medicine, 2015, 277, 306-317.	6.0	62
164	Expert position paper on air pollution and cardiovascular disease. European Heart Journal, 2015, 36, 83-93.	2.2	646
165	Use of Sleep Medications and Mortality: The Hordaland Health Study. Drugs - Real World Outcomes, 2015, 2, 123-128.	1.6	13
166	Is depression a risk factor for diabetic foot ulcers? 11-years follow-up of the Nord-Trøndelag Health Study (HUNT). Journal of Diabetes and Its Complications, 2015, 29, 20-25.	2.3	40
167	Markers of vitamin B6 status and metabolism as predictors of incident cancer: The Hordaland Health Study. International Journal of Cancer, 2015, 136, 2932-2939.	5.1	39
168	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. Journal of the National Cancer Institute, 2015, 107, .	6.3	17
169	The educational gradient in coronary heart disease: the association with cognition in a cohort of 57 279 male conscripts. Journal of Epidemiology and Community Health, 2015, 69, 322-329.	3.7	7
170	Mental health problems and resilience in international adoptees: Results from a population-based study of Norwegian adolescents aged 16–19 years. Journal of Adolescence, 2015, 44, 48-56.	2.4	21
171	Population data on calcium in drinking water and hip fracture: An association may depend on other minerals in water. A NOREPOS 1 Norwegian Epidemiologic Osteoporosis Studies. study. Bone, 2015, 81, 292-299.	2.9	18
172	Anxiety, depression and timing of insulin treatment among people with type 2 diabetes: Nine-year follow-up of the Nord-Trøndelag Health Study, Norway. Journal of Psychosomatic Research, 2015, 79, 309-315.	2.6	15
173	Family history of premature myocardial infarction, life course socioeconomic position and coronary heart disease mortality – A Cohort of Norway (CONOR) study. International Journal of Cardiology, 2015, 190, 302-307.	1.7	10
174	Plasma dimethylglycine, nicotine exposure and risk of low bone mineral density and hip fracture: the Hordaland Health Study. Osteoporosis International, 2015, 26, 1573-1583.	3.1	15
175	Kynurenines as predictors of acute coronary events in the Hordaland Health Study. International Journal of Cardiology, 2015, 189, 18-24.	1.7	56
176	No increase in risk of hip fracture at high serum retinol concentrations in community-dwelling older Norwegians: the Norwegian Epidemiologic Osteoporosis Studies. American Journal of Clinical Nutrition, 2015, 102, 1289-1296.	4.7	22
177	Trends in 28-day and 1-year mortality rates in patients hospitalized for a first acute myocardial infarction in Norway during 2001–2009: a Cardiovascular disease in Norway (CVDNOR) project. Journal of Internal Medicine, 2015, 277, 353-361.	6.0	24
178	Effect of the Lookback Period's Length Used to Identify Incident Acute Myocardial Infarction on the Observed Trends on Incidence Rates and Survival. Circulation: Cardiovascular Quality and Outcomes, 2015, 8, 376-382.	2.2	17
179	Dietary Intake of Saturated Fat Is Not Associated with Risk of Coronary Events or Mortality in Patients with Established Coronary Artery Disease. Journal of Nutrition, 2015, 145, 299-305.	2.9	29
180	Nutritional risk profile in a university hospital population. Clinical Nutrition, 2015, 34, 705-711.	5.0	69

#	ARTICLE	IF	CITATIONS
181	Non-fasting triglycerides predict incident acute myocardial infarction among those with favourable HDL-cholesterol: Cohort Norway. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 872-881.	1.8	19
182	Depression in Persons with Diabetes by Age and Antidiabetic Treatment: A Cross-Sectional Analysis with Data from the Hordaland Health Study. <i>PLoS ONE</i> , 2015, 10, e0127161.	2.5	23
183	Lung function as a risk factor for low bone mineral density and hip fracture - The Hordaland health study. , 2015, , .		0
184	Smoking and Body Fat Mass in Relation to Bone Mineral Density and Hip Fracture: The Hordaland Health Study. <i>PLoS ONE</i> , 2014, 9, e92882.	2.5	27
185	Educational Inequalities in Acute Myocardial Infarction Incidence in Norway: A Nationwide Cohort Study. <i>PLoS ONE</i> , 2014, 9, e106898.	2.5	26
186	AB0803â€¦Celiac Disease and Positive IGA Tissue Transglutaminase in Patients with Distal Radius or Ankle Fracture: Interim Analysis: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1069.2-1069.	0.9	1
187	Interactions between plasma concentrations of folate and markers of vitamin B <sub>12</sub> status with cognitive performance in elderly people not exposed to folic acid fortification: the Hordaland Health Study. <i>British Journal of Nutrition</i> , 2014, 111, 1085-1095.	2.3	41
188	Interferon-Î³-induced inflammatory markers and the risk of cancer: The Hordaland Health Study. <i>Cancer</i> , 2014, 120, 3370-3377.	4.1	31
189	Do smoking and fruit and vegetable intake mediate the association between socio-economic status and plasma carotenoids?. <i>European Journal of Public Health</i> , 2014, 24, 685-690.	0.3	3
190	Educational inequalities in 28 day and 1-year mortality after hospitalisation for incident acute myocardial infarction â€” A nationwide cohort study. <i>International Journal of Cardiology</i> , 2014, 177, 874-880.	1.7	21
191	Implications of changing definitions of myocardial infarction on number of events and all-cause mortality: the WHO 1979, ESC/ACC 2000, AHA 2003, and Universal 2007 definitions revisited. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1349-1357.	1.8	13
192	Maternal pre-pregnancy risk drinking and toddler behavior problems: the Norwegian Mother and Child Cohort Study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 901-911.	4.7	19
193	Cohort profile: Norwegian Epidemiologic Osteoporosis Studies (NOREPOS). <i>Scandinavian Journal of Public Health</i> , 2014, 42, 804-813.	2.3	22
194	Birth prevalence of congenital heart defects in Norway 1994-2009â€”A nationwide study. <i>American Heart Journal</i> , 2014, 168, 956-964.	2.7	116
195	Vitamins B <sub>2</sub> and B <sub>6</sub> as determinants of kynurenines and related markers of interferon-Î³-mediated immune activation in the community-based Hordaland Health Study. <i>British Journal of Nutrition</i> , 2014, 112, 1065-1072.	2.3	54
196	Favourable trends in incidence of AMI in Norway during 2001â€”2009 do not include younger adults: a CVDNOR project. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1358-1364.	1.8	72
197	Procollagen type 1 amino-terminal propeptide (P1NP) and risk of hip fractures in elderly Norwegian men and women. A NOREPOS study. <i>Bone</i> , 2014, 64, 1-7.	2.9	15
198	Do Cadmium, Lead, and Aluminum in Drinking Water Increase the Risk of Hip Fractures? A NOREPOS Study. <i>Biological Trace Element Research</i> , 2014, 157, 14-23.	3.5	29

#	ARTICLE	IF	CITATIONS
199	Mortality following the first hip fracture in Norwegian women and men (1999â€“2008). A NOREPOS study. <i>Bone</i> , 2014, 63, 81-86.	2.9	117
200	Physical health-related quality of life predicts disability pension due to musculoskeletal disorders: seven years follow-up of the Hordaland Health Study Cohort. <i>BMC Public Health</i> , 2014, 14, 167.	2.9	14
201	Interferon (IFN)- $\gamma$ -mediated inflammation and the kynurenine pathway in relation to bone mineral density: the Hordaland Health Study. <i>Clinical and Experimental Immunology</i> , 2014, 176, 452-460.	2.6	45
202	Trends in Acute Myocardial Infarction Event Rates and Risk of Recurrences After an Incident Event in Norway 1994 to 2009 (from a Cardiovascular Disease in Norway Project). <i>American Journal of Cardiology</i> , 2014, 113, 1777-1781.	1.6	29
203	Plasma Choline, Nicotine Exposure, and Risk of Low Bone Mineral Density and Hip Fracture: The Hordaland Health Study. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 242-250.	2.8	5
204	Sarcosine and other metabolites along the choline oxidation pathway in relation to prostate cancerâ€“A large nested caseâ€“control study within the JANUS cohort in Norway. <i>International Journal of Cancer</i> , 2014, 134, 197-206.	5.1	42
205	Low serum concentrations of alpha-tocopherol are associated with increased risk of hip fracture. A NOREPOS study. <i>Osteoporosis International</i> , 2014, 25, 2545-2554.	3.1	23
206	Age, education and dementia related deaths. The Norwegian Counties Study and The Cohort of Norway. <i>Journal of the Neurological Sciences</i> , 2014, 345, 75-82.	0.6	18
207	Impact of comorbidity, age, and gender on seasonal variation in hip fracture incidence. A NOREPOS study. <i>Archives of Osteoporosis</i> , 2014, 9, 191.	2.4	23
208	Midlife insomnia and subsequent mortality: the Hordaland health study. <i>BMC Public Health</i> , 2014, 14, 720.	2.9	59
209	Celiac disease and risk of fracture in adultsâ€“a review. <i>Osteoporosis International</i> , 2014, 25, 1667-1676.	3.1	28
210	Interferon gamma (IFN- $\gamma$ )-mediated inflammation and the kynurenine pathway in relation to risk of hip fractures: the Hordaland Health Study. <i>Osteoporosis International</i> , 2014, 25, 2067-2075.	3.1	20
211	Seasonality of cardiovascular risk factors: an analysis including over 230â€¦000 participants in 15 countries. <i>Heart</i> , 2014, 100, 1517-1523.	2.9	113
212	The nutritional strategy: Four questions predict morbidity, mortality and health care costs. <i>Clinical Nutrition</i> , 2014, 33, 634-641.	5.0	76
213	Risk of death from cardiovascular disease in long-term breast cancer survivors: A comparison with women from the general population.. <i>Journal of Clinical Oncology</i> , 2014, 32, 1534-1534.	1.6	1
214	Associations between plasma polyunsaturated fatty acids, plasma stearoylâ€CoA desaturase indices and body fat. <i>Obesity</i> , 2013, 21, E512-9.	3.0	15
215	Plasma stearoylâ€CoA desaturase indices: Association with lifestyle, diet, and body composition. <i>Obesity</i> , 2013, 21, E294-302.	3.0	47
216	Cognitive Function in an Elderly Population. <i>Psychosomatic Medicine</i> , 2013, 75, 20-29.	2.0	57

#	ARTICLE	IF	CITATIONS
217	Is the quality of drinking water a risk factor for self-reported forearm fractures? Cohort of Norway. <i>Osteoporosis International</i> , 2013, 24, 541-551.	3.1	7
218	Neopterin and kynurenine-tryptophan ratio as predictors of coronary events in older adults, the Hordaland Health Study. <i>International Journal of Cardiology</i> , 2013, 168, 1435-1440.	1.7	91
219	Plasma sulfur amino acids and stearyl-CoA desaturase activity in two caucasian populations. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013, 89, 297-303.	2.2	12
220	Nationwide data on municipal drinking water and hip fracture: Could calcium and magnesium be protective? A NOREPOS study. <i>Bone</i> , 2013, 57, 84-91.	2.9	17
221	Progressively increasing fracture risk with advancing age after initial incident fragility fracture: The TromsÅ Study. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 2214-2221.	2.8	70
222	Low Serum Levels of 25-Hydroxyvitamin D Predict Hip Fracture in the Elderly: A NOREPOS Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 3341-3350.	3.6	66
223	Ten-year risk of second hip fracture. A NOREPOS study. <i>Bone</i> , 2013, 52, 493-497.	2.9	37
224	Plasma Dimethylglycine and Risk of Incident Acute Myocardial Infarction in Patients With Stable Angina Pectoris. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2041-2048.	2.4	92
225	Trends in 28 day and one year survival in patients hospitalized for an incident acute myocardial infarction in Norway during 2001-2009; a CVDNOR project. <i>European Heart Journal</i> , 2013, 34, P2498-P2498.	2.2	0
226	Trends in acute myocardial infarction hospitalization rates in Norway during 1994-2009; a CVDNOR project. <i>European Heart Journal</i> , 2013, 34, P2497-P2497.	2.2	1
227	Seasonality of cardiovascular risk factors - an analysis including over 100,000 participants in seven countries. <i>European Heart Journal</i> , 2013, 34, 2661-2661.	2.2	0
228	Population-level changes to promote cardiovascular health. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 409-421.	1.8	106
229	Serum folate and vitamin B12 concentrations in relation to prostate cancer risk--a Norwegian population-based nested case-control study of 3000 cases and 3000 controls within the JANUS cohort. <i>International Journal of Epidemiology</i> , 2013, 42, 201-210.	1.9	38
230	A community-based study on determinants of circulating markers of cellular immune activation and kynurenines: the Hordaland Health Study. <i>Clinical and Experimental Immunology</i> , 2013, 173, 121-130.	2.6	97
231	Evaluation of the Body Adiposity Index in a Caucasian Population: The Hordaland Health Study. <i>American Journal of Epidemiology</i> , 2013, 177, 586-592.	3.4	35
232	Plasma free choline, betaine and cognitive performance: the Hordaland Health Study. <i>British Journal of Nutrition</i> , 2013, 109, 511-519.	2.3	46
233	Validity of an algorithm to identify osteonecrosis of the jaw in women with postmenopausal osteoporosis in the Danish National Registry of Patients. <i>Clinical Epidemiology</i> , 2013, 5, 263.	3.0	11
234	Cardiovascular disease and diabetes mellitus in Norway during 1994-2009 CVDNOR - a nationwide research project. <i>Norsk Epidemiologi</i> , 2013, 23, .	0.3	39



#	ARTICLE	IF	CITATIONS
235	Relative importance of risk factors for coronary heart disease â€” The Hordaland Homocysteine Study. <i>Scandinavian Cardiovascular Journal</i> , 2012, 46, 316-323.	1.2	3
236	Implementation of nutritional guidelines in a university hospital monitored by repeated point prevalence surveys. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 388-393.	2.9	40
237	Parental education as a predictor of offspring behavioural and physiological cardiovascular disease risk factors. <i>European Journal of Public Health</i> , 2012, 22, 544-550.	0.3	24
238	Hip fractures in Norway 1999â€”2008: time trends in total incidence and second hip fracture rates. A NØREPOS study. <i>European Journal of Epidemiology</i> , 2012, 27, 807-814.	5.7	94
239	An overview of the European Health Examination Survey Pilot Joint Action. <i>Archives of Public Health</i> , 2012, 70, 20.	2.4	36
240	Intake of vitamin K1 and K2 and risk of hip fractures: The Hordaland Health Study. <i>Bone</i> , 2011, 49, 990-995.	2.9	59
241	The Association Between Habitual Diet Quality and the Common Mental Disorders in Community-Dwelling Adults. <i>Psychosomatic Medicine</i> , 2011, 73, 483-490.	2.0	245
242	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011, 43, 60-65.	21.4	220
243	The MDM2 Promoter SNP285C/309G Haplotype Diminishes Sp1 Transcription Factor Binding and Reduces Risk for Breast and Ovarian Cancer in Caucasians. <i>Cancer Cell</i> , 2011, 19, 273-282.	16.8	104
244	Osteoporosis as a Risk Factor for Distal Radial Fractures. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 348-356.	3.0	83
245	Dietary Intake of Protein Is Positively Associated with Percent Body Fat in Middle-Aged and Older Adults. <i>Journal of Nutrition</i> , 2011, 141, 440-446.	2.9	33
246	Cognitive performance among the elderly in relation to the intake of plant foods. The Hordaland Health Study. <i>British Journal of Nutrition</i> , 2010, 104, 1190-1201.	2.3	84
247	Dietary vitamins K1, K2 and bone mineral density: the Hordaland Health Study. <i>Archives of Osteoporosis</i> , 2010, 5, 73-81.	2.4	6
248	Dietary intake of nâ€”3 long-chain polyunsaturated fatty acids and coronary events in Norwegian patients with coronary artery disease. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 244-251.	4.7	31
249	High-throughput epidemiology: Combining existing data from the Nordic countries in health-related collaborative research. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 777-779.	2.3	15
250	History of Foot Ulcer Increases Mortality Among Individuals With Diabetes. <i>Diabetes Care</i> , 2009, 32, 2193-2199.	8.6	190
251	Physical Fitness and Physical Activity at Age 13 Years as Predictors of Cardiovascular Disease Risk Factors at Ages 15, 25, 33, and 40 Years: Extended Follow-up of the Oslo Youth Study. <i>Pediatrics</i> , 2009, 123, e80-e86.	2.1	101
252	Determinants of Plasma Methylmalonic Acid in a Large Population: Implications for Assessment of Vitamin B12 Status. <i>Clinical Chemistry</i> , 2009, 55, 2198-2206.	3.2	109



#	ARTICLE	IF	CITATIONS
253	Short-term and long-term case fatality in 11 878 patients hospitalized with a first acute myocardial infarction, 1979-2001: the Western Norway cardiovascular registry. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 621-627.	2.8	21
254	Dietary sources of vitamin B-12 and their association with plasma vitamin B-12 concentrations in the general population: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1078-1087.	4.7	127
255	Intake of Flavonoid-Rich Wine, Tea, and Chocolate by Elderly Men and Women Is Associated with Better Cognitive Test Performance. <i>Journal of Nutrition</i> , 2009, 139, 120-127.	2.9	212
256	Choline in anxiety and depression: the Hordaland Health Study. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 1056-1060.	4.7	43
257	Regional differences in hip bone mineral density levels in Norway: the NOREPOS study. <i>Osteoporosis International</i> , 2009, 20, 631-638.	3.1	19
258	The association between history of diabetic foot ulcer, perceived health and psychological distress: the Nord-Trøndelag Health Study. <i>BMC Endocrine Disorders</i> , 2009, 9, 18.	2.2	36
259	Cysteine, homocysteine and bone mineral density: A role for body composition?. <i>Bone</i> , 2009, 44, 954-958.	2.9	23
260	Association Between Magnesium Intake and Depression and Anxiety in Community-Dwelling Adults: The Hordaland Health Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 45-52.	2.3	116
261	Differences in precision in bone mineral density measured by SXA and DXA: the NOREPOS study. <i>European Journal of Epidemiology</i> , 2008, 23, 615-624.	5.7	21
262	Does a higher educational level protect against anxiety and depression? The HUNT study. <i>Social Science and Medicine</i> , 2008, 66, 1334-1345.	3.8	415
263	Impact of lean mass and fat mass on bone mineral density: The Hordaland Health Study. <i>Maturitas</i> , 2008, 59, 191-200.	2.4	87
264	In Vivo and In Vitro Comparison of Densitometers in the NOREPOS Study. <i>Journal of Clinical Densitometry</i> , 2008, 11, 276-282.	1.2	25
265	History of and factors associated with diabetic foot ulcers in Norway: The Nord-Trøndelag Health Study. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 62-68.	2.3	26
266	Dietary patterns, food groups, and nutrients as predictors of plasma choline and betaine in middle-aged and elderly men and women. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1663-1669.	4.7	55
267	Cohort Profile: Cohort of Norway (CONOR). <i>International Journal of Epidemiology</i> , 2008, 37, 481-485.	1.9	171
268	Working Overtime is Associated With Anxiety and Depression: The Hordaland Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2008, 50, 658-666.	1.7	101
269	Divergent Associations of Plasma Choline and Betaine with Components of Metabolic Syndrome in Middle Age and Elderly Men and Women ., <i>Journal of Nutrition</i> , 2008, 138, 914-920.	2.9	194
270	Homocysteine, cysteine, and body composition in the Hordaland Homocysteine Study: does cysteine link amino acid and lipid metabolism?. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 738-746.	4.7	136

#	ARTICLE	IF	CITATIONS
271	Prevalence and Risk Factors of Subjective Sleepiness in the General Adult Population. <i>Sleep</i> , 2007, 30, 619-624.	1.1	122
272	Dietary predictors of plasma total homocysteine in the Hordaland Homocysteine Study. <i>British Journal of Nutrition</i> , 2007, 98, 201-210.	2.3	45
273	Cognitive performance among the elderly and dietary fish intake: the Hordaland Health Study. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1470-1478.	4.7	135
274	Dietary fat and plasma total homocysteine concentrations in 2 adult age groups: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1598-1605.	4.7	43
275	Relations of glutamate carboxypeptidase II (GCP II) polymorphisms to folate and homocysteine concentrations and to scores of cognition, anxiety, and depression in a homogeneous Norwegian population: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 514-521.	4.7	33
276	Plasma creatinine as a determinant of plasma total homocysteine concentrations in the Hordaland Homocysteine Study: Use of statistical modeling to determine reference limits. <i>Clinical Biochemistry</i> , 2007, 40, 1209-1218.	1.9	16
277	Plasma Homocysteine, Folate, and Vitamin B12 and the Risk of Hip Fracture: The Hordaland Homocysteine Study. <i>Journal of Bone and Mineral Research</i> , 2007, 22, 747-756.	2.8	133
278	Urban-rural differences in distal forearm fractures: Cohort Norway. <i>Osteoporosis International</i> , 2007, 18, 1063-1072.	3.1	25
279	The Hordaland Homocysteine Study: A Community-Based Study of Homocysteine, Its Determinants, and Associations with Disease. <i>Journal of Nutrition</i> , 2006, 136, 1731S-1740S.	2.9	404
280	Plasma Total Homocysteine Level and Bone Mineral Density. <i>Archives of Internal Medicine</i> , 2006, 166, 88.	3.8	135
281	Plasma concentration of folate as a biomarker for the intake of fruit and vegetables: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 434-439.	4.7	59
282	Size at Birth and Gestational Age as Predictors of Adult Height and Weight. <i>Epidemiology</i> , 2005, 16, 175-181.	2.7	121
283	Plasma total homocysteine and memory in the elderly: The Hordaland Homocysteine study. <i>Annals of Neurology</i> , 2005, 58, 847-857.	5.3	147
284	Testing the Job Demand-“Control”-Support model with anxiety and depression as outcomes: The Hordaland Health Study. <i>Occupational Medicine</i> , 2005, 55, 463-473.	1.4	151
285	Surveys of Norwegian youth indicated that breast feeding reduced subsequent risk of obesity. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 849-855.e1.	5.0	11
286	Changes in lifestyle and plasma total homocysteine: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2004, 79, 812-819.	4.7	58
287	Higher Bone Mineral Density in Rural Compared with Urban Dwellers: The NOREPOS Study. <i>American Journal of Epidemiology</i> , 2004, 160, 1039-1046.	3.4	40
288	Femoral and whole-body bone mineral density in middle-aged and older Norwegian men and women: suitability of the reference values. <i>Osteoporosis International</i> , 2004, 15, 525-34.	3.1	57

#	ARTICLE	IF	CITATIONS
289	Distribution and determinants of serum creatinine in the general population: the Hordaland Health Study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2004, 64, 709-722.	1.2	41
290	Associations between maternal methylenetetrahydrofolate reductase polymorphisms and adverse outcomes of pregnancy: the Hordaland Homocysteine Study. <i>American Journal of Medicine</i> , 2004, 117, 26-31.	1.5	141
291	Folate, Vitamin B12, Homocysteine, and the MTHFR 677C>T Polymorphism in Anxiety and Depression. <i>Archives of General Psychiatry</i> , 2003, 60, 618.	12.3	308
292	Predictors and Tracking of Body Mass Index From Adolescence Into Adulthood. <i>JAMA Pediatrics</i> , 2003, 157, 1212.	3.0	189
293	Occupational Differences in Levels of Anxiety and Depression: The Hordaland Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2003, 45, 628-638.	1.7	68
294	Correlates of Sleep Behavior among Hemodialysis Patients. <i>American Journal of Nephrology</i> , 2002, 22, 18-28.	3.1	59
295	Plasma Total Homocysteine and Hospitalizations for Cardiovascular Disease. <i>Archives of Internal Medicine</i> , 2002, 162, 1374.	3.8	57
296	Plasma Total Homocysteine Is Influenced by Prandial Status in Humans: The Hordaland Homocysteine Study. <i>Journal of Nutrition</i> , 2001, 131, 1214-1216.	2.9	33
297	Plasma total homocysteine and cardiovascular and noncardiovascular mortality: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2001, 74, 130-136.	4.7	181
298	Risk factors for low bone mineral density among a large group of Norwegian women with fractures. <i>European Journal of Epidemiology</i> , 2000, 16, 223-229.	5.7	10
299	Descriptive Epidemiology of Blood Pressure Response to Change in Body Position. <i>Hypertension</i> , 1999, 33, 1123-1129.	2.7	103
300	The Kidney Outcomes Prediction and Evaluation (KOPE) Study: A Prospective Cohort Investigation of Patients Undergoing Hemodialysis. <i>Annals of Epidemiology</i> , 1998, 8, 192-200.	1.9	5
301	Relationship Between Balance and Abnormalities in Cerebral Magnetic Resonance Imaging in Older Adults. <i>Archives of Neurology</i> , 1998, 55, 73.	4.5	110
302	Cigarette Smoking and Progression of Atherosclerosis. <i>JAMA - Journal of the American Medical Association</i> , 1998, 279, 119.	7.4	604
303	Provitamin A carotenoid intake and carotid artery plaques: the Atherosclerosis Risk in Communities Study. <i>American Journal of Clinical Nutrition</i> , 1998, 68, 726-733.	4.7	71
304	Dietary assessment using a picture-sort approach. <i>American Journal of Clinical Nutrition</i> , 1997, 65, 1123S-1129S.	4.7	89
305	Carrying the burden of cardiovascular risk in old age: associations of weight and weight change with prevalent cardiovascular disease, risk factors, and health status in the Cardiovascular Health Study. <i>American Journal of Clinical Nutrition</i> , 1997, 66, 837-844.	4.7	80
306	Reliability of a food frequency questionnaire by ethnicity, gender, age and education. <i>Nutrition Research</i> , 1996, 16, 735-745.	2.9	72

#	ARTICLE	IF	CITATIONS
307	Survival of patients undergoing renal replacement therapy in one center with special emphasis on racial differences. <i>American Journal of Kidney Diseases</i> , 1996, 28, 72-81.	1.9	75
308	Current estrogen-progestin and estrogen replacement therapy in elderly women: Association with carotid atherosclerosis. <i>Annals of Epidemiology</i> , 1996, 6, 314-323.	1.9	51
309	Picture-Sort Method for Administering a Food Frequency Questionnaire to Older Adults. <i>Journal of the American Dietetic Association</i> , 1996, 96, 137-144.	1.1	44
310	Racial differences in the incidence of end-stage renal disease. <i>Ethnicity and Health</i> , 1996, 1, 21-31.	2.5	13
311	Compensatory Increase in Common Carotid Artery Diameter. <i>Stroke</i> , 1996, 27, 2012-2015.	2.0	86
312	Parental and peer influences on smoking among young adults: ten-year follow-up of the Oslo youth study participants. <i>Addiction</i> , 1995, 90, 561-569.	3.3	47
313	Subclinical Disease as an Independent Risk Factor for Cardiovascular Disease. <i>Circulation</i> , 1995, 92, 720-726.	1.6	240
314	Dietary Antioxidants and Carotid Artery Wall Thickness. <i>Circulation</i> , 1995, 92, 2142-2150.	1.6	156
315	Relation of smoking with carotid artery wall thickness and stenosis in older adults. The Cardiovascular Health Study. The Cardiovascular Health Study (CHS) Collaborative Research Group.. <i>Circulation</i> , 1994, 90, 2905-2908.	1.6	138
316	Correlates of blood pressure in community-dwelling older adults. The Cardiovascular Health Study. Cardiovascular Health Study (CHS) Collaborative Research Group.. <i>Hypertension</i> , 1994, 23, 59-67.	2.7	79
317	Dietary Intake Patterns and Sociodemographic Factors in the Atherosclerosis Risk in Communities Study. <i>Preventive Medicine</i> , 1994, 23, 769-780.	3.4	139
318	Eating patterns of community-dwelling older adults: The cardiovascular health study. <i>Annals of Epidemiology</i> , 1994, 4, 404-415.	1.9	35
319	Dietary Fat Intake and Carotid Artery Wall Thickness: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Epidemiology</i> , 1994, 139, 979-989.	3.4	44
320	Ten-Year Follow-up of the Oslo Youth Study Smoking Prevention Program. <i>Preventive Medicine</i> , 1993, 22, 453-462.	3.4	44
321	Recruitment of adults 65 years and older as participants in the cardiovascular health study. <i>Annals of Epidemiology</i> , 1993, 3, 358-366.	1.9	532
322	Cigarette Smoking, Lipids, Lipoproteins, and Extracranial Carotid Artery Atherosclerosis. <i>Mayo Clinic Proceedings</i> , 1991, 66, 327-331.	3.0	8
323	Comparison of hospital and neighborhood controls in a study of coronary artery disease. <i>Journal of Clinical Epidemiology</i> , 1991, 44, 1097-1104.	5.0	6
324	Perceptions of Follow-Up Care in Women with Breast Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1991, 14, 55-59.	1.3	61

#	ARTICLE	IF	CITATIONS
325	Effect of Migration on Blood Pressure. <i>Epidemiology</i> , 1991, 2, 88-97.	2.7	71
326	Relation of electrolytes to blood pressure in men. The Yi people study.. <i>Hypertension</i> , 1991, 17, 378-385.	2.7	84
327	Reliability of Tanner stage assessments in a multi-center study. <i>American Journal of Human Biology</i> , 1990, 2, 503-510.	1.6	9
328	Characteristics of stroke victims associated with early cardiovascular mortality in their children. <i>Journal of Clinical Epidemiology</i> , 1990, 43, 49-54.	5.0	15
329	Cigarette Smoking and Extracranial Carotid Atherosclerosis. <i>Advances in Experimental Medicine and Biology</i> , 1990, 273, 39-49.	1.6	9
330	Cigarette Smoking Cessation and Extracranial Carotid Atherosclerosis. <i>JAMA - Journal of the American Medical Association</i> , 1989, 261, 1178.	7.4	58
331	Risk factors for site specific extracranial carotid artery plaque distribution as measured by B-mode ultrasound. <i>Journal of Clinical Epidemiology</i> , 1989, 42, 551-559.	5.0	120
332	Physical fitness, physical activity, and cardiovascular disease risk factors in adolescents: The Oslo youth study. <i>Preventive Medicine</i> , 1988, 17, 12-24.	3.4	149
333	Relation between blood lipids, lipoproteins, and cerebrovascular atherosclerosis. A review.. <i>Stroke</i> , 1988, 19, 423-430.	2.0	135
334	POSTURAL CHANGES IN BLOOD PRESSURE AND PULSE RATE AMONG BLACK ADOLESCENTS AND WHITE ADOLESCENTS: THE MINNEAPOLIS CHILDREN'S BLOOD PRESSURE STUDY. <i>American Journal of Epidemiology</i> , 1988, 128, 360-369.	3.4	19
335	CHOLESTEROL, HIGH DENSITY LIPOPROTEIN CHOLESTEROL AND TRIGLYCERIDES DURING PUBERTY: THE OSLO YOUTH STUDY. <i>American Journal of Epidemiology</i> , 1985, 122, 750-761.	3.4	72
336	The relationship of white cell count, platelet count, and hematocrit to cigarette smoking in adolescents: the Oslo Youth Study.. <i>Circulation</i> , 1985, 72, 971-974.	1.6	53
337	Cardiovascular disease risk factors related to sexual maturation: The Oslo youth study. <i>Journal of Chronic Diseases</i> , 1985, 38, 633-642.	1.2	32
338	Preventing the onset of cigarette smoking in Norwegian adolescents: The oslo youth study. <i>Preventive Medicine</i> , 1984, 13, 256-275.	3.4	58
339	Factors Influencing Dietary Habits: Experiences of the Oslo Youth Study. , 1982, , 381-396.		4
340	Screening for risk factors for chronic disease in children from fifteen countries. <i>Preventive Medicine</i> , 1981, 10, 121-132.	3.4	95
341	Risk factors for chronic diseases in Norwegian school children: Preliminary findings of a baseline survey as part of an intervention study (The Oslo Youth Study). <i>Preventive Medicine</i> , 1981, 10, 211-225.	3.4	23