

Reinhard Holl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7848838/publications.pdf>

Version: 2024-02-01

240
papers

9,434
citations

38742

50
h-index

51608

86
g-index

243
all docs

243
docs citations

243
times ranked

9192
citing authors

#	ARTICLE	IF	CITATIONS
1	Lower Risk of Heart Failure and Death in Patients Initiated on Sodium-Glucose Cotransporter-2 Inhibitors Versus Other Glucose-Lowering Drugs. <i>Circulation</i> , 2017, 136, 249-259.	1.6	672
2	Association of Insulin Pump Therapy vs Insulin Injection Therapy With Severe Hypoglycemia, Ketoacidosis, and Glycemic Control Among Children, Adolescents, and Young Adults With Type 1 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1358.	7.4	320
3	Glycaemic control of Type 1 diabetes in clinical practice early in the 21st century: an international comparison. <i>Diabetic Medicine</i> , 2015, 32, 1036-1050.	2.3	273
4	Improved Metabolic Control in Children and Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2012, 35, 80-86.	8.6	253
5	Ketoacidosis in Children and Adolescents With Newly Diagnosed Type 1 Diabetes During the COVID-19 Pandemic in Germany. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 801.	7.4	243
6	Impact of Physical Activity on Glycemic Control and Prevalence of Cardiovascular Risk Factors in Adults With Type 1 Diabetes: A Cross-sectional Multicenter Study of 18,028 Patients. <i>Diabetes Care</i> , 2015, 38, 1536-1543.	8.6	231
7	Use of insulin pump therapy in children and adolescents with type 1 diabetes and its impact on metabolic control: comparison of results from three large, transatlantic paediatric registries. <i>Diabetologia</i> , 2016, 59, 87-91.	6.3	203
8	Continuous glucose monitoring and glycemic control among youth with type 1 diabetes: International comparison from the T1D Exchange and DPV Initiative. <i>Pediatric Diabetes</i> , 2018, 19, 1271-1275.	2.9	186
9	Rates of Diabetic Ketoacidosis: International Comparison With 49,859 Pediatric Patients With Type 1 Diabetes From England, Wales, the U.S., Austria, and Germany. <i>Diabetes Care</i> , 2015, 38, 1876-1882.	8.6	178
10	Diabetes Digital App Technology: Benefits, Challenges, and Recommendations. A Consensus Report by the European Association for the Study of Diabetes (EASD) and the American Diabetes Association (ADA) Diabetes Technology Working Group. <i>Diabetes Care</i> , 2020, 43, 250-260.	8.6	175
11	A Decade of Disparities in Diabetes Technology Use and HbA1c in Pediatric Type 1 Diabetes: A Transatlantic Comparison. <i>Diabetes Care</i> , 2021, 44, 133-140.	8.6	162
12	Obesity in Youth with Type 1 Diabetes in Germany, Austria, and the United States. <i>Journal of Pediatrics</i> , 2015, 167, 627-632.e4.	1.8	150
13	Cardiovascular Risk in 26,008 European Overweight Children as Established by a Multicenter Database. <i>Obesity</i> , 2008, 16, 1672-1679.	3.0	147
14	Contrasting the clinical care and outcomes of 2,622 children with type 1 diabetes less than 6 years of age in the United States T1D Exchange and German/Austrian DPV registries. <i>Diabetologia</i> , 2014, 57, 1578-1585.	6.3	147
15	Temporal Trends and Contemporary Use of Insulin Pump Therapy and Glucose Monitoring Among Children, Adolescents, and Adults With Type 1 Diabetes Between 1995 and 2017. <i>Diabetes Care</i> , 2019, 42, 2050-2056.	8.6	140
16	Reduced Prevalence of Diabetic Ketoacidosis at Diagnosis of Type 1 Diabetes in Young Children Participating in Longitudinal Follow-Up. <i>Diabetes Care</i> , 2011, 34, 2347-2352.	8.6	133
17	Which Amount of BMI-SDS Reduction Is Necessary to Improve Cardiovascular Risk Factors in Overweight Children?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 3171-3179.	3.6	127
18	Two-Year Follow-Up in 21,784 Overweight Children and Adolescents With Lifestyle Intervention. <i>Obesity</i> , 2009, 17, 1196-1199.	3.0	120

#	ARTICLE	IF	CITATIONS
19	Hemoglobin A1c Levels and Risk of Severe Hypoglycemia in Children and Young Adults with Type 1 Diabetes from Germany and Austria: A Trend Analysis in a Cohort of 37,539 Patients between 1995 and 2012. <i>PLoS Medicine</i> , 2014, 11, e1001742.	8.4	118
20	Improving the Clinical Value and Utility of CGM Systems: Issues and Recommendations. <i>Diabetes Care</i> , 2017, 40, 1614-1621.	8.6	115
21	Strong Effect of Pubertal Status on Metabolic Health in Obese Children: A Longitudinal Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 301-308.	3.6	109
22	Prevalence of Celiac Disease in 52,721 Youth With Type 1 Diabetes: International Comparison Across Three Continents. <i>Diabetes Care</i> , 2017, 40, 1034-1040.	8.6	104
23	Ketoacidosis at Diabetes Onset Is Still Frequent in Children and Adolescents. <i>Diabetes Care</i> , 2009, 32, 1647-1648.	8.6	100
24	Absence of BiP Co-chaperone DNAJC3 Causes Diabetes Mellitus and Multisystemic Neurodegeneration. <i>American Journal of Human Genetics</i> , 2014, 95, 689-697.	6.2	100
25	Insulin Pump Risks and Benefits: A Clinical Appraisal of Pump Safety Standards, Adverse Event Reporting, and Research Needs. <i>Diabetes Care</i> , 2015, 38, 716-722.	8.6	95
26	Comparison of MDRD, CKD-EPI, and Cockcroft-Gault equation in relation to measured glomerular filtration rate among a large cohort with diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1376-1383.	2.3	92
27	Predictors of increasing BMI during the course of diabetes in children and adolescents with type 1 diabetes: data from the German/Austrian DPV multicentre survey. <i>Archives of Disease in Childhood</i> , 2014, 99, 738-743.	1.9	91
28	ISPAD Clinical Practice Consensus Guidelines 2018: Other complications and associated conditions in children and adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2018, 19, 275-286.	2.9	91
29	Hospital admission for diabetic ketoacidosis or severe hypoglycemia in 31,330 young patients with type 1 diabetes. <i>European Journal of Endocrinology</i> , 2015, 173, 341-350.	3.7	89
30	Prevalence and comorbidities of double diabetes. <i>Diabetes Research and Clinical Practice</i> , 2016, 119, 48-56.	2.8	87
31	Temporal trends in diabetic ketoacidosis at diagnosis of paediatric type 1 diabetes between 2006 and 2016: results from 13 countries in three continents. <i>Diabetologia</i> , 2020, 63, 1530-1541.	6.3	86
32	Clinical Characteristics and Outcome of 467 Patients With a Clinically Recognized Eating Disorder Identified Among 52,215 Patients With Type 1 Diabetes: A Multicenter German/Austrian Study. <i>Diabetes Care</i> , 2014, 37, 1581-1589.	8.6	82
33	Exploring Variation in Glycemic Control Across and Within Eight High-Income Countries: A Cross-sectional Analysis of 64,666 Children and Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2018, 41, 1180-1187.	8.6	81
34	A framework for diabetes documentation and quality management in Germany: 10 years of experience with DPV. <i>Computer Methods and Programs in Biomedicine</i> , 2002, 69, 115-121.	4.7	80
35	Longitudinal Trajectories of Metabolic Control From Childhood to Young Adulthood in Type 1 Diabetes From a Large German/Austrian Registry: A Group-Based Modeling Approach. <i>Diabetes Care</i> , 2017, 40, 309-316.	8.6	80
36	The Transatlantic HbA _{1c} gap: differences in glycaemic control across the lifespan between people included in the US T1D Exchange Registry and those included in the German/Austrian DPV registry. <i>Diabetic Medicine</i> , 2020, 37, 848-855.	2.3	78

#	ARTICLE	IF	CITATIONS
37	Predictors of diabetic ketoacidosis in children and adolescents with type 1 diabetes. Experience from a large multicentre database. <i>Pediatric Diabetes</i> , 2011, 12, 307-312.	2.9	76
38	Severe hypoglycemia rates are not associated with HbA1c: a cross-sectional analysis of 3 contemporary pediatric diabetes registry databases. <i>Pediatric Diabetes</i> , 2017, 18, 643-650.	2.9	74
39	Reduction in Diabetic Ketoacidosis and Severe Hypoglycemia in Pediatric Type 1 Diabetes During the First Year of Continuous Glucose Monitoring: A Multicenter Analysis of 3,553 Subjects From the DPV Registry. <i>Diabetes Care</i> , 2020, 43, e40-e42.	8.6	72
40	Predictors for future cystic fibrosis-related diabetes by oral glucose tolerance test. <i>Journal of Cystic Fibrosis</i> , 2014, 13, 80-85.	0.7	71
41	Standardized Documentation in Pediatric Diabetology. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 1042-1049.	2.2	71
42	HbA1c Variability as an Independent Risk Factor for Diabetic Retinopathy in Type 1 Diabetes: A German/Austrian Multicenter Analysis on 35,891 Patients. <i>PLoS ONE</i> , 2014, 9, e91137.	2.5	70
43	Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 606-615.	11.4	67
44	Markedly reduced rate of diabetic ketoacidosis at onset of type 1 diabetes in relatives screened for islet autoantibodies. <i>Pediatric Diabetes</i> , 2012, 13, 308-313.	2.9	65
45	Microvascular Complications in Childhood-Onset Type 1 Diabetes and Celiac Disease: A Multicenter Longitudinal Analysis of 56,514 Patients From the German-Austrian DPV Database. <i>Diabetes Care</i> , 2015, 38, 801-807.	8.6	65
46	Improving the clinical value and utility of CGM systems: issues and recommendations. <i>Diabetologia</i> , 2017, 60, 2319-2328.	6.3	65
47	Rates of myocardial infarction and stroke in patients initiating treatment with SGLT2 inhibitors versus other glucose-lowering agents in real-world clinical practice: results from the CVD-REAL study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1983-1987.	4.4	65
48	Factors contributing to partial remission in type 1 diabetes: analysis based on the insulin dose-adjusted HbA1c in 3657 children and adolescents from Germany and Austria. <i>Pediatric Diabetes</i> , 2017, 18, 428-434.	2.9	60
49	20 Years of Pediatric Benchmarking in Germany and Austria: Age-Dependent Analysis of Longitudinal Follow-Up in 63,967 Children and Adolescents with Type 1 Diabetes. <i>PLoS ONE</i> , 2016, 11, e0160971.	2.5	56
50	Diabetes digital app technology: benefits, challenges, and recommendations. A consensus report by the European Association for the Study of Diabetes (EASD) and the American Diabetes Association (ADA) Diabetes Technology Working Group. <i>Diabetologia</i> , 2020, 63, 229-241.	6.3	56
51	Repaglinide versus insulin for newly diagnosed diabetes in patients with cystic fibrosis: a multicentre, open-label, randomised trial. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 114-121.	11.4	53
52	Medical care of obese children and adolescents. <i>European Journal of Pediatrics</i> , 2004, 163, 308-312.	2.7	51
53	High Variability in Oral Glucose Tolerance among 1,128 Patients with Cystic Fibrosis: A Multicenter Screening Study. <i>PLoS ONE</i> , 2014, 9, e112578.	2.5	49
54	Tracking of Metabolic Control from Childhood to Young Adulthood in Type 1 Diabetes. <i>Journal of Pediatrics</i> , 2014, 165, 956-961.e2.	1.8	49

#	ARTICLE	IF	CITATIONS
55	Glycated hemoglobin A1c as a risk factor for severe hypoglycemia in pediatric type 1 diabetes. <i>Pediatric Diabetes</i> , 2017, 18, 51-58.	2.9	49
56	Use of Adjuvant Pharmacotherapy in Type 1 Diabetes: International Comparison of 49,996 Individuals in the Prospective Diabetes Follow-up and T1D Exchange Registries. <i>Diabetes Care</i> , 2017, 40, e139-e140.	8.6	44
57	Variation in the Plasma Membrane Monoamine Transporter (PMAT) (Encoded by <i>SLC29A4</i>) and Organic Cation Transporter 1 (OCT1) (Encoded by <i>SLC22A1</i>) and Gastrointestinal Intolerance to Metformin in Type 2 Diabetes: An IMI DIRECT Study. <i>Diabetes Care</i> , 2019, 42, 1027-1033.	8.6	43
58	International benchmarking in type 1 diabetes: Large difference in childhood $\langle \text{HbA1c} \rangle$ between eight high-income countries but similar rise during adolescence—a quality registry study. <i>Pediatric Diabetes</i> , 2020, 21, 621-627.	2.9	43
59	Blood Pressure in 57,915 Pediatric Patients Who Are Overweight or Obese Based on Five Reference Systems. <i>American Journal of Cardiology</i> , 2015, 115, 1587-1594.	1.6	42
60	Transition to adult diabetes care in Germany-High risk for acute complications and declining metabolic control during the transition phase. <i>Pediatric Diabetes</i> , 2018, 19, 1094-1099.	2.9	42
61	Type 1 diabetes in older adults: Comparing treatments and chronic complications in the United States T1D Exchange and the German/Austrian DPV registries. <i>Diabetes Research and Clinical Practice</i> , 2016, 122, 28-37.	2.8	41
62	Blood Pressure in a Large Cohort of Children and Adolescents With Classic Adrenal Hyperplasia (CAH) Due to 21-Hydroxylase Deficiency. <i>American Journal of Hypertension</i> , 2016, 29, 266-272.	2.0	41
63	Is Particle Pollution in Outdoor Air Associated with Metabolic Control in Type 2 Diabetes?. <i>PLoS ONE</i> , 2014, 9, e91639.	2.5	40
64	Undertreatment of cardiovascular risk factors in the type 1 diabetes exchange clinic network ($\langle \text{United States} \rangle$) and the prospective diabetes follow-up (Germany/Austria) registries. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1577-1585.	4.4	39
65	Socioeconomic conditions and type 1 diabetes in childhood in North Rhine-Westphalia, Germany. <i>Diabetologia</i> , 2007, 50, 720-728.	6.3	38
66	Trend of antihyperglycaemic therapy and glycaemic control in 184,864 adults with type 1 or 2 diabetes between 2002 and 2014: Analysis of real-life data from the DPV registry from Germany and Austria. <i>Diabetes Research and Clinical Practice</i> , 2016, 115, 31-38.	2.8	38
67	Comorbidity of attention deficit hyperactivity disorder and type 1 diabetes in children and adolescents: Analysis based on the multicentre DPV registry. <i>Pediatric Diabetes</i> , 2017, 18, 706-713.	2.9	37
68	Genotype/phenotype correlations in 538 congenital adrenal hyperplasia patients from Germany and Austria: discordances in milder genotypes and in screened versus prescreening patients. <i>Endocrine Connections</i> , 2019, 8, 86-94.	1.9	37
69	Achievement of treatment goals for secondary prevention of myocardial infarction or stroke in 29,325 patients with type 2 diabetes: a German/Austrian DPV-multicenter analysis. <i>Cardiovascular Diabetology</i> , 2016, 15, 72.	6.8	34
70	Fibroblast Growth Factor 21 and Fetuin-A in Obese Adolescents With and Without Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3004-3010.	3.6	33
71	Inflammatory Markers in Obese Adolescents with Type 2 Diabetes and Their Relationship to Hepatokines and Adipokines. <i>Journal of Pediatrics</i> , 2016, 173, 131-135.	1.8	33
72	Self-reported regular alcohol consumption in adolescents and emerging adults with type 1 diabetes: A neglected risk factor for diabetic ketoacidosis? Multicenter analysis of 29 630 patients from the DPV registry. <i>Pediatric Diabetes</i> , 2017, 18, 817-823.	2.9	33

#	ARTICLE	IF	CITATIONS
73	Decreasing Trends in Mean HbA1c Are Not Associated With Increasing Rates of Severe Hypoglycemia in Children: A Longitudinal Analysis of Two Contemporary Population-Based Pediatric Type 1 Diabetes Registries From Australia and Germany/Austria Between 1995 and 2016. <i>Diabetes Care</i> , 2019, 42, 1630-1636.	8.6	33
74	Prevalence of prediabetes and type 2 diabetes in children with obesity and increased transaminases in European German-speaking countries. Analysis of the APV initiative. <i>Pediatric Obesity</i> , 2020, 15, e12601.	2.8	33
75	Quality of Paediatric IDDM Care in Germany: A Multicentre Analysis. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 1999, 12, 31-8.	0.9	32
76	Continuous Glucose Monitoring in Adults with Type 1 Diabetes: Real-World Data from the German/Austrian Prospective Diabetes Follow-Up Registry. <i>Diabetes Technology and Therapeutics</i> , 2020, 22, 602-612.	4.4	32
77	Associations between HbA1c and depressive symptoms in young adults with early-onset type 1 diabetes. <i>Psychoneuroendocrinology</i> , 2015, 55, 48-58.	2.7	31
78	Incidence of COVID-19 and Risk of Diabetic Ketoacidosis in New-Onset Type 1 Diabetes. <i>Pediatrics</i> , 2021, 148, .	2.1	31
79	Frequency and Characteristics of MODY 1 (HNF4A Mutation) and MODY 5 (HNF1B Mutation): Analysis From the DPV Database. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 845-855.	3.6	30
80	Gender-specific Effects of Treatment with Lifestyle, Metformin or Sulfonylurea on Glycemic Control and Body Weight: A German Multicenter Analysis on 9108 Patients. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2015, 123, 622-626.	1.2	28
81	Seasonality at the clinical onset of type 1 diabetes-Lessons from the SWEET database. <i>Pediatric Diabetes</i> , 2016, 17, 32-37.	2.9	28
82	Both the frequency of HbA _{1c} testing and the frequency of self-monitoring of blood glucose predict metabolic control: A multicentre analysis of 15199 adult type 1 diabetes patients from Germany and Austria. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2908.	4.0	28
83	International comparison of glycaemic control in people with type 1 diabetes: an update and extension. <i>Diabetic Medicine</i> , 2022, 39, e14766.	2.3	28
84	Carbohydrate intake in relation to BMI, HbA1c and lipid profile in children and adolescents with type 1 diabetes. <i>Clinical Nutrition</i> , 2014, 33, 75-78.	5.0	27
85	Diagnosis, Therapy and Follow-Up of Diabetes Mellitus in Children and Adolescents. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2019, 127, S39-S72.	1.2	27
86	Symptoms of Eating Disorders and Depression in Emerging Adults with Early-Onset, Long-Duration Type 1 Diabetes and Their Association with Metabolic Control. <i>PLoS ONE</i> , 2015, 10, e0131027.	2.5	27
87	Early versus delayed insulin pump therapy in children with newly diagnosed type 1 diabetes: results from the multicentre, prospective diabetes follow-up DPV registry. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 17-25.	5.6	26
88	Worse glycemic control, higher rates of diabetic ketoacidosis, and more hospitalizations in children, adolescents, and young adults with type 1 diabetes and anxiety disorders. <i>Pediatric Diabetes</i> , 2021, 22, 519-528.	2.9	26
89	Insulin Pumps in Type 1 Diabetes with Mental Disorders: Real-Life Clinical Data Indicate Discrepancies to Recommendations. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, 34-38.	4.4	25
90	Blood pressure regulation determined by ambulatory blood pressure profiles in children and adolescents with type 1 diabetes mellitus: Impact on diabetic complications. <i>Pediatric Diabetes</i> , 2017, 18, 874-882.	2.9	25

#	ARTICLE	IF	CITATIONS
91	Lean diabetes in middle-aged adults: A joint analysis of the German DIVE and DPV registries. PLoS ONE, 2017, 12, e0183235.	2.5	25
92	Comorbidity of Type 1 Diabetes Mellitus in Patients with Juvenile Idiopathic Arthritis. Journal of Pediatrics, 2018, 192, 196-203.	1.8	25
93	Does obesity lead to a specific lipid disorder? Analysis from the German/Austrian/Swiss APV registry. Pediatric Obesity, 2011, 6, 53-58.	3.2	24
94	Frequency and Cost of Diabetic Ketoacidosis in Germany – Study in 12,001 Paediatric Patients. Experimental and Clinical Endocrinology and Diabetes, 2013, 121, 58-59.	1.2	24
95	Comparison of Glycemic and Metabolic Control in Youth With Type 1 Diabetes With and Without Antipsychotic Medication: Analysis From the Nationwide German/Austrian Diabetes Survey (DPV). Diabetes Care, 2015, 38, 1051-1057.	8.6	24
96	Trajectories of Body Mass Index from Childhood to Young Adulthood among Patients with Type 1 Diabetes – A Longitudinal Group-Based Modeling Approach Based on the DPV Registry. Journal of Pediatrics, 2018, 201, 78-85.e4.	1.8	24
97	Impact of Maternal Country of Birth on Type-1-Diabetes Therapy and Outcome in 27,643 Children and Adolescents from the DPV Registry. PLoS ONE, 2015, 10, e0135178.	2.5	24
98	Seasonal Variation in Blood Pressure in 162,135 Patients With Type 1 or Type 2 Diabetes Mellitus. Journal of Clinical Hypertension, 2016, 18, 270-278.	2.0	23
99	Impact of quality of life (QoL) on glycemic control (HbA1c) among adolescents and emerging adults with long-duration type 1 diabetes: A prospective cohort-study. Pediatric Diabetes, 2017, 18, 808-816.	2.9	23
100	Impact of long-term air pollution exposure on metabolic control in children and adolescents with type 1 diabetes: results from the DPV registry. Diabetologia, 2018, 61, 1354-1361.	6.3	23
101	Worse Metabolic Control and Dynamics of Weight Status in Adolescent Girls Point to Eating Disorders in the First Years after Manifestation of Type 1 Diabetes Mellitus: Findings from the Diabetes Patienten Verlaufsdokumentation Registry. Journal of Pediatrics, 2019, 207, 205-212.e5.	1.8	23
102	Effectiveness and cost-effectiveness of guided Internet- and mobile-based CBT for adolescents and young adults with chronic somatic conditions and comorbid depression and anxiety symptoms (youthCOACHCD): study protocol for a multicentre randomized controlled trial. Trials, 2020, 21, 253.	1.6	23
103	Health Behaviour in Children and Adolescents with Type 1 Diabetes Compared to a Representative Reference Population. PLoS ONE, 2014, 9, e112083.	2.5	23
104	Does Î²-Cell Autoimmunity Play a Role in Cystic Fibrosis-Related Diabetes? Analysis Based on the German/Austrian Diabetes Patienten Verlaufsdokumentation Registry. Diabetes Care, 2016, 39, 1338-1344.	8.6	22
105	Leptin but not adiponectin is related to type 2 diabetes mellitus in obese adolescents. Pediatric Diabetes, 2016, 17, 281-288.	2.9	22
106	Long-term study of tubeless insulin pump therapy compared to multiple daily injections in youth with type 1 diabetes: Data from the German/Austrian DPV registry. Pediatric Diabetes, 2018, 19, 979-984.	2.9	22
107	The association between socio-economic status and diabetes care and outcome in children with diabetes type 1 in Germany: The DIAS study (diabetes and social disparities). Pediatric Diabetes, 2019, 20, 637-644.	2.9	22
108	Vascular risk factors in children, adolescents, and young adults with type 1 diabetes complicated by celiac disease: results from the DPV initiative. Pediatric Diabetes, 2016, 17, 191-198.	2.9	21

#	ARTICLE	IF	CITATIONS
109	No adverse effect of outdoor air pollution on HbA1c in children and young adults with type 1 diabetes. <i>International Journal of Hygiene and Environmental Health</i> , 2016, 219, 349-355.	4.3	21
110	Diabetic foot syndrome in patients with diabetes. A multicenter German/Austrian DPV analysis on 33,870 patients. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e3020.	4.0	21
111	Algorithm-Based Cholesterol Monitoring in Children with Type 1 Diabetes. <i>Journal of Pediatrics</i> , 2014, 164, 1079-1084.e2.	1.8	20
112	Current use of metformin in addition to insulin in pediatric patients with type 1 diabetes mellitus: an analysis based on a large diabetes registry in Germany and Austria. <i>Pediatric Diabetes</i> , 2015, 16, 529-537.	2.9	20
113	Prevalence of elevated liver enzymes in adults with type 1 diabetes: a multicentre analysis of the German/Austrian DPV database. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1171-1178.	4.4	20
114	Comparative efficacy and safety of the duodenal-jejunal bypass liner in obese patients with type 2 diabetes mellitus: A case control study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1868-1877.	4.4	20
115	Comorbidity of Type 1 Diabetes and Juvenile Idiopathic Arthritis. <i>Journal of Pediatrics</i> , 2015, 166, 930-935.e3.	1.8	19
116	International Comparison of Smoking and Metabolic Control in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2016, 39, e177-e178.	8.6	19
117	Female sex, young age, northern German residence, hypoglycemia and disabling diabetes complications are associated with depressed mood in the WHO-5 questionnaire – A multicenter DPV study among 17,563 adult patients with type 2 diabetes. <i>Journal of Affective Disorders</i> , 2017, 208, 384-391.	4.1	19
118	Current practice of diabetes education in children and adolescents with type 1 diabetes in Germany and Austria: analysis based on the German/Austrian DPV database. <i>Pediatric Diabetes</i> , 2016, 17, 483-491.	2.9	18
119	Risk factors for necrobiosis lipoidica in Type 1 diabetes mellitus. <i>Diabetic Medicine</i> , 2017, 34, 86-92.	2.3	18
120	Type 1 diabetes during adolescence: International comparison between Germany, Austria, and Sweden. <i>Pediatric Diabetes</i> , 2018, 19, 506-511.	2.9	18
121	Multicentre analysis of hyperglycaemic hyperosmolar state and diabetic ketoacidosis in type 1 and type 2 diabetes. <i>Acta Diabetologica</i> , 2020, 57, 1245-1253.	2.5	18
122	Heterogeneity of Access to Diabetes Technology Depending on Area Deprivation and Demographics Between 2016 and 2019 in Germany. <i>Journal of Diabetes Science and Technology</i> , 2021, 15, 1059-1068.	2.2	18
123	Psoriasis and Diabetes: A Multicenter Study in 222,078 Type 2 Diabetes Patients Reveals High Levels of Depression. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-10.	2.3	17
124	Sodium Chloride Supplementation Is Not Routinely Performed in the Majority of German and Austrian Infants with Classic Salt-Wasting Congenital Adrenal Hyperplasia and Has No Effect on Linear Growth and Hydrocortisone or Fludrocortisone Dose. <i>Hormone Research in Paediatrics</i> , 2018, 89, 7-12.	1.8	17
125	A Comparison of Familial and Sporadic Type 1 Diabetes Among Young Patients. <i>Diabetes Care</i> , 2021, 44, 1116-1124.	8.6	17
126	Adherence to clinical care guidelines for cystic fibrosis-related diabetes in 659 German/Austrian patients. <i>Journal of Cystic Fibrosis</i> , 2014, 13, 730-736.	0.7	16

#	ARTICLE	IF	CITATIONS
127	Non-High-Density Lipoprotein Cholesterol in Children with Diabetes: Proposed Treatment Recommendations Based on Glycemic Control, Body Mass Index, Age, Sex, and Generally Accepted Cut Points. <i>Journal of Pediatrics</i> , 2015, 167, 1436-1439.	1.8	16
128	Mental Health Problems among Adolescents with Early-Onset and Long-Duration Type 1 Diabetes and Their Association with Quality of Life: A Population-Based Survey. <i>PLoS ONE</i> , 2014, 9, e92473.	2.5	16
129	Overweight and Obesity Based on Four Reference Systems in 18,382 Paediatric Patients with Type 1 Diabetes from Germany and Austria. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-10.	2.3	15
130	Real-life experience of patients starting insulin degludec. A multicenter analysis of 1064 subjects from the German/Austrian DPV registry. <i>Diabetes Research and Clinical Practice</i> , 2017, 129, 52-58.	2.8	15
131	Adolescent type 2 diabetes: Comparing the Pediatric Diabetes Consortium and Germany/Austria/Luxemburg Pediatric Diabetes Prospective registries. <i>Pediatric Diabetes</i> , 2018, 19, 1156-1163.	2.9	15
132	Cardiovascular outcomes with sodium-glucose cotransporter-2 inhibitors vs other glucose-lowering drugs in 13 countries across three continents: analysis of CVD-REAL data. <i>Cardiovascular Diabetology</i> , 2021, 20, 159.	6.8	15
133	Regional Disparities in Diabetes Care for Pediatric Patients with Type 1 Diabetes. A Cross-sectional DPV Multicenter Analysis of 24%928 German Children and Adolescents. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2016, 124, 111-119.	1.2	14
134	Feasibility and relative validity of a digital photo-based dietary assessment: results from the Nutris-Phone study. <i>Public Health Nutrition</i> , 2019, 22, 1-8.	2.2	14
135	Previous diabetic ketoacidosis as a risk factor for recurrence in a large prospective contemporary pediatric cohort: Results from the <sc>DPV</sc> initiative. <i>Pediatric Diabetes</i> , 2021, 22, 455-462.	2.9	14
136	Changes in HbA1c Between 2011 and 2017 in Germany/Austria, Sweden, and the United States: A Lifespan Perspective. <i>Diabetes Technology and Therapeutics</i> , 2022, 24, 32-41.	4.4	14
137	Variability of Basal Rate Profiles in Insulin Pump Therapy and Association with Complications in Type 1 Diabetes Mellitus. <i>PLoS ONE</i> , 2016, 11, e0150604.	2.5	14
138	Metabolic control during the <sc>SARS-CoV-2</sc> lockdown in a large German cohort of pediatric patients with type 1 diabetes: Results from the <sc>DPV</sc> initiative. <i>Pediatric Diabetes</i> , 2022, 23, 351-361.	2.9	14
139	<sc>Real-world</sc> data of 12-month adjunct sodium-glucose cotransporter-2 inhibitor treatment in type 1 diabetes from the <sc>German/Austrian DPV</sc> registry: Improved <sc>HbA1c</sc> without diabetic ketoacidosis. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 742-746.	4.4	14
140	Motivational Interviewing as a tool to enhance access to mental health treatment in adolescents with chronic medical conditions and need for psychological support (COACH-MI): study protocol for a clusterrandomised controlled trial. <i>Trials</i> , 2018, 19, 629.	1.6	13
141	Increased liver echogenicity and liver enzymes are associated with extreme obesity, adolescent age and male gender: analysis from the German/Austrian/Swiss obesity registry APV. <i>BMC Pediatrics</i> , 2019, 19, 332.	1.7	13
142	Associations of area deprivation and urban/rural traits with the incidence of type 1 diabetes: analysis at the municipality level in North Rhine-Westphalia, Germany. <i>Diabetic Medicine</i> , 2020, 37, 2089-2097.	2.3	13
143	Guidelines adherence in the prevention and management of chronic kidney disease in patients with diabetes mellitus on the background of recent European recommendations – a registry-based analysis. <i>BMC Nephrology</i> , 2021, 22, 184.	1.8	13
144	Personal Glycation Factors and Calculated Hemoglobin A1c for Diabetes Management: Real-World Data from the Diabetes Prospective Follow-up (DPV) Registry. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 452-459.	4.4	13

#	ARTICLE	IF	CITATIONS
145	Feasibility and potential efficacy of a guided internet- and mobile-based CBT for adolescents and young adults with chronic medical conditions and comorbid depression or anxiety symptoms (youthCOACHCD): a randomized controlled pilot trial. <i>BMC Pediatrics</i> , 2022, 22, 69.	1.7	13
146	Carbohydrate intake and insulin requirement in children, adolescents and young adults with cystic fibrosis-related diabetes: A multicenter comparison to type 1 diabetes. <i>Clinical Nutrition</i> , 2015, 34, 732-738.	5.0	12
147	Risk of recurrent severe hypoglycemia remains associated with a past history of severe hypoglycemia up to 4 years: Results from a large prospective contemporary pediatric cohort of the DPV initiative. <i>Pediatric Diabetes</i> , 2018, 19, 493-500.	2.9	12
148	Diabetes mellitus in Friedreich Ataxia: A case series of 19 patients from the German-Austrian diabetes mellitus registry. <i>Diabetes Research and Clinical Practice</i> , 2018, 141, 229-236.	2.8	12
149	Risk factors for decline in renal function among young adults with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 940-946.	2.3	12
150	Center Size and Glycemic Control: An International Study With 504 Centers From Seven Countries. <i>Diabetes Care</i> , 2019, 42, e37-e39.	8.6	12
151	Diabetic ketoacidosis at manifestation of type 1 diabetes in childhood and adolescence. <i>Deutsches Arzteblatt International</i> , 2021, 118, 367-372.	0.9	12
152	Continuous Subcutaneous Insulin Infusion in Neonates and Infants Below 1 Year: Analysis of Initial Bolus and Basal Rate Based on the Experiences from the German Working Group for Pediatric Pump Treatment. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 872-879.	4.4	11
153	Low prevalence of patients with mitochondrial disease in the German/Austrian DPV diabetes registry. <i>European Journal of Pediatrics</i> , 2016, 175, 613-622.	2.7	11
154	Do adolescents with extreme obesity differ according to previous treatment seeking behavior? The Youth with Extreme obesity Study (YES) cohort. <i>International Journal of Obesity</i> , 2019, 43, 103-115.	3.4	11
155	Characteristics of Patients with Type 1 Diabetes and Additional Autoimmune Disease in the DPV Registry. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e3381-e3389.	3.6	11
156	Types of diabetes are not limited to age groups: type 1 diabetes in adults and type 2 diabetes in children and adolescents.. , 2019, 4, 29-49.		11
157	Determinants of weight change in patients on basal insulin treatment: an analysis of the DIVE registry. <i>BMJ Open Diabetes Research and Care</i> , 2017, 5, e000301.	2.8	10
158	Comparative characteristics of older people with type 1 diabetes treated with continuous subcutaneous insulin infusion or insulin injection therapy: data from the German/Austrian DPV registry. <i>Diabetic Medicine</i> , 2020, 37, 856-862.	2.3	10
159	Health related quality of life associated with extreme obesity in adolescents – results from the baseline evaluation of the YES-study. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 58.	2.4	10
160	Efficacy of Motivational Interviewing to Improve Utilization of Mental Health Services Among Youths With Chronic Medical Conditions. <i>JAMA Network Open</i> , 2021, 4, e2127622.	5.9	10
161	Long-term Surveillance of Children with Congenital Hypothyroidism: Data from the German Registry for Congenital Hypothyroidism (AQUAPE – Hypo Dok). <i>Klinische Padiatrie</i> , 2015, 227, 199-205.	0.6	9
162	Dyslipidaemia and its treatment in patients with type 2 diabetes: A joint analysis of the German <sc>DIVE</sc> and <sc>DPV</sc> registries. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 61-69.	4.4	9

#	ARTICLE	IF	CITATIONS
163	Hospital admission in children and adolescents with or without type 1 diabetes from Germany: An analysis of statutory health insurance data on 12 million subjects. <i>Pediatric Diabetes</i> , 2018, 19, 721-726.	2.9	9
164	Characterization of diabetes following pancreatic surgery in patients with congenital hyperinsulinism. <i>Orphanet Journal of Rare Diseases</i> , 2018, 13, 230.	2.7	9
165	Screening for coeliac disease in 1624 mainly asymptomatic children with type 1 diabetes: is genotyping for coeliac-specific human leucocyte antigen the right approach?. <i>Archives of Disease in Childhood</i> , 2019, 104, 354-359.	1.9	9
166	Comparison of cardiovascular risk factors between children and adolescents with classes III and IV obesity: findings from the APV cohort. <i>International Journal of Obesity</i> , 2021, 45, 1061-1073.	3.4	9
167	Bone Fractures in Children and Young Adults With Type 1 Diabetes: Age Distribution, Fracture Location, and the Role of Glycemic Control. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 2371-2380.	2.8	9
168	Efficacy of Growth Hormone Treatment in Children with Type 1 Diabetes Mellitus and Growth Hormone Deficiency—An Analysis of KIGS Data. <i>Journal of Pediatrics</i> , 2018, 198, 260-264.	1.8	8
169	Eating Frequency and Carbohydrate Intake in Adolescents with Type 1 Diabetes Differ from Those in Their Peers and are Associated with Glycemic Control. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2018, 126, 277-286.	1.2	8
170	Regional differences in type 2 diabetes treatment and outcomes in Germany—An analysis of the German DPV and DIVE registries. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e3049.	4.0	8
171	Diabetes management in Wolcott-Rallison syndrome: analysis from the German/Austrian DPV database. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 100.	2.7	8
172	Predictors of transient congenital primary hypothyroidism: data from the German registry for congenital hypothyroidism (AQUAPE –HypoDok). <i>European Journal of Pediatrics</i> , 2021, 180, 2401-2408.	2.7	8
173	Hydrocortisone dosing in children with classic congenital adrenal hyperplasia: results of the German/Austrian registry. <i>Endocrine Connections</i> , 2021, 10, 561-569.	1.9	8
174	Hemoglobin A1c Patterns of Youth With Type 1 Diabetes 10 Years Post Diagnosis From 3 Continents. <i>Pediatrics</i> , 2021, 148, .	2.1	8
175	COVID-19 Lockdown Periods in 2020: Good Maintenance of Metabolic Control in Adults with Type 1 and Type 2 Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022, 130, 621-626.	1.2	8
176	Metabolic control of type 1 diabetes in youth with autism spectrum disorder: A multicenter Diabetes-Patienten-Verlaufsdokumentation analysis based on 61 749 patients up to 20 years of age. <i>Pediatric Diabetes</i> , 2018, 19, 930-936.	2.9	7
177	Oral contraception in adolescents with type 1 diabetes and its association with cardiovascular risk factors. A multicenter DPV study on 24 011 patients from Germany, Austria or Luxembourg. <i>Pediatric Diabetes</i> , 2018, 19, 937-944.	2.9	7
178	Estimated Glomerular Filtration Rates Calculated by New and Old Equations in Children and Adolescents With Type 1 Diabetes—What to Do With the Results?. <i>Frontiers in Endocrinology</i> , 2020, 11, 52.	3.5	7
179	Three-Variate Longitudinal Patterns of Metabolic Control, Body Mass Index, and Insulin Dose during Puberty in a Type 1 Diabetes Cohort: A Group-Based Multitjectory Analysis. <i>Journal of Pediatrics</i> , 2020, 218, 64-71.e3.	1.8	7
180	Involving patients' perspective in the development of an internet- and mobile-based CBT intervention for adolescents with chronic medical conditions: Findings from a qualitative study. <i>Internet Interventions</i> , 2021, 24, 100383.	2.7	7

#	ARTICLE	IF	CITATIONS
181	Immune-checkpoint inhibitor-associated diabetes compared to other diabetes types - A prospective, matched control study. <i>Journal of Diabetes</i> , 2021, 13, 1007-1014.	1.8	7
182	A collaborative comparison of international pediatric diabetes registries. <i>Pediatric Diabetes</i> , 2022, 23, 627-640.	2.9	7
183	Introducing excess body weight in childhood and adolescence and comparison with body mass index and waist-to-height ratio. <i>International Journal of Obesity</i> , 2015, 39, 52-60.	3.4	6
184	Course of Disordered Eating Behavior in Young People With Early-Onset Type 1 Diabetes: Prevalence, Symptoms, and Transition Probabilities. <i>Journal of Adolescent Health</i> , 2019, 65, 681-689.	2.5	6
185	Autoimmunity risk- and protection-associated IL7RA genetic variants differentially affect soluble and membrane IL-7R α expression. <i>Journal of Autoimmunity</i> , 2019, 97, 40-47.	6.5	6
186	Comparing diabetes due to diseases of the exocrine pancreas to type 1 and type 2 diabetes using propensity score matching. <i>Pancreatology</i> , 2020, 20, 860-866.	1.1	6
187	Use of insulin pump therapy is associated with reduced hospital-days in the long-term: a real-world study of 48,756 pediatric patients with type 1 diabetes. <i>European Journal of Pediatrics</i> , 2021, 180, 597-606.	2.7	6
188	Comorbidity of inflammatory bowel disease in children and adolescents with type 1 diabetes. <i>Acta Paediatrica</i> , <i>International Journal of Paediatrics</i> , 2021, 110, 1353-1358.	1.5	6
189	Long-term trends of BMI and cardiometabolic risk factors among adults with type 1 diabetes: An observational study from the German/Austrian DPV registry. <i>Diabetes Research and Clinical Practice</i> , 2021, 178, 108973.	2.8	6
190	Glycated hemoglobin at diagnosis of type 1 diabetes and at follow-up in children and adolescents during the COVID-19 pandemic in Germany. <i>Pediatric Diabetes</i> , 2022, 23, 749-753.	2.9	6
191	Clinical presentation and long-term outcome of patients with <i>KCNJ11</i> / <i>ABCC8</i> variants: Neonatal diabetes or MODY in the DPV registry from Germany and Austria. <i>Pediatric Diabetes</i> , 2022, 23, 999-1008.	2.9	6
192	Asthma in children and adolescents with type 1 diabetes in Germany and Austria: Frequency and metabolic control. <i>Pediatric Diabetes</i> , 2018, 19, 727-732.	2.9	5
193	Clinical inertia among patients with type 2 diabetes mellitus treated with DPP-4i and/or SGLT-2i. <i>Diabetes Research and Clinical Practice</i> , 2018, 146, 162-171.	2.8	5
194	A prospective investigation of developmental trajectories of psychosocial adjustment in adolescents facing a chronic condition - study protocol of an observational, multi-center study. <i>BMC Pediatrics</i> , 2021, 21, 404.	1.7	5
195	Hypoglycemia in Older Adults: Time Trends and Treatment Differences in Patients Aged ≥ 75 Years With Type 2 Diabetes. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1898-1905.e1.	2.5	5
196	Longitudinal relationship of particulate matter and metabolic control and severe hypoglycaemia in children and adolescents with type 1 diabetes. <i>Environmental Research</i> , 2022, 203, 111859.	7.5	5
197	Dynamics of Hemoglobin A1c, Body Mass Index, and Rates of Severe Hypoglycemia in 4434 Adults with Type 1 or Type 2 Diabetes After Initiation of Continuous Glucose Monitoring. <i>Diabetes Technology and Therapeutics</i> , 2022, 24, 763-769.	4.4	5
198	Diabetes Mellitus and Autoimmune Hepatitis: Demographical and Clinical Description of a Relatively Rare Phenotype. <i>Hormone and Metabolic Research</i> , 2018, 50, 568-574.	1.5	4

#	ARTICLE	IF	CITATIONS
199	Mini Review/Commentary: Growth Hormone Treatment in Children with Type 1 Diabetes. <i>International Journal of Molecular Sciences</i> , 2019, 20, 772.	4.1	4
200	Hospitalization in Pediatric Diabetes: A Nationwide Analysis of all Admission Causes for Germany in 2015. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 615-623.	1.2	4
201	Fracture risk in patients with type 2 diabetes aged ≥ 50 years related to HbA1c, acute complications, BMI and SGLT2i-use in the DPV registry. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107664.	2.3	4
202	Association of family structure with type 1 diabetes management and outcomes in adolescents: A population-based cross-sectional survey. <i>Pediatric Diabetes</i> , 2021, 22, 482-494.	2.9	4
203	Non-suicidal self-injury in adolescents and young adults with type 1 diabetes: clinical characteristics from a German diabetes-patient registry (DPV). <i>Psychiatry Research</i> , 2021, 297, 113733.	3.3	4
204	Diabetes care in pediatric refugees from Africa or Middle East: experiences from Germany and Austria based on real-world data from the DPV registry. <i>European Journal of Endocrinology</i> , 2019, 181, 31-38.	3.7	4
205	Screening for generalized anxiety disorder (GAD) and associated factors in adolescents and young adults with type 1 diabetes: Cross-sectional results of a Germany-wide population-based study. <i>Diabetes Research and Clinical Practice</i> , 2022, 184, 109197.	2.8	4
206	Response to Comment on Craig et al. Prevalence of Celiac Disease in 52,721 Youth With Type 1 Diabetes: International Comparison Across Three Continents. <i>Diabetes Care</i> 2017;40:1034-1040. <i>Diabetes Care</i> , 2017, 40, e168-e169.	8.6	3
207	Polycystic Ovary Syndrome (PCOS) in Juvenile and Adult Type 1 Diabetes in a German/Austrian Cohort. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 661-668.	1.2	3
208	Comparative Characteristics of Patients with Type 2 Diabetes Mellitus Treated by Bariatric Surgery Versus Medical Treatment: a Multicentre Analysis of 277,862 Patients from the German/Austrian DPV Database. <i>Obesity Surgery</i> , 2018, 28, 3366-3373.	2.1	3
209	Cardiovascular Risk Profile in Patients with Diabetes and Acromegaly or Cushing's Disease – Analysis from the DPV Database. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 104-110.	1.2	3
210	Inpatient Rehabilitation for Children and Adolescents With Diabetes in Germany Between 2006 and 2013. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 325-331.	1.2	3
211	Heart failure among people with Type 2 diabetes mellitus: real-world data of 289,954 people from a diabetes database. <i>Diabetic Medicine</i> , 2020, 37, 1291-1298.	2.3	3
212	Demographic characteristics and acute complications among adults with type 1 diabetes: Comparison of two multicentre databases from Germany and the United States. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107812.	2.3	3
213	Differences in insulin dosing in women with type 1 diabetes before and after the menopause. <i>Swiss Medical Weekly</i> , 2021, 151, w30025.	1.6	3
214	Renal Complications and Duration of Diabetes: An International Comparison in Persons with Type 1 Diabetes. <i>Diabetes Therapy</i> , 2021, 12, 3093-3105.	2.5	3
215	Frequency of Ketoacidosis at Diagnosis of Pediatric Type 1 Diabetes Associated With Socioeconomic Deprivation and Urbanization: Results From the German Multicenter DPV Registry. <i>Diabetes Care</i> , 2022, 45, 1807-1813.	8.6	3
216	Diabetes mellitus in pediatric solid organ recipients without and with cystic fibrosis: An analysis from the German-Austrian diabetes database (Diabetes Patienten Verlaufsdocumentation). <i>Pediatric Diabetes</i> , 2018, 19, 1191-1197.	2.9	2

#	ARTICLE	IF	CITATIONS
217	Association of individual and area-level socioeconomic conditions with quality of life and glycaemic control in 11- to 21-year-old adolescents with early-onset type 1 diabetes: a cross-sectional study. <i>Quality of Life Research</i> , 2018, 27, 3131-3136.	3.1	2
218	Characteristics of cystic fibrosis-related diabetes: Data from two different sources the European cystic fibrosis society patient registry and German/Austrian diabetes prospective follow-up registry. <i>Pediatric Diabetes</i> , 2019, 20, 255-262.	2.9	2
219	Guideline Adherence and Registry Recruitment of Congenital Primary Hypothyroidism: Data from the German Registry for Congenital Hypothyroidism (HypoDok). <i>International Journal of Neonatal Screening</i> , 2021, 7, 10.	3.2	2
220	Are Insulin Analogues Detemir or Glulisine Used Preferentially in Overweight/Obese Subjects? A German Multicentre Analysis of 38560 Type 2 Diabetic Patients from the DPV Registry. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2014, 122, 602-607.	1.2	1
221	Heterogeneity in sociodemographic characteristics and cardiovascular risk factors at the initiation of a lifestyle intervention for obesity within Germany: an APV multicenter study on 40,942 children and adolescents. <i>Child and Adolescent Obesity</i> , 2018, 1, 5-17.	1.3	1
222	Comparing clinical characteristics of pediatric patients with pancreatic diabetes to patients with type 1 diabetes: A matched case-control study. <i>Pediatric Diabetes</i> , 2019, 20, 955-963.	2.9	1
223	Choice of basal insulin therapy is associated with weight and height development in type 1 diabetes: A multicenter analysis from the German/Austrian DPV registry in 10%338 children and adolescents. <i>Journal of Diabetes</i> , 2021, 13, 930-939.	1.8	1
224	Not All Type-2-Diabetes Patients Increase Body Mass Index After Initiating Insulin: Results of Latent Class Analysis from the DPV Registry. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 799-806.	4.4	1
225	Cataract in children and adolescents with type 1 diabetes. Insights from the German/Austrian DPV registry. <i>Pediatric Diabetes</i> , 2022, 23, 362-369.	2.9	1
226	Three-variate trajectories of metabolic control, body mass index, and insulin dose: Heterogeneous response to initiation of pump therapy in youth with type 1 diabetes. <i>Pediatric Diabetes</i> , 2022, , .	2.9	1
227	Early vs late histological confirmation of coeliac disease in children with new-onset type 1 diabetes. <i>Diabetologia</i> , 2022, , .	6.3	1
228	Disease heterogeneity of adult diabetes based on routine clinical variables at diagnosis: Results from the German/Austrian Diabetes Follow-up Registry. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 2253-2262.	4.4	1
229	Reply to: mitochondrial diabetes in Germany and Austria. <i>European Journal of Pediatrics</i> , 2016, 175, 2025-2026.	2.7	0
230	Response to Comment on Hofer et al. International Comparison of Smoking and Metabolic Control in Patients With Type 1 Diabetes. <i>Diabetes Care</i> 2016;39:e177-e178. <i>Diabetes Care</i> , 2017, 40, e37-e37.	8.6	0
231	Treatment of cystic fibrosis-related diabetes – Authors' reply. <i>Lancet Diabetes and Endocrinology</i> , the, 2018, 6, 167-168.	11.4	0
232	Diabetes and Road Traffic. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2019, 127, S114-S123.	1.2	0
233	Comment on: Comparative characteristics of older people with type 1 diabetes treated with continuous subcutaneous insulin infusion or insulin injection therapy: data from the German/Austrian DPV registry. Reply to Rigalleau et al .. <i>Diabetic Medicine</i> , 2020, 37, 1209-1210.	2.3	0
234	Transition from gynaecomastia to lipomastia in pubertal boys. <i>Clinical Endocrinology</i> , 2021, 94, 583-589.	2.4	0

#	ARTICLE	IF	CITATIONS
235	Use Existing Registry. Deutsches Ärztblatt International, 2021, 118, 485.	0.9	0
236	Special diet in type 1 diabetes: do gender and BMI-SDS differ?. Child and Adolescent Obesity, 2021, 4, 131-147.	1.8	0
237	Course of screening-based depression in young adults with a long type 1 diabetes duration: Prevalence and transition probabilities â€œ A cohort study. Diabetes Research and Clinical Practice, 2022, 185, 109220.	2.8	0
238	Family Structure is Associated with Mental Health and Attention Deficit (Hyperactivity) Disorders in Adolescents with Type 1 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2022, , .	1.2	0
239	Diabetes and Road Traffic. Experimental and Clinical Endocrinology and Diabetes, 2022, , .	1.2	0
240	Twenty years of newborn screening for congenital adrenal hyperplasia and congenital primary hypothyroidism â€œ experiences from the DGKED/AQUAPE study group for quality improvement in Germany. Medizinische Genetik, 2022, 34, 29-40.	0.2	0