Reinhard Holl

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/7848838/publications.pdf

Version: 2024-02-01

240	9,434	38742	51608
papers	citations	50 h-index	86 g-index

243	243	243	9192
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Changes in HbA1c Between 2011 and 2017 in Germany/Austria, Sweden, and the United States: A Lifespan Perspective. Diabetes Technology and Therapeutics, 2022, 24, 32-41.	4.4	14
2	Longitudinal relationship of particulate matter and metabolic control and severe hypoglycaemia in children and adolescents with type 1 diabetes. Environmental Research, 2022, 203, 111859.	7.5	5
3	Course of screening-based depression in young adults with a long type 1 diabetes duration: Prevalence and transition probabilities â€“ A cohort study. Diabetes Research and Clinical Practice, 2022, 185, 109220.	2.8	0
4	Metabolic control during the <scp>SARSâ€CoV</scp> â€2 lockdown in a large German cohort of pediatric patients with type 1 diabetes: Results from the <scp>DPV</scp> initiative. Pediatric Diabetes, 2022, 23, 351-361.	2.9	14
5	Feasibility and potential efficacy of a guided internet- and mobile-based CBT for adolescents and young adults with chronic medical conditions and comorbid depression or anxiety symptoms (youthCOACHCD): a randomized controlled pilot trial. BMC Pediatrics, 2022, 22, 69.	1.7	13
6	Cataract in children and adolescents with type 1 diabetes. Insights from the German/Austrian DPV registry. Pediatric Diabetes, 2022, 23, 362-369.	2.9	1
7	Threeâ€variate trajectories of metabolic control, body mass index, and insulin dose: Heterogeneous response to initiation of pump therapy in youth with type 1 diabetes. Pediatric Diabetes, 2022, , .	2.9	1
8	Screening for generalized anxiety disorder (GAD) and associated factors in adolescents and young adults with type 1 diabetes: Cross-sectional results of a Germany-wide population-based study. Diabetes Research and Clinical Practice, 2022, 184, 109197.	2.8	4
9	<scp>Realâ€world</scp> data of 12â€month adjunct sodiumâ€glucose coâ€transporterâ€2 inhibitor treatment in type 1 diabetes from the <scp>German/Austrian DPV</scp> registry: Improved <scp>HbA1c</scp> without diabetic ketoacidosis. Diabetes, Obesity and Metabolism, 2022, 24, 742-746.	4.4	14
10	COVID-19 Lockdown Periods in 2020: Good Maintenance of Metabolic Control in Adults with Type 1 and Type 2 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2022, 130, 621-626.	1.2	8
11	Family Structure is Associated with Mental Health and Attention Deficit (Hyperactivity) Disorders in Adolescents with Type 1 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2022, , .	1.2	0
12	Glycated hemoglobin at diagnosis of type 1 diabetes and at followâ€up in children and adolescents during the <scp>COVID</scp> â€19 pandemic in Germany. Pediatric Diabetes, 2022, 23, 749-753.	2.9	6
13	International comparison of glycaemic control in people with type 1 diabetes: an update and extension. Diabetic Medicine, 2022, 39, e14766.	2.3	28
14	Diabetes and Road Traffic. Experimental and Clinical Endocrinology and Diabetes, 2022, , .	1.2	0
15	Twenty years of newborn screening for congenital adrenal hyperplasia and congenital primary hypothyroidism â€“ experiences from the DGKED/AQUAPE study group for quality improvement in Germany. Medizinische Genetik, 2022, 34, 29-40.	0.2	0
16	Early vs late histological confirmation of coeliac disease in children with new-onset type 1 diabetes. Diabetologia, 2022, , .	6.3	1
17	A collaborative comparison of international pediatric diabetes registries. Pediatric Diabetes, 2022, 23, 627-640.	2.9	7
18	Dynamics of Hemoglobin A1c, Body Mass Index, and Rates of Severe Hypoglycemia in 4434 Adults with Type 1 or Type 2 Diabetes After Initiation of Continuous Glucose Monitoring. Diabetes Technology and Therapeutics, 2022, 24, 763-769.	4.4	5

#	Article	IF	Citations
19	Frequency of Ketoacidosis at Diagnosis of Pediatric Type 1 Diabetes Associated With Socioeconomic Deprivation and Urbanization: Results From the German Multicenter DPV Registry. Diabetes Care, 2022, 45, 1807-1813.	8.6	3
20	Disease heterogeneity of adult diabetes based on routine clinical variables at diagnosis: Results from the German/Austrian Diabetes Followâ€up Registry. Diabetes, Obesity and Metabolism, 2022, 24, 2253-2262.	4.4	1
21	Clinical presentation and longâ€term outcome of patients with <scp> KCNJ11 </scp> / <scp> ABCC8 </scp> variants: Neonatal diabetes or <scp>MODY</scp> in the <scp>DPV</scp> registry from <scp>Germany</scp> and <scp>Austria</scp>. Pediatric Diabetes, 2022, 23, 999-1008.	2.9	6
22	Use of insulin pump therapy is associated with reduced hospital-days in the long-term: a real-world study of 48,756 pediatric patients with type 1 diabetes. European Journal of Pediatrics, 2021, 180, 597-606.	2.7	6
23	Early versus delayed insulin pump therapy in children with newly diagnosed type 1 diabetes: results from the multicentre, prospective diabetes follow-up DPV registry. The Lancet Child and Adolescent Health, 2021, 5, 17-25.	5.6	26
24	Demographic characteristics and acute complications among adults with type 1 diabetes: Comparison of two multicentre databases from Germany and the United States. Journal of Diabetes and Its Complications, 2021, 35, 107812.	2.3	3
25	Association of family structure with type 1 diabetes management and outcomes in adolescents: A populationâ€based crossâ€sectional survey. Pediatric Diabetes, 2021, 22, 482-494.	2.9	4
26	Transition from gynaecomastia to lipomastia in pubertal boys. Clinical Endocrinology, 2021, 94, 583-589.	2.4	0
27	Comorbidity of inflammatory bowel disease in children and adolescents with type 1 diabetes. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 1353-1358.	1.5	6
28	A Decade of Disparities in Diabetes Technology Use and HbA1c in Pediatric Type 1 Diabetes: A Transatlantic Comparison. Diabetes Care, 2021, 44, 133-140.	8.6	162
29	Previous diabetic ketoacidosis as a risk factor for recurrence in a large prospective contemporary pediatric cohort: Results from the <scp>DPV</scp> initiative. Pediatric Diabetes, 2021, 22, 455-462.	2.9	14
30	Worse glycemic control, higher rates of diabetic ketoacidosis, and more hospitalizations in children, adolescents, and young adults with type 1 diabetes and anxiety disorders. Pediatric Diabetes, 2021, 22, 519-528.	2.9	26
31	Guideline Adherence and Registry Recruitment of Congenital Primary Hypothyroidism: Data from the German Registry for Congenital Hypothyroidism (HypoDok). International Journal of Neonatal Screening, 2021, 7, 10.	3.2	2
32	Predictors of transient congenital primary hypothyroidism: data from the German registry for congenital hypothyroidism (AQUAPE â€œHypoDokâ€). European Journal of Pediatrics, 2021, 180, 2401-2408.	2.7	8
33	Non-suicidal self-injury in adolescents and young adults with type 1 diabetes: clinical characteristics from a German diabetes-patient registry (DPV). Psychiatry Research, 2021, 297, 113733.	3.3	4
34	Comparison of cardiovascular risk factors between children and adolescents with classes III and IV obesity: findings from the APV cohort. International Journal of Obesity, 2021, 45, 1061-1073.	3.4	9
35	Involving patients' perspective in the development of an internet- and mobile-based CBT intervention for adolescents with chronic medical conditions: Findings from a qualitative study. Internet Interventions, 2021, 24, 100383.	2.7	7
36	A Comparison of Familial and Sporadic Type 1 Diabetes Among Young Patients. Diabetes Care, 2021, 44, 1116-1124.	8.6	17

#	Article	IF	Citations
37	Incidence of COVID-19 and Risk of Diabetic Ketoacidosis in New-Onset Type 1 Diabetes. Pediatrics, 2021, 148, .	2.1	31
38	Guidelines adherence in the prevention and management of chronic kidney disease in patients with diabetes mellitus on the background of recent European recommendations â€“ a registry-based analysis. BMC Nephrology, 2021, 22, 184.	1.8	13
39	Hydrocortisone dosing in children with classic congenital adrenal hyperplasia: results of the German/Austrian registry. Endocrine Connections, 2021, 10, 561-569.	1.9	8
40	Personal Glycation Factors and Calculated Hemoglobin A1c for Diabetes Management: Real-World Data from the Diabetes Prospective Follow-up (DPV) Registry. Diabetes Technology and Therapeutics, 2021, 23, 452-459.	4.4	13
41	Diabetic ketoacidosis at manifestation of type 1 diabetes in childhood and adolescence. Deutsches Ärzteblatt International, 2021, 118, 367-372.	0.9	12
42	Characteristics of Patients with Type 1 Diabetes and Additional Autoimmune Disease in the DPV Registry. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3381-e3389.	3.6	11
43	Cardiovascular outcomes with sodiumâ€“glucose cotransporter-2 inhibitors vs other glucose-lowering drugs in 13 countries across three continents: analysis of CVD-REAL data. Cardiovascular Diabetology, 2021, 20, 159.	6.8	15
44	Heterogeneity of Access to Diabetes Technology Depending on Area Deprivation and Demographics Between 2016 and 2019 in Germany. Journal of Diabetes Science and Technology, 2021, 15, 1059-1068.	2.2	18
45	Use Existing Registry. Deutsches Ärzteblatt International, 2021, 118, 485.	0.9	0
46	Choice of basal insulin therapy is associated with weight and height development in type 1 diabetes: A multicenter analysis from the German/Austrian DPV registry in 10â€‰338 children and adolescents. Journal of Diabetes, 2021, 13, 930-939.	1.8	1
47	Immuneâ€checkpoint inhibitorâ€associated diabetes compared to other diabetes types â€•A prospective, matched control study. Journal of Diabetes, 2021, 13, 1007-1014.	1.8	7
48	Hemoglobin A1c Patterns of Youth With Type 1 Diabetes 10 Years Post Diagnosis From 3 Continents. Pediatrics, 2021, 148, .	2.1	8
49	Long-term trends of BMI and cardiometabolic risk factors among adults with type 1 diabetes: An observational study from the German/Austrian DPV registry. Diabetes Research and Clinical Practice, 2021, 178, 108973.	2.8	6
50	Not All Type-2-Diabetes Patients Increase Body Mass Index After Initiating Insulin: Results of Latent Class Analysis from the DPV Registry. Diabetes Technology and Therapeutics, 2021, 23, 799-806.	4.4	1
51	A prospective investigation of developmental trajectories of psychosocial adjustment in adolescents facing a chronic condition - study protocol of an observational, multi-center study. BMC Pediatrics, 2021, 21, 404.	1.7	5
52	Hypoglycemia in Older Adults: Time Trends and Treatment Differences in Patients Aged â‰¥75ÂYears With Type 2 Diabetes. Journal of the American Medical Directors Association, 2021, 22, 1898-1905.e1.	2.5	5
53	Differences in insulin dosing in women with type 1 diabetes before and after the menopause. Swiss Medical Weekly, 2021, 151, w30025.	1.6	3
54	Efficacy of Motivational Interviewing to Improve Utilization of Mental Health Services Among Youths With Chronic Medical Conditions. JAMA Network Open, 2021, 4, e2127622.	5.9	10

#	Article	IF	Citations
55	Renal Complications and Duration of Diabetes: An International Comparison in Persons with Type 1 Diabetes. Diabetes Therapy, 2021, 12, 3093-3105.	2.5	3
56	Special diet in type 1 diabetes: do gender and BMI-SDS differ?. Child and Adolescent Obesity, 2021, 4, 131-147.	1.3	0
57	Cardivascular Risk Profile in Patients with Diabetes and Acromegaly or Cushingâ€™s Disease â€“ Analysis from the DPV Database. Experimental and Clinical Endocrinology and Diabetes, 2020, 128, 104-110.	1.2	3
58	Inpatient Rehabilitation for Children and Adolescents With Diabetes in Germany Between 2006 and 2013. Experimental and Clinical Endocrinology and Diabetes, 2020, 128, 325-331.	1.2	3
59	Heart failure among people with Type 2 diabetes mellitus: realâ€world data of 289Â954 people from a diabetes database. Diabetic Medicine, 2020, 37, 1291-1298.	2.3	3
60	Hospitalization in Pediatric Diabetes: A Nationwide Analysis of all Admission Causes for Germany in 2015. Experimental and Clinical Endocrinology and Diabetes, 2020, 128, 615-623.	1.2	4
61	The Transatlantic HbA_{1c} gap: differences in glycaemic control across the lifespan between people included in the US T1D Exchange Registry and those included in the German/Austrian DPV registry. Diabetic Medicine, 2020, 37, 848-855.	2.3	78
62	Diabetes digital app technology: benefits, challenges, and recommendations. A consensus report by the European Association for the Study of Diabetes (EASD) and the American Diabetes Association (ADA) Diabetes Technology Working Group. Diabetologia, 2020, 63, 229-241.	6.3	56
63	Prevalence of prediabetes and type 2 diabetes in children with obesity and increased transaminases in European Germanâ€speaking countries. Analysis of the APV initiative. Pediatric Obesity, 2020, 15, e12601.	2.8	33
64	Diabetes Digital App Technology: Benefits, Challenges, and Recommendations. A Consensus Report by the European Association for the Study of Diabetes (EASD) and the American Diabetes Association (ADA) Diabetes Technology Working Group. Diabetes Care, 2020, 43, 250-260.	8.6	175
65	Comparative characteristics of older people with type 1 diabetes treated with continuous subcutaneous insulin infusion or insulin injection therapy: data from the German/Austrian DPV registry. Diabetic Medicine, 2020, 37, 856-862.	2.3	10
66	Ketoacidosis in Children and Adolescents With Newly Diagnosed Type 1 Diabetes During the COVID-19 Pandemic in Germany. JAMA - Journal of the American Medical Association, 2020, 324, 801.	7.4	243
67	Comment on: Comparative characteristics of older people with type 1 diabetes treated with continuous subcutaneous insulin infusion or insulin injection therapy: data from the German/Austrian DPV registry. Reply to Rigalleau et al .. Diabetic Medicine, 2020, 37, 1209-1210.	2.3	0
68	Temporal trends in diabetic ketoacidosis at diagnosis of paediatric type 1 diabetes between 2006 and 2016: results from 13 countries in three continents. Diabetologia, 2020, 63, 1530-1541.	6.3	86
69	Multicentre analysis of hyperglycaemic hyperosmolar state and diabetic ketoacidosis in type 1 and type 2 diabetes. Acta Diabetologica, 2020, 57, 1245-1253.	2.5	18
70	Continuous Glucose Monitoring in Adults with Type 1 Diabetes: Real-World Data from the German/Austrian Prospective Diabetes Follow-Up Registry. Diabetes Technology and Therapeutics, 2020, 22, 602-612.	4.4	32
71	Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. Lancet Diabetes and Endocrinology,the, 2020, 8, 606-615.	11.4	67
72	Estimated Glomerular Filtration Rates Calculated by New and Old Equations in Children and Adolescents With Type 1 Diabetesâ€”What to Do With the Results?. Frontiers in Endocrinology, 2020, 11, 52.	3.5	7

#	Article	IF	Citations
73	Health related quality of life associated with extreme obesity in adolescents â€“ results from the baseline evaluation of the YES-study. Health and Quality of Life Outcomes, 2020, 18, 58.	2.4	10
74	Effectiveness and cost-effectiveness of guided Internet- and mobile-based CBT for adolescents and young adults with chronic somatic conditions and comorbid depression and anxiety symptoms (youthCOACHCD): study protocol for a multicentre randomized controlled trial. Trials, 2020, 21, 253.	1.6	23
75	Comparing diabetes due to diseases of the exocrine pancreas to type 1 and type 2 diabetes using propensity score matching. Pancreatology, 2020, 20, 860-866.	1.1	6
76	Fracture risk in patients with type 2 diabetes aged â‰¥50Âyears related to HbA1c, acute complications, BMI and SGLT2i-use in the DPV registry. Journal of Diabetes and Its Complications, 2020, 34, 107664.	2.3	4
77	Three-Variate Longitudinal Patterns of Metabolic Control, Body Mass Index, and Insulin Dose during Puberty in a Type 1 Diabetes Cohort: A Group-Based Multitrajectory Analysis. Journal of Pediatrics, 2020, 218, 64-71.e3.	1.8	7
78	Associations of area deprivation and urban/rural traits with the incidence of type 1 diabetes: analysis at the municipality level in North Rhineâ€Westphalia, Germany. Diabetic Medicine, 2020, 37, 2089-2097.	2.3	13
79	International benchmarking in type 1 diabetes: Large difference in childhood <scp>HbA1c</scp> between eight highâ€income countries but similar rise during adolescenceâ€”A quality registry study. Pediatric Diabetes, 2020, 21, 621-627.	2.9	43
80	Undertreatment of cardiovascular risk factors in the type 1 diabetes exchange clinic network (<scp>United States</scp>) and the prospective diabetes followâ€up (Germany/Austria) registries. Diabetes, Obesity and Metabolism, 2020, 22, 1577-1585.	4.4	39
81	Diabetes management in Wolcott-Rallison syndrome: analysis from the German/Austrian DPV database. Orphanet Journal of Rare Diseases, 2020, 15, 100.	2.7	8
82	Reduction in Diabetic Ketoacidosis and Severe Hypoglycemia in Pediatric Type 1 Diabetes During the First Year of Continuous Glucose Monitoring: A Multicenter Analysis of 3,553 Subjects From the DPV Registry. Diabetes Care, 2020, 43, e40-e42.	8.6	72
83	Bone Fractures in Children and Young Adults With Type 1 Diabetes: Age Distribution, Fracture Location, and the Role of Glycemic Control. Journal of Bone and Mineral Research, 2020, 36, 2371-2380.	2.8	9
84	Feasibility and relative validity of a digital photo-based dietary assessment: results from the Nutris-Phone study. Public Health Nutrition, 2019, 22, 1-8.	2.2	14
85	Comparing clinical characteristics of pediatric patients with pancreatic diabetes to patients with type 1 diabetes: A matched caseâ€control study. Pediatric Diabetes, 2019, 20, 955-963.	2.9	1
86	Decreasing Trends in Mean HbA1c Are Not Associated With Increasing Rates of Severe Hypoglycemia in Children: A Longitudinal Analysis of Two Contemporary Population-Based Pediatric Type 1 Diabetes Registries From Australia and Germany/Austria Between 1995 and 2016. Diabetes Care, 2019, 42, 1630-1636.	8.6	33
87	Course of Disordered Eating Behavior in Young People With Early-Onset Type I Diabetes: Prevalence, Symptoms, and Transition Probabilities. Journal of Adolescent Health, 2019, 65, 681-689.	2.5	6
88	Temporal Trends and Contemporary Use of Insulin Pump Therapy and Glucose Monitoring Among Children, Adolescents, and Adults With Type 1 Diabetes Between 1995 and 2017. Diabetes Care, 2019, 42, 2050-2056.	8.6	140
89	Increased liver echogenicity and liver enzymes are associated with extreme obesity, adolescent age and male gender: analysis from the German/Austrian/Swiss obesity registry APV. BMC Pediatrics, 2019, 19, 332.	1.7	13
90	Frequency and Characteristics of MODY 1 (HNF4A Mutation) and MODY 5 (HNF1B Mutation): Analysis From the DPV Database. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 845-855.	3.6	30

#	Article	IF	Citations
91	Center Size and Glycemic Control: An International Study With 504 Centers From Seven Countries. Diabetes Care, 2019, 42, e37-e39.	8.6	12
92	Variation in the Plasma Membrane Monoamine Transporter (PMAT) (Encoded by SLC29A4) and Organic Cation Transporter 1 (OCT1) (Encoded by SLC22A1) and Gastrointestinal Intolerance to Metformin in Type 2 Diabetes: An IMI DIRECT Study. Diabetes Care, 2019, 42, 1027-1033.	8.6	43
93	The association between socioâ€economic status and diabetes care and outcome in children with diabetes type 1 in Germany: The DIAS study (diabetes and social disparities). Pediatric Diabetes, 2019, 20, 637-644.	2.9	22
94	Mini Review/Commentary: Growth Hormone Treatment in Children with Type 1 Diabetes. International Journal of Molecular Sciences, 2019, 20, 772.	4.1	4
95	Characteristics of cystic fibrosisâ€related diabetes: Data from two different sources the European cystic fibrosis society patient registry and German/Austrian diabetes prospective followâ€up registry. Pediatric Diabetes, 2019, 20, 255-262.	2.9	2
96	Diagnosis, Therapy and Follow-Up of Diabetes Mellitus in Children and Adolescents. Experimental and Clinical Endocrinology and Diabetes, 2019, 127, S39-S72.	1.2	27
97	Diabetes and Road Traffic. Experimental and Clinical Endocrinology and Diabetes, 2019, 127, S114-S123.	1.2	0
98	Worse Metabolic Control and Dynamics of Weight Status in Adolescent Girls Point to Eating Disorders in the First Years after Manifestation of Type 1 Diabetes Mellitus: Findings from the Diabetes Patienten Verlaufsdokumentation Registry. Journal of Pediatrics, 2019, 207, 205-212.e5.	1.8	23
99	Autoimmunity risk- and protection-associated IL7RA genetic variants differentially affect soluble and membrane IL-7RÎ± expression. Journal of Autoimmunity, 2019, 97, 40-47.	6.5	6
100	Do adolescents with extreme obesity differ according to previous treatment seeking behavior? The Youth with Extreme obesity Study (YES) cohort. International Journal of Obesity, 2019, 43, 103-115.	3.4	11
101	Screening for coeliac disease in 1624 mainly asymptomatic children with type 1 diabetes: is genotyping for coeliac-specific human leucocyte antigen the right approach?. Archives of Disease in Childhood, 2019, 104, 354-359.	1.9	9
102	Genotype/phenotype correlations in 538 congenital adrenal hyperplasia patients from Germany and Austria: discordances in milder genotypes and in screened versus prescreening patients. Endocrine Connections, 2019, 8, 86-94.	1.9	37
103	Diabetes care in pediatric refugees from Africa or Middle East: experiences from Germany and Austria based on real-world data from the DPV registry. European Journal of Endocrinology, 2019, 181, 31-38.	3.7	4
104	Types of diabetes are not limited to age groups: type 1 diabetes in adults and type 2 diabetes in children and adolescents.. , 2019, 4, 29-49.		11
105	Impact of long-term air pollution exposure on metabolic control in children and adolescents with type 1 diabetes: results from the DPV registry. Diabetologia, 2018, 61, 1354-1361.	6.3	23
106	Metabolic control of type 1 diabetes in youth with autism spectrum disorder: A multicenter Diabetes-Patienten-Verlaufsdokumentation analysis based on 61 749 patients up to 20 years of age. Pediatric Diabetes, 2018, 19, 930-936.	2.9	7
107	Comparative efficacy and safety of the duodenalâ€jejunal bypass liner in obese patients with type 2 diabetes mellitus: A case control study. Diabetes, Obesity and Metabolism, 2018, 20, 1868-1877.	4.4	20
108	Exploring Variation in Glycemic Control Across and Within Eight High-Income Countries: A Cross-sectional Analysis of 64,666 Children and Adolescents With Type 1 Diabetes. Diabetes Care, 2018, 41, 1180-1187.	8.6	81

#	Article	IF	Citations
109	Efficacy of Growth Hormone Treatment in Children with Type 1 Diabetes Mellitus and Growth Hormone Deficiencyâ€"An Analysis of KIGS Data. Journal of Pediatrics, 2018, 198, 260-264.	1.8	8
110	Oral contraception in adolescents with type 1 diabetes and its association with cardiovascular risk factors. A multicenter DPV study on 24 011 patients from Germany, Austria or Luxembourg. Pediatric Diabetes, 2018, 19, 937-944.	2.9	7
111	Long-term study of tubeless insulin pump therapy compared to multiple daily injections in youth with type 1 diabetes: Data from the German/Austrian DPV registry. Pediatric Diabetes, 2018, 19, 979-984.	2.9	22
112	Comorbidity of Type 1 Diabetes Mellitus in Patients with Juvenile Idiopathic Arthritis. Journal of Pediatrics, 2018, 192, 196-203.	1.8	25
113	Risk of recurrent severe hypoglycemia remains associated with a past history of severe hypoglycemia up to 4â€‰years: Results from a large prospective contemporary pediatric cohort of the DPV initiative. Pediatric Diabetes, 2018, 19, 493-500.	2.9	12
114	Repaglinide versus insulin for newly diagnosed diabetes in patients with cystic fibrosis: a multicentre, open-label, randomised trial. Lancet Diabetes and Endocrinology,the, 2018, 6, 114-121.	11.4	53
115	Hospital admission in children and adolescents with or without type 1 diabetes from Germany: An analysis of statutory health insurance data on 12 million subjects. Pediatric Diabetes, 2018, 19, 721-726.	2.9	9
116	Transition to adult diabetes care in Germany-High risk for acute complications and declining metabolic control during the transition phase. Pediatric Diabetes, 2018, 19, 1094-1099.	2.9	42
117	Treatment of cystic fibrosis-related diabetes â€“ Authors' reply. Lancet Diabetes and Endocrinology,the, 2018, 6, 167-168.	11.4	0
118	Rates of myocardial infarction and stroke in patients initiating treatment with <scp>SGLT</scp>2â€inhibitors versus other glucoseâ€lowering agents in realâ€world clinical practice: <scp>R</scp>esults from the <scp>CVDâ€REAL</scp> study. Diabetes, Obesity and Metabolism, 2018, 20, 1983-1987.	4.4	65
119	Type 1 diabetes during adolescence: International comparison between Germany, Austria, and Sweden. Pediatric Diabetes, 2018, 19, 506-511.	2.9	18
120	Eating Frequency and Carbohydrate Intake in Adolescents with Type 1 Diabetes Differ from Those in Their Peers and are Associated with Glycemic Control. Experimental and Clinical Endocrinology and Diabetes, 2018, 126, 277-286.	1.2	8
121	Asthma in children and adolescents with type 1 diabetes in Germany and Austria: Frequency and metabolic control. Pediatric Diabetes, 2018, 19, 727-732.	2.9	5
122	Sodium Chloride Supplementation Is Not Routinely Performed in the Majority of German and Austrian Infants with Classic Salt-Wasting Congenital Adrenal Hyperplasia and Has No Effect on Linear Growth and Hydrocortisone or Fludrocortisone Dose. Hormone Research in Paediatrics, 2018, 89, 7-12.	1.8	17
123	Heterogeneity in sociodemographic characteristics and cardiovascular risk factors at the initiation of a lifestyle intervention for obesity within Germany: an APV multicenter study on 40,942 children and adolescents. Child and Adolescent Obesity, 2018, 1, 5-17.	1.3	1
124	Characterization of diabetes following pancreatic surgery in patients with congenital hyperinsulinism. Orphanet Journal of Rare Diseases, 2018, 13, 230.	2.7	9
125	Motivational Interviewing as a tool to enhance access to mental health treatment in adolescents with chronic medical conditions and need for psychological support (COACH-MI): study protocol for a clusterrandomised controlled trial. Trials, 2018, 19, 629.	1.6	13
126	Clinical inertia among patients with type 2 diabetes mellitus treated with DPP-4i and/or SGLT-2i. Diabetes Research and Clinical Practice, 2018, 146, 162-171.	2.8	5

#	Article	IF	Citations
127	Diabetes mellitus in Friedreich Ataxia: A case series of 19 patients from the German-Austrian diabetes mellitus registry. Diabetes Research and Clinical Practice, 2018, 141, 229-236.	2.8	12
128	Continuous glucose monitoring and glycemic control among youth with type 1 diabetes: International comparison from the T1D Exchange and DPV Initiative. Pediatric Diabetes, 2018, 19, 1271-1275.	2.9	186
129	Trajectories of Body Mass Index from Childhood to Young Adulthood among Patients with Type 1 Diabetesâ€"A Longitudinal Group-Based Modeling Approach Based on the DPV Registry. Journal of Pediatrics, 2018, 201, 78-85.e4.	1.8	24
130	Risk factors for decline in renal function among young adults with type 1 diabetes. Journal of Diabetes and Its Complications, 2018, 32, 940-946.	2.3	12
131	ISPAD Clinical Practice Consensus Guidelines 2018: Other complications and associated conditions in children and adolescents with type 1 diabetes. Pediatric Diabetes, 2018, 19, 275-286.	2.9	91
132	Diabetes mellitus in pediatric solid organ recipients without and with cystic fibrosis: An analysis from the German-Austrian diabetes database (Diabetes Patienten Verlaufsdokumentation). Pediatric Diabetes, 2018, 19, 1191-1197.	2.9	2
133	Comparative Characteristics of Patients with Type 2 Diabetes Mellitus Treated by Bariatric Surgery Versus Medical Treatment: a Multicentre Analysis of 277,862 Patients from the German/Austrian DPV Database. Obesity Surgery, 2018, 28, 3366-3373.	2.1	3
134	Diabetes Mellitus and Autoimmune Hepatitis: Demographical and Clinical Description of a Relatively Rare Phenotype. Hormone and Metabolic Research, 2018, 50, 568-574.	1.5	4
135	Diabetic foot syndrome in patients with diabetes. A multicenter German/Austrian DPV analysis on 33Â870 patients. Diabetes/Metabolism Research and Reviews, 2018, 34, e3020.	4.0	21
136	Regional differences in type 2 diabetes treatment and outcomes in Germanyâ€"An analysis of the German DPV and DIVE registries. Diabetes/Metabolism Research and Reviews, 2018, 34, e3049.	4.0	8
137	Association of individual and area-level socioeconomic conditions with quality of life and glycaemic control in 11- to 21-year-old adolescents with early-onset type 1 diabetes: a cross-sectional study. Quality of Life Research, 2018, 27, 3131-3136.	3.1	2
138	Adolescent type 2 diabetes: Comparing the Pediatric Diabetes Consortium and Germany/Austria/Luxemburg Pediatric Diabetes Prospective registries. Pediatric Diabetes, 2018, 19, 1156-1163.	2.9	15
139	Glycated hemoglobin A1c as a risk factor for severe hypoglycemia in pediatric type 1 diabetes. Pediatric Diabetes, 2017, 18, 51-58.	2.9	49
140	Risk factors for necrobiosis lipoidica in Type 1 diabetes mellitus. Diabetic Medicine, 2017, 34, 86-92.	2.3	18
141	Impact of quality of life (QoL) on glycemic control (HbA1c) among adolescents and emerging adults with long-duration type 1 diabetes: A prospective cohort-study. Pediatric Diabetes, 2017, 18, 808-816.	2.9	23
142	Blood pressure regulation determined by ambulatory blood pressure profiles in children and adolescents with type 1 diabetes mellitus: Impact on diabetic complications. Pediatric Diabetes, 2017, 18, 874-882.	2.9	25
143	Self-reported regular alcohol consumption in adolescents and emerging adults with type 1 diabetes: A neglected risk factor for diabetic ketoacidosis? Multicenter analysis of 29 630 patients from the DPV registry. Pediatric Diabetes, 2017, 18, 817-823.	2.9	33
144	Response to Comment on Hofer et al. International Comparison of Smoking and Metabolic Control in Patients With Type 1 Diabetes. Diabetes Care 2016;39:e177â€"e178. Diabetes Care, 2017, 40, e37-e37.	8.6	0

#	Article	IF	Citations
145	Determinants of weight change in patients on basal insulin treatment: an analysis of the DIVE registry. BMJ Open Diabetes Research and Care, 2017, 5, e000301.	2.8	10
146	Prevalence of elevated liver enzymes in adults with type 1 diabetes: <scp>A</scp> multicentre analysis of the <scp>G</scp>erman/<scp>A</scp>ustrian <scp>DPV</scp> database. Diabetes, Obesity and Metabolism, 2017, 19, 1171-1178.	4.4	20
147	Real-life experience of patients starting insulin degludec. A multicenter analysis of 1064 subjects from the German/Austrian DPV registry. Diabetes Research and Clinical Practice, 2017, 129, 52-58.	2.8	15
148	Lower Risk of Heart Failure and Death in Patients Initiated on Sodium-Glucose Cotransporter-2 Inhibitors Versus Other Glucose-Lowering Drugs. Circulation, 2017, 136, 249-259.	1.6	672
149	Both the frequency of <scp>HbA_{1c}</scp> testing and the frequency of selfâ€monitoring of blood glucose predict metabolic control: A multicentre analysis of 15Â199 adult type 1 diabetes patients from <scp>G</scp>ermany and <scp>A</scp>ustria. Diabetes/Metabolism Research and Reviews, 2017, 33, e2908.	4.0	28
150	Prevalence of Celiac Disease in 52,721 Youth With Type 1 Diabetes: International Comparison Across Three Continents. Diabetes Care, 2017, 40, 1034-1040.	8.6	104
151	Longitudinal Trajectories of Metabolic Control From Childhood to Young Adulthood in Type 1 Diabetes From a Large German/Austrian Registry: A Group-Based Modeling Approach. Diabetes Care, 2017, 40, 309-316.	8.6	80
152	Improving the clinical value and utility of CGM systems: issues and recommendations. Diabetologia, 2017, 60, 2319-2328.	6.3	65
153	Improving the Clinical Value and Utility of CGM Systems: Issues and Recommendations. Diabetes Care, 2017, 40, 1614-1621.	8.6	115
154	Response to Comment on Craig et al. Prevalence of Celiac Disease in 52,721 Youth With Type 1 Diabetes: International Comparison Across Three Continents. Diabetes Care 2017;40:1034â€“1040. Diabetes Care, 2017, 40, e168-e169.	8.6	3
155	Association of Insulin Pump Therapy vs Insulin Injection Therapy With Severe Hypoglycemia, Ketoacidosis, and Glycemic Control Among Children, Adolescents, and Young Adults With Type 1 Diabetes. JAMA - Journal of the American Medical Association, 2017, 318, 1358.	7.4	320
156	Polycystic Ovary Syndrome (PCOS) in Juvenile and Adult Type 1 Diabetes in a German/Austrian Cohort. Experimental and Clinical Endocrinology and Diabetes, 2017, 125, 661-668.	1.2	3
157	Use of Adjuvant Pharmacotherapy in Type 1 Diabetes: International Comparison of 49,996 Individuals in the Prospective Diabetes Follow-up and T1D Exchange Registries. Diabetes Care, 2017, 40, e139-e140.	8.6	44
158	Comparison of MDRD, CKD-EPI, and Cockcroft-Gault equation in relation to measured glomerular filtration rate among a large cohort with diabetes. Journal of Diabetes and Its Complications, 2017, 31, 1376-1383.	2.3	92
159	Comorbidity of attention deficit hyperactivity disorder and type 1 diabetes in children and adolescents: Analysis based on the multicentre DPV registry. Pediatric Diabetes, 2017, 18, 706-713.	2.9	37
160	Dyslipidaemia and its treatment in patients with type 2 diabetes: A joint analysis of the German <scp>DIVE</scp> and <scp>DPV</scp> registries. Diabetes, Obesity and Metabolism, 2017, 19, 61-69.	4.4	9
161	Female sex, young age, northern German residence, hypoglycemia and disabling diabetes complications are associated with depressed mood in the WHO-5 questionnaire â€“ A multicenter DPV study among 17,563 adult patients with type 2 diabetes. Journal of Affective Disorders, 2017, 208, 384-391.	4.1	19
162	Factors contributing to partial remission in type 1 diabetes: analysis based on the insulin dose-adjusted HbA1c in 3657 children and adolescents from Germany and Austria. Pediatric Diabetes, 2017, 18, 428-434.	2.9	60

#	Article	IF	Citations
163	Severe hypoglycemia rates are not associated with HbA1c: a cross-sectional analysis of 3 contemporary pediatric diabetes registry databases. Pediatric Diabetes, 2017, 18, 643-650.	2.9	74
164	Lean diabetes in middle-aged adults: A joint analysis of the German DIVE and DPV registries. PLoS ONE, 2017, 12, e0183235.	2.5	25
165	20 Years of Pediatric Benchmarking in Germany and Austria: Age-Dependent Analysis of Longitudinal Follow-Up in 63,967 Children and Adolescents with Type 1 Diabetes. PLoS ONE, 2016, 11, e0160971.	2.5	56
166	Vascular risk factors in children, adolescents, and young adults with type 1 diabetes complicated by celiac disease: results from the DPV initiative. Pediatric Diabetes, 2016, 17, 191-198.	2.9	21
167	Insulin Pumps in Type 1 Diabetes with Mental Disorders: Real-Life Clinical Data Indicate Discrepancies to Recommendations. Diabetes Technology and Therapeutics, 2016, 18, 34-38.	4.4	25
168	No adverse effect of outdoor air pollution on HbA1c in children and young adults with type 1 diabetes. International Journal of Hygiene and Environmental Health, 2016, 219, 349-355.	4.3	21
169	Trend of antihyperglycaemic therapy and glycaemic control in 184,864 adults with type 1 or 2 diabetes between 2002 and 2014: Analysis of real-life data from the DPV registry from Germany and Austria. Diabetes Research and Clinical Practice, 2016, 115, 31-38.	2.8	38
170	Regional Disparities in Diabetes Care for Pediatric Patients with Type 1 Diabetes. A Cross-sectional DPV Multicenter Analysis of 24â€‰928 German Children and Adolescents. Experimental and Clinical Endocrinology and Diabetes, 2016, 124, 111-119.	1.2	14
171	Type 1 diabetes in older adults: Comparing treatments and chronic complications in the United States T1D Exchange and the German/Austrian DPV registries. Diabetes Research and Clinical Practice, 2016, 122, 28-37.	2.8	41
172	Which Amount of BMI-SDS Reduction Is Necessary to Improve Cardiovascular Risk Factors in Overweight Children?. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 3171-3179.	3.6	127
173	Seasonal Variation in Blood Pressure in 162,135 Patients With Type 1 or Type 2 Diabetes Mellitus. Journal of Clinical Hypertension, 2016, 18, 270-278.	2.0	23
174	International Comparison of Smoking and Metabolic Control in Patients With Type 1 Diabetes. Diabetes Care, 2016, 39, e177-e178.	8.6	19
175	Prevalence and comorbidities of double diabetes. Diabetes Research and Clinical Practice, 2016, 119, 48-56.	2.8	87
176	Reply to: mitochondrial diabetes in Germany and Austria. European Journal of Pediatrics, 2016, 175, 2025-2026.	2.7	0
177	Seasonality at the clinical onset of type 1 diabetes-Lessons from the SWEET database. Pediatric Diabetes, 2016, 17, 32-37.	2.9	28
178	Standardized Documentation in Pediatric Diabetology. Journal of Diabetes Science and Technology, 2016, 10, 1042-1049.	2.2	71
179	Current practice of diabetes education in children and adolescents with type 1 diabetes in Germany and Austria: analysis based on the German/Austrian DPV database. Pediatric Diabetes, 2016, 17, 483-491.	2.9	18
180	Achievement of treatment goals for secondary prevention of myocardial infarction or stroke in 29,325 patients with type 2 diabetes: a German/Austrian DPV-multicenter analysis. Cardiovascular Diabetology, 2016, 15, 72.	6.8	34

#	Article	IF	Citations
181	Does Î²-Cell Autoimmunity Play a Role in Cystic Fibrosisâ€“Related Diabetes? Analysis Based on the German/Austrian Diabetes Patienten Verlaufsdokumentation Registry. Diabetes Care, 2016, 39, 1338-1344.	8.6	22
182	Leptin but not adiponectin is related to type 2 diabetes mellitus in obese adolescents. Pediatric Diabetes, 2016, 17, 281-288.	2.9	22
183	Inflammatory Markers in Obese Adolescents with Type 2 Diabetes and Their Relationship to Hepatokines and Adipokines. Journal of Pediatrics, 2016, 173, 131-135.	1.8	33
184	Low prevalence of patients with mitochondrial disease in the German/Austrian DPV diabetes registry. European Journal of Pediatrics, 2016, 175, 613-622.	2.7	11
185	Use of insulin pump therapy in children and adolescents with type 1 diabetes and its impact on metabolic control: comparison of results from three large, transatlantic paediatric registries. Diabetologia, 2016, 59, 87-91.	6.3	203
186	Blood Pressure in a Large Cohort of Children and Adolescents With Classic Adrenal Hyperplasia (CAH) Due to 21-Hydroxylase Deficiency. American Journal of Hypertension, 2016, 29, 266-272.	2.0	41
187	Variability of Basal Rate Profiles in Insulin Pump Therapy and Association with Complications in Type 1 Diabetes Mellitus. PLoS ONE, 2016, 11, e0150604.	2.5	14
188	Glycaemic control of TypeÂ1 diabetes in clinical practice early in the 21st century: an international comparison. Diabetic Medicine, 2015, 32, 1036-1050.	2.3	273
189	Psoriasis and Diabetes: A Multicenter Study in 222078 Type 2 Diabetes Patients Reveals High Levels of Depression. Journal of Diabetes Research, 2015, 2015, 1-10.	2.3	17
190	Overweight and Obesity Based on Four Reference Systems in 18,382 Paediatric Patients with Type 1 Diabetes from Germany and Austria. Journal of Diabetes Research, 2015, 2015, 1-10.	2.3	15
191	Impact of Physical Activity on Glycemic Control and Prevalence of Cardiovascular Risk Factors in Adults With Type 1 Diabetes: A Cross-sectional Multicenter Study of 18,028 Patients. Diabetes Care, 2015, 38, 1536-1543.	8.6	231
192	Continuous Subcutaneous Insulin Infusion in Neonates and Infants Below 1 Year: Analysis of Initial Bolus and Basal Rate Based on the Experiences from the German Working Group for Pediatric Pump Treatment. Diabetes Technology and Therapeutics, 2015, 17, 872-879.	4.4	11
193	Comorbidity of Type 1 Diabetes and Juvenile Idiopathic Arthritis. Journal of Pediatrics, 2015, 166, 930-935.e3.	1.8	19
194	Microvascular Complications in Childhood-Onset Type 1 Diabetes and Celiac Disease: A Multicenter Longitudinal Analysis of 56,514 Patients From the German-Austrian DPV Database. Diabetes Care, 2015, 38, 801-807.	8.6	65
195	Strong Effect of Pubertal Status on Metabolic Health in Obese Children: A Longitudinal Study. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 301-308.	3.6	109
196	Hospital admission for diabetic ketoacidosis or severe hypoglycemia in 31â€Š330 young patients with type 1 diabetes. European Journal of Endocrinology, 2015, 173, 341-350.	3.7	89
197	Obesity in Youth with Type 1 Diabetes in Germany, Austria, and the UnitedÂStates. Journal of Pediatrics, 2015, 167, 627-632.e4.	1.8	150
198	Fibroblast Growth Factor 21 and Fetuin-A in Obese Adolescents With and Without Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 3004-3010.	3.6	33

#	Article	IF	Citations
199	Blood Pressure in 57,915 Pediatric Patients Who Are Overweight or Obese Based on Five Reference Systems. American Journal of Cardiology, 2015, 115, 1587-1594.	1.6	42
200	Associations between HbA1c and depressive symptoms in young adults with early-onset type 1 diabetes. Psychoneuroendocrinology, 2015, 55, 48-58.	2.7	31
201	Carbohydrate intake and insulin requirement in children, adolescents and young adults with cystic fibrosis-related diabetes: A multicenter comparison to type 1 diabetes. Clinical Nutrition, 2015, 34, 732-738.	5.0	12
202	Comparison of Glycemic and Metabolic Control in Youth With Type 1 Diabetes With and Without Antipsychotic Medication: Analysis From the Nationwide German/Austrian Diabetes Survey (DPV). Diabetes Care, 2015, 38, 1051-1057.	8.6	24
203	Insulin Pump Risks and Benefits: A Clinical Appraisal of Pump Safety Standards, Adverse Event Reporting, and Research Needs. Diabetes Care, 2015, 38, 716-722.	8.6	95
204	Gender-specific Effects of Treatment with Lifestyle, Metformin or Sulfonylurea on Glycemic Control and Body Weight: A German Multicenter Analysis on 9â€‰108 Patients. Experimental and Clinical Endocrinology and Diabetes, 2015, 123, 622-626.	1.2	28
205	Non-High-Density Lipoprotein Cholesterol in Children with Diabetes: Proposed Treatment Recommendations Based on Glycemic Control, Body Mass Index, Age, Sex, and Generally Accepted Cut Points. Journal of Pediatrics, 2015, 167, 1436-1439.	1.8	16
206	Long-term Surveillance of Children with Congenital Hypothyroidism: Data from the German Registry for Congenital Hypothyroidism (AQUAPE â€œHypo Dokâ€). Klinische Padiatrie, 2015, 227, 199-205.	0.6	9
207	Rates of Diabetic Ketoacidosis: International Comparison With 49,859 Pediatric Patients With Type 1 Diabetes From England, Wales, the U.S., Austria, and Germany. Diabetes Care, 2015, 38, 1876-1882.	8.6	178
208	Introducing excess body weight in childhood and adolescence and comparison with body mass index and waist-to-height ratio. International Journal of Obesity, 2015, 39, 52-60.	3.4	6
209	Current use of metformin in addition to insulin in pediatric patients with type 1 diabetes mellitus: an analysis based on a large diabetes registry in Germany and Austria. Pediatric Diabetes, 2015, 16, 529-537.	2.9	20
210	Symptoms of Eating Disorders and Depression in Emerging Adults with Early-Onset, Long-Duration Type 1 Diabetes and Their Association with Metabolic Control. PLoS ONE, 2015, 10, e0131027.	2.5	27
211	Impact of Maternal Country of Birth on Type-1-Diabetes Therapy and Outcome in 27,643 Children and Adolescents from the DPV Registry. PLoS ONE, 2015, 10, e0135178.	2.5	24
212	Is Particle Pollution in Outdoor Air Associated with Metabolic Control in Type 2 Diabetes?. PLoS ONE, 2014, 9, e91639.	2.5	40
213	High Variability in Oral Glucose Tolerance among 1,128 Patients with Cystic Fibrosis: A Multicenter Screening Study. PLoS ONE, 2014, 9, e112578.	2.5	49
214	Predictors of increasing BMI during the course of diabetes in children and adolescents with type 1 diabetes: data from the German/Austrian DPV multicentre survey. Archives of Disease in Childhood, 2014, 99, 738-743.	1.9	91
215	Hemoglobin A1c Levels and Risk of Severe Hypoglycemia in Children and Young Adults with Type 1 Diabetes from Germany and Austria: A Trend Analysis in a Cohort of 37,539 Patients between 1995 and 2012. PLoS Medicine, 2014, 11, e1001742.	8.4	118
216	Are Insulin Analogues Detemir or Glulisine Used Preferentially in Overweight/Obese Subjects? A German Multicentre Analysis of 38560 Type 2 Diabetic Patients from the DPV Registry. Experimental and Clinical Endocrinology and Diabetes, 2014, 122, 602-607.	1.2	1

#	Article	IF	Citations
217	Absence of BiP Co-chaperone DNAJC3 Causes Diabetes Mellitus and Multisystemic Neurodegeneration. American Journal of Human Genetics, 2014, 95, 689-697.	6.2	100
218	Clinical Characteristics and Outcome of 467 Patients With a Clinically Recognized Eating Disorder Identified Among 52,215 Patients With Type 1 Diabetes: A Multicenter German/Austrian Study. Diabetes Care, 2014, 37, 1581-1589.	8.6	82
219	Algorithm-Based Cholesterol Monitoring in Children with Type 1 Diabetes. Journal of Pediatrics, 2014, 164, 1079-1084.e2.	1.8	20
220	Tracking of Metabolic Control from Childhood to Young Adulthood in Type 1 Diabetes. Journal of Pediatrics, 2014, 165, 956-961.e2.	1.8	49
221	Carbohydrate intake in relation to BMI, HbA1c and lipid profile in children andÂadolescents with type 1 diabetes. Clinical Nutrition, 2014, 33, 75-78.	5.0	27
222	Contrasting the clinical care and outcomes of 2,622 children with type 1 diabetes less than 6Âyears of age in the United States T1D Exchange and German/Austrian DPV registries. Diabetologia, 2014, 57, 1578-1585.	6.3	147
223	Adherence to clinical care guidelines for cystic fibrosis-related diabetes in 659 German/Austrian patients. Journal of Cystic Fibrosis, 2014, 13, 730-736.	0.7	16
224	Predictors for future cystic fibrosis-related diabetes by oral glucose tolerance test. Journal of Cystic Fibrosis, 2014, 13, 80-85.	0.7	71
225	HbA1c Variability as an Independent Risk Factor for Diabetic Retinopathy in Type 1 Diabetes: A German/Austrian Multicenter Analysis on 35,891 Patients. PLoS ONE, 2014, 9, e91137.	2.5	70
226	Mental Health Problems among Adolescents with Early-Onset and Long-Duration Type 1 Diabetes and Their Association with Quality of Life: A Population-Based Survey. PLoS ONE, 2014, 9, e92473.	2.5	16
227	Health Behaviour in Children and Adolescents with Type 1 Diabetes Compared to a Representative Reference Population. PLoS ONE, 2014, 9, e112083.	2.5	23
228	Frequency and Cost of Diabetic Ketoacidosis in Germany â€“ Study in 12â€‰001 Paediatric Patients. Experimental and Clinical Endocrinology and Diabetes, 2013, 121, 58-59.	1.2	24
229	Improved Metabolic Control in Children and Adolescents With Type 1 Diabetes. Diabetes Care, 2012, 35, 80-86.	8.6	253
230	Markedly reduced rate of diabetic ketoacidosis at onset of type 1 diabetes in relatives screened for islet autoantibodies. Pediatric Diabetes, 2012, 13, 308-313.	2.9	65
231	Does obesity lead to a specific lipid disorder? Analysis from the German/Austrian/Swiss APV registry. Pediatric Obesity, 2011, 6, 53-58.	3.2	24
232	Reduced Prevalence of Diabetic Ketoacidosis at Diagnosis of Type 1 Diabetes in Young Children Participating in Longitudinal Follow-Up. Diabetes Care, 2011, 34, 2347-2352.	8.6	133
233	Predictors of diabetic ketoacidosis in children and adolescents with type 1 diabetes. Experience from a large multicentre database. Pediatric Diabetes, 2011, 12, 307-312.	2.9	76
234	Ketoacidosis at Diabetes Onset Is Still Frequent in Children and Adolescents. Diabetes Care, 2009, 32, 1647-1648.	8.6	100

#	Article	IF	Citations
235	Twoâ€year Followâ€up in 21,784 Overweight Children and Adolescents With Lifestyle Intervention. Obesity, 2009, 17, 1196-1199.	3.0	120
236	Cardiovascular Risk in 26,008 European Overweight Children as Established by a Multicenter Database. Obesity, 2008, 16, 1672-1679.	3.0	147
237	Socioeconomic conditions and type 1 diabetes in childhood in North Rheinâ€“Westphalia, Germany. Diabetologia, 2007, 50, 720-728.	6.3	38
238	Medical care of obese children and adolescents. European Journal of Pediatrics, 2004, 163, 308-312.	2.7	51
239	A framework for diabetes documentation and quality management in Germany: 10 years of experience with DPV. Computer Methods and Programs in Biomedicine, 2002, 69, 115-121.	4.7	80
240	Quality of Paediatric IDDM Care in Germany: A Multicentre Analysis. Journal of Pediatric Endocrinology and Metabolism, 1999, 12, 31-8.	0.9	32