Kurt Straif

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7852052/publications.pdf

Version: 2024-02-01

414414 471509 3,491 32 17 32 citations h-index g-index papers 32 32 32 5403 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Carcinogenicity of alcoholic beverages. Lancet Oncology, The, 2007, 8, 292-293.	10.7	733
2	Carcinogenicity of tetrachlorvinphos, parathion, malathion, diazinon, and glyphosate. Lancet Oncology, The, 2015, 16, 490-491.	10.7	642
3	Key Characteristics of Carcinogens as a Basis for Organizing Data on Mechanisms of Carcinogenesis. Environmental Health Perspectives, 2016, 124, 713-721.	6.0	415
4	Cigarette smoking and lung cancer—relative risk estimates for the major histological types from a pooled analysis of case–control studies. International Journal of Cancer, 2012, 131, 1210-1219.	5.1	390
5	Listing Occupational Carcinogens. Environmental Health Perspectives, 2004, 112, 1447-1459.	6.0	301
6	Betel quid chewing and the risk of oral and oropharyngeal cancers: A meta-analysis with implications for cancer control. International Journal of Cancer, 2014, 135, 1433-1443.	5.1	177
7	Identifying occupational carcinogens: an update from the IARC Monographs. Occupational and Environmental Medicine, 2018, 75, 593-603.	2.8	177
8	Exposure to Diesel Motor Exhaust and Lung Cancer Risk in a Pooled Analysis from Case-Control Studies in Europe and Canada. American Journal of Respiratory and Critical Care Medicine, 2011, 183, 941-948.	5.6	150
9	The IARC Monographs: Updated Procedures for Modern and Transparent Evidence Synthesis in Cancer Hazard Identification. Journal of the National Cancer Institute, 2020, 112, 30-37.	6.3	69
10	The Science and Practice of Carcinogen Identification and Evaluation. Environmental Health Perspectives, 2004, 112, 1269-1274.	6.0	58
11	Lung Cancer Risk in Painters: A Meta-Analysis. Environmental Health Perspectives, 2010, 118, 303-312.	6.0	47
12	Occupational exposures and cancer: a review of agents and relative risk estimates. Occupational and Environmental Medicine, 2018, 75, 604-614.	2.8	43
13	Cancers in France in 2015 attributable to occupational exposures. International Journal of Hygiene and Environmental Health, 2019, 222, 22-29.	4.3	39
14	Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. International Journal of Cancer, 2017, 140, 1976-1984.	5.1	35
15	Carcinogenicity of smokeless tobacco: Evidence from studies in humans & amp; experimental animals. Indian Journal of Medical Research, 2018, 148, 681.	1.0	35
16	Lung cancer risk among bricklayers in a pooled analysis of case–control studies. International Journal of Cancer, 2015, 136, 360-371.	5.1	34
17	Alcohol consumption and lung cancer risk: A pooled analysis from the International Lung Cancer Consortium and the SYNERGY study. Cancer Epidemiology, 2019, 58, 25-32.	1.9	22
18	Areca nut consumption with and without tobacco among the adult population: a nationally representative study from India. BMJ Open, 2021, 11, e043987.	1.9	20

#	Article	IF	CITATIONS
19	Temporal Trends in Airborne Dust Concentrations at a Large Chrysotile Mine and its Asbestos-enrichment Factories in the Russian Federation During 1951–2001. Annals of Work Exposures and Health, 2017, 61, 797-808.	1.4	13
20	Lung cancer mortality in the French cohort of titanium dioxide workers: some aetiological insights. Occupational and Environmental Medicine, 2020, 77, 795-797.	2.8	12
21	A comparison of parallel dust and fibre measurements of airborne chrysotile asbestos in a large mine and processing factories in the Russian Federation. International Journal of Hygiene and Environmental Health, 2017, 220, 857-868.	4.3	11
22	Lung cancer risk in painters: results from the SYNERGY pooled case–control study consortium. Occupational and Environmental Medicine, 2021, 78, 269-278.	2.8	11
23	Transparency in IARC Monographs. Lancet Oncology, The, 2005, 6, 747.	10.7	10
24	Estimated number of cancers attributable to occupational exposures in France in 2017: an update using a new method for improved estimates. Journal of Exposure Science and Environmental Epidemiology, 2023, 33, 125-131.	3.9	10
25	Lung Cancer Risk Among Hairdressers: A Pooled Analysis of Case-Control Studies Conducted Between 1985 and 2010. American Journal of Epidemiology, 2013, 178, 1355-1365.	3.4	8
26	Lung cancer mortality in the European cohort of titanium dioxide workers: a reanalysis of the exposure–response relationship. Occupational and Environmental Medicine, 2022, 79, 637-640.	2.8	8
27	Occupational cohort study of current and former workers exposed to chrysotile in mine and processing facilities in Asbest, the Russian Federation: Cohort profile of the Asbest Chrysotile Cohort study. PLoS ONE, 2020, 15, e0236475.	2.5	7
28	Risk Reversal of Oral, Pharyngeal and Oesophageal Cancers after Cessation of Betel Quid Users: A Systematic Review and Meta-Analysis. Annals of Global Health, 2022, 88, 5.	2.0	5
29	Reply to "the critical role of pre-publication peer review—a case study of glyphosate―by FN Dost. Environmental Science and Pollution Research, 2017, 24, 7850-7851.	5.3	3
30	Exposure to Asbestos and Increased Intrahepatic Cholangiocarcinoma Risk: Growing Evidences of a Putative Causal Link. Annals of Global Health, 2022, 88, .	2.0	3
31	An innovative method to estimate lifetime prevalence of carcinogenic occupational circumstances: the example of painters and workers of the rubber manufacturing industry in France. Journal of Exposure Science and Environmental Epidemiology, 2020, 31, 769-776.	3.9	2
32	Response to Tomenson's letter on â€~Lung cancer mortality in the French cohort of titanium dioxide workers: some aetiological insights'. Occupational and Environmental Medicine, 2021, 78, 304-304.	2.8	1