

Alessandro Tafuri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7853029/publications.pdf>

Version: 2024-02-01

144
papers

1,453
citations

361413

20
h-index

501196

28
g-index

153
all docs

153
docs citations

153
times ranked

1283
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 pandemic as a watershed moment: A call for systematic psychological health care for frontline medical staff. <i>Journal of Health Psychology</i> , 2020, 25, 883-887.	2.3	119
2	Hemigland Cryoablation of Localized Low, Intermediate and High Risk Prostate Cancer: Oncologic and Functional Outcomes at 5 Years. <i>Journal of Urology</i> , 2019, 202, 1188-1198.	0.4	47
3	High Intensity Focused Ultrasound Hemigland Ablation for Prostate Cancer: Initial Outcomes of a United States Series. <i>Journal of Urology</i> , 2020, 204, 741-747.	0.4	43
4	Body mass index is an independent predictor of Clavienâ€“Dindo grade 3 complications in patients undergoing robot assisted radical prostatectomy with extensive pelvic lymph node dissection. <i>Journal of Robotic Surgery</i> , 2019, 13, 83-89.	1.8	32
5	The dramatic COVID 19 outbreak in Italy is responsible of a huge drop of urological surgical activity: a multicenter observational study. <i>BJU International</i> , 2021, 127, 56-63.	2.5	32
6	High body mass index predicts multiple prostate cancer lymph node metastases after radical prostatectomy and extended pelvic lymph node dissection. <i>Asian Journal of Andrology</i> , 2020, 22, 323.	1.6	32
7	Consulting â€œDr. Googleâ€“for Prostate Cancer Treatment Options: A Contemporary Worldwide Trend Analysis. <i>European Urology Oncology</i> , 2020, 3, 481-488.	5.4	29
8	Lymph Nodes Invasion of Marcilleâ€™s Fossa Associates with High Metastatic Load in Prostate Cancer Patients Undergoing Extended Pelvic Lymph Node Dissection: The Role of â€œMarcillectomyâ€“ <i>Urologia Internationalis</i> , 2019, 103, 25-32.	1.3	28
9	Radical cystectomy pentapecta: a proposal for standardisation of outcomes reporting following robotâ€“assisted radical cystectomy. <i>BJU International</i> , 2020, 125, 64-72.	2.5	28
10	Positive Association between Preoperative Total Testosterone Levels and Risk of Positive Surgical Margins by Prostate Cancer: Results in 476 Consecutive Patients Treated Only by Radical Prostatectomy. <i>Urologia Internationalis</i> , 2018, 101, 38-46.	1.3	27
11	Impact of Combination of Local Anesthetic Wounds Infiltration and Ultrasound Transversus Abdominal Plane Block in Patients Undergoing Robot-Assisted Radical Prostatectomy: Perioperative Results of a Double-Blind Randomized Controlled Trial. <i>Journal of Endourology</i> , 2019, 33, 295-301.	2.1	27
12	Extended pelvic lymphadenectomy for prostate cancer: should the Cloquet's nodes dissection be considered only an option?. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 136-145.	3.9	27
13	Anterograde ejaculation preservation after endoscopic treatments in patients with bladder outlet obstruction: systematic review and pooled-analysis of randomized clinical trials. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 427-434.	3.9	27
14	Low-Risk Prostate Cancer and Tumor Upgrading to Higher Patterns in the Surgical Specimen. Analysis of Clinical Factors Predicting Tumor Upgrading to Higher Gleason Patterns in a Contemporary Series of Patients Who Have Been Evaluated According to the Modified Gleason Score Grading System. <i>Urologia Internationalis</i> , 2016, 97, 32-41.	1.3	26
15	The impact of preoperative nutritional status on post-surgical complication and mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review of the literature. <i>World Journal of Urology</i> , 2021, 39, 1045-1081.	2.2	26
16	High Testosterone Preoperative Plasma Levels Independently Predict Biopsy Gleason Score Upgrading in Men with Prostate Cancer Undergoing Radical Prostatectomy. <i>Urologia Internationalis</i> , 2016, 96, 470-478.	1.3	24
17	Clinical Factors of Disease Reclassification or Progression in a Contemporary Cohort of Prostate Cancer Patients Elected to Active Surveillance. <i>Urologia Internationalis</i> , 2017, 98, 32-39.	1.3	24
18	Bilateral Lymph Node Micrometastases and Seminal Vesicle Invasion Associated with Same Clinical Predictors in Localized Prostate Cancer. <i>Tumori</i> , 2017, 103, 299-306.	1.1	24

#	ARTICLE	IF	CITATIONS
19	Association between Basal Total Testosterone Levels and Tumor Upgrading in Low and Intermediate Risk Prostate Cancer. <i>Urologia Internationalis</i> , 2017, 99, 215-221.	1.3	23
20	Low-Risk Prostate Cancer and Tumor Upgrading in the Surgical Specimen: Analysis of Clinical Factors Predicting Tumor Upgrading in a Contemporary Series of Patients Who were Evaluated According to the Modified Gleason Score Grading System. <i>Current Urology</i> , 2017, 10, 118-125.	0.6	23
21	Clinical factors stratifying the risk of tumor upgrading to high-grade disease in low-risk prostate cancer. <i>Tumori</i> , 2018, 104, 111-115.	1.1	22
22	Frailty impact on postoperative complications and early mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021, 19, 9-23.	1.5	22
23	Prostate-specific antigen levels and proportion of biopsy positive cores are independent predictors of upgrading patterns in low-risk prostate cancer. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 66-71.	3.9	22
24	Clinical Factors Predicting and Stratifying the Risk of Lymph Node Invasion in Localized Prostate Cancer. <i>Urologia Internationalis</i> , 2017, 99, 207-214.	1.3	21
25	The Impact of SARS-CoV-2 Pandemic on Time to Primary, Secondary Resection and Adjuvant Intravesical Therapy in Patients with High-Risk Non-Muscle Invasive Bladder Cancer: A Retrospective Multi-Institutional Cohort Analysis. <i>Cancers</i> , 2021, 13, 5276.	3.7	21
26	Clinical Factors Predicting Bilateral Lymph Node Invasion in High-Risk Prostate Cancer. <i>Urologia Internationalis</i> , 2017, 99, 392-399.	1.3	20
27	Risk factors of positive surgical margins after robot-assisted radical prostatectomy in high-volume center: results in 732 cases. <i>Journal of Robotic Surgery</i> , 2020, 14, 167-175.	1.8	20
28	Is a Drain Needed After Robotic Radical Prostatectomy With or Without Pelvic Lymph Node Dissection? Results of a Single-Center Randomized Clinical Trial. <i>Journal of Endourology</i> , 2021, 35, 922-928.	2.1	18
29	Quality Assessment of Intraoperative Adverse Event Reporting During 29â€™27 Robotic Partial Nephrectomies: A Systematic Review and Cumulative Analysis. <i>European Urology Oncology</i> , 2020, 3, 780-783.	5.4	18
30	Systematic Biopsy of the Prostate can Be Omitted in Men with PI-RADSâ„¢ 5 and Prostate Specific Antigen Density Greater than 15%. <i>Journal of Urology</i> , 2021, 206, 289-297.	0.4	18
31	Impact of Implementation of Standardized Criteria in the Assessment of Complication Reporting After Robotic Partial Nephrectomy: A Systematic Review. <i>European Urology Focus</i> , 2020, 6, 513-517.	3.1	17
32	Robotic assisted radical prostatectomy accelerates postoperative stress recovery: Final results of a contemporary prospective study assessing pathophysiology of cortisol peri-operative kinetics in prostate cancer surgery. <i>Asian Journal of Urology</i> , 2016, 3, 88-95.	1.2	16
33	Delaying BCG immunotherapy onset after transurethral resection of non-muscle-invasive bladder cancer is associated with adverse survival outcomes. <i>World Journal of Urology</i> , 2020, 39, 2545-2552.	2.2	16
34	Inverse Association of Prostatic Chronic Inflammation among Prostate Cancer Tumor Grade Groups: Retrospective Study of 738 Consecutive Cases Elected to a First Random Biopsy Set. <i>Urologia Internationalis</i> , 2018, 100, 456-462.	1.3	14
35	One-Stop MRI and MRI/transrectal ultrasound fusion-guided biopsy: an expedited pathway for prostate cancer diagnosis. <i>World Journal of Urology</i> , 2020, 38, 949-956.	2.2	14
36	The impact of extended pelvic lymph node dissection on the risk of hospital readmission within 180Âdays after robot assisted radical prostatectomy. <i>World Journal of Urology</i> , 2020, 38, 2799-2809.	2.2	14

#	ARTICLE	IF	CITATIONS
37	Programmed Death 1 and Programmed Death Ligand 1 Inhibitors in Advanced and Recurrent Urothelial Carcinoma: Meta-analysis of Single-Agent Studies. <i>Clinical Genitourinary Cancer</i> , 2020, 18, 351-360.e3.	1.9	14
38	Obesity strongly predicts clinically undetected multiple lymph node metastases in intermediate- and high-risk prostate cancer patients who underwent robot assisted radical prostatectomy and extended lymph node dissection. <i>International Urology and Nephrology</i> , 2020, 52, 2097-2105.	1.4	13
39	Endogenous testosterone as a predictor of prostate growing disorders in the aging male. <i>International Urology and Nephrology</i> , 2021, 53, 843-854.	1.4	13
40	Timing, Patterns and Predictors of 90-Day Readmission Rate after Robotic Radical Cystectomy. <i>Journal of Urology</i> , 2021, 205, 491-499.	0.4	13
41	Body Mass Index and prostatic-specific antigen are predictors of prostate cancer metastases in patients undergoing robot-assisted radical prostatectomy and extended pelvic lymph node dissection. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 516-523.	3.9	13
42	Serum testosterone and obesity in prostate cancer biology: a call for health promotion in the ageing male. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1399-1401.	2.9	12
43	Toward autonomous robotic prostate biopsy: a pilot study. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2021, 16, 1393-1401.	2.8	12
44	Positive Association between Basal Total Testosterone Circulating Levels and Tumor Grade Groups at the Time of Diagnosis of Prostate Cancer. <i>Urologia Internationalis</i> , 2019, 103, 400-407.	1.3	11
45	Prostate volume index and prostatic chronic inflammation predicted low tumor load in 945 patients at baseline prostate biopsy. <i>World Journal of Urology</i> , 2020, 38, 957-964.	2.2	11
46	Linear extent of positive surgical margin impacts biochemical recurrence after robot-assisted radical prostatectomy in a high-volume center. <i>Journal of Robotic Surgery</i> , 2020, 14, 663-675.	1.8	11
47	Multiparametric magnetic resonance imaging facilitates reclassification during active surveillance for prostate cancer. <i>BJU International</i> , 2021, 127, 712-721.	2.5	11
48	Survival Outcomes After Immediate Radical Cystectomy Versus Conservative Management with Bacillus Calmette-Guérin Among T1 High-grade Micropapillary Bladder Cancer Patients: Results from a Multicentre Collaboration. <i>European Urology Focus</i> , 2022, 8, 1270-1277.	3.1	11
49	Intraprostatic Chronic Inflammation is Associated with a Reduced Risk of Prostate Cancer in Patients Elected to a First Random Biopsy Set. <i>Tumori</i> , 2017, 103, 475-482.	1.1	10
50	Low endogenous testosterone levels are associated with the extend of lymphnodal invasion at radical prostatectomy and extended pelvic lymph node dissection. <i>International Urology and Nephrology</i> , 2021, 53, 2027-2039.	1.4	10
51	Endogenous testosterone mirrors prostate cancer aggressiveness: correlation between basal testosterone serum levels and prostate cancer European Urology Association clinical risk classes in a large cohort of Caucasian patients. <i>International Urology and Nephrology</i> , 2020, 52, 1261-1269.	1.4	10
52	External validation of the Palacios™ equation: a simple and accurate tool to estimate the new baseline renal function after renal cancer surgery. <i>World Journal of Urology</i> , 2022, 40, 467-473.	2.2	10
53	Focal therapy for prostate cancer. <i>Current Opinion in Urology</i> , 2018, 28, 536-543.	1.8	9
54	Total testosterone density predicts high tumor load and disease reclassification of prostate cancer: results in 144 low-risk patients who underwent radical prostatectomy. <i>International Urology and Nephrology</i> , 2019, 51, 2169-2180.	1.4	9

#	ARTICLE	IF	CITATIONS
55	Italian Guidelines for the Nursing Management of Enteral and Urinary Stomas in Adults. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2021, 48, 137-147.	1.0	9
56	Consulting "Dr. Google"™ for minimally invasive urological oncological surgeries: A contemporary web-based trend analysis. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2021, 17, e2250.	2.3	9
57	Perioperative Outcomes of Holmium Laser Enucleation of the Prostate: A Systematic Review. <i>Urologia Internationalis</i> , 2022, 106, 979-991.	1.3	9
58	Open approach, extended pelvic lymph node dissection, and seminal vesicle invasion are independent predictors of hospital readmission after prostate cancer surgery: a large retrospective study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 72-81.	3.9	9
59	Botulinum Toxin-A Injection in Chronic Pelvic Pain Syndrome Treatment: A Systematic Review and Pooled Meta-Analysis. <i>Toxins</i> , 2022, 14, 25.	3.4	9
60	Prediction of significant renal function decline after open, laparoscopic, and robotic partial nephrectomy: External validation of the Martini's nomogram on the RECORD2 project cohort. <i>International Journal of Urology</i> , 2022, 29, 525-532.	1.0	9
61	High surgeon volume and positive surgical margins can predict the risk of biochemical recurrence after robot-assisted radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2019, 11, 175628721987828.	2.0	8
62	Low Preoperative Prolactin Levels Predict Non-Organ Confined Prostate Cancer in Clinically Localized Disease. <i>Urologia Internationalis</i> , 2019, 103, 391-399.	1.3	8
63	Predictive Factors of the Risk of Long-Term Hospital Readmission after Primary Prostate Surgery at a Single Tertiary Referral Center: Preliminary Report. <i>Urologia Internationalis</i> , 2020, 104, 465-475.	1.3	8
64	Variant histologies in bladder cancer: Does the centre have an impact in detection accuracy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 273.e11-273.e20.	1.6	8
65	Prostate Volume Index Is Able to Differentiate between Prostatic Chronic Inflammation and Prostate Cancer in Patients with Normal Digital Rectal Examination and Prostate-Specific Antigen Values $\leq 10\text{ ng/mL}$: Results of 564 Biopsy Negative Cases. <i>Urologia Internationalis</i> , 2019, 103, 415-422.	1.3	7
66	Multiple stones in neobladder: Case report and literature review. <i>Urologia</i> , 2019, 86, 216-219.	0.7	7
67	Visualization of peri-prostatic neurovascular fibers before and after radical prostatectomy by means of diffusion tensor imaging (DTI) with clinical correlations: preliminary report. <i>Journal of Robotic Surgery</i> , 2020, 14, 357-363.	1.8	7
68	Neoadjuvant Strategies Before Radical Prostatectomy for High Risk Prostate Cancer in the Era of New Hormonal Agents. <i>Current Drug Targets</i> , 2020, 22, 68-76.	2.1	7
69	Reporting Characteristics of cadaver training and surgical studies: The CACTUS guidelines. <i>International Journal of Surgery</i> , 2022, 101, 106619.	2.7	7
70	Prostate Volume Index Stratified Prostate Cancer Risk in Patients Elected to a First Random Biopsy Set. <i>Tumori</i> , 2017, 103, 374-379.	1.1	6
71	Preoperative Plasma Levels of Total Testosterone Associated with High Grade Pathology-Detected Prostate Cancer: Preliminary Results of a Prospective Study in a Contemporary Cohort of Patients. <i>Current Urology</i> , 2017, 10, 72-80.	0.6	6
72	Surgeon volume and body mass index influence positive surgical margin risk after robot-assisted radical prostatectomy: Results in 732 cases. <i>Arab Journal of Urology Arab Association of Urology</i> , 2019, 17, 234-242.	1.5	6

#	ARTICLE	IF	CITATIONS
73	Assessment of the oncological outcomes of three different bacillus Calmette-Guérin strains in patients with high-grade T1 non-muscle-invasive bladder cancer. Arab Journal of Urology Arab Association of Urology, 2021, 19, 78-85.	1.5	6
74	Predictors of complications occurring after open and robot-assisted prostate cancer surgery: a retrospective evaluation of 1062 consecutive patients treated in a tertiary referral high volume center. Journal of Robotic Surgery, 2022, 16, 45-52.	1.8	6
75	Omics in urology: An overview on concepts, current status and future perspectives. Urologia, 2021, 88, 270-279.	0.7	6
76	Preclinical Validation of a Semi-Autonomous Robot for Transperineal Prostate Biopsy. IEEE Transactions on Medical Robotics and Bionics, 2022, 4, 311-322.	3.2	6
77	Associations of Transitional Zone Volume with Intraprostatic Chronic Inflammation and Prostate Cancer Risk in Patients Undergoing a First Random Biopsy Set. Current Urology, 2018, 11, 85-91.	0.6	5
78	Prostate volume index and prostatic chronic inflammation have an effect on tumor load at baseline random biopsies in patients with normal DRE and PSA values less than 10 ng/ml: results of 564 consecutive cases. Therapeutic Advances in Urology, 2019, 11, 175628721986860.	2.0	5
79	A Double-Blind, Placebo-Controlled Parallel Group Study to Evaluate the Effect of a Single Oral Dose of 5-HT1A Antagonist GSK958108 on Ejaculation Latency Time in Male Patients Suffering From Premature Ejaculation. Journal of Sexual Medicine, 2021, 18, 63-71.	0.6	5
80	The Influence of Endogenous Testosterone on Incidental Prostate Cancer after Transurethral Prostate Resection. Urologia Internationalis, 2021, 105, 826-834.	1.3	5
81	Acute kidney injury strongly influences renal function after radical nephroureterectomy for upper tract urothelial carcinoma: A single-centre experience. Archivio Italiano Di Urologia Andrologia, 2021, 93, 9-14.	0.8	5
82	Incidental prostate cancer after transurethral resection of the prostate: analysis of incidence and risk factors in 458 patients. Minerva Urology and Nephrology, 2021, 73, 471-480.	2.5	5
83	Italian Guidelines for the Management of Enteral and Urinary Stomas. Diseases of the Colon and Rectum, 2019, 62, e3-e4.	1.3	4
84	Restaging Transurethral Resection of Bladder Tumours after BCG Immunotherapy Induction in Patients with T1 Non-Muscle-Invasive Bladder Cancer Might not Be Associated with Oncologic Benefit. Journal of Clinical Medicine, 2020, 9, 3306.	2.4	4
85	The pathological and clinical features of anterior lesions of prostate cancer: Evaluation in a single cohort of patients. Archivio Italiano Di Urologia Andrologia, 2020, 92, .	0.8	4
86	Predictors of Lymph Node Invasion in Patients with Clinically Localized Prostate Cancer Who Undergo Radical Prostatectomy and Extended Pelvic Lymph Node Dissection: The Role of Obesity. Urologia Internationalis, 2021, 105, 362-369.	1.3	4
87	Effects of Physical Activity at High Altitude on Hormonal Profiles in Foreign Trekkers and Indigenous Nepalese Porters. Advances in Experimental Medicine and Biology, 2021, 1335, 111-119.	1.6	4
88	Prostatic Inflammation in Prostate Cancer: Protective Effect or Risk Factor?. Uro, 2021, 1, 54-59.	0.8	4
89	Late diagnosis of ureteral injury from anterior lumbar spine interbody fusion surgery: Case report and literature review. Urologia, 2023, 90, 579-583.	0.7	4
90	Endogenous testosterone density as ratio of endogenous testosterone levels on prostate volume predicts tumor upgrading in low-risk prostate cancer. International Urology and Nephrology, 2021, 53, 2505-2515.	1.4	4

#	ARTICLE	IF	CITATIONS
91	Endogenous testosterone density is an independent predictor of pelvic lymph node invasion in high-risk prostate cancer: results in 201 consecutive patients treated with radical prostatectomy and extended pelvic lymph node dissection. <i>International Urology and Nephrology</i> , 2022, 54, 541-550.	1.4	4
92	Is antibiotic prophylaxis still mandatory for transperineal prostate biopsy? Results of a comparative study. <i>Prostate International</i> , 2021, 10, 34-37.	2.3	4
93	Prostate-specific antigen associates with extensive lymph node invasion in high-risk prostate cancer. <i>Tumori</i> , 2018, 104, 307-311.	1.1	3
94	Prostatic chronic inflammation and prostate cancer risk at baseline random biopsy: Analysis of predictors. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020, 18, 148-154.	1.5	3
95	Uroflowmetry and Altitude Hypoxia: A Report from Healthy Italian Trekkers and Nepali Porters During Himalayan Expedition. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1289, 99-105.	1.6	3
96	Basal total testosterone serum levels predict biopsy and pathological ISUP grade group in a large cohort of Caucasian prostate cancer patients who underwent radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2020, 12, 175628722092948.	2.0	3
97	Response to: Bando et al. Diagnostic and therapeutic value of pelvic lymph node dissection in the fossa of Marcille in patients with clinically localized high-risk prostate cancer: Histological and molecular analyses. <i>Prostate</i> , 2020, 80, 795-796.	2.3	3
98	Severe intraoperative bleeding predicts the risk of perioperative blood transfusion after robot-assisted radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2022, 16, 463-471.	1.8	3
99	Endogenous testosterone density predicts unfavorable disease at final pathology in intermediate risk prostate cancer. <i>International Urology and Nephrology</i> , 2021, 53, 2517-2526.	1.4	3
100	Robotic intracorporeal ileal conduit: Technical aspects. <i>Archivos Espanoles De Urologia</i> , 2019, 72, 299-308.	0.2	3
101	Validation of a Novel Three-Dimensional (3D Fusion) Gross Sampling Protocol for Clear Cell Renal Cell Carcinoma to Overcome Intratumoral Heterogeneity: The Meet-Uro 18 Study. <i>Journal of Personalized Medicine</i> , 2022, 12, 727.	2.5	3
102	Clinical Factors Predicting Tumour Upgrading in Patients Under Active Surveillance and Elected to Active Treatment after Disease Reclassification or Progression. <i>Urologia Internationalis</i> , 2017, 99, 186-193.	1.3	2
103	Simultaneous Measurements of Follicle Stimulating Hormone and Total Testosterone and Associations in Clinically Localized Prostate Cancer. <i>Current Urology</i> , 2017, 10, 174-181.	0.6	2
104	Association between Basal Total Testosterone Levels and Prostate Cancer Δ Amico Risk Classes. <i>Urologia Internationalis</i> , 2020, 104, 716-723.	1.3	2
105	Robotic surgery in urology: a narrative review from the beginning to the single-site. <i>AME Medical Journal</i> , 0, 7, 16-16.	0.4	2
106	E-scooter accidents: A rising cause of kidney injury. <i>Urologia</i> , 2022, 89, 506-510.	0.7	2
107	Perioperative outcomes of patients undergoing urological elective surgery during the COVID-19 pandemic: a national overview across 28 Italian institutions. <i>Central European Journal of Urology</i> , 2021, 74, 259-268.	0.3	2
108	Intravesical Therapy for Non-Muscle-Invasive Bladder Cancer: What Is the Real Impact of Squamous Cell Carcinoma Variant on Oncological Outcomes?. <i>Medicina (Lithuania)</i> , 2022, 58, 90.	2.0	2

#	ARTICLE	IF	CITATIONS
109	Surgical management of urinary diversion and stomas in adults: multidisciplinary Italian panel guidelines. <i>Minerva Urology and Nephrology</i> , 2022, 74, .	2.5	2
110	The Influence of Endogenous Testosterone Density on Unfavorable Disease and Tumor Load at Final Pathology in Intermediate-Risk Prostate Cancer: Results in 338 Patients Treated with Radical Prostatectomy and Extended Pelvic Lymph Node Dissection. <i>Urologia Internationalis</i> , 2022, 106, 928-939.	1.3	2
111	Radiotherapy-related toxicity for localized prostate cancer: meta-analysis comparing conventional or moderately hypofractionated vs. ultrahypofractionated protocols. <i>Clinical and Translational Oncology</i> , 2022, 24, 1425-1439.	2.4	2
112	American Society of Anesthesiologists™ (ASA) Physical Status System and Risk of Major Clavien-Dindo Complications After Robot-Assisted Radical Prostatectomy at Hospital Discharge: Analysis of 1143 Consecutive Prostate Cancer Patients. <i>Indian Journal of Surgical Oncology</i> , 2022, 13, 848-857.	0.7	2
113	Positive Association between Preoperative Total Testosterone and Lymph Node Invasion in Intermediate Risk Prostate Cancer. <i>Current Urology</i> , 2019, 12, 216-222.	0.6	1
114	COMMENT ON: Hospital care in Departments defined as COVID-free: A proposal for a safe hospitalization protecting healthcare professionals and patients not affected by COVID-19. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 92, .	0.8	1
115	Retroperitoneal approach for robot-assisted partial nephrectomy: a step-by-step description of surgical technique. , 0, , .		1
116	Low-intensity extracorporeal shock wave therapy (Li-ESWT) for priapism-induced erectile dysfunction in young patients: the first case series. <i>International Journal of Impotence Research</i> , 2021, , .	1.8	1
117	ABO blood group system and risk of positive surgical margins in patients treated with robot-assisted radical prostatectomy: results in 1114 consecutive patients. <i>Journal of Robotic Surgery</i> , 2021, , 1.	1.8	1
118	Elevated prostate volume index and prostatic chronic inflammation reduce the number of positive cores at first prostate biopsy set: results in 945 consecutive patients. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020, 46, 546-556.	1.5	1
119	Oncologic outcome of salvage high-intensity focused ultrasound (HIFU) in radiorecurrent prostate cancer. A systematic review. <i>Acta Biomedica</i> , 2021, 92, e2021191.	0.3	1
120	Primary focal- versus whole-gland cryoablation for intermediate- and high-risk prostate cancer. <i>European Urology Open Science</i> , 2020, 19, e1333-e1334.	0.4	0
121	Hemi-gland high intensity focus ultrasound ablation for prostate cancer: Short-term outcomes from one of the largest US series. <i>European Urology Open Science</i> , 2020, 19, e1341.	0.4	0
122	The impact of extended pelvic lymph node dissection on the risk of hospital readmission on the long term after robot-assisted radical prostatectomy. <i>European Urology Open Science</i> , 2020, 19, e2114.	0.4	0
123	Surgical and functional outcomes after robot-assisted radical cystectomy in female patients: a systematic review of the literature. , 0, , .		0
124	Fusion 3D gross sampling method to overcome heterogeneity in clear cell renal cell carcinoma (ccRCC) and grading angiogenic versus immune signatures.. <i>Journal of Clinical Oncology</i> , 2021, 39, e16565-e16565.	1.6	0
125	Effectiveness of trans-perineal prostate biopsy without antibiotic prophylaxis. A prospective bicentric trial. <i>European Urology</i> , 2021, 79, S1404.	1.9	0
126	The bladder-flap ureteral augmentation: An original solution in case of complex distal stricture. <i>Urology Case Reports</i> , 2021, 37, 101636.	0.3	0

#	ARTICLE	IF	CITATIONS
127	Reply by Authors. Journal of Urology, 2021, 206, 426-426.	0.4	0
128	Reply by Authors. Journal of Urology, 2021, 206, 297-297.	0.4	0
129	MP64-06â€fTHE AMERICAN SOCIETY OF ANESTHESIOLOGISTSâ€™™ (ASA) PHYSICAL STATUS SYSTEM CLASSIFICATION PREDICTED THE RISK OF POSTOPERATIVE COMPLICATIONS AT HOSPITAL DISCHARGE IN 1329 CONSECUTIVE PATIENTS TREATED WITH RADICAL PROSTATECTOMY FOR CLINICAL PROSTATE CANCER. Journal of Urology, 2021, 206, .	0.4	0
130	PD64-09â€fCOMPARATIVE EVALUATION OF ONCOLOGIC OUTCOMES ACCORDING TO THE ANATOMIC LOCATION OF SURGICAL MARGIN POSITIVITY AFTER PARTIAL NEPHRECTOMY. Journal of Urology, 2021, 206, .	0.4	0
131	PD64-06â€fREDO ROBOTIC PARTIAL NEPHRECTOMY FOR RECURRENT RENAL MASSES: A MULTI-INSTITUTIONAL ANALYSIS. Journal of Urology, 2021, 206, .	0.4	0
132	MP48-17â€fURETERAL STENTING DOES NOT INCREASE THE RISK OF METACHRONOUS UPPER TRACT UROTHELIAL CARCINOMA IN PATIENTS WITH BLADDER CANCER PRESENTING WITH HYDRONEPHROSIS IN COMPARISON WITH PERCUTANEOUS NEPHROSTOMY. Journal of Urology, 2021, 206, .	0.4	0
133	PD55-08â€fSELECTING THE BEST CANDIDATES FOR CISPLATIN-BASED ADJUVANT CHEMOTHERAPY AFTER RADICAL CYSTECTOMY IN PN+ BLADDER CANCER PATIENTS. Journal of Urology, 2021, 206, .	0.4	0
134	Physiopathology of Underactive Bladder. Urodynamics, Neurourology and Pelvic Floor Dysfunctions, 2021, , 97-104.	0.0	0
135	Systematic Biopsy of the Prostate can Be Omitted in Men with PI-RADSâ„¢5 and Prostate Specific Antigen Density Greater than 15%. Reply.. Journal of Urology, 2022, 207, 241-242.	0.4	0
136	Predictors of complications after cytoreductive nephrectomy in the immunotherapy era: results from a multicenter international study. European Urology Open Science, 2021, 32, S148.	0.4	0
137	ABO blood group and unfavorable prostate cancer features after radical prostatectomy: retrospective study on 1149 patients. European Urology Open Science, 2021, 32, S91.	0.4	0
138	Identification of peri-prostatic neurovascular fibers before and after radical prostatectomy by means of diffusion tensor imaging (DTI) with clinical correlations: initial experience. Pelviperineology, 2019, , 35-41.	0.1	0
139	Reply by Authors. Journal of Urology, 2019, 202, 1198-1198.	0.4	0
140	HP-3-2 Percutaneous Angioplasty of Internal Pudendal Arteries for the Treatment of Arteriogenic Erectile Dysfunction. Initial Experience in Six Patients. Journal of Sexual Medicine, 2020, 17, S159.	0.6	0
141	Selecting the best candidates for cisplatin-based adjuvant chemotherapy after radical cystectomy in patients with pN+ bladder cancer. European Urology Open Science, 2021, 33, S365-S367.	0.4	0
142	Live Surgery and Safety Standards. , 2021, , 203-210.		0
143	Concomitant Radical Cystectomy and Infrarenal Aortic Aneurysm Repair with Cryopreserved Aortic Allograft: A Case Report. Uro, 2022, 2, 6-12.	0.8	0
144	Ectopic adrenal tissue in the kidney: A systematic review. Archivio Italiano Di Urologia Andrologia, 2021, 93, 481-488.	0.8	0