

Alessandro Tafuri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7853029/publications.pdf>

Version: 2024-02-01

144
papers

1,453
citations

361413

20
h-index

501196

28
g-index

153
all docs

153
docs citations

153
times ranked

1283
citing authors

#	ARTICLE	IF	CITATIONS
1	Late diagnosis of ureteral injury from anterior lumbar spine interbody fusion surgery: Case report and literature review. <i>Urologia</i> , 2023, 90, 579-583.	0.7	4
2	Predictors of complications occurring after open and robot-assisted prostate cancer surgery: a retrospective evaluation of 1062 consecutive patients treated in a tertiary referral high volume center. <i>Journal of Robotic Surgery</i> , 2022, 16, 45-52.	1.8	6
3	Severe intraoperative bleeding predicts the risk of perioperative blood transfusion after robot-assisted radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2022, 16, 463-471.	1.8	3
4	E-scooter accidents: A rising cause of kidney injury. <i>Urologia</i> , 2022, 89, 506-510.	0.7	2
5	Survival Outcomes After Immediate Radical Cystectomy Versus Conservative Management with Bacillus Calmette-Guérin Among T1 High-grade Micropapillary Bladder Cancer Patients: Results from a Multicentre Collaboration. <i>European Urology Focus</i> , 2022, 8, 1270-1277.	3.1	11
6	Perioperative Outcomes of Holmium Laser Enucleation of the Prostate: A Systematic Review. <i>Urologia Internationalis</i> , 2022, 106, 979-991.	1.3	9
7	Systematic Biopsy of the Prostate can Be Omitted in Men with PI-RADS ₂ \leq 5 and Prostate Specific Antigen Density Greater than 15%. Reply. <i>Journal of Urology</i> , 2022, 207, 241-242.	0.4	0
8	External validation of the Palacios [™] equation: a simple and accurate tool to estimate the new baseline renal function after renal cancer surgery. <i>World Journal of Urology</i> , 2022, 40, 467-473.	2.2	10
9	Intravesical Therapy for Non-Muscle-Invasive Bladder Cancer: What Is the Real Impact of Squamous Cell Carcinoma Variant on Oncological Outcomes?. <i>Medicina (Lithuania)</i> , 2022, 58, 90.	2.0	2
10	Surgical management of urinary diversion and stomas in adults: multidisciplinary Italian panel guidelines. <i>Minerva Urology and Nephrology</i> , 2022, 74, .	2.5	2
11	Concomitant Radical Cystectomy and Infrarenal Aortic Aneurysm Repair with Cryopreserved Aortic Allograft: A Case Report. <i>Uro</i> , 2022, 2, 6-12.	0.8	0
12	Botulinum Toxin-A Injection in Chronic Pelvic Pain Syndrome Treatment: A Systematic Review and Pooled Meta-Analysis. <i>Toxins</i> , 2022, 14, 25.	3.4	9
13	The Influence of Endogenous Testosterone Density on Unfavorable Disease and Tumor Load at Final Pathology in Intermediate-Risk Prostate Cancer: Results in 338 Patients Treated with Radical Prostatectomy and Extended Pelvic Lymph Node Dissection. <i>Urologia Internationalis</i> , 2022, 106, 928-939.	1.3	2
14	Endogenous testosterone density is an independent predictor of pelvic lymph node invasion in high-risk prostate cancer: results in 201 consecutive patients treated with radical prostatectomy and extended pelvic lymph node dissection. <i>International Urology and Nephrology</i> , 2022, 54, 541-550.	1.4	4
15	Preclinical Validation of a Semi-Autonomous Robot for Transperineal Prostate Biopsy. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2022, 4, 311-322.	3.2	6
16	Variant histologies in bladder cancer: Does the centre have an impact in detection accuracy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 273.e11-273.e20.	1.6	8
17	Prediction of significant renal function decline after open, laparoscopic, and robotic partial nephrectomy: External validation of the Martini [™] s nomogram on the RECORD2 project cohort. <i>International Journal of Urology</i> , 2022, 29, 525-532.	1.0	9
18	Radiotherapy-related toxicity for localized prostate cancer: meta-analysis comparing conventional or moderately hypofractionated vs. ultrahypofractionated protocols. <i>Clinical and Translational Oncology</i> , 2022, 24, 1425-1439.	2.4	2

#	ARTICLE	IF	CITATIONS
19	Reporting Characteristics of cadaver training and surgical studies: The CACTUS guidelines. <i>International Journal of Surgery</i> , 2022, 101, 1066-19.	2.7	7
20	Validation of a Novel Three-Dimensional (3D Fusion) Gross Sampling Protocol for Clear Cell Renal Cell Carcinoma to Overcome Intratumoral Heterogeneity: The Meet-Uro 18 Study. <i>Journal of Personalized Medicine</i> , 2022, 12, 727.	2.5	3
21	American Society of Anesthesiologists [®] (ASA) Physical Status System and Risk of Major Clavien-Dindo Complications After Robot-Assisted Radical Prostatectomy at Hospital Discharge: Analysis of 1143 Consecutive Prostate Cancer Patients. <i>Indian Journal of Surgical Oncology</i> , 2022, 13, 848-857.	0.7	2
22	Is a Drain Needed After Robotic Radical Prostatectomy With or Without Pelvic Lymph Node Dissection? Results of a Single-Center Randomized Clinical Trial. <i>Journal of Endourology</i> , 2021, 35, 922-928.	2.1	18
23	Serum testosterone and obesity in prostate cancer biology: a call for health promotion in the ageing male. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1399-1401.	2.9	12
24	The dramatic COVID 19 outbreak in Italy is responsible of a huge drop of urological surgical activity: a multicenter observational study. <i>BJU International</i> , 2021, 127, 56-63.	2.5	32
25	The impact of preoperative nutritional status on post-surgical complication and mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review of the literature. <i>World Journal of Urology</i> , 2021, 39, 1045-1081.	2.2	26
26	Predictors of Lymph Node Invasion in Patients with Clinically Localized Prostate Cancer Who Undergo Radical Prostatectomy and Extended Pelvic Lymph Node Dissection: The Role of Obesity. <i>Urologia Internationalis</i> , 2021, 105, 362-369.	1.3	4
27	A Double-Blind, Placebo-Controlled Parallel Group Study to Evaluate the Effect of a Single Oral Dose of 5-HT1A Antagonist GSK958108 on Ejaculation Latency Time in Male Patients Suffering From Premature Ejaculation. <i>Journal of Sexual Medicine</i> , 2021, 18, 63-71.	0.6	5
28	Frailty impact on postoperative complications and early mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021, 19, 9-23.	1.5	22
29	Multiparametric magnetic resonance imaging facilitates reclassification during active surveillance for prostate cancer. <i>BJU International</i> , 2021, 127, 712-721.	2.5	11
30	The Influence of Endogenous Testosterone on Incidental Prostate Cancer after Transurethral Prostate Resection. <i>Urologia Internationalis</i> , 2021, 105, 826-834.	1.3	5
31	Assessment of the oncological outcomes of three different bacillus Calmette-Guérin strains in patients with high-grade T1 non-muscle-invasive bladder cancer. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021, 19, 78-85.	1.5	6
32	Effects of Physical Activity at High Altitude on Hormonal Profiles in Foreign Trekkers and Indigenous Nepalese Porters. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1335, 111-119.	1.6	4
33	Endogenous testosterone as a predictor of prostate growing disorders in the aging male. <i>International Urology and Nephrology</i> , 2021, 53, 843-854.	1.4	13
34	Timing, Patterns and Predictors of 90-Day Readmission Rate after Robotic Radical Cystectomy. <i>Journal of Urology</i> , 2021, 205, 491-499.	0.4	13
35	Acute kidney injury strongly influences renal function after radical nephroureterectomy for upper tract urothelial carcinoma: A single-centre experience. <i>Archivio Italiano Di Urologia Andrologia</i> , 2021, 93, 9-14.	0.8	5
36	Italian Guidelines for the Nursing Management of Enteral and Urinary Stomas in Adults. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2021, 48, 137-147.	1.0	9

#	ARTICLE	IF	CITATIONS
37	Consulting "Dr. Google"™ for minimally invasive urological oncological surgeries: A contemporary web-based trend analysis. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2021, 17, e2250.	2.3	9
38	Low-intensity extracorporeal shock wave therapy (Li-ESWT) for priapism-induced erectile dysfunction in young patients: the first case series. <i>International Journal of Impotence Research</i> , 2021, , .	1.8	1
39	Fusion 3D gross sampling method to overcome heterogeneity in clear cell renal cell carcinoma (ccRCC) and grading angiogenic versus immune signatures.. <i>Journal of Clinical Oncology</i> , 2021, 39, e16565-e16565.	1.6	0
40	Omics in urology: An overview on concepts, current status and future perspectives. <i>Urologia</i> , 2021, 88, 270-279.	0.7	6
41	Effectiveness of trans-perineal prostate biopsy without antibiotic prophylaxis. A prospective bicentric trial. <i>European Urology</i> , 2021, 79, S1404.	1.9	0
42	Prostatic Inflammation in Prostate Cancer: Protective Effect or Risk Factor?. <i>Uro</i> , 2021, 1, 54-59.	0.8	4
43	ABO blood group system and risk of positive surgical margins in patients treated with robot-assisted radical prostatectomy: results in 1114 consecutive patients. <i>Journal of Robotic Surgery</i> , 2021, , 1.	1.8	1
44	The bladder-flap ureteral augmentation: An original solution in case of complex distal stricture. <i>Urology Case Reports</i> , 2021, 37, 101636.	0.3	0
45	Low endogenous testosterone levels are associated with the extend of lymphnodal invasion at radical prostatectomy and extended pelvic lymph node dissection. <i>International Urology and Nephrology</i> , 2021, 53, 2027-2039.	1.4	10
46	Toward autonomous robotic prostate biopsy: a pilot study. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2021, 16, 1393-1401.	2.8	12
47	Reply by Authors. <i>Journal of Urology</i> , 2021, 206, 426-426.	0.4	0
48	Reply by Authors. <i>Journal of Urology</i> , 2021, 206, 297-297.	0.4	0
49	Systematic Biopsy of the Prostate can Be Omitted in Men with PI-RADSâ„¢ 5 and Prostate Specific Antigen Density Greater than 15%. <i>Journal of Urology</i> , 2021, 206, 289-297.	0.4	18
50	MP64-06â€¦THE AMERICAN SOCIETY OF ANESTHESIOLOGISTSâ€™ (ASA) PHYSICAL STATUS SYSTEM CLASSIFICATION PREDICTED THE RISK OF POSTOPERATIVE COMPLICATIONS AT HOSPITAL DISCHARGE IN 1329 CONSECUTIVE PATIENTS TREATED WITH RADICAL PROSTATECTOMY FOR CLINICAL PROSTATE CANCER. <i>Journal of Urology</i> , 2021, 206, .	0.4	0
51	Incidental prostate cancer after transurethral resection of the prostate: analysis of incidence and risk factors in 458 patients. <i>Minerva Urology and Nephrology</i> , 2021, 73, 471-480.	2.5	5
52	PD64-09â€¦COMPARATIVE EVALUATION OF ONCOLOGIC OUTCOMES ACCORDING TO THE ANATOMIC LOCATION OF SURGICAL MARGIN POSITIVITY AFTER PARTIAL NEPHRECTOMY. <i>Journal of Urology</i> , 2021, 206, .	0.4	0
53	PD64-06â€¦REDO ROBOTIC PARTIAL NEPHRECTOMY FOR RECURRENT RENAL MASSES: A MULTI-INSTITUTIONAL ANALYSIS. <i>Journal of Urology</i> , 2021, 206, .	0.4	0
54	MP48-17â€¦URETERAL STENTING DOES NOT INCREASE THE RISK OF METACHRONOUS UPPER TRACT UROTHELIAL CARCINOMA IN PATIENTS WITH BLADDER CANCER PRESENTING WITH HYDRONEPHROSIS IN COMPARISON WITH PERCUTANEOUS NEPHROSTOMY. <i>Journal of Urology</i> , 2021, 206, .	0.4	0

#	ARTICLE	IF	CITATIONS
55	Endogenous testosterone density predicts unfavorable disease at final pathology in intermediate risk prostate cancer. <i>International Urology and Nephrology</i> , 2021, 53, 2517-2526.	1.4	3
56	PD55-08â€fSELECTING THE BEST CANDIDATES FOR CISPLATIN-BASED ADJUVANT CHEMOTHERAPY AFTER RADICAL CYSTECTOMY IN PN+ BLADDER CANCER PATIENTS. <i>Journal of Urology</i> , 2021, 206, .	0.4	0
57	Physiopathology of Underactive Bladder. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , 2021, , 97-104.	0.0	0
58	Perioperative outcomes of patients undergoing urological elective surgery during the COVID-19 pandemic: a national overview across 28 Italian institutions. <i>Central European Journal of Urology</i> , 2021, 74, 259-268.	0.3	2
59	Predictors of complications after cytoreductive nephrectomy in the immunotherapy era: results from a multicenter international study. <i>European Urology Open Science</i> , 2021, 32, S148.	0.4	0
60	Endogenous testosterone density as ratio of endogenous testosterone levels on prostate volume predicts tumor upgrading in low-risk prostate cancer. <i>International Urology and Nephrology</i> , 2021, 53, 2505-2515.	1.4	4
61	The Impact of SARS-CoV-2 Pandemic on Time to Primary, Secondary Resection and Adjuvant Intravesical Therapy in Patients with High-Risk Non-Muscle Invasive Bladder Cancer: A Retrospective Multi-Institutional Cohort Analysis. <i>Cancers</i> , 2021, 13, 5276.	3.7	21
62	ABO blood group and unfavorable prostate cancer features after radical prostatectomy: retrospective study on 1149 patients. <i>European Urology Open Science</i> , 2021, 32, S91.	0.4	0
63	Oncologic outcome of salvage high-intensity focused ultrasound (HIFU) in radiorecurrent prostate cancer. A systematic review. <i>Acta Biomedica</i> , 2021, 92, e2021191.	0.3	1
64	Selecting the best candidates for cisplatin-based adjuvant chemotherapy after radical cystectomy in patients with pN+ bladder cancer. <i>European Urology Open Science</i> , 2021, 33, S365-S367.	0.4	0
65	Live Surgery and Safety Standards. , 2021, , 203-210.		0
66	Is antibiotic prophylaxis still mandatory for transperineal prostate biopsy? Results of a comparative study. <i>Prostate International</i> , 2021, 10, 34-37.	2.3	4
67	Ectopic adrenal tissue in the kidney: A systematic review. <i>Archivio Italiano Di Urologia Andrologia</i> , 2021, 93, 481-488.	0.8	0
68	Impact of Implementation of Standardized Criteria in the Assessment of Complication Reporting After Robotic Partial Nephrectomy: A Systematic Review. <i>European Urology Focus</i> , 2020, 6, 513-517.	3.1	17
69	Prostate volume index and prostatic chronic inflammation predicted low tumor load in 945 patients at baseline prostate biopsy. <i>World Journal of Urology</i> , 2020, 38, 957-964.	2.2	11
70	One-Stop MRI and MRI/transrectal ultrasound fusion-guided biopsy: an expedited pathway for prostate cancer diagnosis. <i>World Journal of Urology</i> , 2020, 38, 949-956.	2.2	14
71	Risk factors of positive surgical margins after robot-assisted radical prostatectomy in high-volume center: results in 732 cases. <i>Journal of Robotic Surgery</i> , 2020, 14, 167-175.	1.8	20
72	Consulting â€œDr. Googleâ€f for Prostate Cancer Treatment Options: A Contemporary Worldwide Trend Analysis. <i>European Urology Oncology</i> , 2020, 3, 481-488.	5.4	29

#	ARTICLE	IF	CITATIONS
73	Radical cystectomy pentafecta: a proposal for standardisation of outcomes reporting following robot-assisted radical cystectomy. <i>BJU International</i> , 2020, 125, 64-72.	2.5	28
74	Visualization of peri-prostatic neurovascular fibers before and after radical prostatectomy by means of diffusion tensor imaging (DTI) with clinical correlations: preliminary report. <i>Journal of Robotic Surgery</i> , 2020, 14, 357-363.	1.8	7
75	Linear extent of positive surgical margin impacts biochemical recurrence after robot-assisted radical prostatectomy in a high-volume center. <i>Journal of Robotic Surgery</i> , 2020, 14, 663-675.	1.8	11
76	Restaging Transurethral Resection of Bladder Tumours after BCG Immunotherapy Induction in Patients with T1 Non-Muscle-Invasive Bladder Cancer Might not Be Associated with Oncologic Benefit. <i>Journal of Clinical Medicine</i> , 2020, 9, 3306.	2.4	4
77	Primary focal- versus whole-gland cryoablation for intermediate- and high-risk prostate cancer. <i>European Urology Open Science</i> , 2020, 19, e1333-e1334.	0.4	0
78	Hemi-gland high intensity focus ultrasound ablation for prostate cancer: Short-term outcomes from one of the largest US series. <i>European Urology Open Science</i> , 2020, 19, e1341.	0.4	0
79	The impact of extended pelvic lymph node dissection on the risk of hospital readmission on the long term after robot-assisted radical prostatectomy. <i>European Urology Open Science</i> , 2020, 19, e2114.	0.4	0
80	COMMENT ON: Hospital care in Departments defined as COVID-free: A proposal for a safe hospitalization protecting healthcare professionals and patients not affected by COVID-19. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 92, .	0.8	1
81	The pathological and clinical features of anterior lesions of prostate cancer: Evaluation in a single cohort of patients. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 92, .	0.8	4
82	Delaying BCG immunotherapy onset after transurethral resection of non-muscle-invasive bladder cancer is associated with adverse survival outcomes. <i>World Journal of Urology</i> , 2020, 39, 2545-2552.	2.2	16
83	Prostatic chronic inflammation and prostate cancer risk at baseline random biopsy: Analysis of predictors. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020, 18, 148-154.	1.5	3
84	COVID-19 pandemic as a watershed moment: A call for systematic psychological health care for frontline medical staff. <i>Journal of Health Psychology</i> , 2020, 25, 883-887.	2.3	119
85	Quality Assessment of Intraoperative Adverse Event Reporting During 29% Robotic Partial Nephrectomies: A Systematic Review and Cumulative Analysis. <i>European Urology Oncology</i> , 2020, 3, 780-783.	5.4	18
86	Association between Basal Total Testosterone Levels and Prostate Cancer [™] Amico Risk Classes. <i>Urologia Internationalis</i> , 2020, 104, 716-723.	1.3	2
87	Obesity strongly predicts clinically undetected multiple lymph node metastases in intermediate- and high-risk prostate cancer patients who underwent robot assisted radical prostatectomy and extended lymph node dissection. <i>International Urology and Nephrology</i> , 2020, 52, 2097-2105.	1.4	13
88	Uroflowmetry and Altitude Hypoxia: A Report from Healthy Italian Trekkers and Nepali Porters During Himalayan Expedition. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1289, 99-105.	1.6	3
89	Basal total testosterone serum levels predict biopsy and pathological ISUP grade group in a large cohort of Caucasian prostate cancer patients who underwent radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2020, 12, 175628722092948.	2.0	3
90	The impact of extended pelvic lymph node dissection on the risk of hospital readmission within 180 days after robot assisted radical prostatectomy. <i>World Journal of Urology</i> , 2020, 38, 2799-2809.	2.2	14

#	ARTICLE	IF	CITATIONS
91	Predictive Factors of the Risk of Long-Term Hospital Readmission after Primary Prostate Surgery at a Single Tertiary Referral Center: Preliminary Report. <i>Urologia Internationalis</i> , 2020, 104, 465-475.	1.3	8
92	Programmed Death 1 and Programmed Death Ligand 1 Inhibitors in Advanced and Recurrent Urothelial Carcinoma: Meta-analysis of Single-Agent Studies. <i>Clinical Genitourinary Cancer</i> , 2020, 18, 351-360.e3.	1.9	14
93	Response to: Bando et al. Diagnostic and therapeutic value of pelvic lymph node dissection in the fossa of Marcille in patients with clinically localized high-risk prostate cancer: Histological and molecular analyses. <i>Prostate</i> , 2020, 80, 795-796.	2.3	3
94	Endogenous testosterone mirrors prostate cancer aggressiveness: correlation between basal testosterone serum levels and prostate cancer European Urology Association clinical risk classes in a large cohort of Caucasian patients. <i>International Urology and Nephrology</i> , 2020, 52, 1261-1269.	1.4	10
95	High Intensity Focused Ultrasound Hemigland Ablation for Prostate Cancer: Initial Outcomes of a United States Series. <i>Journal of Urology</i> , 2020, 204, 741-747.	0.4	43
96	Neoadjuvant Strategies Before Radical Prostatectomy for High Risk Prostate Cancer in the Era of New Hormonal Agents. <i>Current Drug Targets</i> , 2020, 22, 68-76.	2.1	7
97	Prostate-specific antigen levels and proportion of biopsy positive cores are independent predictors of upgrading patterns in low-risk prostate cancer. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 66-71.	3.9	22
98	Open approach, extended pelvic lymph node dissection, and seminal vesicle invasion are independent predictors of hospital readmission after prostate cancer surgery: a large retrospective study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 72-81.	3.9	9
99	High body mass index predicts multiple prostate cancer lymph node metastases after radical prostatectomy and extended pelvic lymph node dissection. <i>Asian Journal of Andrology</i> , 2020, 22, 323.	1.6	32
100	HP-3-2 Percutaneous Angioplasty of Internal Pudendal Arteries for the Treatment of Arteriogenic Erectile Dysfunction. Initial Experience in Six Patients. <i>Journal of Sexual Medicine</i> , 2020, 17, S159.	0.6	0
101	Elevated prostate volume index and prostatic chronic inflammation reduce the number of positive cores at first prostate biopsy set: results in 945 consecutive patients. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020, 46, 546-556.	1.5	1
102	Body mass index is an independent predictor of Clavien-Dindo grade 3 complications in patients undergoing robot assisted radical prostatectomy with extensive pelvic lymph node dissection. <i>Journal of Robotic Surgery</i> , 2019, 13, 83-89.	1.8	32
103	Prostate volume index and prostatic chronic inflammation have an effect on tumor load at baseline random biopsies in patients with normal DRE and PSA values less than 10 ng/ml: results of 564 consecutive cases. <i>Therapeutic Advances in Urology</i> , 2019, 11, 175628721986860.	2.0	5
104	Positive Association between Preoperative Total Testosterone and Lymph Node Invasion in Intermediate Risk Prostate Cancer. <i>Current Urology</i> , 2019, 12, 216-222.	0.6	1
105	Prostate Volume Index Is Able to Differentiate between Prostatic Chronic Inflammation and Prostate Cancer in Patients with Normal Digital Rectal Examination and Prostate-Specific Antigen Values $\leq 10\text{ ng/mL}$: Results of 564 Biopsy Negative Cases. <i>Urologia Internationalis</i> , 2019, 103, 415-422.	1.3	7
106	Total testosterone density predicts high tumor load and disease reclassification of prostate cancer: results in 144 low-risk patients who underwent radical prostatectomy. <i>International Urology and Nephrology</i> , 2019, 51, 2169-2180.	1.4	9
107	Surgeon volume and body mass index influence positive surgical margin risk after robot-assisted radical prostatectomy: Results in 732 cases. <i>Arab Journal of Urology Arab Association of Urology</i> , 2019, 17, 234-242.	1.5	6
108	Positive Association between Basal Total Testosterone Circulating Levels and Tumor Grade Groups at the Time of Diagnosis of Prostate Cancer. <i>Urologia Internationalis</i> , 2019, 103, 400-407.	1.3	11

#	ARTICLE	IF	CITATIONS
109	High surgeon volume and positive surgical margins can predict the risk of biochemical recurrence after robot-assisted radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2019, 11, 175628721987828.	2.0	8
110	Multiple stones in neobladder: Case report and literature review. <i>Urologia</i> , 2019, 86, 216-219.	0.7	7
111	Lymph Nodes Invasion of Marcilleâ€™s Fossa Associates with High Metastatic Load in Prostate Cancer Patients Undergoing Extended Pelvic Lymph Node Dissection: The Role of â€œMarcillectomyâ€• <i>Urologia Internationalis</i> , 2019, 103, 25-32.	1.3	28
112	Low Preoperative Prolactin Levels Predict Non-Organ Confined Prostate Cancer in Clinically Localized Disease. <i>Urologia Internationalis</i> , 2019, 103, 391-399.	1.3	8
113	Italian Guidelines for the Management of Enteral and Urinary Stomas. <i>Diseases of the Colon and Rectum</i> , 2019, 62, e3-e4.	1.3	4
114	Impact of Combination of Local Anesthetic Wounds Infiltration and Ultrasound Transversus Abdominal Plane Block in Patients Undergoing Robot-Assisted Radical Prostatectomy: Perioperative Results of a Double-Blind Randomized Controlled Trial. <i>Journal of Endourology</i> , 2019, 33, 295-301.	2.1	27
115	Hemigland Cryoablation of Localized Low, Intermediate and High Risk Prostate Cancer: Oncologic and Functional Outcomes at 5 Years. <i>Journal of Urology</i> , 2019, 202, 1188-1198.	0.4	47
116	Extended pelvic lymphadenectomy for prostate cancer: should the Cloquet's nodes dissection be considered only an option?. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 136-145.	3.9	27
117	Body Mass Index and prostatic-specific antigen are predictors of prostate cancer metastases in patients undergoing robot-assisted radical prostatectomy and extended pelvic lymph node dissection. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 516-523.	3.9	13
118	Anterograde ejaculation preservation after endoscopic treatments in patients with bladder outlet obstruction: systematic review and pooled-analysis of randomized clinical trials. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 427-434.	3.9	27
119	Identification of peri-prostatic neurovascular fibers before and after radical prostatectomy by means of diffusion tensor imaging (DTI) with clinical correlations: initial experience. <i>Pelvipereineology</i> , 2019, , 35-41.	0.1	0
120	Reply by Authors. <i>Journal of Urology</i> , 2019, 202, 1198-1198.	0.4	0
121	Robotic intracorporeal ileal conduit: Technical aspects. <i>Archivos Espanoles De Urologia</i> , 2019, 72, 299-308.	0.2	3
122	Inverse Association of Prostatic Chronic Inflammation among Prostate Cancer Tumor Grade Groups: Retrospective Study of 738 Consecutive Cases Elected to a First Random Biopsy Set. <i>Urologia Internationalis</i> , 2018, 100, 456-462.	1.3	14
123	Associations of Transitional Zone Volume with Intraprostatic Chronic Inflammation and Prostate Cancer Risk in Patients Undergoing a First Random Biopsy Set. <i>Current Urology</i> , 2018, 11, 85-91.	0.6	5
124	Prostate-specific antigen associates with extensive lymph node invasion in high-risk prostate cancer. <i>Tumori</i> , 2018, 104, 307-311.	1.1	3
125	Focal therapy for prostate cancer. <i>Current Opinion in Urology</i> , 2018, 28, 536-543.	1.8	9
126	Clinical factors stratifying the risk of tumor upgrading to high-grade disease in low-risk prostate cancer. <i>Tumori</i> , 2018, 104, 111-115.	1.1	22

#	ARTICLE	IF	CITATIONS
127	Positive Association between Preoperative Total Testosterone Levels and Risk of Positive Surgical Margins by Prostate Cancer: Results in 476 Consecutive Patients Treated Only by Radical Prostatectomy. <i>Urologia Internationalis</i> , 2018, 101, 38-46.	1.3	27
128	Clinical Factors Predicting and Stratifying the Risk of Lymph Node Invasion in Localized Prostate Cancer. <i>Urologia Internationalis</i> , 2017, 99, 207-214.	1.3	21
129	Association between Basal Total Testosterone Levels and Tumor Upgrading in Low and Intermediate Risk Prostate Cancer. <i>Urologia Internationalis</i> , 2017, 99, 215-221.	1.3	23
130	Clinical Factors Predicting Tumour Upgrading in Patients Under Active Surveillance and Elected to Active Treatment after Disease Reclassification or Progression. <i>Urologia Internationalis</i> , 2017, 99, 186-193.	1.3	2
131	Clinical Factors Predicting Bilateral Lymph Node Invasion in High-Risk Prostate Cancer. <i>Urologia Internationalis</i> , 2017, 99, 392-399.	1.3	20
132	Intraprostatic Chronic Inflammation is Associated with a Reduced Risk of Prostate Cancer in Patients Elected to a First Random Biopsy Set. <i>Tumori</i> , 2017, 103, 475-482.	1.1	10
133	Prostate Volume Index Stratified Prostate Cancer Risk in Patients Elected to a First Random Biopsy Set. <i>Tumori</i> , 2017, 103, 374-379.	1.1	6
134	Clinical Factors of Disease Reclassification or Progression in a Contemporary Cohort of Prostate Cancer Patients Elected to Active Surveillance. <i>Urologia Internationalis</i> , 2017, 98, 32-39.	1.3	24
135	Low-Risk Prostate Cancer and Tumor Upgrading in the Surgical Specimen: Analysis of Clinical Factors Predicting Tumor Upgrading in a Contemporary Series of Patients Who were Evaluated According to the Modified Gleason Score Grading System. <i>Current Urology</i> , 2017, 10, 118-125.	0.6	23
136	Preoperative Plasma Levels of Total Testosterone Associated with High Grade Pathology-Detected Prostate Cancer: Preliminary Results of a Prospective Study in a Contemporary Cohort of Patients. <i>Current Urology</i> , 2017, 10, 72-80.	0.6	6
137	Simultaneous Measurements of Follicle Stimulating Hormone and Total Testosterone and Associations in Clinically Localized Prostate Cancer. <i>Current Urology</i> , 2017, 10, 174-181.	0.6	2
138	Bilateral Lymph Node Micrometastases and Seminal Vesicle Invasion Associated with Same Clinical Predictors in Localized Prostate Cancer. <i>Tumori</i> , 2017, 103, 299-306.	1.1	24
139	High Testosterone Preoperative Plasma Levels Independently Predict Biopsy Gleason Score Upgrading in Men with Prostate Cancer Undergoing Radical Prostatectomy. <i>Urologia Internationalis</i> , 2016, 96, 470-478.	1.3	24
140	Low-Risk Prostate Cancer and Tumor Upgrading to Higher Patterns in the Surgical Specimen. Analysis of Clinical Factors Predicting Tumor Upgrading to Higher Gleason Patterns in a Contemporary Series of Patients Who Have Been Evaluated According to the Modified Gleason Score Grading System. <i>Urologia Internationalis</i> , 2016, 97, 32-41.	1.3	26
141	Robotic assisted radical prostatectomy accelerates postoperative stress recovery: Final results of a contemporary prospective study assessing pathophysiology of cortisol peri-operative kinetics in prostate cancer surgery. <i>Asian Journal of Urology</i> , 2016, 3, 88-95.	1.2	16
142	Robotic surgery in urology: a narrative review from the beginning to the single-site. <i>AME Medical Journal</i> , 0, 7, 16-16.	0.4	2
143	Retroperitoneal approach for robot-assisted partial nephrectomy: a step-by-step description of surgical technique. , 0, , .		1
144	Surgical and functional outcomes after robot-assisted radical cystectomy in female patients: a systematic review of the literature. , 0, , .		0