

# Antony M Jose

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7853395/publications.pdf>

Version: 2024-02-01

24  
papers

907  
citations

840776

11  
h-index

610901

24  
g-index

31  
all docs

31  
docs citations

31  
times ranked

1035  
citing authors

#	ARTICLE	IF	CITATIONS
1	Double-stranded RNA made in <i>C. elegans</i> neurons can enter the germline and cause transgenerational gene silencing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2133-2138.	7.1	123
2	Transport of Sequence-Specific RNA Interference Information Between Cells. <i>Annual Review of Genetics</i> , 2007, 41, 305-330.	7.6	112
3	Export of RNA silencing from <i>C. elegans</i> tissues does not require the RNA channel SID-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 2283-2288.	7.1	110
4	Extracellular RNA is transported from one generation to the next in <i>Caenorhabditis elegans</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 12496-12501.	7.1	101
5	Cooperative binding of effectors by an allosteric ribozyme. <i>Nucleic Acids Research</i> , 2001, 29, 1631-1637.	14.5	82
6	Conserved tyrosine kinase promotes the import of silencing RNA into <i>Caenorhabditis elegans</i> cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 14520-14525.	7.1	71
7	A Specific Subset of Transient Receptor Potential Vanilloid-Type Channel Subunits in <i>Caenorhabditis elegans</i> Endocrine Cells Function as Mixed Heteromers to Promote Neurotransmitter Release. <i>Genetics</i> , 2007, 175, 93-105.	2.9	57
8	Two classes of silencing RNAs move between <i>Caenorhabditis elegans</i> tissues. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 1184-1188.	8.2	48
9	Movement of regulatory <i>scp</i> RNA between animal cells. <i>Genesis</i> , 2015, 53, 395-416.	1.6	47
10	Domains, Amino Acid Residues, and New Isoforms of <i>Caenorhabditis elegans</i> Diacylglycerol Kinase 1 (DGK-1) Important for Terminating Diacylglycerol Signaling in Vivo*. <i>Journal of Biological Chemistry</i> , 2005, 280, 2730-2736.	3.4	28
11	Removing bias against short sequences enables northern blotting to better complement RNA-seq for the study of small RNAs. <i>Nucleic Acids Research</i> , 2017, 45, e87-e87.	14.5	20
12	Reproducible features of small RNAs in <i>C. elegans</i> reveal NU RNAs and provide insights into 22G RNAs and 26G RNAs. <i>Rna</i> , 2016, 22, 184-192.	3.5	18
13	Mating can initiate stable RNA silencing that overcomes epigenetic recovery. <i>Nature Communications</i> , 2021, 12, 4239.	12.8	16
14	The double-stranded RNA binding protein RDE-4 can act cell autonomously during feeding RNAi in <i>C. elegans</i> . <i>Nucleic Acids Research</i> , 2017, 45, 8463-8473.	14.5	11
15	A framework for parsing heritable information. <i>Journal of the Royal Society Interface</i> , 2020, 17, 20200154.	3.4	9
16	Heritable epigenetic changes at single genes: challenges and opportunities in <i>Caenorhabditis elegans</i> . <i>Trends in Genetics</i> , 2022, 38, 116-119.	6.7	8
17	Tissue homogeneity requires inhibition of unequal gene silencing during development. <i>Journal of Cell Biology</i> , 2016, 214, 319-331.	5.2	7
18	Replicating and Cycling Stores of Information Perpetuate Life. <i>BioEssays</i> , 2018, 40, e1700161.	2.5	7

#	ARTICLE	IF	CITATIONS
19	The FDA-approved drugs ticlopidine, sertaconazole, and dexlansoprazole can cause morphological changes in <i>C.Âelegans</i> . <i>Chemosphere</i> , 2020, 261, 127756.	8.2	7
20	Heritable Epigenetic Changes Alter Transgenerational Waveforms Maintained by Cycling Stores of Information. <i>BioEssays</i> , 2020, 42, e1900254.	2.5	7
21	The analysis of living systems can generate both knowledge and illusions. <i>ELife</i> , 2020, 9, .	6.0	6
22	Multiple sclerosis: can Schwann cells wrap it up?. <i>Yale Journal of Biology and Medicine</i> , 2002, 75, 113-6.	0.2	6
23	Gene silencing by double-stranded RNA from <i>C. elegans</i> neurons reveals functional mosaicism of RNA interference. <i>Nucleic Acids Research</i> , 2019, 47, 10059-10071.	14.5	4
24	Inheritance of extracellular nutrition and information in <i>Caenorhabditis elegans</i> . <i>Molecular Reproduction and Development</i> , 2017, 84, 283-283.	2.0	2