

# Yong-Min Tang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7855572/publications.pdf>

Version: 2024-02-01

85  
papers

1,606  
citations

361413

20  
h-index

345221

36  
g-index

96  
all docs

96  
docs citations

96  
times ranked

2265  
citing authors

#	ARTICLE	IF	CITATIONS
1	Simple Evaluation of Clinical Situation and Subtypes of Pediatric Hemophagocytic Lymphohistiocytosis by Cytokine Patterns. <i>Frontiers in Immunology</i> , 2022, 13, 850443.	4.8	3
2	Integration of Interleukin-6 Improves the Diagnostic Precision of Metagenomic Next-Generation Sequencing for Infection in Immunocompromised Children. <i>Frontiers in Microbiology</i> , 2022, 13, 819467.	3.5	4
3	Potent anti-tumor activity of CD45RA-targeting Hm3A4-Ranpirnase against myeloid lineage leukemias. <i>Bioengineered</i> , 2022, 13, 8631-8642.	3.2	0
4	Tuning the ignition of CAR: optimizing the affinity of scFv to improve CAR-T therapy. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, 14.	5.4	27
5	<i>U2AF1</i> expression is a novel and independent prognostic indicator of childhood T-lineage acute lymphoblastic leukemia. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 675-682.	1.3	4
6	Pediatric blastic plasmacytoid dendritic cell neoplasm: report of four cases and review of literature. <i>International Journal of Hematology</i> , 2021, 113, 751-759.	1.6	11
7	Treatment of Relapsed and Refractory ALK-Positive Anaplastic Large Cell Lymphoma With ALK-Specific Tyrosine Kinase Inhibitor in Children. <i>Journal of Pediatric Hematology/Oncology</i> , 2021, Publish Ahead of Print, .	0.6	1
8	Efficacy and safety of immunosuppressive therapy with or without eltrombopag in pediatric patients with acquired aplastic anemia: A Chinese retrospective study. <i>Pediatric Hematology and Oncology</i> , 2021, 38, 633-646.	0.8	11
9	Clinical features and prognostic impact of TCF3-PBX1 in childhood acute lymphoblastic leukemia: A single-center retrospective study of 837 patients from China. <i>Current Problems in Cancer</i> , 2021, 45, 100758.	2.0	13
10	Rare and favorable prognosis of pediatric acute lymphoblastic leukemia with TLS-ERG fusion gene: Case report with long-term follow-up and review of literature. <i>Cancer Genetics</i> , 2021, 256-257, 51-56.	0.4	0
11	Fulminant cytokine release syndrome in a paediatric patient with refractory Epstein-Barr virus-associated haemophagocytic lymphohistiocytosis receiving nivolumab treatment. <i>Clinical Microbiology and Infection</i> , 2021, 27, 1710-1712.	6.0	1
12	Overexpression of SET and MYND domain-containing protein 2 ( <i>SMYD2</i> ) is associated with poor prognosis in pediatric B lineage acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2020, 61, 437-444.	1.3	8
13	Dilemmas in diagnosis and management of hemophagocytic lymphohistiocytosis in children. <i>World Journal of Pediatrics</i> , 2020, 16, 333-340.	1.8	12
14	Chimeric antigen receptor T cell therapy can be administered safely under the real-time monitoring of Th1/Th2 cytokine pattern using the cytometric bead array technology for relapsed and refractory acute lymphoblastic leukemia in children. <i>Pediatric Hematology and Oncology</i> , 2020, 37, 288-299.	0.8	4
15	High CD38 expression in childhood T-cell acute lymphoblastic leukemia is not associated with prognosis. <i>Cancer Biomarkers</i> , 2020, 27, 277-284.	1.7	5
16	Prognostic significance of the tumor suppressor protein p53 gene in childhood acute lymphoblastic leukemia. <i>Oncology Letters</i> , 2020, 19, 549-556.	1.8	3
17	Low expression of <i>TET2</i> gene in pediatric acute lymphoblastic leukemia is associated with poor clinical outcome. <i>International Journal of Laboratory Hematology</i> , 2019, 41, 702-709.	1.3	5
18	Comparison of interleukin-6, interleukin-10, procalcitonin and C-reactive protein in identifying high-risk febrile illness in pediatric cancer patients: A prospective observational study. <i>Cytokine</i> , 2019, 116, 1-6.	3.2	22

#	ARTICLE	IF	CITATIONS
19	Evaluation of IVIG response in relation to Th1/Th2 cytokines in pediatric immune thrombocytopenia. <i>Cytokine</i> , 2019, 120, 234-241.	3.2	8
20	Excessive expressions of T cell activation markers in pediatric immune thrombocytopenia. <i>Thrombosis Research</i> , 2019, 180, 1-9.	1.7	6
21	Effect of ectopic high expression of transcription factor OCT4 on the stemness characteristics of human bone marrow-derived mesenchymal stromal cells. <i>Stem Cell Research and Therapy</i> , 2019, 10, 160.	5.5	8
22	Minimal Residual Disease-guided Risk Re-stratification and Therapy Improves the Survival of Childhood Acute Lymphoblastic Leukemia: Experience From a Tertiary Children's Hospital in China. <i>Journal of Pediatric Hematology/Oncology</i> , 2019, 41, e346-e354.	0.6	7
23	Prognostic factors of early death in children with hemophagocytic lymphohistiocytosis. <i>Cytokine</i> , 2018, 110, 481-482.	3.2	3
24	The targeting effect of Hm2E8b-NCTD liposomes on B-lineage leukaemia stem cells is associated with the HLF-SLUG axis. <i>Journal of Drug Targeting</i> , 2018, 26, 55-65.	4.4	6
25	Construction, Expression, and Characterization of a Novel Human-Mouse Chimeric Antibody, Hm3A4: A Potential Therapeutic Agent for B and Myeloid Lineage Leukemias. <i>DNA and Cell Biology</i> , 2018, 37, 778-785.	1.9	1
26	ETS-related gene is a novel prognostic factor in childhood acute lymphoblastic leukemia. <i>Oncology Letters</i> , 2017, 13, 455-462.	1.8	4
27	Cytokine profiles as novel diagnostic markers of Epstein-Barr virus-associated hemophagocytic lymphohistiocytosis in children. <i>Journal of Critical Care</i> , 2017, 39, 72-77.	2.2	26
28	Clinical presentation and outcome of pediatric patients with hemophagocytic lymphohistiocytosis in China: A retrospective multicenter study. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26264.	1.5	55
29	Prognostic factors of early death in children with hemophagocytic lymphohistiocytosis. <i>Cytokine</i> , 2017, 97, 80-85.	3.2	36
30	Comparison of Th1/Th2 cytokine profiles between primary and secondary haemophagocytic lymphohistiocytosis. <i>Italian Journal of Pediatrics</i> , 2016, 42, 50.	2.6	33
31	Multiparameter comparative analysis reveals differential impacts of various cytokines on CART cell phenotype and function <i>ex vivo</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2016, 7, 82354-82368.	1.8	31
32	Re-evaluation of various molecular targets located on CD34+CD38 <sup>low</sup> Lin <sup>low</sup> leukemia stem cells and other cell subsets in pediatric acute myeloid leukemia. <i>Oncology Letters</i> , 2016, 11, 891-897.	1.8	7
33	Efficiency of interleukin 6 and interferon gamma in the differentiation of invasive pulmonary aspergillosis and pneumocystis pneumonia in pediatric oncology patients. <i>International Journal of Infectious Diseases</i> , 2016, 48, 73-77.	3.3	16
34	A new in-frame deletion in ribosomal protein S19 in a Chinese infant with Diamond-Blackfan anemia. <i>Blood Cells, Molecules, and Diseases</i> , 2016, 62, 1-5.	1.4	2
35	Associations between inflammatory cytokines and organ damage in pediatric patients with hemophagocytic lymphohistiocytosis. <i>Cytokine</i> , 2016, 85, 14-17.	3.2	46
36	High expression of Midkine (MK) indicates poor prognosis in childhood acute lymphoblastic leukemia. <i>Hematology</i> , 2016, 21, 69-77.	1.5	6

#	ARTICLE	IF	CITATIONS
37	The ratio of absolute lymphocyte count at interim of therapy to absolute lymphocyte count at diagnosis predicts survival in childhood B-lineage acute lymphoblastic leukemia. <i>Leukemia Research</i> , 2015, 39, 144-150.	0.8	6
38	Association between NOD2 single nucleotide polymorphisms and Grade III-IV acute graft-versus-host disease: A meta-analysis. <i>Hematology</i> , 2015, 20, 254-262.	1.5	3
39	Prognostic significance of cytokine receptor-like factor 2 alterations in acute lymphoblastic leukemia: a meta-analysis. <i>World Journal of Pediatrics</i> , 2015, 11, 126-133.	1.8	7
40	Coronin-1a is a potential therapeutic target for activated T cell-related immune disorders. <i>Apmis</i> , 2015, 123, 89-91.	2.0	4
41	Systemic Lupus Erythematosus and Malignancy Risk: A Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0122964.	2.5	65
42	Construction and Expression of a Novel Anti-CD14 Human-Mouse Chimeric Antibody Hm2F9. <i>DNA and Cell Biology</i> , 2014, 33, 599-604.	1.9	0
43	Staging and monitoring of childhood rhabdomyosarcoma with flow cytometry. <i>Oncology Letters</i> , 2014, 7, 970-976.	1.8	7
44	Construction and expression of a human/mouse chimeric CD19 monoclonal antibody: Successful modification of a murine IgM to a chimeric IgG. <i>Experimental and Therapeutic Medicine</i> , 2014, 7, 849-854.	1.8	3
45	The impact of IKZF1 deletion on the prognosis of acute lymphoblastic leukemia: An updated meta-analysis. <i>Cancer Biomarkers</i> , 2014, 14, 493-503.	1.7	14
46	Corticosteroid administration is associated with improved outcome of patients presenting high inflammatory cytokine levels during septic shock. <i>Pediatric Blood and Cancer</i> , 2014, 61, 2243-2248.	1.5	4
47	ZCH-2B8a, an antibody targeting actin-binding protein coronin-1a, is a potential therapeutic agent for B-lineage malignancies. <i>Journal of Drug Targeting</i> , 2014, 22, 488-497.	4.4	5
48	Therapy-related Myelodysplastic Syndrome Presenting as Isolated Thrombocytopenia Following Chemotherapy for Acute Myeloid Leukemia in a Chinese Child. <i>Indian Journal of Pediatrics</i> , 2014, 81, 222-223.	0.8	1
49	Serum creatinine and creatinine clearance for predicting plasma methotrexate concentrations after high-dose methotrexate chemotherapy for the treatment for childhood lymphoblastic malignancies. <i>Cancer Chemotherapy and Pharmacology</i> , 2014, 73, 79-86.	2.3	38
50	Cytokine release syndrome in cancer immunotherapy with chimeric antigen receptor engineered T cells. <i>Cancer Letters</i> , 2014, 343, 172-178.	7.2	130
51	Successful construction and stable expression of an anti-CD45RA scFv-EGFP fusion protein in Chinese hamster ovary cells. <i>Protein Expression and Purification</i> , 2014, 94, 1-6.	1.3	4
52	Successful Construction and Massive Expression of a Novel Anti-CD19 Human-Mouse Chimeric Antibody Hm2E8b. <i>Monoclonal Antibodies in Immunodiagnosis and Immunotherapy</i> , 2014, 33, 215-220.	1.6	3
53	Role of Interleukin-6 in Differentiating Interleukin-11 Induced Fever and Early Bacterial Infection. <i>Indian Journal of Pediatrics</i> , 2014, 81, 871-875.	0.8	2
54	Clinical Features of Severe Influenza A (H1N1) Virus Infection. <i>Indian Journal of Pediatrics</i> , 2013, 80, 97-101.	0.8	9

#	ARTICLE	IF	CITATIONS
55	Prognostic significance of flow cytometric minimal residual disease assessment after the first induction course in Chinese childhood acute myeloid leukemia. <i>Leukemia Research</i> , 2013, 37, 134-138.	0.8	6
56	A multiplex cytokine score for the prediction of disease severity in pediatric hematology/oncology patients with septic shock. <i>Cytokine</i> , 2013, 64, 590-596.	3.2	24
57	Absolute lymphocyte count is associated with minimal residual disease level in childhood B-cell precursor acute lymphoblastic leukemia. <i>Leukemia Research</i> , 2013, 37, 671-674.	0.8	13
58	KLF4 translation level is associated with differentiation stage of different pediatric leukemias in both cell lines and primary samples. <i>Clinical and Experimental Medicine</i> , 2013, 13, 99-107.	3.6	11
59	Inflammatory cytokine measurement quickly discriminates gram-negative from gram-positive bacteremia in pediatric hematology/oncology patients with septic shock. <i>Intensive Care Medicine</i> , 2013, 39, 319-326.	8.2	45
60	Detection of the GD2+/CD56+/CD45 <sup>+</sup> Immunophenotype by Flow Cytometry in Cerebrospinal Fluids from a Patient with Retinoblastoma. <i>Pediatric Hematology and Oncology</i> , 2013, 30, 13-17.	0.8	8
61	Efficacy and safety of adoptive immunotherapy using anti-CD19 chimeric antigen receptor transduced T-cells: a systematic review of phase I clinical trials. <i>Leukemia and Lymphoma</i> , 2013, 54, 255-260.	1.3	39
62	Initial frequency of CD34+/CD38 <sup>+</sup> cells is not correlated with minimal residual disease level in 73 Chinese children with B-cell precursor acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2013, 54, 2073-2075.	1.3	0
63	Prognostic significance of IKZF1 alteration status in pediatric B-lineage acute lymphoblastic leukemia: a meta-analysis. <i>Leukemia and Lymphoma</i> , 2013, 54, 889-891.	1.3	10
64	Simultaneous cytomorphological and multiparameter flow cytometric analysis of ALK-positive anaplastic large cell lymphoma in children. <i>Oncology Letters</i> , 2013, 5, 515-520.	1.8	5
65	Novel Mutations in the UNC13D Gene Carried by a Chinese Neonate with Hemophagocytic Lymphohistiocytosis. <i>Yonsei Medical Journal</i> , 2013, 54, 1053.	2.2	12
66	OCT4 pseudogenes present in human leukemia cells. <i>Clinical and Experimental Medicine</i> , 2012, 12, 207-216.	3.6	17
67	Rapid detection of neoplastic cells in serous cavity effusions in children with flow cytometry immunophenotyping. <i>Leukemia and Lymphoma</i> , 2012, 53, 1509-1514.	1.3	9
68	Cloning and sequencing of the light chain variable region from NS-1 myeloma. <i>Oncology Letters</i> , 2012, 3, 1083-1086.	1.8	4
69	Th1/Th2 Cytokine profiles in G+/G <sup>+</sup> bacteremia in pediatric hematology/oncology patients. <i>Pediatric Blood and Cancer</i> , 2012, 58, 50-54.	1.5	23
70	Day 22 of induction therapy is important for minimal residual disease assessment by flow cytometry in childhood acute lymphoblastic leukemia. <i>Leukemia Research</i> , 2012, 36, 1022-1027.	0.8	15
71	Diagnostic Accuracy of a Specific Cytokine Pattern in Hemophagocytic Lymphohistiocytosis in Children. <i>Journal of Pediatrics</i> , 2012, 160, 984-990.e1.	1.8	185
72	Prognostic significance of absolute lymphocyte count at diagnosis of diffuse large B-cell lymphoma: a meta-analysis. <i>International Journal of Hematology</i> , 2012, 95, 143-148.	1.6	35

#	ARTICLE	IF	CITATIONS
73	3A4, a new potential target for B and myeloid lineage leukemias. <i>Journal of Drug Targeting</i> , 2011, 19, 797-804.	4.4	5
74	Advances in Hemophagocytic Lymphohistiocytosis: Pathogenesis, Early Diagnosis/Differential Diagnosis, and Treatment. <i>Scientific World Journal</i> , The, 2011, 11, 697-708.	2.1	69
75	Preparation and evaluation of norcantharidin-encapsulated liposomes modified with a novel CD19 monoclonal antibody 2E8. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2010, 30, 240-247.	1.0	6
76	Targeting of the B-lineage leukemia stem cells and their progeny with norcantharidin encapsulated liposomes modified with a novel CD19 monoclonal antibody 2E8 <i>in vitro</i> . <i>Journal of Drug Targeting</i> , 2010, 18, 675-687.	4.4	21
77	Long-term outcome of childhood acute myeloid leukemia in a developing country: experience from a children's hospital in China. <i>Leukemia and Lymphoma</i> , 2010, 51, 2262-2269.	1.3	29
78	HEMOPHAGOCYTIC LYMPHOHISTIOCYTOSIS AT INITIATION OF KAWASAKI DISEASE AND THEIR DIFFERENTIAL DIAGNOSIS. <i>Pediatric Hematology and Oncology</i> , 2010, 27, 244-249.	0.8	14
79	Accurate Determination of Internalization for Target Binding Antibody Using Papain Digestion and Flow Cytometry. <i>Hybridoma</i> , 2010, 29, 133-139.	0.4	5
80	Targeting and internalization of sterically stabilized liposome modified with ZCH-4-2E8. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2009, 29, 273-280.	1.0	5
81	Long-term outcome of childhood acute lymphoblastic leukemia treated in China. <i>Pediatric Blood and Cancer</i> , 2008, 51, 380-386.	1.5	64
82	Early diagnostic and prognostic significance of a specific Th1/Th2 cytokine pattern in children with haemophagocytic syndrome. <i>British Journal of Haematology</i> , 2008, 143, 84-91.	2.5	156
83	Construction and Expression of Single-Chain Antibody Derived from a New Clone of Monoclonal Antibody Against Human CD14 in CHO Cells. <i>Immunopharmacology and Immunotoxicology</i> , 2007, 29, 375-386.	2.4	6
84	Retrospective Study on Elimination Delay of Methotrexate in High-dose Therapy of Childhood Acute Lymphoblastic Leukemia in China. <i>Journal of Pediatric Hematology/Oncology</i> , 2007, 29, 688-693.	0.6	20
85	Different Minimal Residual Disease Levels between Childhood Acute Lymphoblastic Leukemia and Acute Myeloid Leukemia Detected with Multi-Parameter Flow Cytometry. <i>Blood</i> , 2004, 104, 4410-4410.	1.4	0