

Fucai Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7858181/publications.pdf>

Version: 2024-02-01

67

papers

881

citations

516710

16

h-index

501196

28

g-index

67

all docs

67

docs citations

67

times ranked

187

citing authors

#	ARTICLE	IF	CITATIONS
1	Stability and instability of the 3D incompressible viscous flow in a bounded domain. <i>Calculus of Variations and Partial Differential Equations</i> , 2022, 61, 1.	1.7	0
2	Asymptotic limits of dissipative turbulent solutions to a compressible two-fluid model. <i>Nonlinear Analysis: Real World Applications</i> , 2022, 66, 103545.	1.7	0
3	Low Mach number limit of the compressible Euler–Cattaneo–Maxwell equations. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2022, 73, 1.	1.4	0
4	Low Mach Number Limit for the Full Compressible Magnetohydrodynamic Equations Without Thermal Conductivity. <i>Acta Applicandae Mathematicae</i> , 2022, 179, 1.	1.0	1
5	Low Mach number limit of the full compressible mhd equations with Cattaneo’s heat transfer law. <i>Communications in Mathematical Sciences</i> , 2022, 20, 1459-1475.	1.0	1
6	Uniform regularity of the compressible full Navier–Stokes–Maxwell system. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2021, 72, 1.	1.4	0
7	Low Mach Number Limit of the Non-isentropic Ideal Magnetohydrodynamic Equations. <i>Journal of Mathematical Fluid Mechanics</i> , 2021, 23, 1.	1.0	6
8	Zero Kinematic Viscosity-Magnetic Diffusion Limit of the Incompressible Viscous Magnetohydrodynamic Equations with Navier Boundary Conditions. <i>Acta Mathematica Scientia</i> , 2021, 41, 1503-1536.	1.0	1
9	Global strong solutions to the Vlasov-Poisson-Boltzmann system with soft potential in a bounded domain. <i>Journal of Differential Equations</i> , 2021, 305, 143-205.	2.2	1
10	The local well-posedness of a chemotaxis-shallow water system with vacuum. <i>Acta Mathematica Scientia</i> , 2021, 41, 231-240.	1.0	0
11	Optimal Exponential Decay for the Linearized Ellipsoidal BGK Model in Weighted Sobolev Spaces. <i>Journal of Statistical Physics</i> , 2020, 181, 690-714.	1.2	2
12	Global Strong Solutions to a Coupled Chemotaxis-Fluid Model with Subcritical Sensitivity. <i>Acta Applicandae Mathematicae</i> , 2020, 169, 767-791.	1.0	3
13	Global strong solutions to the 3D compressible non-isentropic MHD equations with zero resistivity. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2020, 71, 1.	1.4	4
14	Convergence of the two-fluid compressible Navier–Stokes–Poisson system to the incompressible Euler equations. <i>Mathematical Methods in the Applied Sciences</i> , 2020, 43, 6262-6275.	2.3	2
15	Asymptotic limits of the isentropic compressible viscous magnetohydrodynamic equations with Navier-slip boundary conditions. <i>Journal of Differential Equations</i> , 2019, 267, 6910-6957.	2.2	13
16	Incompressible inviscid limit of the viscous two-fluid model with general initial data. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2019, 70, 1.	1.4	3
17	Regularity criteria for Navier-Stokes-Allen-Cahn and related systems. <i>Frontiers of Mathematics in China</i> , 2019, 14, 301-314.	0.7	5
18	Low Mach Number Limit of a Compressible Non-Isothermal Nematic Liquid Crystals Model. <i>Acta Mathematica Scientia</i> , 2019, 39, 449-460.	1.0	1

#	ARTICLE	IF	CITATIONS
19	Quasi-neutral limit of the Navier-Stokes-Fourier-Poisson system for ionic dynamics. <i>Applicable Analysis</i> , 2019, 98, 651-665.	1.3	3
20	Local well-posedness for a compressible non-isothermal model for nematic liquid crystals. <i>Journal of Mathematical Physics</i> , 2018, 59, .	1.1	14
21	Convergence of the Full Compressible Navier-Stokes-Maxwell System to the Incompressible Magnetohydrodynamic Equations in a Bounded Domain II: Global Existence Case. <i>Journal of Mathematical Fluid Mechanics</i> , 2018, 20, 359-378.	1.0	4
22	Global strong solutions to the 3D full compressible Navier-Stokes system with vacuum in a bounded domain. <i>Applied Mathematics Letters</i> , 2018, 78, 31-35.	2.7	6
23	Incompressible limit of the degenerate quantum compressible Navier-Stokes equations with general initial data. <i>Journal of Differential Equations</i> , 2018, 264, 3253-3284.	2.2	6
24	Low Mach number limit for the compressible magnetohydrodynamic equations in a periodic domain. <i>Discrete and Continuous Dynamical Systems</i> , 2018, 38, 1669-1705.	0.9	4
25	Zero viscosity-resistivity limit for the 3D incompressible magnetohydrodynamic equations in Gevrey class. <i>Discrete and Continuous Dynamical Systems</i> , 2018, 38, 4279-4304.	0.9	2
26	A Regularity Criterion for the 3 D \$3D\$ Full Compressible Navier-Stokes-Maxwell System in a Bounded Domain. <i>Acta Applicandae Mathematicae</i> , 2017, 149, 1-10.	1.0	1
27	A regularity criterion for the compressible hydrodynamicâ€“Maxwell system. <i>ZAMM Zeitschrift Fur Angewandte Mathematik Und Mechanik</i> , 2017, 97, 183-189.	1.6	0
28	Two regularity criteria for 3D Navier-Stokes equations in a bounded domain. <i>Frontiers of Mathematics in China</i> , 2017, 12, 359-366.	0.7	0
29	Local well-posedness and blow-up criterion for a compressible Navier-Stokes-Fourier- ϵ approximate model arising in radiation hydrodynamics. <i>Mathematical Methods in the Applied Sciences</i> , 2017, 40, 6987-6997.	2.3	3
30	Local well-posedness and low Mach number limit of the compressible magnetohydrodynamic equations in critical spaces. <i>Kinetic and Related Models</i> , 2017, 10, 741-784.	0.9	6
31	Incompressible Limit of the Nonisentropic Ideal Magnetohydrodynamic Equations. <i>SIAM Journal on Mathematical Analysis</i> , 2016, 48, 302-319.	1.9	22
32	Large time behavior of the isentropic compressible Navier-Stokes-Maxwell system. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2016, 67, 1.	1.4	6
33	Asymptotic limit of the Gross-Pitaevskii equation with general initial data. <i>Science China Mathematics</i> , 2016, 59, 1113-1126.	1.7	2
34	Regularity criteria for the incompressible magnetohydrodynamic equations with partial viscosity. <i>Analysis and Applications</i> , 2016, 14, 321-339.	2.2	6
35	A blow-up criterion for the full compressible Euler-Maxwell system. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2016, 139, 152-157.	1.1	0
36	Semigroup decay of the linearized Boltzmann equation in a torus. <i>Journal of Differential Equations</i> , 2016, 260, 2729-2749.	2.2	3

#	ARTICLE	IF	CITATIONS
37	Convergence of the full compressible Navier-Stokes-Maxwell system to the incompressible magnetohydrodynamic equations in a bounded domain. <i>Kinetic and Related Models</i> , 2016, 9, 443-453.	0.9	7
38	Non-relativistic and low mach number limits of two \$P1\$ approximation model arising in radiation hydrodynamics. <i>Communications in Mathematical Sciences</i> , 2016, 14, 2023-2036.	1.0	11
39	Convergence of the complete electromagnetic fluid system to the full compressible magnetohydrodynamic equations. <i>Asymptotic Analysis</i> , 2015, 95, 161-185.	0.5	19
40	Zero dielectric constant limit to the non-isentropic compressible Euler-Maxwell system. <i>Science China Mathematics</i> , 2015, 58, 61-76.	1.7	16
41	Uniform well-posedness and singular limits of the isentropic Navierâ€“Stokesâ€“Maxwell system in a bounded domain. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2015, 66, 1581-1593.	1.4	15
42	Nonrelativistic Limit of the Compressible Navier–Stokes–Fourier–P1 Approximation Model Arising in Radiation Hydrodynamics. <i>SIAM Journal on Mathematical Analysis</i> , 2015, 47, 3726-3746.	1.9	25
43	A blow-up criterion to the 2D full compressible magnetohydrodynamic equations. <i>Mathematical Methods in the Applied Sciences</i> , 2015, 38, 2073-2080.	2.3	9
44	Global existence and low Mach number limit to the 3D compressible magnetohydrodynamic equations in a bounded domain. , 2015, .		2
45	Regularity criteria and uniform estimates for the Boussinesq system with temperature-dependent viscosity and thermal diffusivity. <i>Journal of Mathematical Physics</i> , 2014, 55, 051505.	1.1	6
46	Low Mach number limit for the full compressible magnetohydrodynamic equations with general initial data. <i>Advances in Mathematics</i> , 2014, 259, 384-420.	1.1	73
47	Low Mach number limit of the full compressible Navierâ€“Stokesâ€“Maxwell system. <i>Journal of Mathematical Analysis and Applications</i> , 2014, 412, 334-344.	1.0	18
48	Global solutions to the Navierâ€“Stokes- \$\$\{ar omega}\$\$ and related models with rough initial data. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2014, 65, 301-314.	1.4	2
49	Uniform Local Well-Posedness to the Density-Dependent Navier-Stokes-Maxwell System. <i>Acta Applicandae Mathematicae</i> , 2014, 133, 19-32.	1.0	5
50	Global strong solution to the 2D density-dependent liquid crystal flows with vacuum. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2014, 97, 185-190.	1.1	11
51	Regularity criteria for the three-dimensional magnetohydrodynamic equations. <i>Journal of Differential Equations</i> , 2014, 256, 2858-2875.	2.2	21
52	Global strong solution to the two-dimensional density-dependent magnetohydrodynamic equations with vaccum. <i>Communications on Pure and Applied Analysis</i> , 2014, 13, 1481-1490.	0.8	5
53	Uniform local well-posedness and regularity criterion for the density-dependent incompressible flow of liquid crystals. <i>Communications in Mathematical Sciences</i> , 2014, 12, 1185-1197.	1.0	1
54	Asymptotic Limits of the Full Compressible Magnetohydrodynamic Equations. <i>SIAM Journal on Mathematical Analysis</i> , 2013, 45, 2597-2624.	1.9	21

#	ARTICLE	IF	CITATIONS
55	Regularity criteria for a mathematical model for the deformation of electrolyte droplets. <i>Applied Mathematics Letters</i> , 2013, 26, 494-499.	2.7	2
56	Rigorous derivation of the compressible magnetohydrodynamic equations from the electromagnetic fluid system. <i>Nonlinearity</i> , 2012, 25, 1735-1752.	1.4	27
57	Low Mach number limit for the multi-dimensional full magnetohydrodynamic equations. <i>Nonlinearity</i> , 2012, 25, 1351-1365.	1.4	59
58	Asymptotic Limits of the Compressible Magnetohydrodynamic Equations. <i>Series in Contemporary Applied Mathematics</i> , 2012, , 439-446.	0.8	0
59	Optimal decay rate of classical solutions to the compressible magnetohydrodynamic equations. <i>Proceedings of the Royal Society of Edinburgh Section A: Mathematics</i> , 2011, 141, 109-126.	1.2	75
60	Incompressible Limit of the Compressible Magnetohydrodynamic Equations with Periodic Boundary Conditions. <i>Communications in Mathematical Physics</i> , 2010, 297, 371-400.	2.2	133
61	Incompressible Limit of the Compressible Magnetohydrodynamic Equations with Vanishing Viscosity Coefficients. <i>SIAM Journal on Mathematical Analysis</i> , 2010, 42, 2539-2553.	1.9	57
62	The incompressible limits of compressible Navier-Stokes equations in the whole space with general initial data. <i>Chinese Annals of Mathematics Series B</i> , 2009, 30, 17-26.	0.4	6
63	Quasineutral limit of the electro-diffusion model arising in electrohydrodynamics. <i>Journal of Differential Equations</i> , 2009, 246, 3620-3641.	2.2	24
64	The quasineutral limit of compressible Navier-Stokes-Poisson system with heat conductivity and general initial data. <i>Journal of Differential Equations</i> , 2009, 247, 203-224.	2.2	51
65	Convergence of the Navier-Stokes-Poisson system to the incompressible Navier-Stokes equations. <i>Journal of Mathematical Physics</i> , 2008, 49, .	1.1	30
66	Combined quasineutral and inviscid limit of the Vlasov-Poisson-Fokker-Planck system. <i>Communications on Pure and Applied Analysis</i> , 2008, 7, 579-589.	0.8	9
67	Convergence of the Vlasov-Poisson-Fokker-Planck system to the incompressible Euler equations. <i>Science in China Series A: Mathematics</i> , 2006, 49, 255-266.	0.5	10