

Suzanne H Richards

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7858764/publications.pdf>

Version: 2024-02-01

87
papers

4,952
citations

147801

31
h-index

102487

66
g-index

87
all docs

87
docs citations

87
times ranked

6792
citing authors

#	ARTICLE	IF	CITATIONS
1	Shared decision making between older people with multimorbidity and GPs: a qualitative study. <i>British Journal of General Practice</i> , 2022, 72, e609-e618.	1.4	5
2	Inter-arm blood pressure difference and cardiovascular risk estimation in primary care. <i>BJGP Open</i> , 2022, , BJGPO.2021.0242.	1.8	0
3	A new opportunity for enhancing trial efficiency: Can we investigate intervention implementation processes within trials using SWAT (study within a trial) methodology?. <i>Research Methods in Medicine & Health Sciences</i> , 2022, 3, 66-73.	1.2	4
4	Psychological interventions for coronary heart disease. <i>The Cochrane Library</i> , 2021, 2021, CD002902.	2.8	212
5	Early discharge hospital at home. <i>The Cochrane Library</i> , 2021, 2021, CD000356.	2.8	117
6	Profiles of Loneliness and Social Isolation in Physically Active and Inactive Older Adults in Rural England. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3971.	2.6	8
7	The Content of Pre-habilitative Interventions for Patients Undergoing Repair of Abdominal Aortic Aneurysms and Their Effect on Post-Operative Outcomes: A Systematic Review. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 61, 756-765.	1.5	6
8	Perceptions and experiences of individuals at-risk of rheumatoid arthritis (RA) knowing about their risk of developing RA and being offered preventive treatment: systematic review and thematic synthesis of qualitative studies. <i>Annals of the Rheumatic Diseases</i> , 2021, , annrhumdis-2021-221160.	0.9	11
9	Workforce predictive risk modelling: development of a model to identify general practices at risk of a supply demand imbalance. <i>BMJ Open</i> , 2020, 10, e027934.	1.9	6
10	Randomised feasibility trial and embedded qualitative process evaluation of a new intervention to facilitate the involvement of older patients with multimorbidity in decision-making about their healthcare during general practice consultations: the VOLITION study protocol. <i>Pilot and Feasibility Studies</i> , 2020, 6, 161.	1.2	2
11	Psychological interventions for depression and anxiety in patients with coronary heart disease, heart failure or atrial fibrillation. <i>The Cochrane Library</i> , 2020, , .	2.8	0
12	Involving older people with multimorbidity in decision-making about their primary healthcare: A Cochrane systematic review of interventions (abridged). <i>Patient Education and Counseling</i> , 2020, 103, 2078-2094.	2.2	6
13	Loneliness, Social Isolation, and Objectively Measured Physical Activity in Rural-Living Older Adults. <i>Journal of Aging and Physical Activity</i> , 2020, 28, 467-477.	1.0	7
14	A brave new world: the new normal for general practice after the COVID-19 pandemic. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101103.	1.8	66
15	Identifying policies and strategies for general practitioner retention in direct patient care in the United Kingdom: a RAND/UCLA appropriateness method panel study. <i>BMC Family Practice</i> , 2019, 20, 130.	2.9	6
16	Interventions for involving older patients with multi-morbidity in decision-making during primary care consultations. <i>The Cochrane Library</i> , 2019, 2019, .	2.8	17
17	Policies and strategies to retain and support the return of experienced GPs in direct patient care: the ReGROUP mixed-methods study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-288.	1.4	11
18	Why do GPs leave direct patient care and what might help to retain them? A qualitative study of GPs in South West England. <i>BMJ Open</i> , 2018, 8, e019849.	1.9	28

#	ARTICLE	IF	CITATIONS
19	Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. <i>Trials</i> , 2018, 19, 211.	1.6	12
20	Psychological interventions for coronary heart disease: Cochrane systematic review and meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 247-259.	1.8	162
21	Multisource Feedback and Narrative Comments: Polarity, Specificity, Actionability, and CanMEDS Roles. <i>Journal of Continuing Education in the Health Professions</i> , 2018, 38, 32-40.	1.3	15
22	Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-220.	2.8	10
23	Patients'™ and nurses'™ views on providing psychological support within cardiac rehabilitation programmes: a qualitative study. <i>BMJ Open</i> , 2017, 7, e017510.	1.9	26
24	Quitting patient care and career break intentions among general practitioners in South West England: findings of a census survey of general practitioners. <i>BMJ Open</i> , 2017, 7, e015853.	1.9	37
25	Predictors of loneliness and different types of social isolation of rural-living older adults in the United Kingdom. <i>Ageing and Society</i> , 2017, 37, 2012-2043.	1.7	44
26	Development and refinement of a complex intervention within cardiac rehabilitation services: experiences from the CADENCE feasibility study. <i>Pilot and Feasibility Studies</i> , 2017, 3, 9.	1.2	9
27	Supervised Machine Learning Algorithms Can Classify Open-Text Feedback of Doctor Performance With Human-Level Accuracy. <i>Journal of Medical Internet Research</i> , 2017, 19, e65.	4.3	41
28	Improving patient experience in primary care: a multimethod programme of research on the measurement and improvement of patient experience. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-452.	1.0	23
29	The use of patient experience survey data by out-of-hours primary care services: a qualitative interview study. <i>BMJ Quality and Safety</i> , 2016, 25, 851-859.	3.7	8
30	The effect of nurses'™ preparedness and nurse practitioner status on triage call management in primary care: A secondary analysis of cross-sectional data from the ESTEEM trial. <i>International Journal of Nursing Studies</i> , 2016, 58, 12-20.	5.6	15
31	Telephone triage systems in UK general practice: analysis of consultation duration during the index day in a pragmatic randomised controlled trial. <i>British Journal of General Practice</i> , 2016, 66, e214-e218.	1.4	36
32	Establishing the validity of English GP Patient Survey items evaluating out-of-hours care. <i>BMJ Quality and Safety</i> , 2016, 25, 842-850.	3.7	1
33	Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 59.	1.6	19
34	Exploring demographic and lifestyle associations with patient experience following telephone triage by a primary care doctor or nurse: secondary analyses from a cluster randomised controlled trial. <i>BMJ Quality and Safety</i> , 2015, 24, 572-582.	3.7	10
35	Any versus long-term prescribing of high risk medications in older people using 2012 Beers Criteria: results from three cross-sectional samples of primary care records for 2003/4, 2007/8 and 2011/12. <i>BMC Geriatrics</i> , 2015, 15, 146.	2.7	19
36	Patients'™ willingness to attend the NHS cardiovascular health checks in primary care: a qualitative interview study. <i>BMC Family Practice</i> , 2015, 16, 33.	2.9	30

#	ARTICLE	IF	CITATIONS
37	Patient characteristics predicting failure to receive indicated care for type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 247-258.	2.8	5
38	Implementing telephone triage in general practice: a process evaluation of a cluster randomised controlled trial. <i>BMC Family Practice</i> , 2015, 16, 47.	2.9	20
39	Much more medicine for the oldest old: trends in UK electronic clinical records. <i>Age and Ageing</i> , 2015, 44, 46-53.	1.6	56
40	Characteristics of service users and provider organisations associated with experience of out of hours general practitioner care in England: population based cross sectional postal questionnaire survey. <i>BMJ, The</i> , 2015, 350, h2040-h2040.	6.0	25
41	Distance from practice moderates the relationship between patient management involving nurse telephone triage consulting and patient satisfaction with care. <i>Health and Place</i> , 2015, 34, 92-96.	3.3	6
42	The dynamics of quality: a national panel study of evidence-based standards. <i>Health Services and Delivery Research</i> , 2015, 3, 1-128.	1.4	2
43	The clinical effectiveness and cost-effectiveness of telephone triage for managing same-day consultation requests in general practice: a cluster randomised controlled trial comparing general practitioner-led and nurse-led management systems with usual care (the ESTEEM trial). <i>Health Technology Assessment</i> , 2015, 19, 1-212.	2.8	50
44	Telephone triage for management of same-day consultation requests in general practice (the ESTEEM) Tj ETQq0 0 0 rgBT /Overlock 10 T 1859-1868.	13.7	156
45	Self-reported quality of care for older adults from 2004 to 2011: a cohort study. <i>Age and Ageing</i> , 2014, 43, 716-720.	1.6	10
46	Economic inequalities in burden of illness, diagnosis and treatment of five long-term conditions in England: panel study. <i>BMJ Open</i> , 2014, 4, e005530.	1.9	9
47	The effectiveness and cost-effectiveness of telephone triage of patients requesting same day consultations in general practice: study protocol for a cluster randomised controlled trial comparing nurse-led and GP-led management systems (ESTEEM). <i>Trials</i> , 2013, 14, 4.	1.6	17
48	Is volunteering a public health intervention? A systematic review and meta-analysis of the health and survival of volunteers. <i>BMC Public Health</i> , 2013, 13, 773.	2.9	354
49	Self-Other Agreement in Multisource Feedback: The Influence of Doctor and Rater Group Characteristics. <i>Journal of Continuing Education in the Health Professions</i> , 2013, 33, 14-23.	1.3	9
50	Transferring information to an out-of-hours primary care service for patients with palliative care needs: an action research study to improve the use of handover forms. <i>Primary Health Care Research and Development</i> , 2013, 14, 7-20.	1.2	5
51	Multisource Feedback in Evaluating the Performance of Doctors. <i>Academic Medicine</i> , 2012, 87, 1668-1678.	1.6	54
52	An exercise intervention to prevent falls in Parkinsonâ€™s: an economic evaluation. <i>BMC Health Services Research</i> , 2012, 12, 426.	2.2	29
53	Multisource feedback questionnaires in appraisal and for revalidation: a qualitative study in UK general practice. <i>British Journal of General Practice</i> , 2012, 62, e314-e321.	1.4	25
54	An exercise intervention to prevent falls in people with Parkinson's disease: a pragmatic randomised controlled trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 1232-1238.	1.9	134

#	ARTICLE	IF	CITATIONS
55	An evaluation of the effectiveness of a community mentoring service for socially isolated older people: a controlled trial. <i>BMC Public Health</i> , 2011, 11, 218.	2.9	43
56	The impact of social isolation on the health status and health-related quality of life of older people. <i>Quality of Life Research</i> , 2011, 20, 57-67.	3.1	284
57	Interventions targeting social isolation in older people: a systematic review. <i>BMC Public Health</i> , 2011, 11, 647.	2.9	537
58	Factors associated with variability in the assessment of UK doctors' professionalism: analysis of survey results. <i>BMJ: British Medical Journal</i> , 2011, 343, d6212-d6212.	2.3	35
59	Does the method of administration influence the UK GMC patient questionnaire ratings?. <i>Primary Health Care Research and Development</i> , 2011, 12, 68-78.	1.2	4
60	The experiences and needs of people seeking palliative health care out-of-hours: a qualitative study. <i>Primary Health Care Research and Development</i> , 2011, 12, 165-178.	1.2	24
61	Myofascial trigger point needling for whiplash associated pain " A feasibility study. <i>Manual Therapy</i> , 2010, 15, 529-535.	1.6	31
62	Development of an early intervention to prevent long-term incapacity for work: using an online RAND/UCLA appropriateness method to obtain the views of general practitioners. <i>Primary Health Care Research and Development</i> , 2009, 10, 65.	1.2	4
63	Developing and Validating a Sham Acupuncture Needle. <i>Acupuncture in Medicine</i> , 2009, 27, 118-122.	1.0	54
64	Users' reports and evaluations of out-of-hours health care and the UK national quality requirements: a cross sectional study. <i>British Journal of General Practice</i> , 2009, 59, e8-e15.	1.4	18
65	Hospital at home early discharge. , 2009, , CD000356.		96
66	A multi-method analysis of free-text comments from the UK General Medical Council Colleague Questionnaires. <i>Medical Education</i> , 2009, 43, 757-766.	2.1	32
67	Acupuncture and dry needling in the management of myofascial trigger point pain: A systematic review and meta-analysis of randomised controlled trials. <i>European Journal of Pain</i> , 2009, 13, 3-10.	2.8	226
68	The effectiveness of exercise interventions for people with Parkinson's disease: A systematic review and meta-analysis. <i>Movement Disorders</i> , 2008, 23, 631-640.	3.9	735
69	Accessing out-of-hours care following implementation of the GMS contract: an observational study. <i>British Journal of General Practice</i> , 2008, 58, 331-338.	1.4	14
70	Older people's satisfaction with intermediate care: a systematic review. <i>Reviews in Clinical Gerontology</i> , 2007, 17, 199-218.	0.5	3
71	Variability of Criteria Used to Diagnose Myofascial Trigger Point Pain Syndrome" Evidence From a Review of the Literature. <i>Clinical Journal of Pain</i> , 2007, 23, 278-286.	1.9	222
72	Exploring the relationships between provision of welfare benefits advice and the health of elderly people: a longitudinal observational study and discussion of methodological issues. <i>Health and Social Care in the Community</i> , 2007, 15, 454-463.	1.6	4

#	ARTICLE	IF	CITATIONS
73	Patients' understanding of genetic susceptibility testing in mainstream medicine: qualitative study on thrombophilia. <i>BMC Health Services Research</i> , 2007, 7, 82.	2.2	29
74	Are genetic tests exceptional? Lessons from a qualitative study on thrombophilia. <i>Social Science and Medicine</i> , 2006, 63, 1947-1959.	3.8	27
75	A Bayesian approach to analysing the cost-effectiveness of two primary care interventions aimed at improving attendance for breast screening. <i>Health Economics (United Kingdom)</i> , 2006, 15, 435-445.	1.7	21
76	Protocol for Birmingham Atrial Fibrillation Treatment of the Aged study (BAFTA): a randomised controlled trial of warfarin versus aspirin for stroke prevention in the management of atrial fibrillation in an elderly primary care population [ISRCTN89345269]. <i>BMC Cardiovascular Disorders</i> , 2003, 3, 9.	1.7	34
77	Patient-reported use of health service resources compared with information from health providers. <i>Health and Social Care in the Community</i> , 2003, 11, 510-518.	1.6	42
78	Interventions to improve access to health and social care after discharge from hospital: a systematic review. <i>Journal of Health Services Research and Policy</i> , 2003, 8, 171-179.	1.7	43
79	Comparison of methods for analysing cluster randomized trials: an example involving a factorial design. <i>International Journal of Epidemiology</i> , 2003, 32, 840-846.	1.9	61
80	Improving attendance for breast screening among recent non-attenders: a randomised controlled trial of two interventions in primary care. <i>Journal of Medical Screening</i> , 2001, 8, 99-105.	2.3	37
81	Cluster randomised controlled trial comparing the effectiveness and cost-effectiveness of two primary care interventions aimed at improving attendance for breast screening. <i>Journal of Medical Screening</i> , 2001, 8, 91-98.	2.3	42
82	Impact of a randomized controlled trial upon the development of a hospital-at-home service. <i>Journal of Orthopaedic Nursing</i> , 1998, 2, 153-159.	0.2	5
83	Randomised controlled trial comparing effectiveness and acceptability of an early discharge, hospital at home scheme with acute hospital care. <i>BMJ: British Medical Journal</i> , 1998, 316, 1796-1801.	2.3	129
84	Hospital at home or acute hospital care? A cost minimisation analysis. <i>BMJ: British Medical Journal</i> , 1998, 316, 1802-1806.	2.3	119
85	Interventions for involving older patients with multimorbidity in decision-making during primary care consultations. <i>The Cochrane Library</i> , 0, , .	2.8	1
86	Psychological interventions for depression and anxiety in patients with coronary heart disease, heart failure or atrial fibrillation. <i>The Cochrane Library</i> , 0, , .	2.8	1
87	Non-surgical interventions for preventing contralateral tissue loss and amputation in dysvascular patients with a primary major lower limb amputation. <i>The Cochrane Library</i> , 0, , .	2.8	0