

Carlos Roncero

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7861498/publications.pdf>

Version: 2024-02-01

209
papers

3,476
citations

172457

29
h-index

233421

45
g-index

241
all docs

241
docs citations

241
times ranked

4499
citing authors

#	ARTICLE	IF	CITATIONS
1	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: Results from an international multi-center study exploring DSM-IV and DSM-5 criteria. Drug and Alcohol Dependence, 2014, 134, 158-166.	3.2	150
2	Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the IASP study. Addiction, 2014, 109, 262-272.	3.3	129
3	Restrictions for reimbursement of interferon-free direct-acting antiviral drugs for HCV infection in Europe. The Lancet Gastroenterology and Hepatology, 2018, 3, 125-133.	8.1	128
4	Efficacy of Psychostimulant Drugs for Cocaine Dependence. , 2010, , CD007380.		89
5	Brain-Derived Neurotrophic Factor and Its Intracellular Signaling Pathways in Cocaine Addiction. Neuropsychobiology, 2007, 55, 2-13.	1.9	78
6	Cannabis use during pregnancy and its relationship with fetal developmental outcomes and psychiatric disorders. A systematic review. Reproductive Health, 2020, 17, 25.	3.1	73
7	Cannabis consumption and psychosis or schizophrenia development. International Journal of Social Psychiatry, 2018, 64, 690-704.	3.1	66
8	Efficacy of central nervous system stimulant treatment for cocaine dependence: a systematic review and meta-analysis of randomized controlled clinical trials. Addiction, 2007, 102, 1871-1887.	3.3	65
9	Adult ADHD Self-Report Scale (ASRS-v1.1) symptom checklist in patients with substance use disorders. Actas Espanolas De Psiquiatria, 2009, 37, 299-305.	0.1	63
10	Factors associated with depression and severe depression in patients with COPD. Respiratory Medicine, 2014, 108, 1615-1625.	2.9	61
11	Opioid-related deaths in Europe: Strategies for a comprehensive approach to address a major public health concern. International Journal of Drug Policy, 2020, 76, 102616.	3.3	58
12	A Double-Blind, Placebo-Controlled Study of Olanzapine in the Treatment of Alcohol-Dependence Disorder. Alcoholism: Clinical and Experimental Research, 2004, 28, 736-745.	2.4	54
13	History of sexual, emotional or physical abuse and psychiatric comorbidity in substance-dependent patients. Psychiatry Research, 2015, 229, 743-749.	3.3	54
14	Perceived stress in different countries at the beginning of the coronavirus pandemic. International Journal of Psychiatry in Medicine, 2022, 57, 309-322.	1.8	54
15	The response of the mental health network of the Salamanca area to the COVID-19 pandemic: The role of the telemedicine.. Psychiatry Research, 2020, 291, 113252.	3.3	53
16	Factors associated with lifetime suicidal ideation and suicide attempts in outpatients with substance use disorders. Psychiatry Research, 2018, 262, 440-445.	3.3	51
17	Brain-derived neurotrophic factor serum levels in cocaine-dependent patients during early abstinence. European Neuropsychopharmacology, 2013, 23, 1078-1084.	0.7	49
18	Chitin synthase III requires Chs4p-dependent translocation of Chs3p into the plasma membrane. Journal of Cell Science, 2007, 120, 1998-2009.	2.0	46

#	ARTICLE	IF	CITATIONS
19	Psychiatric comorbidities in opioid-dependent patients undergoing a replacement therapy programme in Spain: The PROTEUS study. <i>Psychiatry Research</i> , 2016, 243, 174-181.	3.3	44
20	Adult ADHD Screening in Alcohol-Dependent Patients Using the Wenderâ€“Utah Rating Scale and the Adult ADHD Self-Report Scale. <i>Journal of Attention Disorders</i> , 2015, 19, 328-334.	2.6	43
21	Attention deficit hyperactivity disorder in cocaineâ€“dependent adults: A psychiatric comorbidity analysis. <i>American Journal on Addictions</i> , 2013, 22, 466-473.	1.4	42
22	Treatment of Comorbid Alcohol Dependence and Anxiety Disorder: Review of the Scientific Evidence and Recommendations for Treatment. <i>Frontiers in Psychiatry</i> , 2017, 8, 173.	2.6	42
23	An International Perspective and Review of Cocaine-Induced Psychosis: A Call to Action. <i>Substance Abuse</i> , 2014, 35, 321-327.	2.3	40
24	Evaluation of single nucleotide polymorphisms in the miR-183â€“96â€“182 cluster in adulthood attention-deficit and hyperactivity disorder (ADHD) and substance use disorders (SUDs). <i>European Neuropsychopharmacology</i> , 2013, 23, 1463-1473.	0.7	38
25	Association study between the DAT1, DBH and DRD2 genes and cocaine dependence in a Spanish sample. <i>Psychiatric Genetics</i> , 2010, 20, 317-320.	1.1	37
26	Risk factors for cocaine-induced psychosis in cocaine-dependent patients. <i>European Psychiatry</i> , 2013, 28, 141-146.	0.2	36
27	Impulsivity and addiction severity in cocaine and opioid dependent patients. <i>Addictive Behaviors</i> , 2016, 58, 104-109.	3.0	35
28	Rethinking Dual Disorders/Pathology. <i>Addictive Disorders and Their Treatment</i> , 2013, 12, 1-10.	0.5	34
29	Cognitive status among patients with chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2016, 11, 543.	2.3	33
30	Neuroticism and impulsivity: Their hierarchical organization in the personality characterization of drug-dependent patients from a decision tree learning perspective. <i>Comprehensive Psychiatry</i> , 2014, 55, 1227-1233.	3.1	32
31	The Impact of Misuse and Diversion of Opioid Substitution Treatment Medicines: Evidence Review and Expert Consensus. <i>European Addiction Research</i> , 2016, 22, 99-106.	2.4	32
32	Self-reported daily walking time in COPD: relationship with relevant clinical and functional characteristics. <i>International Journal of COPD</i> , 2017, Volume 12, 1173-1181.	2.3	30
33	ADGRL3 (LPHN3) variants predict substance use disorder. <i>Translational Psychiatry</i> , 2019, 9, 42.	4.8	29
34	Addressing misuse and diversion of opioid substitution medication: guidance based on systematic evidence review and real-world experience. <i>Journal of Public Health</i> , 2016, 38, e368-e374.	1.8	28
35	Larger Gray Matter Volume in the Basal Ganglia of Heavy Cannabis Users Detected by Voxel-Based Morphometry and Subcortical Volumetric Analysis. <i>Frontiers in Psychiatry</i> , 2018, 9, 175.	2.6	28
36	Corticotropin releasing factor and neuroplasticity in cocaine addiction. <i>Life Sciences</i> , 2010, 86, 1-9.	4.3	27

#	ARTICLE	IF	CITATIONS
37	Association study of 37 genes related to serotonin and dopamine neurotransmission and neurotrophic factors in cocaine dependence. <i>Genes, Brain and Behavior</i> , 2013, 12, 39-46.	2.2	27
38	Prevalence and risk factors of psychotic symptoms in cocaine-dependent patients. <i>Actas Espanolas De Psiquiatria</i> , 2012, 40, 187-97.	0.1	27
39	Changes in brain-derived neurotrophic factor (BDNF) during abstinence could be associated with relapse in cocaine-dependent patients. <i>Psychiatry Research</i> , 2015, 225, 309-314.	3.3	26
40	COVID pandemic as an opportunity for improving mental health treatments of the homeless people. <i>International Journal of Social Psychiatry</i> , 2021, 67, 335-343.	3.1	26
41	Chronic hepatitis C and individuals with a history of injecting drugs in Spain: population assessment, challenges for successful treatment. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 629-633.	1.6	25
42	Eliminaci3n de la hepatitis C. Documento de posicionamiento de la Asociaci3n Espa±ola para el Estudio del H4gado (AEEH). <i>Gastroenterolog4a Y Hepatolog4a</i> , 2019, 42, 579-592.	0.5	25
43	Semantic properties, aptness, familiarity, conventionality, and interpretive diversity scores for 84 metaphors and similes. <i>Behavior Research Methods</i> , 2015, 47, 800-812.	4.0	24
44	Psychiatric Comorbidity in Treatment-Seeking Alcohol Dependence Patients With and Without ADHD. <i>Journal of Attention Disorders</i> , 2019, 23, 1497-1504.	2.6	24
45	Factores de riesgo de reca4da en pacientes drogodependientes tras desintoxicaci3n hospitalaria. <i>Revista De Psicolog4a De La Salud</i> , 2012, 24, 115.	0.5	24
46	The role of dual diagnosis in health-related quality of life among treatment-seeking patients in Spain. <i>Quality of Life Research</i> , 2017, 26, 3201-3209.	3.1	23
47	Treatment retention and abstinence of patients with substance use disorders according to addiction severity and psychiatry comorbidity: A six-month follow-up study in an outpatient unit. <i>Addictive Behaviors</i> , 2021, 117, 106832.	3.0	23
48	Cocaine-Induced Psychosis and Impulsivity in Cocaine-Dependent Patients. <i>Journal of Addictive Diseases</i> , 2013, 32, 263-273.	1.3	22
49	Clinical differences between cocaine-induced psychotic disorder and psychotic symptoms in cocaine-dependent patients. <i>Psychiatry Research</i> , 2014, 216, 398-403.	3.3	22
50	Case with psychotic disorder as a clinical presentation of COVID-19. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 551-552.	1.8	22
51	Similes on the Internet have explanations. <i>Psychonomic Bulletin and Review</i> , 2006, 13, 74-77.	2.8	21
52	Professionals’ perception on the management of patients with dual disorders. <i>Patient Preference and Adherence</i> , 2016, Volume 10, 1855-1868.	1.8	21
53	The pharmacological interactions between direct-acting antivirals for the treatment of chronic hepatitis c and psychotropic drugs. <i>Expert Review of Clinical Pharmacology</i> , 2018, 11, 999-1030.	3.1	21
54	The Influence of Medical Student Gender and Drug Use on the Detection of Addiction in Patients. <i>Journal of Addictive Diseases</i> , 2014, 33, 277-288.	1.3	20

#	ARTICLE	IF	CITATIONS
55	Evaluación psicométrica comparativa de las versiones en español de 6, 17 y 21 ítems de la Escala de valoración de Hamilton para la evaluación de la depresión. Medicina Clínica, 2003, 120, 693-700.	0.6	20
56	Correlation between disease severity factors and EQ-5D utilities in chronic obstructive pulmonary disease. Quality of Life Research, 2020, 29, 607-617.	3.1	19
57	Alcohol use disorder and cognitive impairment in old age patients: A 6 months follow-up study in an outpatient unit in Barcelona. Psychiatry Research, 2018, 261, 361-366.	3.3	18
58	Diferencias de género epidemiológicas y diagnósticas según eje I en pacientes con Patología Dual. Revista De Psicología De La Salud, 2011, 23, 165.	0.5	18
59	A double-blind, placebo-controlled, randomized pilot study comparing quetiapine with placebo, associated to naltrexone, in the treatment of alcohol-dependent patients. Addictive Behaviors, 2011, 36, 265-269.	3.0	17
60	Serum Brain-Derived Neurotrophic Factor Levels and Cocaine-Induced Transient Psychotic Symptoms. Neuropsychobiology, 2013, 68, 146-155.	1.9	17
61	Neuroticism Associated with Cocaine-Induced Psychosis in Cocaine-Dependent Patients: A Cross-Sectional Observational Study. PLoS ONE, 2014, 9, e106111.	2.5	17
62	Criteria and Concurrent Validity of Adult ADHD Section of the Psychiatry Research Interview for Substance and Mental Disorders. Journal of Attention Disorders, 2015, 19, 999-1006.	2.6	17
63	Transcriptomic and genetic studies identify NFAT5 as a candidate gene for cocaine dependence. Translational Psychiatry, 2015, 5, e667-e667.	4.8	17
64	Depressive status explains a significant amount of the variance in COPD assessment test (CAT) scores. International Journal of COPD, 2018, Volume 13, 823-831.	2.3	17
65	The Impact of COVID-19 Pandemic on the Castile and Leon Addiction Treatment Network: A Real-World Experience. Frontiers in Psychiatry, 2020, 11, 575755.	2.6	17
66	Psychosis Induced by the Interaction Between Disulfiram and Methylphenidate May Be Dose Dependent. Substance Abuse, 2012, 33, 186-188.	2.3	16
67	Candidate pathway association study in cocaine dependence: The control of neurotransmitter release. World Journal of Biological Psychiatry, 2012, 13, 126-134.	2.6	15
68	Dual Diagnosis Resource Needs in Spain: A National Survey of Professionals. Journal of Dual Diagnosis, 2014, 10, 84-90.	1.2	15
69	Restrictions for reimbursement of interferon-free direct-acting antiviral therapies for HCV infection in Europe. Journal of Hepatology, 2017, 66, S95-S96.	3.7	15
70	Who Receives Nalmefene and How Does It Work in the Real World? A Single-Arm, Phase IV Study of Nalmefene in Alcohol Dependent Outpatients: Baseline and 1-Month Results. Clinical Drug Investigation, 2018, 38, 147-155.	2.2	15
71	Observational Study on Medications Prescribed to Dual-Diagnosis Outpatients. Journal of Addiction Medicine, 2014, 8, 84-89.	2.6	14
72	Effectiveness of Inhaled Loxapine in Dual-Diagnosis Patients: A Case Series. Clinical Neuropharmacology, 2016, 39, 206-209.	0.7	14

#	ARTICLE	IF	CITATIONS
73	Is alexithymia related to retention and relapses in patients with substance use disorders?: A one year follow-up study. <i>Addictive Behaviors</i> , 2021, 113, 106681.	3.0	14
74	Buprenorphine dosing choices in specific populations: review of expert opinion. <i>Expert Opinion on Pharmacotherapy</i> , 2016, 17, 1727-1731.	1.8	13
75	HIV And HCV infection among opiate-dependent patients and methadone doses: the PROTEUS study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 1551-1556.	1.2	13
76	Peripheral levels of BDNF and opiate-use disorder: literature review and update. <i>Reviews in the Neurosciences</i> , 2017, 28, 499-508.	2.9	13
77	Severity factors associated with borderline personality disorder among misusers in an outpatient sample in Spain. <i>Journal of Addictive Diseases</i> , 2017, 36, 93-96.	1.3	13
78	Benzodiazepine abuse, misuse, dependence, and withdrawal among schizophrenic patients: A review of the literature. <i>Psychiatry Research</i> , 2020, 284, 112660.	3.3	13
79	Psychotic Symptoms of Cocaine Self-Injectors in a Harm Reduction Program. <i>Substance Abuse</i> , 2013, 34, 118-121.	2.3	12
80	Association of the PLCB1 gene with drug dependence. <i>Scientific Reports</i> , 2017, 7, 10110.	3.3	12
81	Psychiatric Comorbidity and Addiction Severity Differences in Patients With ADHD Seeking Treatment for Cannabis or Cocaine Use Disorders. <i>Journal of Attention Disorders</i> , 2021, 25, 978-988.	2.6	12
82	Elimination of hepatitis C. Positioning document of the Spanish Association for the Study of the Liver (AEEH). <i>Revista Espanola De Enfermedades Digestivas</i> , 2019, 111, 862-873.	0.3	12
83	Protocols of Dual Diagnosis Intervention in Schizophrenia. <i>Addictive Disorders and Their Treatment</i> , 2011, 10, 131-154.	0.5	11
84	Gender Differences in Dually Diagnosed Outpatients. <i>Substance Abuse</i> , 2013, 34, 78-80.	2.3	11
85	Epidemiology of substance abuse among migrants compared to native born population in primary care. <i>American Journal on Addictions</i> , 2014, 23, 337-342.	1.4	11
86	Higher severity of cocaine addiction is associated with tactile and somatic hallucinations. <i>European Psychiatry</i> , 2017, 42, 63-69.	0.2	11
87	Are we ready to treat hepatitis C virus in individuals with opioid use disorder. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 1206-1214.	1.6	11
88	Real-World Outcomes in Historically Underserved Patients with Chronic Hepatitis C Infection Treated with Glecaprevir/Pibrentasvir. <i>Infectious Diseases and Therapy</i> , 2021, 10, 2203-2222.	4.0	11
89	Trastorno por déficit de atención con hiperactividad y dependencia de sustancias depresoras. Una revisión. <i>Revista De Psicología De La Salud</i> , 2013, 25, 171.	0.5	11
90	Dual diagnosis in inpatient physicians: prevalence and clinical characteristics. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2008, 1, 10-20.	0.5	10

#	ARTICLE	IF	CITATIONS
91	The importance of being apt: metaphor comprehension in Alzheimer's disease. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 973.	2.0	10
92	Aptness Predicts Metaphor Preference in the Lab and on the Internet. <i>Metaphor and Symbol</i> , 2016, 31, 31-46.	1.0	10
93	Clinical differences between cocaine-dependent patients with and without antisocial personality disorder. <i>Psychiatry Research</i> , 2016, 246, 587-592.	3.3	10
94	The early processing of metaphors and similes: Evidence from eye movements. <i>Quarterly Journal of Experimental Psychology</i> , 2018, 71, 161-168.	1.1	10
95	Tardive Dyskinesia After Aripiprazole Treatment That Improved With Tetrabenazine, Clozapine, and Botulinum Toxin. <i>Frontiers in Pharmacology</i> , 2019, 10, 281.	3.5	9
96	Hepatitis C Crónica y usuarios con un historial de inyección de drogas en España: evaluación de la población, retos para un tratamiento efectivo.. <i>Revista De Psicología De La Salud</i> , 2017, 29, 71.	0.5	9
97	A Highly Polymorphic Copy Number Variant in the NSF Gene is Associated with Cocaine Dependence. <i>Scientific Reports</i> , 2016, 6, 31033.	3.3	8
98	Delayed Urinary Symptoms Induced by Ketamine. <i>Journal of Psychoactive Drugs</i> , 2018, 50, 129-132.	1.7	8
99	Practical steps to improve chronic hepatitis C treatment in people with opioid use disorder. <i>Hepatic Medicine: Evidence and Research</i> , 2018, Volume 11, 1-11.	2.5	8
100	Anxiety and Depression in Drug-Dependent Patients with Cluster C Personality Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 19.	2.6	8
101	Bipolar disorder associated to substance use disorders (dual diagnosis). Systematic review of the scientific evidence and expert consensus. <i>Actas Espanolas De Psiquiatria</i> , 2008, 36, 350-61.	0.1	8
102	Administrative prevalence of insomnia and associated clinical features in patients with addiction during active substance use. <i>Actas Espanolas De Psiquiatria</i> , 2016, 44, 64-71.	0.1	8
103	Feasibility of Double-Blind Clinical Trials with Oral Diacetylmorphine: A Randomized Controlled Phase II Study in an Inpatient Setting. <i>European Addiction Research</i> , 2012, 18, 279-287.	2.4	7
104	The use of lisdexamfetamine dimesylate for the treatment of ADHD and other psychiatric disorders. <i>Expert Review of Neurotherapeutics</i> , 2014, 14, 849-865.	2.8	7
105	Assessment of neurocognitive disorder in studies of cognitive impairment due to substance use disorder: A systematic review. <i>Journal of Substance Use</i> , 2018, 23, 535-550.	0.7	7
106	Benzodiazepine Use Disorder and Cognitive Impairment in Older Patients: A Six-Month-Follow-Up Study in an Outpatient Unit in Barcelona. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 844-852.	1.0	7
107	Mood Disorders and Severity of Addiction in Alcohol-Dependent Patients Could Be Mediated by Sex Differences. <i>Frontiers in Psychiatry</i> , 2019, 10, 343.	2.6	7
108	Executive summary: Consensus document of GEHEP of the Spanish Society of Infectious Diseases and Clinical Microbiology (SEIMC), along with SOCIDROGALCOHOL, SEPD and SOMAPA on hepatitis C virus infection management in drug users. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2020, 38, 127-131.	0.5	7

#	ARTICLE	IF	CITATIONS
109	Grupo motivacional en unidad hospitalaria desintoxicación, su influencia en mantenimiento de la abstinencia y retención al tratamiento tras alta. <i>Revista De Psicología De La Salud</i> , 2015, 27, 109.	0.5	7
110	Treatment adherence to treatment in substance users referred from Psychiatric Emergency service to outpatient treatment. <i>Actas Espanolas De Psiquiatria</i> , 2012, 40, 63-9.	0.1	7
111	Perception of Spanish professionals on therapeutic adherence of dual diagnosis patients. <i>Actas Espanolas De Psiquiatria</i> , 2013, 41, 319-29.	0.1	7
112	Patients with severe mental illness and hepatitis C virus infection benefit from new pangenotypic direct-acting antivirals: Results of a literature review. <i>Gastroenterología Y Hepatología</i> , 2023, 46, 382-396.	0.5	7
113	Lack of association between the LPR and VNTR polymorphisms of the serotonin transporter gene and cocaine dependence in a Spanish sample. <i>Psychiatry Research</i> , 2013, 210, 1287-1289.	3.3	6
114	Future Research and Clinical Directions in the Field of Men's Mental Health: The Madrid Declaration. <i>Frontiers in Public Health</i> , 2014, 2, 242.	2.7	6
115	Inhaled Loxapine for Agitation in Intoxicated Patients: A Case Series. <i>Clinical Neuropharmacology</i> , 2017, 40, 281-285.	0.7	6
116	Latent class profile of psychiatric symptoms and treatment utilization in a sample of patients with co-occurring disorders. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 286-292.	1.7	6
117	Latent Impulsivity Subtypes in Substance Use Disorders and Interactions with Internalizing and Externalizing Co-Occurring Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 27.	2.6	6
118	Alexithymia in Patients With Substance Use Disorders and Its Relationship With Psychiatric Comorbidities and Health-Related Quality of Life. <i>Frontiers in Psychiatry</i> , 2021, 12, 659063.	2.6	6
119	Fumar en las psicosis afectivas: revisión sobre el consumo de nicotina en el trastorno bipolar y esquizoafectivo. <i>Revista De Psicología De La Salud</i> , 2011, 23, 65.	0.5	6
120	Manejo de pacientes dependientes de opiáceos: Comparación del coste asociado al uso de buprenorfina/naloxona o metadona, y sus interacciones con tratamientos concomitantes para comorbilidades infecciosas o psiquiátricas. <i>Revista De Psicología De La Salud</i> , 2015, 27, 179.	0.5	6
121	Cocaine-induced Psychosis and Brain-derived Neurotrophic Factor in Patients with Cocaine Dependence: Report of Two Cases. <i>Clinical Psychopharmacology and Neuroscience</i> , 2016, 14, 109-113.	2.0	6
122	Increased incidence of high-lethality suicide attempts after the declaration of the state of alarm due to the COVID-19 pandemic in Salamanca: A real-world observational study. <i>Psychiatry Research</i> , 2022, 312, 114578.	3.3	6
123	Eficacia clínica de la buprenorfina. <i>Trastornos Adictivos</i> , 2005, 7, 23-26.	0.1	5
124	Professionals' perceptions about healthcare resources for co-occurring disorders in Spain. <i>International Journal of Mental Health Systems</i> , 2014, 8, 35.	2.7	5
125	Dual Disorders: A Clinical Perspective. <i>Addictive Disorders and Their Treatment</i> , 2017, 16, 175-179.	0.5	5
126	Pharmacological Treatment of Insomnia Symptoms in Individuals with Substance Use Disorders in Spain: A Quasi-Experimental Study. <i>Substance Use and Misuse</i> , 2018, 53, 1267-1274.	1.4	5

#	ARTICLE	IF	CITATIONS
127	Benefits of EEG-Neurofeedback on the Modulation of Impulsivity in a Sample of Cocaine and Heroin Long-Term Abstinent Inmates: A Pilot Study. <i>International Journal of Offender Therapy and Comparative Criminology</i> , 2020, 64, 1275-1298.	1.2	5
128	Exploring the prevalence of substance-induced neurocognitive disorder among polysubstance users, adding subjective and objective evidence of cognitive impairment. <i>Psychiatry Research</i> , 2020, 288, 112944.	3.3	5
129	Hospitalization trends and chronobiology for mental disorders in Spain from 2005 to 2015. <i>Chronobiology International</i> , 2021, 38, 286-295.	2.0	5
130	Tratamiento concomitante de litio y metadona en un paciente bipolar: a propósito de un caso. <i>Revista De Psicología De La Salud</i> , 2009, 21, 167.	0.5	5
131	Impact on Sleep Quality, Mood, Anxiety, and Personal Satisfaction of Doctors Assigned to COVID-19 Units. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2712.	2.6	5
132	Psychotic symptoms following oxycodone withdrawal, case report and update. <i>European Review for Medical and Pharmacological Sciences</i> , 2019, 23, 6315-6320.	0.7	5
133	Psychosis after buprenorphine, heroin, methadone, morphine, oxycodone, and tramadol withdrawal: a systematic review. <i>European Review for Medical and Pharmacological Sciences</i> , 2021, 25, 4554-4562.	0.7	5
134	Documento de consenso de la sociedad Española de toxicomanías sobre el empleo y la disponibilidad de la buprenorfina para el tratamiento de la dependencia de opiáceos en España. <i>Trastornos Adictivos</i> , 2005, 7, 44-46.	0.1	4
135	Bostezos como efecto secundario dependiente de la dosis del tratamiento con escitalopram. <i>Neurología</i> , 2013, 28, 589-590.	0.7	4
136	Assessing knowledge and attitudes towards addictions in medical residents of a general hospital. <i>Drugs: Education, Prevention and Policy</i> , 2015, 22, 457-462.	1.3	4
137	Evaluation of previous substance dependence genome-wide significant findings in a Spanish sample. <i>Drug and Alcohol Dependence</i> , 2018, 187, 358-362.	3.2	4
138	Diferencias entre craving y calidad de vida relacionada con la salud en pacientes con dependencia alcohólica con o sin enfermedad dual en tratamiento ambulatorio: estudio descriptivo. <i>Medicina Clínica</i> , 2018, 150, 49-55.	0.6	4
139	Substance-induced psychotic symptoms in Borderline Personality Disorder among substance use disorder samples in Spain. <i>Psychiatry Research</i> , 2018, 260, 313-317.	3.3	4
140	Testing whether cognitive reserve as measured by self-rating of stimulating activities moderates the association of polysubstance use and neurocognitive disorder. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 421-433.	1.3	4
141	Differential Effects of Cognitive Reserve on the Neurocognitive Functioning of Polysubstance Users: an Exploratory Analysis Using Mixture Regression. <i>International Journal of Mental Health and Addiction</i> , 2020, 18, 500-514.	7.4	4
142	The Relevance of Dual Diagnoses among Drug-Dependent Patients with Sleep Disorders. <i>Journal of Clinical Medicine</i> , 2020, 9, 2862.	2.4	4
143	Psychosis induced by abuse of ayahuasca: a case report. <i>Revista Colombiana De Psiquiatría</i> , 2021, 50, 43-46.	0.3	4
144	Uso de reducción de daños y gravedad psicopatológica y médica en pacientes en programa de mantenimiento con metadona. <i>Revista De Psicología De La Salud</i> , 2018, 30, 197.	0.5	4

#	ARTICLE	IF	CITATIONS
145	Relationship between craving and impulsivity in patients with alcohol dependence with or without dual disorders in an outpatient treatment center: a descriptive study. <i>Actas Espanolas De Psiquiatria</i> , 2019, 47, 88-96.	0.1	4
146	Driving and legal status of Spanish opioid-dependent patients. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2013, 8, 19.	2.2	3
147	Buprenorphine-Naloxone Treatment in Physicians and Nurses with Opioid Dependence. <i>Substance Abuse</i> , 2015, 36, 138-140.	2.3	3
148	The More You Take It, the Better It Works: Six-Month Results of a Nalmefene Phase-IV Trial. <i>Journal of Clinical Medicine</i> , 2019, 8, 471.	2.4	3
149	Insomnia Symptoms in Patients With Substance Use Disorders During Detoxification and Associated Clinical Features. <i>Frontiers in Psychiatry</i> , 2020, 11, 540022.	2.6	3
150	Validation of the Opioid Overdose Knowledge (OOKS) and Attitudes (OOAS) Scales in French, Spanish, and German Languages, among a Sample of Opioid Users. <i>European Addiction Research</i> , 2021, 27, 326-331.	2.4	3
151	A real-world ten-week follow-up of the COVID outbreak in an outpatient drug clinic in Salamanca (Spain). <i>Journal of Substance Abuse Treatment</i> , 2021, 125, 108303.	2.8	3
152	Neuroimagen y alteraciones del funcionamiento cerebral, asociadas al consumo de cocaína. <i>Revista De Psicología De La Salud</i> , 2001, 13, 415.	0.5	3
153	Psychotic Symptoms Associated with the use of Dopaminergic Drugs, in Patients with Cocaine Dependence or Abuse. <i>Current Neuropharmacology</i> , 2017, 15, 315-323.	2.9	3
154	Tendencias en la hospitalización psiquiátrica por alcohol y drogas en Castilla y León entre 2005 y 2015. <i>Revista De Psicología De La Salud</i> , 2022, 34, 189.	0.5	3
155	Benzodiazepine Use Disorder and Cognitive Impairment in Older Patients: A Six-Month-Follow-Up Study in an Outpatient Unit in Barcelona. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 844-852.	1.0	3
156	Cocaine relapse and health-related quality of life: a 23 weeks study. <i>Actas Espanolas De Psiquiatria</i> , 2019, 47, 37-44.	0.1	3
157	Reliability of the Beck Depression Inventory in opiate-dependent patients. <i>Journal of Substance Use</i> , 0, 1-6.	0.7	2
158	Dystonia in Methylphenidate Withdrawal: A Case Report. <i>Journal of Addiction Medicine</i> , 2017, 11, 154-156.	2.6	2
159	Differences between craving and health-related quality of life in patients with alcohol dependence with or without dual pathology in outpatient treatment: A descriptive study. <i>Medicina Clínica (English Edition)</i> , 2018, 150, 49-55.	0.2	2
160	Sex differences in an old adult sample with substance use disorder: A 6 months follow-up study. <i>Psychiatry Research</i> , 2018, 270, 1157-1165.	3.3	2
161	Elimination of hepatitis C. Positioning document of the Spanish Association for the Study of the Liver (AEEH). <i>Gastroenterología Y Hepatología (English Edition)</i> , 2019, 42, 579-592.	0.1	2
162	Trends in Psychiatric Hospitalization of Children and Adolescents in Spain between 2005 and 2015. <i>Journal of Clinical Medicine</i> , 2019, 8, 2111.	2.4	2

#	ARTICLE	IF	CITATIONS
163	Hospitalization and Socio-Health Care for Dementia in Spain. <i>Journal of Clinical Medicine</i> , 2020, 9, 3875.	2.4	2
164	Psychosis induced by abuse of ayahuasca: a case report. <i>Revista Colombiana De Psiquiatría (English Ed)</i> Tj ETQq0 0,0 rgBT /Overlock 10, 2021, 56, 103-107.	0.3	2
165	A metaphor is not like a simile: reading-time evidence for distinct interpretations for negated tropes. <i>Metaphor and Symbol</i> , 2021, 36, 85-98.	1.0	2
166	Is There a Stigma towards Mental Illness among Medical Students? - A Systematic Review of the 1997-2018 Literature. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2020, 9, 299-303.	0.1	2
167	Insomnia at the onset of addiction treatment may be related to earlier relapses: A one-year follow-up study. <i>European Psychiatry</i> , 2021, 64, S561-S562.	0.2	2
168	Frequency and Associated Factors of Suicidal Ideation in Patients with Chronic Obstructive Pulmonary Disease. <i>Journal of Clinical Medicine</i> , 2022, 11, 2558.	2.4	2
169	Prevalence of hepatitis C virus infection in patients with chronic mental disorders: The relevance of dual disorders. <i>Gastroenterología Y Hepatología</i> , 2023, 46, 171-177.	0.5	2
170	Sociodemographic and psychopathology features of outpatients dual diagnosis. <i>European Psychiatry</i> , 2011, 26, 10-10.	0.2	1
171	Factors Related to Relapse in Substance-Dependent Patients in Hospital Detoxification: The Relevance of Insomnia. <i>Journal of Sleep Disorders- Treatment & Care</i> , 2014, 03, .	0.1	1
172	Factors associated with self-reported reduced walking time in patients with COPD. , 2016, , .		1
173	Cocaine-Induced Psychosis and Asenapine as Treatment: A Case Study. <i>Psychopharmacology Bulletin</i> , 2019, 49, 92-97.	0.0	1
174	Management of opioid-dependent patients: comparison of the cost associated with use of buprenorphine/naloxone or methadone, and their interactions with concomitant treatments for infectious or psychiatric comorbidities. <i>Revista De Psicología De La Salud</i> , 2015, 27, 179-89.	0.5	1
175	Effectiveness of tianeptine in patients with major depressive disorder and substance use disorder. <i>Actas Espanolas De Psiquiatría</i> , 2021, 49, 135-144.	0.1	1
176	Psychological profile of the bariatric surgery candidates in a spanish hospital in 2020: a descriptive study. <i>European Psychiatry</i> , 2021, 64, S653-S653.	0.2	1
177	A Feasibility Study of Patients with Major Depression and Substance Use Disorders: Vortioxetine as Maintenance Treatment. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 965-976.	2.2	1
178	Chronic pain, depression and opioids misuse in elderly people. A case report.. <i>European Psychiatry</i> , 2007, 22, S337.	0.2	0
179	Paciente bipolar dual: un reto terapéutico. <i>Trastornos Adictivos</i> , 2009, 11, 131-137.	0.1	0
180	Development of Psychosis: Prevention through Therapy Groups. <i>European Psychiatry</i> , 2009, 24, .	0.2	0

#	ARTICLE	IF	CITATIONS
181	Medication use in a dual pathology program: Observational study. <i>European Psychiatry</i> , 2011, 26, 43-43.	0.2	0
182	Risks factors for cocaine-induced psychotic disorder. <i>European Psychiatry</i> , 2011, 26, 96-96.	0.2	0
183	Impulsivity spectrum disorders as a risk factor for cocaine-induced psychosis. <i>European Psychiatry</i> , 2011, 26, 98-98.	0.2	0
184	Neuroimaging, neuropsychological and psychopathological findings in Medication Overuse Headache (MOH) before and after detoxification. <i>Journal of Headache and Pain</i> , 2013, 14, .	6.0	0
185	547â€...Accidents among substance use dependent patient seeking treatment: cocaine versus other substances. <i>Injury Prevention</i> , 2016, 22, A197.2-A197.	2.4	0
186	Craving, frequency and intensity of alcohol use decrease in old patients under nalmefene treatment. <i>European Neuropsychopharmacology</i> , 2016, 26, S674-S675.	0.7	0
187	A novel role for BMP9 as a negative regulator of oval cell-mediated regeneration in response to liver damage. <i>Journal of Hepatology</i> , 2017, 66, S365.	3.7	0
188	Cognitive impairment associated with drug use in old age people. <i>European Psychiatry</i> , 2017, 41, s876-s876.	0.2	0
189	Psychological approach in headache patients with pain medication misuse in an outpatient center for drug treatment in Barcelona. <i>European Psychiatry</i> , 2017, 41, s876-s876.	0.2	0
190	Comparative study of psychiatric comorbidity differences in patients with ADHD and cocaine substance use disorders and patients ADHD and cannabis use disorders. <i>European Psychiatry</i> , 2017, 41, S477-S477.	0.2	0
191	Buenos usos y riesgos de los fármacos opiáceos. <i>Revista Clinica Espanola</i> , 2017, 217, 327-328.	0.6	0
192	Electrodermal activity monitoring on inpatient detoxification unit. <i>European Neuropsychopharmacology</i> , 2017, 27, S1061.	0.7	0
193	Reply to Braillon et al.: Nalmefene Phase IV Study: A Seeding Flying in the Face of Evidence?. <i>Clinical Drug Investigation</i> , 2018, 38, 387-388.	2.2	0
194	ASSOCIATION OF THE PLCB1 GENE WITH DRUG DEPENDENCE. <i>European Neuropsychopharmacology</i> , 2019, 29, S1018.	0.7	0
195	PMH70 DIRECT HEALTHCARE COSTS FOR THE MANAGEMENT OF PATIENTS WITH OPIOID USE DISORDER TREATED WITH METHADONE AND BUPRENORPHINE/NALOXONE IN REAL-WORLD SETTING IN SPAIN. COSTEDOPIA STUDY. <i>Value in Health</i> , 2019, 22, S693.	0.3	0
196	Executive summary: Consensus document of GEHEP of the Spanish Society of Infectious Diseases and Clinical Microbiology (SEIMC), along with SOCIDROGALCOHOL, SEPD and SOMAPA on hepatitis C virus infection management in drug users. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2020, 38, 127-131.	0.3	0
197	Uso de fármacos psicoestimulantes en drogodependencias. <i>Revista De Psicologia De La Salud</i> , 2006, 18, 247.	0.5	0
198	Bipolar Disorders and Co-Occurring Addictions. , 2015, , 1959-1970.		0

#	ARTICLE	IF	CITATIONS
199	Una comparación entre los estudios de fase 3 y un estudio de fase 4 de nalmefeno en el trastorno por uso de alcohol. ¿Existen diferencias?. Revista De Psicología De La Salud, 2019, 31, 284.	0.5	0
200	PATOLOGÍA DUAL Y ARIPIPRAZOL SUSPENSIÓN INYECTABLE DE LIBERACIÓN PROLONGADA. , 0, , .		0
201	ALEXITHYMIA AND IMPULSIVITY IN PATIENTS WITH SUBSTANCE USE DISORDERS. , 0, , .		0
202	TIANEPTINA EN PACIENTES CON TRASTORNO POR USO DE ALCOHOL Y DEPRESIÓN. , 0, , .		0
203	Perception and satisfaction in telemedicine on Mental Health among professionals during the COVID outbreak. A real-world experience in telepsychiatry. (Preprint). JMIR Formative Research, 0, , .	1.4	0
204	PRIMEROS EPISODIOS PSICÓTICOS INDUCIDOS POR CANNABIS Y SU EVOLUCIÓN A ESQUIZOFRENIA. , 0, , .		0
205	LA ALEXITIMIA EN EL TRASTORNO POR USO DE SUSTANCIAS: RESULTADOS DE ESTUDIO LONGITUDINAL Y ANÁLISIS PSICOMÉTRICO DE LA ESCALA DE ALEXITIMIA DE TORONTO DE 20 AÑOS. , 0, , .		0
206	Relevant Differences in Perception and Knowledge of Professionals in Different Spanish Autonomous Communities Regarding Availability of Resources for Patients with Dual disorders. Actas Espanolas De Psiquiatria, 2016, 44, 1-12.	0.1	0
207	Systematic review about the screening of cannabis use during pregnancy and neonates. European Psychiatry, 2021, 64, S825-S825.	0.2	0
208	Patients with substance use disorder who have higher alexithymia levels present more suicidality history: Preliminary results in an outpatient addiction treatment center in Spain. European Psychiatry, 2021, 64, S581-S582.	0.2	0
209	Psychiatric care in university population. European Psychiatry, 2021, 64, S729-S729.	0.2	0