

Carlos Roncero

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7861498/publications.pdf>

Version: 2024-02-01

209
papers

3,476
citations

172457

29
h-index

233421

45
g-index

241
all docs

241
docs citations

241
times ranked

4499
citing authors

#	ARTICLE	IF	CITATIONS
1	Patients with severe mental illness and hepatitis C virus infection benefit from new pangenotypic direct-acting antivirals: Results of a literature review. <i>Gastroenterologa Y Hepatologa</i> , 2023, 46, 382-396.	0.5	7
2	Prevalence of hepatitis C virus infection in patients with chronic mental disorders: The relevance of dual disorders. <i>Gastroenterologa Y Hepatologa</i> , 2023, 46, 171-177.	0.5	2
3	Perceived stress in different countries at the beginning of the coronavirus pandemic. <i>International Journal of Psychiatry in Medicine</i> , 2022, 57, 309-322.	1.8	54
4	Tendencias en la hospitalizacin psiquitrica por alcohol y drogas en Castilla y Len entre 2005 y 2015. <i>Revista De Psicologa De La Salud</i> , 2022, 34, 189.	0.5	3
5	Impact on Sleep Quality, Mood, Anxiety, and Personal Satisfaction of Doctors Assigned to COVID-19 Units. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2712.	2.6	5
6	Frequency and Associated Factors of Suicidal Ideation in Patients with Chronic Obstructive Pulmonary Disease. <i>Journal of Clinical Medicine</i> , 2022, 11, 2558.	2.4	2
7	A Feasibility Study of Patients with Major Depression and Substance Use Disorders: Vortioxetine as Maintenance Treatment. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 965-976.	2.2	1
8	Increased incidence of high-lethality suicide attempts after the declaration of the state of alarm due to the COVID-19 pandemic in Salamanca: A real-world observational study. <i>Psychiatry Research</i> , 2022, 312, 114578.	3.3	6
9	Is alexithymia related to retention and relapses in patients with substance use disorders?: A one year follow-up study. <i>Addictive Behaviors</i> , 2021, 113, 106681.	3.0	14
10	Psychosis induced by abuse of ayahuasca: a case report. <i>Revista Colombiana De Psiquiatra</i> , 2021, 50, 43-46.	0.3	4
11	Hospitalization trends and chronobiology for mental disorders in Spain from 2005 to 2015. <i>Chronobiology International</i> , 2021, 38, 286-295.	2.0	5
12	COVID pandemic as an opportunity for improving mental health treatments of the homeless people. <i>International Journal of Social Psychiatry</i> , 2021, 67, 335-343.	3.1	26
13	Psychiatric Comorbidity and Addiction Severity Differences in Patients With ADHD Seeking Treatment for Cannabis or Cocaine Use Disorders. <i>Journal of Attention Disorders</i> , 2021, 25, 978-988.	2.6	12
14	Validation of the Opioid Overdose Knowledge (OOKS) and Attitudes (OOAS) Scales in French, Spanish, and German Languages, among a Sample of Opioid Users. <i>European Addiction Research</i> , 2021, 27, 326-331.	2.4	3
15	Psychosis induced by abuse of ayahuasca: a case report. <i>Revista Colombiana De Psiquiatra (English Ed)</i> Tj ETQq1 1,0,784314 rgBT /Ove	0.3	2
16	A metaphor is not like a simile: reading-time evidence for distinct interpretations for negated tropes. <i>Metaphor and Symbol</i> , 2021, 36, 85-98.	1.0	2
17	Alexithymia in Patients With Substance Use Disorders and Its Relationship With Psychiatric Comorbidities and Health-Related Quality of Life. <i>Frontiers in Psychiatry</i> , 2021, 12, 659063.	2.6	6
18	Real-World Outcomes in Historically Underserved Patients with Chronic HepatitisC Infection Treated with Glecaprevir/Pibrentasvir. <i>Infectious Diseases and Therapy</i> , 2021, 10, 2203-2222.	4.0	11

#	ARTICLE	IF	CITATIONS
19	Treatment retention and abstinence of patients with substance use disorders according to addiction severity and psychiatry comorbidity: A six-month follow-up study in an outpatient unit. <i>Addictive Behaviors</i> , 2021, 117, 106832.	3.0	23
20	A real-world ten-week follow-up of the COVID outbreak in an outpatient drug clinic in Salamanca (Spain). <i>Journal of Substance Abuse Treatment</i> , 2021, 125, 108303.	2.8	3
21	Effectiveness of tianeptine in patients with major depressive disorder and substance use disorder. <i>Actas Espanolas De Psiquiatria</i> , 2021, 49, 135-144.	0.1	1
22	Insomnia at the onset of addiction treatment may be related to earlier relapses: A one-year follow-up study. <i>European Psychiatry</i> , 2021, 64, S561-S562.	0.2	2
23	Systematic review about the screening of cannabis use during pregnancy and neonates. <i>European Psychiatry</i> , 2021, 64, S825-S825.	0.2	0
24	Patients with substance use disorder who have higher alexithymia levels present more suicidality history: Preliminary results in an outpatient addiction treatment center in Spain. <i>European Psychiatry</i> , 2021, 64, S581-S582.	0.2	0
25	Psychiatric care in university population. <i>European Psychiatry</i> , 2021, 64, S729-S729.	0.2	0
26	Psychological profile of the bariatric surgery candidates in a spanish hospital in 2020: a descriptive study. <i>European Psychiatry</i> , 2021, 64, S653-S653.	0.2	1
27	Psychosis after buprenorphine, heroin, methadone, morphine, oxycodone, and tramadol withdrawal: a systematic review. <i>European Review for Medical and Pharmacological Sciences</i> , 2021, 25, 4554-4562.	0.7	5
28	Executive summary: Consensus document of GEHEP of the Spanish Society of Infectious Diseases and Clinical Microbiology (SEIMC), along with SOCIDROGALCOHOL, SEPD and SOMAPA on hepatitis C virus infection management in drug users. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2020, 38, 127-131.	0.5	7
29	Differential Effects of Cognitive Reserve on the Neurocognitive Functioning of Polysubstance Users: an Exploratory Analysis Using Mixture Regression. <i>International Journal of Mental Health and Addiction</i> , 2020, 18, 500-514.	7.4	4
30	Correlation between disease severity factors and EQ-5D utilities in chronic obstructive pulmonary disease. <i>Quality of Life Research</i> , 2020, 29, 607-617.	3.1	19
31	Opioid-related deaths in Europe: Strategies for a comprehensive approach to address a major public health concern. <i>International Journal of Drug Policy</i> , 2020, 76, 102616.	3.3	58
32	Benzodiazepine abuse, misuse, dependence, and withdrawal among schizophrenic patients: A review of the literature. <i>Psychiatry Research</i> , 2020, 284, 112660.	3.3	13
33	Executive summary: Consensus document of GEHEP of the Spanish Society of Infectious Diseases and Clinical Microbiology (SEIMC), along with SOCIDROGALCOHOL, SEPD and SOMAPA on hepatitis C virus infection management in drug users. <i>Enfermedades Infecciosas Y Microbiología Clínica (English Ed)</i> , 2020, 38, 127-131.	0.3	0
34	Insomnia Symptoms in Patients With Substance Use Disorders During Detoxification and Associated Clinical Features. <i>Frontiers in Psychiatry</i> , 2020, 11, 540022.	2.6	3
35	The Impact of COVID-19 Pandemic on the Castile and Leon Addiction Treatment Network: A Real-World Experience. <i>Frontiers in Psychiatry</i> , 2020, 11, 575755.	2.6	17
36	Hospitalization and Socio-Health Care for Dementia in Spain. <i>Journal of Clinical Medicine</i> , 2020, 9, 3875.	2.4	2

#	ARTICLE	IF	CITATIONS
37	The Relevance of Dual Diagnoses among Drug-Dependent Patients with Sleep Disorders. <i>Journal of Clinical Medicine</i> , 2020, 9, 2862.	2.4	4
38	The response of the mental health network of the Salamanca area to the COVID-19 pandemic: The role of the telemedicine.. <i>Psychiatry Research</i> , 2020, 291, 113252.	3.3	53
39	Case with psychotic disorder as a clinical presentation of COVID-19. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 551-552.	1.8	22
40	Benefits of EEG-Neurofeedback on the Modulation of Impulsivity in a Sample of Cocaine and Heroin Long-Term Abstinent Inmates: A Pilot Study. <i>International Journal of Offender Therapy and Comparative Criminology</i> , 2020, 64, 1275-1298.	1.2	5
41	Cannabis use during pregnancy and its relationship with fetal developmental outcomes and psychiatric disorders. A systematic review. <i>Reproductive Health</i> , 2020, 17, 25.	3.1	73
42	Exploring the prevalence of substance-induced neurocognitive disorder among polysubstance users, adding subjective and objective evidence of cognitive impairment. <i>Psychiatry Research</i> , 2020, 288, 112944.	3.3	5
43	Is There a Stigma towards Mental Illness among Medical Students? - A Systematic Review of the 1997-2018 Literature. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2020, 9, 299-303.	0.1	2
44	Elimination of hepatitis C. Positioning document of the Spanish Association for the Study of the Liver (AEEH). <i>Gastroenterología Y Hepatología (English Edition)</i> , 2019, 42, 579-592.	0.1	2
45	Testing whether cognitive reserve as measured by self-rating of stimulating activities moderates the association of polysubstance use and neurocognitive disorder. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 421-433.	1.3	4
46	ADGRL3 (LPHN3) variants predict substance use disorder. <i>Translational Psychiatry</i> , 2019, 9, 42.	4.8	29
47	Mood Disorders and Severity of Addiction in Alcohol-Dependent Patients Could Be Mediated by Sex Differences. <i>Frontiers in Psychiatry</i> , 2019, 10, 343.	2.6	7
48	ASSOCIATION OF THE PLCB1 GENE WITH DRUG DEPENDENCE. <i>European Neuropsychopharmacology</i> , 2019, 29, S1018.	0.7	0
49	The More You Take It, the Better It Works: Six-Month Results of a Nalmefene Phase-IV Trial. <i>Journal of Clinical Medicine</i> , 2019, 8, 471.	2.4	3
50	Tardive Dyskinesia After Aripiprazole Treatment That Improved With Tetrabenazine, Clozapine, and Botulinum Toxin. <i>Frontiers in Pharmacology</i> , 2019, 10, 281.	3.5	9
51	PMH70 DIRECT HEALTHCARE COSTS FOR THE MANAGEMENT OF PATIENTS WITH OPIOID USE DISORDER TREATED WITH METHADONE AND BUPRENORPHINE/NALOXONE IN REAL-WORLD SETTING IN SPAIN. COSTEDOPIA STUDY. <i>Value in Health</i> , 2019, 22, S693.	0.3	0
52	Trends in Psychiatric Hospitalization of Children and Adolescents in Spain between 2005 and 2015. <i>Journal of Clinical Medicine</i> , 2019, 8, 2111.	2.4	2
53	Psychiatric Comorbidity in Treatment-Seeking Alcohol Dependence Patients With and Without ADHD. <i>Journal of Attention Disorders</i> , 2019, 23, 1497-1504.	2.6	24
54	Eliminación de la hepatitis C. Documento de posicionamiento de la Asociación Española para el Estudio del Hígado (AEEH). <i>Gastroenterología Y Hepatología</i> , 2019, 42, 579-592.	0.5	25

#	ARTICLE	IF	CITATIONS
55	Una comparación entre los estudios de fase 3 y un estudio de fase 4 de nalmefeno en el trastorno por uso de alcohol. ¿Existen diferencias?. Revista De Psicología De La Salud, 2019, 31, 284.	0.5	0
56	Elimination of hepatitis C. Positioning document of the Spanish Association for the Study of the Liver (AEEH). Revista Espanola De Enfermedades Digestivas, 2019, 111, 862-873.	0.3	12
57	Cocaine-Induced Psychosis and Asenapine as Treatment: A Case Study. Psychopharmacology Bulletin, 2019, 49, 92-97.	0.0	1
58	Cocaine relapse and health-related quality of life: a 23 weeks study. Actas Espanolas De Psiquiatria, 2019, 47, 37-44.	0.1	3
59	Relationship between craving and impulsivity in patients with alcohol dependence with or without dual disorders in an outpatient treatment center: a descriptive study. Actas Espanolas De Psiquiatria, 2019, 47, 88-96.	0.1	4
60	Psychotic symptoms following oxycodone withdrawal, case report and update. European Review for Medical and Pharmacological Sciences, 2019, 23, 6315-6320.	0.7	5
61	Reply to Braillon et al.: Nalmefene Phase IV Study: A Seeding Flying in the Face of Evidence?. Clinical Drug Investigation, 2018, 38, 387-388.	2.2	0
62	Evaluation of previous substance dependence genome-wide significant findings in a Spanish sample. Drug and Alcohol Dependence, 2018, 187, 358-362.	3.2	4
63	Differences between craving and health-related quality of life in patients with alcohol dependence with or without dual pathology in outpatient treatment: A descriptive study. Medicina Clínica (English Edition), 2018, 150, 49-55.	0.2	2
64	Alcohol use disorder and cognitive impairment in old age patients: A 6 months follow-up study in an outpatient unit in Barcelona. Psychiatry Research, 2018, 261, 361-366.	3.3	18
65	The early processing of metaphors and similes: Evidence from eye movements. Quarterly Journal of Experimental Psychology, 2018, 71, 161-168.	1.1	10
66	Diferencias entre craving y calidad de vida relacionada con la salud en pacientes con dependencia alcohólica con o sin enfermedad dual en tratamiento ambulatorio: estudio descriptivo. Medicina Clínica, 2018, 150, 49-55.	0.6	4
67	Restrictions for reimbursement of interferon-free direct-acting antiviral drugs for HCV infection in Europe. The Lancet Gastroenterology and Hepatology, 2018, 3, 125-133.	8.1	128
68	Who Receives Nalmefene and How Does It Work in the Real World? A Single-Arm, Phase IV Study of Nalmefene in Alcohol Dependent Outpatients: Baseline and 1-Month Results. Clinical Drug Investigation, 2018, 38, 147-155.	2.2	15
69	Delayed Urinary Symptoms Induced by Ketamine. Journal of Psychoactive Drugs, 2018, 50, 129-132.	1.7	8
70	Factors associated with lifetime suicidal ideation and suicide attempts in outpatients with substance use disorders. Psychiatry Research, 2018, 262, 440-445.	3.3	51
71	Assessment of neurocognitive disorder in studies of cognitive impairment due to substance use disorder: A systematic review. Journal of Substance Use, 2018, 23, 535-550.	0.7	7
72	Substance-induced psychotic symptoms in Borderline Personality Disorder among substance use disorder samples in Spain. Psychiatry Research, 2018, 260, 313-317.	3.3	4

#	ARTICLE	IF	CITATIONS
73	Pharmacological Treatment of Insomnia Symptoms in Individuals with Substance Use Disorders in Spain: A Quasi-Experimental Study. <i>Substance Use and Misuse</i> , 2018, 53, 1267-1274.	1.4	5
74	Sex differences in an old adult sample with substance use disorder: A 6 months follow-up study. <i>Psychiatry Research</i> , 2018, 270, 1157-1165.	3.3	2
75	Cannabis consumption and psychosis or schizophrenia development. <i>International Journal of Social Psychiatry</i> , 2018, 64, 690-704.	3.1	66
76	Benzodiazepine Use Disorder and Cognitive Impairment in Older Patients: A Six-Month-Follow-Up Study in an Outpatient Unit in Barcelona. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 844-852.	1.0	7
77	Practical steps to improve chronic hepatitis C treatment in people with opioid use disorder. <i>Hepatic Medicine: Evidence and Research</i> , 2018, Volume 11, 1-11.	2.5	8
78	The pharmacological interactions between direct-acting antivirals for the treatment of chronic hepatitis c and psychotropic drugs. <i>Expert Review of Clinical Pharmacology</i> , 2018, 11, 999-1030.	3.1	21
79	Anxiety and Depression in Drug-Dependent Patients with Cluster C Personality Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 19.	2.6	8
80	Latent Impulsivity Subtypes in Substance Use Disorders and Interactions with Internalizing and Externalizing Co-Occurring Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 27.	2.6	6
81	Larger Gray Matter Volume in the Basal Ganglia of Heavy Cannabis Users Detected by Voxel-Based Morphometry and Subcortical Volumetric Analysis. <i>Frontiers in Psychiatry</i> , 2018, 9, 175.	2.6	28
82	Depressive status explains a significant amount of the variance in COPD assessment test (CAT) scores. <i>International Journal of COPD</i> , 2018, Volume 13, 823-831.	2.3	17
83	Uso de reducci3n de da±os y gravedad psicopatol3gica y m3dica en pacientes en programa de mantenimiento con metadona. <i>Revista De Psicología De La Salud</i> , 2018, 30, 197.	0.5	4
84	Benzodiazepine Use Disorder and Cognitive Impairment in Older Patients: A Six-Month-Follow-Up Study in an Outpatient Unit in Barcelona. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 844-852.	1.0	3
85	HIV And HCV infection among opiate-dependent patients and methadone doses: the PROTEUS study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 1551-1556.	1.2	13
86	Chronic hepatitis C and individuals with a history of injecting drugs in Spain: population assessment, challenges for successful treatment. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 629-633.	1.6	25
87	Restrictions for reimbursement of interferon-free direct-acting antiviral therapies for HCV infection in Europe. <i>Journal of Hepatology</i> , 2017, 66, S95-S96.	3.7	15
88	Dystonia in Methylphenidate Withdrawal: A Case Report. <i>Journal of Addiction Medicine</i> , 2017, 11, 154-156.	2.6	2
89	Peripheral levels of BDNF and opiate-use disorder: literature review and update. <i>Reviews in the Neurosciences</i> , 2017, 28, 499-508.	2.9	13
90	Severity factors associated with borderline personality disorder among misusers in an outpatient sample in Spain. <i>Journal of Addictive Diseases</i> , 2017, 36, 93-96.	1.3	13

#	ARTICLE	IF	CITATIONS
91	Higher severity of cocaine addiction is associated with tactile and somatic hallucinations. <i>European Psychiatry</i> , 2017, 42, 63-69.	0.2	11
92	Inhaled Loxapine for Agitation in Intoxicated Patients: A Case Series. <i>Clinical Neuropharmacology</i> , 2017, 40, 281-285.	0.7	6
93	Are we ready to treat hepatitis C virus in individuals with opioid use disorder. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 1206-1214.	1.6	11
94	Association of the PLCB1 gene with drug dependence. <i>Scientific Reports</i> , 2017, 7, 10110.	3.3	12
95	A novel role for BMP9 as a negative regulator of oval cell-mediated regeneration in response to liver damage. <i>Journal of Hepatology</i> , 2017, 66, S365.	3.7	0
96	Cognitive impairment associated with drug use in old age people. <i>European Psychiatry</i> , 2017, 41, s876-s876.	0.2	0
97	Psychological approach in headache patients with pain medication misuse in an outpatient center for drug treatment in Barcelona. <i>European Psychiatry</i> , 2017, 41, s876-s876.	0.2	0
98	Comparative study of psychiatric comorbidity differences in patients with ADHD and cocaine substance use disorders and patients ADHD and cannabis use disorders. <i>European Psychiatry</i> , 2017, 41, S477-S477.	0.2	0
99	Buenos usos y riesgos de los fármacos opiáceos. <i>Revista Clinica Espanola</i> , 2017, 217, 327-328.	0.6	0
100	Dual Disorders: A Clinical Perspective. <i>Addictive Disorders and Their Treatment</i> , 2017, 16, 175-179.	0.5	5
101	The role of dual diagnosis in health-related quality of life among treatment-seeking patients in Spain. <i>Quality of Life Research</i> , 2017, 26, 3201-3209.	3.1	23
102	Electrodermal activity monitoring on inpatient detoxification unit. <i>European Neuropsychopharmacology</i> , 2017, 27, S1061.	0.7	0
103	Treatment of Comorbid Alcohol Dependence and Anxiety Disorder: Review of the Scientific Evidence and Recommendations for Treatment. <i>Frontiers in Psychiatry</i> , 2017, 8, 173.	2.6	42
104	Latent class profile of psychiatric symptoms and treatment utilization in a sample of patients with co-occurring disorders. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 286-292.	1.7	6
105	Self-reported daily walking time in COPD: relationship with relevant clinical and functional characteristics. <i>International Journal of COPD</i> , 2017, Volume 12, 1173-1181.	2.3	30
106	Hepatitis C Crónica y usuarios con un historial de inyección de drogas en España: evaluación de la población, retos para un tratamiento efectivo.. <i>Revista De Psicología De La Salud</i> , 2017, 29, 71.	0.5	9
107	Psychotic Symptoms Associated with the use of Dopaminergic Drugs, in Patients with Cocaine Dependence or Abuse. <i>Current Neuropharmacology</i> , 2017, 15, 315-323.	2.9	3
108	Professionals' perception on the management of patients with dual disorders. <i>Patient Preference and Adherence</i> , 2016, Volume 10, 1855-1868.	1.8	21

#	ARTICLE	IF	CITATIONS
109	Cognitive status among patients with chronic obstructive pulmonary disease. International Journal of COPD, 2016, 11, 543.	2.3	33
110	547â€¦Accidents among substance use dependent patient seeking treatment: cocaine versus other substances. Injury Prevention, 2016, 22, A197.2-A197.	2.4	0
111	Effectiveness of Inhaled Loxapine in Dual-Diagnosis Patients: A Case Series. Clinical Neuropharmacology, 2016, 39, 206-209.	0.7	14
112	Psychiatric comorbidities in opioid-dependent patients undergoing a replacement therapy programme in Spain: The PROTEUS study. Psychiatry Research, 2016, 243, 174-181.	3.3	44
113	Craving, frequency and intensity of alcohol use decrease in old patients under nalmefene treatment. European Neuropsychopharmacology, 2016, 26, S674-S675.	0.7	0
114	Aptness Predicts Metaphor Preference in the Lab and on the Internet. Metaphor and Symbol, 2016, 31, 31-46.	1.0	10
115	Addressing misuse and diversion of opioid substitution medication: guidance based on systematic evidence review and real-world experience. Journal of Public Health, 2016, 38, e368-e374.	1.8	28
116	Buprenorphine dosing choices in specific populations: review of expert opinion. Expert Opinion on Pharmacotherapy, 2016, 17, 1727-1731.	1.8	13
117	Clinical differences between cocaine-dependent patients with and without antisocial personality disorder. Psychiatry Research, 2016, 246, 587-592.	3.3	10
118	A Highly Polymorphic Copy Number Variant in the NSF Gene is Associated with Cocaine Dependence. Scientific Reports, 2016, 6, 31033.	3.3	8
119	The Impact of Misuse and Diversion of Opioid Substitution Treatment Medicines: Evidence Review and Expert Consensus. European Addiction Research, 2016, 22, 99-106.	2.4	32
120	Impulsivity and addiction severity in cocaine and opioid dependent patients. Addictive Behaviors, 2016, 58, 104-109.	3.0	35
121	Cocaine-induced Psychosis and Brain-derived Neurotrophic Factor in Patients with Cocaine Dependence: Report of Two Cases. Clinical Psychopharmacology and Neuroscience, 2016, 14, 109-113.	2.0	6
122	Factors associated with self-reported reduced walking time in patients with COPD. , 2016, , .		1
123	Relevant Differences in Perception and Knowledge of Professionals in Different Spanish Autonomous Communities Regarding Availability of Resources for Patients with Dual disorders. Actas Espanolas De Psiquiatria, 2016, 44, 1-12.	0.1	0
124	Administrative prevalence of insomnia and associated clinical features in patients with addiction during active substance use. Actas Espanolas De Psiquiatria, 2016, 44, 64-71.	0.1	8
125	Assessing knowledge and attitudes towards addictions in medical residents of a general hospital. Drugs: Education, Prevention and Policy, 2015, 22, 457-462.	1.3	4
126	Changes in brain-derived neurotrophic factor (BDNF) during abstinence could be associated with relapse in cocaine-dependent patients. Psychiatry Research, 2015, 225, 309-314.	3.3	26

#	ARTICLE	IF	CITATIONS
127	Criteria and Concurrent Validity of Adult ADHD Section of the Psychiatry Research Interview for Substance and Mental Disorders. <i>Journal of Attention Disorders</i> , 2015, 19, 999-1006.	2.6	17
128	Semantic properties, aptness, familiarity, conventionality, and interpretive diversity scores for 84 metaphors and similes. <i>Behavior Research Methods</i> , 2015, 47, 800-812.	4.0	24
129	Transcriptomic and genetic studies identify NFAT5 as a candidate gene for cocaine dependence. <i>Translational Psychiatry</i> , 2015, 5, e667-e667.	4.8	17
130	Buprenorphine-Naloxone Treatment in Physicians and Nurses with Opioid Dependence. <i>Substance Abuse</i> , 2015, 36, 138-140.	2.3	3
131	History of sexual, emotional or physical abuse and psychiatric comorbidity in substance-dependent patients. <i>Psychiatry Research</i> , 2015, 229, 743-749.	3.3	54
132	Adult ADHD Screening in Alcohol-Dependent Patients Using the Wender Utah Rating Scale and the Adult ADHD Self-Report Scale. <i>Journal of Attention Disorders</i> , 2015, 19, 328-334.	2.6	43
133	Grupo motivacional en unidad hospitalaria desintoxicación, su influencia en mantenimiento de la abstinencia y retención al tratamiento tras alta. <i>Revista De Psicología De La Salud</i> , 2015, 27, 109.	0.5	7
134	Manejo de pacientes dependientes de opiáceos: Comparación del coste asociado al uso de buprenorfina/naloxona o metadona, y sus interacciones con tratamientos concomitantes para comorbilidades infecciosas o psiquiátricas. <i>Revista De Psicología De La Salud</i> , 2015, 27, 179.	0.5	6
135	Bipolar Disorders and Co-Occurring Addictions. , 2015, , 1959-1970.		0
136	Management of opioid-dependent patients: comparison of the cost associated with use of buprenorphine/naloxone or methadone, and their interactions with concomitant treatments for infectious or psychiatric comorbidities. <i>Revista De Psicología De La Salud</i> , 2015, 27, 179-89.	0.5	1
137	Neuroticism Associated with Cocaine-Induced Psychosis in Cocaine-Dependent Patients: A Cross-Sectional Observational Study. <i>PLoS ONE</i> , 2014, 9, e106111.	2.5	17
138	Future Research and Clinical Directions in the Field of Men's Mental Health: The Madrid Declaration. <i>Frontiers in Public Health</i> , 2014, 2, 242.	2.7	6
139	The importance of being apt: metaphor comprehension in Alzheimer's disease. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 973.	2.0	10
140	The Influence of Medical Student Gender and Drug Use on the Detection of Addiction in Patients. <i>Journal of Addictive Diseases</i> , 2014, 33, 277-288.	1.3	20
141	Observational Study on Medications Prescribed to Dual-Diagnosis Outpatients. <i>Journal of Addiction Medicine</i> , 2014, 8, 84-89.	2.6	14
142	The use of lisdexamfetamine dimesylate for the treatment of ADHD and other psychiatric disorders. <i>Expert Review of Neurotherapeutics</i> , 2014, 14, 849-865.	2.8	7
143	Clinical differences between cocaine-induced psychotic disorder and psychotic symptoms in cocaine-dependent patients. <i>Psychiatry Research</i> , 2014, 216, 398-403.	3.3	22
144	Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the IASP study. <i>Addiction</i> , 2014, 109, 262-272.	3.3	129

#	ARTICLE	IF	CITATIONS
145	Dual Diagnosis Resource Needs in Spain: A National Survey of Professionals. <i>Journal of Dual Diagnosis</i> , 2014, 10, 84-90.	1.2	15
146	Factors associated with depression and severe depression in patients with COPD. <i>Respiratory Medicine</i> , 2014, 108, 1615-1625.	2.9	61
147	Professionals'™ perceptions about healthcare resources for co-occurring disorders in Spain. <i>International Journal of Mental Health Systems</i> , 2014, 8, 35.	2.7	5
148	Epidemiology of substance abuse among migrants compared to native born population in primary care. <i>American Journal on Addictions</i> , 2014, 23, 337-342.	1.4	11
149	An International Perspective and Review of Cocaine-Induced Psychosis: A Call to Action. <i>Substance Abuse</i> , 2014, 35, 321-327.	2.3	40
150	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: Results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014, 134, 158-166.	3.2	150
151	Neuroticism and impulsivity: Their hierarchical organization in the personality characterization of drug-dependent patients from a decision tree learning perspective. <i>Comprehensive Psychiatry</i> , 2014, 55, 1227-1233.	3.1	32
152	Factors Related to Relapse in Substance-Dependent Patients in Hospital Detoxification: The Relevance of Insomnia. <i>Journal of Sleep Disorders- Treatment & Care</i> , 2014, 03, .	0.1	1
153	Driving and legal status of Spanish opioid-dependent patients. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2013, 8, 19.	2.2	3
154	Attention deficit hyperactivity disorder in cocaine-dependent adults: A psychiatric comorbidity analysis. <i>American Journal on Addictions</i> , 2013, 22, 466-473.	1.4	42
155	Neuroimaging, neuropsychological and psychopathological findings in Medication Overuse Headache (MOH) before and after detoxification. <i>Journal of Headache and Pain</i> , 2013, 14, .	6.0	0
156	Psychotic Symptoms of Cocaine Self-Injectors in a Harm Reduction Program. <i>Substance Abuse</i> , 2013, 34, 118-121.	2.3	12
157	Brain-derived neurotrophic factor serum levels in cocaine-dependent patients during early abstinence. <i>European Neuropsychopharmacology</i> , 2013, 23, 1078-1084.	0.7	49
158	Evaluation of single nucleotide polymorphisms in the miR-183-96-182 cluster in adulthood attention-deficit and hyperactivity disorder (ADHD) and substance use disorders (SUDs). <i>European Neuropsychopharmacology</i> , 2013, 23, 1463-1473.	0.7	38
159	Lack of association between the LPR and VNTR polymorphisms of the serotonin transporter gene and cocaine dependence in a Spanish sample. <i>Psychiatry Research</i> , 2013, 210, 1287-1289.	3.3	6
160	Bostezos como efecto secundario dependiente de la dosis del tratamiento con escitalopram. <i>Neurología</i> , 2013, 28, 589-590.	0.7	4
161	Risk factors for cocaine-induced psychosis in cocaine-dependent patients. <i>European Psychiatry</i> , 2013, 28, 141-146.	0.2	36
162	Association study of 37 genes related to serotonin and dopamine neurotransmission and neurotrophic factors in cocaine dependence. <i>Genes, Brain and Behavior</i> , 2013, 12, 39-46.	2.2	27

#	ARTICLE	IF	CITATIONS
163	Cocaine-Induced Psychosis and Impulsivity in Cocaine-Dependent Patients. <i>Journal of Addictive Diseases</i> , 2013, 32, 263-273.	1.3	22
164	Gender Differences in Dually Diagnosed Outpatients. <i>Substance Abuse</i> , 2013, 34, 78-80.	2.3	11
165	Rethinking Dual Disorders/Pathology. <i>Addictive Disorders and Their Treatment</i> , 2013, 12, 1-10.	0.5	34
166	Serum Brain-Derived Neurotrophic Factor Levels and Cocaine-Induced Transient Psychotic Symptoms. <i>Neuropsychobiology</i> , 2013, 68, 146-155.	1.9	17
167	Trastorno por déficit de atención con hiperactividad y dependencia de sustancias depresoras. Una revisión. <i>Revista De Psicología De La Salud</i> , 2013, 25, 171.	0.5	11
168	Perception of Spanish professionals on therapeutic adherence of dual diagnosis patients. <i>Actas Espanolas De Psiquiatria</i> , 2013, 41, 319-29.	0.1	7
169	Candidate pathway association study in cocaine dependence: The control of neurotransmitter release. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 126-134.	2.6	15
170	Psychosis Induced by the Interaction Between Disulfiram and Methylphenidate May Be Dose Dependent. <i>Substance Abuse</i> , 2012, 33, 186-188.	2.3	16
171	Feasibility of Double-Blind Clinical Trials with Oral Diacetylmorphine: A Randomized Controlled Phase II Study in an Inpatient Setting. <i>European Addiction Research</i> , 2012, 18, 279-287.	2.4	7
172	Factores de riesgo de recaída en pacientes drogodependientes tras desintoxicación hospitalaria. <i>Revista De Psicología De La Salud</i> , 2012, 24, 115.	0.5	24
173	Treatment adherence to treatment in substance users referred from Psychiatric Emergency service to outpatient treatment. <i>Actas Espanolas De Psiquiatria</i> , 2012, 40, 63-9.	0.1	7
174	Prevalence and risk factors of psychotic symptoms in cocaine-dependent patients. <i>Actas Espanolas De Psiquiatria</i> , 2012, 40, 187-97.	0.1	27
175	Sociodemographic and psychopathology features of outpatients dual diagnosis. <i>European Psychiatry</i> , 2011, 26, 10-10.	0.2	1
176	Medication use in a dual pathology program: Observational study. <i>European Psychiatry</i> , 2011, 26, 43-43.	0.2	0
177	Risks factors for cocaine-induced psychotic disorder. <i>European Psychiatry</i> , 2011, 26, 96-96.	0.2	0
178	Impulsivity spectrum disorders as a risk factor for cocaine-induced psychosis. <i>European Psychiatry</i> , 2011, 26, 98-98.	0.2	0
179	A double-blind, placebo-controlled, randomized pilot study comparing quetiapine with placebo, associated to naltrexone, in the treatment of alcohol-dependent patients. <i>Addictive Behaviors</i> , 2011, 36, 265-269.	3.0	17
180	Protocols of Dual Diagnosis Intervention in Schizophrenia. <i>Addictive Disorders and Their Treatment</i> , 2011, 10, 131-154.	0.5	11

#	ARTICLE	IF	CITATIONS
181	Diferencias de género epidemiológicas y diagnósticas según eje I en pacientes con Patología Dual. Revista De Psicología De La Salud, 2011, 23, 165.	0.5	18
182	Fumar en las psicosis afectivas: revisión sobre el consumo de nicotina en el trastorno bipolar y esquizoafectivo. Revista De Psicología De La Salud, 2011, 23, 65.	0.5	6
183	Association study between the DAT1, DBH and DRD2 genes and cocaine dependence in a Spanish sample. Psychiatric Genetics, 2010, 20, 317-320.	1.1	37
184	Efficacy of Psychostimulant Drugs for Cocaine Dependence. , 2010, , CD007380.		89
185	Corticotropin releasing factor and neuroplasticity in cocaine addiction. Life Sciences, 2010, 86, 1-9.	4.3	27
186	Paciente bipolar dual: un reto terapéutico. Trastornos Adictivos, 2009, 11, 131-137.	0.1	0
187	Development of Psychosis: Prevention through Therapy Groups. European Psychiatry, 2009, 24, .	0.2	0
188	Tratamiento concomitante de litio y metadona en un paciente bipolar: a propósito de un caso. Revista De Psicología De La Salud, 2009, 21, 167.	0.5	5
189	Adult ADHD Self-Report Scale (ASRS-v1.1) symptom checklist in patients with substance use disorders. Actas Espanolas De Psiquiatria, 2009, 37, 299-305.	0.1	63
190	Dual diagnosis in inpatient physicians: prevalence and clinical characteristics. Mental Health and Substance Use: Dual Diagnosis, 2008, 1, 10-20.	0.5	10
191	Bipolar disorder associated to substance use disorders (dual diagnosis). Systematic review of the scientific evidence and expert consensus. Actas Espanolas De Psiquiatria, 2008, 36, 350-61.	0.1	8
192	Chitin synthase III requires Chs4p-dependent translocation of Chs3p into the plasma membrane. Journal of Cell Science, 2007, 120, 1998-2009.	2.0	46
193	Brain-Derived Neurotrophic Factor and Its Intracellular Signaling Pathways in Cocaine Addiction. Neuropsychobiology, 2007, 55, 2-13.	1.9	78
194	Chronic pain, depression and opioids misuse in elderly people. A case report.. European Psychiatry, 2007, 22, S337.	0.2	0
195	Efficacy of central nervous system stimulant treatment for cocaine dependence: a systematic review and meta-analysis of randomized controlled clinical trials. Addiction, 2007, 102, 1871-1887.	3.3	65
196	Similes on the Internet have explanations. Psychonomic Bulletin and Review, 2006, 13, 74-77.	2.8	21
197	Uso de fármacos psicoestimulantes en drogodependencias. Revista De Psicología De La Salud, 2006, 18, 247.	0.5	0
198	Eficacia clínica de la buprenorfina. Trastornos Adictivos, 2005, 7, 23-26.	0.1	5

#	ARTICLE	IF	CITATIONS
199	Documento de consenso de la sociedad Española de toxicomanías sobre el empleo y la disponibilidad de la buprenorfina para el tratamiento de la dependencia de opiáceos en España. <i>Trastornos Adictivos</i> , 2005, 7, 44-46.	0.1	4
200	A Double-Blind, Placebo-Controlled Study of Olanzapine in the Treatment of Alcohol-Dependence Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 736-745.	2.4	54
201	Evaluación psicométrica comparativa de las versiones en español de 6, 17 y 21 ítems de la Escala de valoración de Hamilton para la evaluación de la depresión. <i>Medicina Clínica</i> , 2003, 120, 693-700.	0.6	20
202	Neuroimagen y alteraciones del funcionamiento cerebral, asociadas al consumo de cocaína. <i>Revista De Psicología De La Salud</i> , 2001, 13, 415.	0.5	3
203	Reliability of the Beck Depression Inventory in opiate-dependent patients. <i>Journal of Substance Use</i> , 0, , 1-6.	0.7	2
204	PATOLOGÍA DUAL Y ARIPIRAZOL SUSPENSIÓN INYECTABLE DE LIBERACIÓN PROLONGADA. , 0, , .		0
205	ALEXITHYMIA AND IMPULSIVITY IN PATIENTS WITH SUBSTANCE USE DISORDERS. , 0, , .		0
206	TIANEPTINA EN PACIENTES CON TRASTORNO POR USO DE ALCOHOL Y DEPRESIÓN. , 0, , .		0
207	Perception and satisfaction in telemedicine on Mental Health among professionals during the COVID outbreak. A real-world experience in telepsychiatry. (Preprint). <i>JMIR Formative Research</i> , 0, , .	1.4	0
208	PRIMEROS EPISODIOS PSICÓTICOS INDUCIDOS POR CANNABIS Y SU EVOLUCIÓN A ESQUIZOFRENIA. , 0, , .		0
209	LA ALEXITIMIA EN EL TRASTORNO POR USO DE SUSTANCIAS: RESULTADOS DE ESTUDIO LONGITUDINAL Y ANÁLISIS PSICOMÉTRICO DE LA ESCALA DE ALEXITIMIA DE TORONTO DE 20 ÍTEMS. , 0, , .		0