
Elena Zamagni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7861988/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	International Myeloma Working Group updated criteria for the diagnosis of multiple myeloma. Lancet Oncology, The, 2014, 15, e538-e548.	5.1	3,343
2	International Myeloma Working Group consensus criteria for response and minimal residual disease assessment in multiple myeloma. Lancet Oncology, The, 2016, 17, e328-e346.	5.1	1,866
3	Revised International Staging System for Multiple Myeloma: A Report From International Myeloma Working Group. Journal of Clinical Oncology, 2015, 33, 2863-2869.	0.8	1,525
4	Bortezomib with thalidomide plus dexamethasone compared with thalidomide plus dexamethasone as induction therapy before, and consolidation therapy after, double autologous stem-cell transplantation in newly diagnosed multiple myeloma: a randomised phase 3 study. Lancet, The, 2010, 376, 2075-2085.	6.3	770
5	Autologous Transplantation and Maintenance Therapy in Multiple Myeloma. New England Journal of Medicine, 2014, 371, 895-905.	13.9	683
6	Prognostic relevance of 18-F FDG PET/CT in newly diagnosed multiple myeloma patients treated with up-front autologous transplantation. Blood, 2011, 118, 5989-5995.	0.6	445
7	Role of 18F-FDG PET/CT in the diagnosis and management of multiple myeloma and other plasma cell disorders: a consensus statement by the International Myeloma Working Group. Lancet Oncology, The, 2017, 18, e206-e217.	5.1	394
8	Role of Magnetic Resonance Imaging in the Management of Patients With Multiple Myeloma: A Consensus Statement. Journal of Clinical Oncology, 2015, 33, 657-664.	0.8	330
9	Bortezomib-thalidomide-dexamethasone is superior to thalidomide-dexamethasone as consolidation therapy after autologous hematopoietic stem cell transplantation in patients with newly diagnosed multiple myeloma. Blood, 2012, 120, 9-19.	0.6	305
10	International myeloma working group consensus recommendations on imaging in monoclonal plasma cell disorders. Lancet Oncology, The, 2019, 20, e302-e312.	5.1	290
11	Autologous haematopoietic stem-cell transplantation versus bortezomib–melphalan–prednisone, with or without bortezomib–lenalidomide–dexamethasone consolidation therapy, and lenalidomide maintenance for newly diagnosed multiple myeloma (EMN02/HO95): a multicentre, randomised, open-label, phase 3 study. Lancet Haematology.the, 2020, 7, e456-e468.	2.2	244
12	Bortezomib-Based Versus Nonbortezomib-Based Induction Treatment Before Autologous Stem-Cell Transplantation in Patients With Previously Untreated Multiple Myeloma: A Meta-Analysis of Phase III Randomized, Controlled Trials. Journal of Clinical Oncology, 2013, 31, 3279-3287.	0.8	238
13	PET/CT Improves the Definition of Complete Response and Allows to Detect Otherwise Unidentifiable Skeletal Progression in Multiple Myeloma. Clinical Cancer Research, 2015, 21, 4384-4390.	3.2	140
14	Treatment of relapsed and refractory multiple myeloma: recommendations from the International Myeloma Working Group. Lancet Oncology, The, 2021, 22, e105-e118.	5.1	136
15	A simplified frailty scale predicts outcomes in transplant-ineligible patients with newly diagnosed multiple myeloma treated in the FIRST (MM-020) trial. Leukemia, 2020, 34, 224-233.	3.3	122
16	Second Revision of the International Staging System (R2-ISS) for Overall Survival in Multiple Myeloma: A European Myeloma Network (EMN) Report Within the HARMONY Project. Journal of Clinical Oncology, 2022, 40, 3406-3418.	0.8	115
17	Interpretation criteria for FDG PET/CT in multiple myeloma (IMPeTUs): final results. IMPeTUs (Italian) Tj ETQq1 1 712-719.	0.784314 3.3	rgBT /Over o 95
18	Standardization of ¹⁸ F-FDG–PET/CT According to Deauville Criteria for Metabolic Complete Response Definition in Newly Diagnosed Multiple Myeloma. Journal of Clinical Oncology, 2021, 39, 116-125.	0.8	85

Elena Zamagni

#	Article	IF	CITATIONS
19	Imaging in multiple myeloma: How? When?. Blood, 2019, 133, 644-651.	0.6	82
20	The Role of Minimal Residual Disease Testing in Myeloma Treatment Selection and Drug Development: Current Value and Future Applications. Clinical Cancer Research, 2017, 23, 3980-3993.	3.2	71
21	Expert review on softâ€tissue plasmacytomas in multiple myeloma: definition, disease assessment and treatment considerations. British Journal of Haematology, 2021, 194, 496-507.	1.2	67
22	The Value of 18F-FDG PET/CT after Autologous Stem Cell Transplantation (ASCT) in Patients Affected by Multiple Myeloma (MM). Clinical Nuclear Medicine, 2013, 38, e74-e79.	0.7	65
23	Extramedullary disease in multiple myeloma: a systematic literature review. Blood Cancer Journal, 2022, 12, 45.	2.8	57
24	Survival Analysis of Newly Diagnosed Transplant-Eligible Multiple Myeloma Patients in the Randomized Forte Trial. Blood, 2020, 136, 35-37.	0.6	37
25	Interest of Pet Imaging in Multiple Myeloma. Frontiers in Medicine, 2019, 6, 69.	1.2	34
26	Bortezomib, thalidomide, and dexamethasone followed by double autologous haematopoietic stem-cell transplantation for newly diagnosed multiple myeloma (GIMEMA-MMY-3006): long-term follow-up analysis of a randomised phase 3, open-label study. Lancet Haematology,the, 2020, 7, e861-e873.	2.2	34
27	Consolidation and Maintenance in Newly Diagnosed Multiple Myeloma. Journal of Clinical Oncology, 2021, 39, 3613-3622.	0.8	25
28	Toward a GEP-based PET in myeloma. Blood, 2017, 130, 2-3.	0.6	24
29	Report of the 6th International Workshop on PET in lymphoma. Leukemia and Lymphoma, 2017, 58, 2298-2303.	0.6	21
30	Standardization of 18F-FDG PET/CT According to Deauville Criteria for MRD Evaluation in Newly Diagnosed Transplant Eligible Multiple Myeloma Patients: Joined Analysis of Two Prospective Randomized Phase III Trials. Blood, 2018, 132, 257-257.	0.6	20
31	MRD in multiple myeloma: more questions than answers?. Blood Cancer Journal, 2017, 7, 639.	2.8	19
32	Role of Imaging in the Evaluation of Minimal Residual Disease in Multiple Myeloma Patients. Journal of Clinical Medicine, 2020, 9, 3519.	1.0	19
33	Glucose Metabolism Quantified by SUVmax on Baseline FDG-PET/CT Predicts Survival in Newly Diagnosed Multiple Myeloma Patients: Combined Harmonized Analysis of Two Prospective Phase III Trials. Cancers, 2020, 12, 2532.	1.7	17
34	How I treat high-risk multiple myeloma. Blood, 2022, 139, 2889-2903.	0.6	17
35	Upfront Autologous Hematopoietic Stem-Cell Transplantation Improves Overall Survival in Comparison with Bortezomib-Based Intensification Therapy in Newly Diagnosed Multiple Myeloma: Long-Term Follow-up Analysis of the Randomized Phase 3 EMN02/HO95 Study. Blood, 2020, 136, 37-38.	0.6	16
36	Functional Imaging for Therapeutic Assessment and Minimal Residual Disease Detection in Multiple Myeloma. International Journal of Molecular Sciences, 2020, 21, 5406.	1.8	13

Elena Zamagni

#	Article	IF	CITATIONS
37	A New Risk Stratification Model (R2-ISS) in Newly Diagnosed Multiple Myeloma: Analysis of Mature Data from 7077 Patients Collected By European Myeloma Network within Harmony Big Data Platform. Blood, 2020, 136, 34-37.	0.6	12
38	The Role of Monoclonal Antibodies in Smoldering and Newly Diagnosed Transplant-Eligible Multiple Myeloma. Pharmaceuticals, 2020, 13, 451.	1.7	2
39	Early Light Chains Removal and Albumin Levels with a Double Filter-Based Extracorporeal Treatment for Acute Myeloma Kidney. Toxins, 2022, 14, 391.	1.5	1