

Elena Zamagni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7861988/publications.pdf>

Version: 2024-02-01

39
papers

11,779
citations

218592

26
h-index

302012

39
g-index

39
all docs

39
docs citations

39
times ranked

8138
citing authors

#	ARTICLE	IF	CITATIONS
1	How I treat high-risk multiple myeloma. <i>Blood</i> , 2022, 139, 2889-2903.	0.6	17
2	Extramedullary disease in multiple myeloma: a systematic literature review. <i>Blood Cancer Journal</i> , 2022, 12, 45.	2.8	57
3	Second Revision of the International Staging System (R2-ISS) for Overall Survival in Multiple Myeloma: A European Myeloma Network (EMN) Report Within the HARMONY Project. <i>Journal of Clinical Oncology</i> , 2022, 40, 3406-3418.	0.8	115
4	Early Light Chains Removal and Albumin Levels with a Double Filter-Based Extracorporeal Treatment for Acute Myeloma Kidney. <i>Toxins</i> , 2022, 14, 391.	1.5	1
5	Standardization of ¹⁸ F-FDG PET/CT According to Deauville Criteria for Metabolic Complete Response Definition in Newly Diagnosed Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2021, 39, 116-125.	0.8	85
6	Expert review on soft-tissue plasmacytomas in multiple myeloma: definition, disease assessment and treatment considerations. <i>British Journal of Haematology</i> , 2021, 194, 496-507.	1.2	67
7	Treatment of relapsed and refractory multiple myeloma: recommendations from the International Myeloma Working Group. <i>Lancet Oncology</i> , The, 2021, 22, e105-e118.	5.1	136
8	Consolidation and Maintenance in Newly Diagnosed Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2021, 39, 3613-3622.	0.8	25
9	A simplified frailty scale predicts outcomes in transplant-ineligible patients with newly diagnosed multiple myeloma treated in the FIRST (MM-020) trial. <i>Leukemia</i> , 2020, 34, 224-233.	3.3	122
10	Bortezomib, thalidomide, and dexamethasone followed by double autologous haematopoietic stem-cell transplantation for newly diagnosed multiple myeloma (GIMEMA-MMY-3006): long-term follow-up analysis of a randomised phase 3, open-label study. <i>Lancet Haematology</i> , the, 2020, 7, e861-e873.	2.2	34
11	Functional Imaging for Therapeutic Assessment and Minimal Residual Disease Detection in Multiple Myeloma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5406.	1.8	13
12	Glucose Metabolism Quantified by SUVmax on Baseline FDG-PET/CT Predicts Survival in Newly Diagnosed Multiple Myeloma Patients: Combined Harmonized Analysis of Two Prospective Phase III Trials. <i>Cancers</i> , 2020, 12, 2532.	1.7	17
13	The Role of Monoclonal Antibodies in Smoldering and Newly Diagnosed Transplant-Eligible Multiple Myeloma. <i>Pharmaceuticals</i> , 2020, 13, 451.	1.7	2
14	Role of Imaging in the Evaluation of Minimal Residual Disease in Multiple Myeloma Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 3519.	1.0	19
15	Autologous haematopoietic stem-cell transplantation versus bortezomib-melphalan-prednisone, with or without bortezomib-lenalidomide-dexamethasone consolidation therapy, and lenalidomide maintenance for newly diagnosed multiple myeloma (EMN02/HO95): a multicentre, randomised, open-label, phase 3 study. <i>Lancet Haematology</i> , the, 2020, 7, e456-e468.	2.2	244
16	Survival Analysis of Newly Diagnosed Transplant-Eligible Multiple Myeloma Patients in the Randomized Forte Trial. <i>Blood</i> , 2020, 136, 35-37.	0.6	37
17	A New Risk Stratification Model (R2-ISS) in Newly Diagnosed Multiple Myeloma: Analysis of Mature Data from 7077 Patients Collected By European Myeloma Network within Harmony Big Data Platform. <i>Blood</i> , 2020, 136, 34-37.	0.6	12
18	Upfront Autologous Hematopoietic Stem-Cell Transplantation Improves Overall Survival in Comparison with Bortezomib-Based Intensification Therapy in Newly Diagnosed Multiple Myeloma: Long-Term Follow-up Analysis of the Randomized Phase 3 EMN02/HO95 Study. <i>Blood</i> , 2020, 136, 37-38.	0.6	16

#	ARTICLE	IF	CITATIONS
19	International myeloma working group consensus recommendations on imaging in monoclonal plasma cell disorders. <i>Lancet Oncology, The</i> , 2019, 20, e302-e312.	5.1	290
20	Interest of Pet Imaging in Multiple Myeloma. <i>Frontiers in Medicine</i> , 2019, 6, 69.	1.2	34
21	Imaging in multiple myeloma: How? When?. <i>Blood</i> , 2019, 133, 644-651.	0.6	82
22	Interpretation criteria for FDG PET/CT in multiple myeloma (IMPeTUs): final results. IMPeTUs (Italian) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 712-719.	3.3	95
23	Standardization of 18F-FDG PET/CT According to Deauville Criteria for MRD Evaluation in Newly Diagnosed Transplant Eligible Multiple Myeloma Patients: Joined Analysis of Two Prospective Randomized Phase III Trials. <i>Blood</i> , 2018, 132, 257-257.	0.6	20
24	Report of the 6th International Workshop on PET in lymphoma. <i>Leukemia and Lymphoma</i> , 2017, 58, 2298-2303.	0.6	21
25	The Role of Minimal Residual Disease Testing in Myeloma Treatment Selection and Drug Development: Current Value and Future Applications. <i>Clinical Cancer Research</i> , 2017, 23, 3980-3993.	3.2	71
26	Role of 18F-FDG PET/CT in the diagnosis and management of multiple myeloma and other plasma cell disorders: a consensus statement by the International Myeloma Working Group. <i>Lancet Oncology, The</i> , 2017, 18, e206-e217.	5.1	394
27	MRD in multiple myeloma: more questions than answers?. <i>Blood Cancer Journal</i> , 2017, 7, 639.	2.8	19
28	Toward a GEP-based PET in myeloma. <i>Blood</i> , 2017, 130, 2-3.	0.6	24
29	International Myeloma Working Group consensus criteria for response and minimal residual disease assessment in multiple myeloma. <i>Lancet Oncology, The</i> , 2016, 17, e328-e346.	5.1	1,866
30	Role of Magnetic Resonance Imaging in the Management of Patients With Multiple Myeloma: A Consensus Statement. <i>Journal of Clinical Oncology</i> , 2015, 33, 657-664.	0.8	330
31	Revised International Staging System for Multiple Myeloma: A Report From International Myeloma Working Group. <i>Journal of Clinical Oncology</i> , 2015, 33, 2863-2869.	0.8	1,525
32	PET/CT Improves the Definition of Complete Response and Allows to Detect Otherwise Unidentifiable Skeletal Progression in Multiple Myeloma. <i>Clinical Cancer Research</i> , 2015, 21, 4384-4390.	3.2	140
33	International Myeloma Working Group updated criteria for the diagnosis of multiple myeloma. <i>Lancet Oncology, The</i> , 2014, 15, e538-e548.	5.1	3,343
34	Autologous Transplantation and Maintenance Therapy in Multiple Myeloma. <i>New England Journal of Medicine</i> , 2014, 371, 895-905.	13.9	683
35	Bortezomib-Based Versus Nonbortezomib-Based Induction Treatment Before Autologous Stem-Cell Transplantation in Patients With Previously Untreated Multiple Myeloma: A Meta-Analysis of Phase III Randomized, Controlled Trials. <i>Journal of Clinical Oncology</i> , 2013, 31, 3279-3287.	0.8	238
36	The Value of 18F-FDG PET/CT after Autologous Stem Cell Transplantation (ASCT) in Patients Affected by Multiple Myeloma (MM). <i>Clinical Nuclear Medicine</i> , 2013, 38, e74-e79.	0.7	65

#	ARTICLE	IF	CITATIONS
37	Bortezomib-thalidomide-dexamethasone is superior to thalidomide-dexamethasone as consolidation therapy after autologous hematopoietic stem cell transplantation in patients with newly diagnosed multiple myeloma. <i>Blood</i> , 2012, 120, 9-19.	0.6	305
38	Prognostic relevance of 18-F FDG PET/CT in newly diagnosed multiple myeloma patients treated with up-front autologous transplantation. <i>Blood</i> , 2011, 118, 5989-5995.	0.6	445
39	Bortezomib with thalidomide plus dexamethasone compared with thalidomide plus dexamethasone as induction therapy before, and consolidation therapy after, double autologous stem-cell transplantation in newly diagnosed multiple myeloma: a randomised phase 3 study. <i>Lancet</i> , The, 2010, 376, 2075-2085.	6.3	770