Jerzy Leppert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7866922/publications.pdf

Version: 2024-02-01

70 papers	2,488 citations	218677 26 h-index	197818 49 g-index
73 all docs	73 docs citations	73 times ranked	3583 citing authors

#	Article	IF	Citations
1	Obesity, Shame, and Depression in School-Aged Children: A Population-Based Study. Pediatrics, 2005, 116, e389-e392.	2.1	214
2	Development of depression: sex and the interaction between environment and a promoter polymorphism of the serotonin transporter gene. International Journal of Neuropsychopharmacology, 2006, 9, 443.	2.1	211
3	Role of Monoamine Oxidase A Genotype and Psychosocial Factors in Male Adolescent Criminal Activity. Biological Psychiatry, 2006, 59, 121-127.	1.3	192
4	Role of the Serotonin Transporter Gene and Family Function in Adolescent Alcohol Consumption. Alcoholism: Clinical and Experimental Research, 2005, 29, 564-570.	2.4	99
5	Influences of motives to play and time spent gaming on the negative consequences of adolescent online computer gaming. Computers in Human Behavior, 2012, 28, 1379-1387.	8.5	97
6	Reasons why women with long-term urinary incontinence do not seek professional help: a cross-sectional population-based cohort study. International Urogynecology Journal, 2003, 14, 296-304.	1.4	82
7	Fear-Avoidance Beliefs, Catastrophizing, and Distress. Clinical Journal of Pain, 2011, 27, 567-577.	1.9	80
8	Raynaud's Phenomenon in a Female Population: Prevalence and Association with Other Conditions. Angiology, 1987, 38, 871-877.	1.8	74
9	The monoamine oxidase A (MAO-A) gene, family function and maltreatment as predictors of destructive behaviour during male adolescent alcohol consumption. Addiction, 2007, 102, 389-398.	3.3	74
10	Impact of the Interaction Between the 5HTTLPR Polymorphism and Maltreatment on Adolescent Depression. A Population-Based Study. Behavior Genetics, 2009, 39, 524-531.	2.1	71
11	Effects of adolescent online gaming time and motives on depressive, musculoskeletal, and psychosomatic symptoms. Upsala Journal of Medical Sciences, 2015, 120, 263-275.	0.9	69
12	The MAO-A gene, platelet MAO-B activity and psychosocial environment in adolescent female alcohol-related problem behaviour. Drug and Alcohol Dependence, 2008, 93, 51-62.	3.2	66
13	Impact on quality of life of different lower urinary tract symptoms in men measured by means of the SF 36 questionnaire. Scandinavian Journal of Urology and Nephrology, 2006, 40, 485-494.	1.4	65
14	Self-assessed health, sadness and happiness in relation to the total burden of symptoms from the lower urinary tract. BJU International, 2005, 95, 810-815.	2.5	62
15	GDF-15 and TRAIL-R2 are powerful predictors of long-term mortality in patients with acute myocardial infarction. European Journal of Preventive Cardiology, 2017, 24, 1576-1583.	1.8	60
16	MAOA genotype, family relations and sexual abuse in relation to adolescent alcohol consumption. Addiction Biology, 2011, 16, 347-355.	2.6	59
17	Quality of life and seeking help in women with urinary incontinence. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 1051-1055.	2.8	57
18	Prediction of driving ability after stroke and the effect of behind-the-wheel training. Scandinavian Journal of Psychology, 2006, 47, 419-429.	1.5	50

#	Article	IF	Citations
19	Changes in urinary incontinence and quality of life after four years A population-based study of women aged 22â€“50 years. Scandinavian Journal of Primary Health Care, 2004, 22, 112-117.	1.5	49
20	Urinary incontinence: an unexpected large problem among young females. Results from a population-based study. Family Practice, 1999, 16, 506-509.	1.9	45
21	Genes encoding for AP-2Î² and the Serotonin Transporter are associated with the Personality Character Spiritual Acceptance. Neuroscience Letters, 2007, 411, 233-237.	2.1	44
22	Multiplex proteomics for prediction of major cardiovascular events in type 2 diabetes. Diabetologia, 2018, 61, 1748-1757.	6.3	43
23	Prevalence of three lower urinary tract symptoms in men--a population-based study. Family Practice, 2003, 20, 7-10.	1.9	39
24	Interstudy heterogeneity of definitions of diastolic dysfunction severely affects reported prevalence. European Heart Journal Cardiovascular Imaging, 2016, 17, 892-899.	1.2	39
25	Growth differentiation factor 15 in a community-based sample: age-dependent reference limits and prognostic impact. Upsala Journal of Medical Sciences, 2018, 123, 86-93.	0.9	36
26	Selfâ€Reported Family Socioeconomic Status, the 5â€HTTLPR Genotype, and Delinquent Behavior in a Communityâ€Based Adolescent Population. Aggressive Behavior, 2013, 39, 52-63.	2.4	35
27	Alcohol-related problems among adolescents and the role of a sense of coherence. International Journal of Social Welfare, 2007, 16, 159-167.	1.7	27
28	Left ventricular systolic dysfunction inÂoutpatients with peripheral atherosclerotic vascular disease: prevalence and association with location of arterial disease. European Journal of Heart Failure, 2014, 16, 625-632.	7.1	26
29	Left atrial minimum volume is more strongly associated with N-terminal pro-B-type natriuretic peptide than the left atrial maximum volume in a community-based sample. International Journal of Cardiovascular Imaging, 2016, 32, 417-425.	1.5	26
30	Effect of menopause on left ventricular filling in 50-year-old women. American Journal of Cardiology, 1995, 76, 1093-1096.	1.6	25
31	Prevalence of distress and symptom severity from the lower urinary tract in men: a population-based study with the DAN-PSS questionnaire. Family Practice, 2004, 21, 617-622.	1.9	25
32	Men of Low Socio-Economic and Educational Level Possess Pronounced Deficient Knowledge About the Risk Factors Related to Coronary Heart Disease. European Journal of Cardiovascular Prevention and Rehabilitation, 2001, 8, 371-377.	2.8	22
33	Risk factors for subarachnoid haemorrhage: a nationwide cohort of 950Â000 adults. International Journal of Epidemiology, 2019, 48, 2018-2025.	1.9	21
34	Transcription Factor Activating Protein-2Î² (TFAP-2Î²) genotype and symptoms of attention deficit hyperactivity disorder in relation to symptoms of depression in two independent samples. European Child and Adolescent Psychiatry, 2014, 23, 207-217.	4.7	20
35	Is type D personality an independent risk factor for recurrent myocardial infarction or all-cause mortality in post-acute myocardial infarction patients?. European Journal of Preventive Cardiology, 2017, 24, 522-533.	1.8	20
36	Long-term prognostic impact of left atrial volumes and emptying fraction in a community-based cohort. Heart, 2017, 103, 687-693.	2.9	20

#	Article	IF	Citations
37	Plasma Protein Profile of Carotid Artery Atherosclerosis and Atherosclerotic Outcomes. Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 1777-1788.	2.4	18
38	Smoking as a product of geneâ€“environment interaction. Upsala Journal of Medical Sciences, 2009, 114, 100-107.	0.9	17
39	Intelligence level in late adolescence is inversely associated with BMI change during 22Âyears of follow-up: results from the WICTORY study. European Journal of Epidemiology, 2012, 27, 647-655.	5.7	17
40	A randomized study of two physiotherapeutic approaches after knee ligament reconstruction. Advances in Physiotherapy, 2009, 11, 30-41.	0.2	15
41	The association between plasma proteomics and incident cardiovascular disease identifies MMP-12 as a promising cardiovascular risk marker in patients with chronic kidney disease. Atherosclerosis, 2020, 307, 11-15.	0.8	15
42	Controlled 3-year follow-up of a multidisciplinary pain rehabilitation program in primary health care. Disability and Rehabilitation, 2010, 32, 307-316.	1.8	14
43	Socioeconomic characteristics and comorbidities of diverticular disease in Sweden 1997â€“2012. International Journal of Colorectal Disease, 2017, 32, 1591-1596.	2.2	14
44	Effects of Family History and Personal Experience of Illness on Inclination to Change Health-Related Behaviour. Central European Journal of Public Health, 2009, 17, 3-7.	1.1	14
45	Seasonal Variations in Cyclic GMP Response on Whole-Body Cooling in Women with Primary Raynaud's Phenomenon. Clinical Science, 1997, 93, 175-179.	4.3	13
46	Transcription factor AP-2Î² genotype and psychosocial adversity in relation to adolescent depressive symptomatology. Journal of Neural Transmission, 2009, 116, 363-370.	2.8	12
47	Incremental prognostic value of coronary and systemic atherosclerosis after myocardial infarction. International Journal of Cardiology, 2018, 261, 6-11.	1.7	12
48	Knowledge about Cardiovascular Risk Factors among Obese Individuals. European Journal of Cardiovascular Nursing, 2006, 5, 275-279.	0.9	10
49	Effect of Magnesium Sulfate Infusion on Circulating Levels of Noradrenaline and Neuropeptide-Y-Like Immunoreactivity in Patients with Primary Raynaud's Phenomenon. Angiology, 1994, 45, 637-645.	1.8	9
50	Proximal coronary artery intervention: Stent thrombosis, restenosis and death. International Journal of Cardiology, 2013, 170, 227-232.	1.7	9
51	Echocardiographic assessment of maximum and minimum left atrial volumes: a population-based study of middle-aged and older subjects without apparent cardiovascular disease. International Journal of Cardiovascular Imaging, 2015, 31, 57-64.	1.5	9
52	Prognostic impact of subclinical or manifest extracoronary artery diseases after acute myocardial infarction. Atherosclerosis, 2017, 263, 53-59.	0.8	7
53	Basic Anthropometric Measures in Acute Myocardial Infarction Patients and Individually Sex- and Age-Matched Controls from the General Population. Journal of Obesity, 2018, 2018, 1-10.	2.7	7
54	Thrombus aspiration in patients with large anterior myocardial infarction. American Heart Journal, 2016, 172, 129-134.	2.7	5

#	Article	IF	Citations
55	Development of a reliable questionnaire in resuscitation knowledge. American Journal of Emergency Medicine, 2008, 26, 723-728.	1.6	3
56	Gambling frequency and symptoms of attention-deficit hyperactivity disorder in relation to problem gambling among Swedish adolescents: a population-based study. Upsala Journal of Medical Sciences, 2017, 122, 119-126.	0.9	3
57	Prevalence and prognostic impact of electrocardiographic abnormalities in outpatients with extracardiac artery disease. Clinical Physiology and Functional Imaging, 2018, 38, 823-829.	1.2	3
58	Rationale for a Swedish cohort consortium. Upsala Journal of Medical Sciences, 2019, 124, 21-28.	0.9	3
59	Targeted multiplex proteomics for prediction of all-cause mortality during long-term follow-up in outpatients with peripheral arterial disease. Atherosclerosis, 2020, 311, 143-149.	0.8	3
60	Risk factors for cardiovascular disease and their relation to age and educational level among middle-aged women:Study of middle-aged women in a rural area. Scandinavian Journal of Primary Health Care, 1994, 12, 289-294.	1.5	2
61	Leisure-time physical inactivity and risk of myocardial infarction and all-cause mortality: A caseâ€“control study. International Journal of Cardiology, 2014, 177, 599-600.	1.7	2
62	Plasma proteomics and lung function in four community-based cohorts. Respiratory Medicine, 2021, 176, 106282.	2.9	2
63	Screening of biomarkers for prediction of multisite artery disease in patients with recent myocardial infarction. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 353-360.	1.2	2
64	Adipose tissue fatty acid composition and cognitive impairment. Nutrition, 2018, 54, 153-157.	2.4	1
65	Cathepsin D improves the prediction of undetected diabetes in patients with myocardial infarction. Upsala Journal of Medical Sciences, 2019, 124, 187-192.	0.9	1
66	Poorly controlled ambulatory blood pressure in outpatients with peripheral arterial disease. Upsala Journal of Medical Sciences, 2021, 126, .	0.9	1
67	Proctosigmoidoscopy in Primary Health Care. Scandinavian Journal of Primary Health Care, 1990, 8, 183-186.	1.5	0
68	Reply to â€œLetter to editor, Assessing the effect of coronary and systemic atherosclerosis following myocardial infarctionâ€•by dr Su Yueqiu et al.. International Journal of Cardiology, 2018, 271, 29.	1.7	0
69	Do self-reported pregnancy complications add to risk evaluation in older women with established cardiovascular disease?. BMC Women's Health, 2019, 19, 160.	2.0	0
70	Blood pressure screening in midlife aids in prediction of dementia later in life. Upsala Journal of Medical Sciences, 2022, 127, .	0.9	0