

Jerzy Leppert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7866922/publications.pdf>

Version: 2024-02-01

70
papers

2,488
citations

218677

26
h-index

197818

49
g-index

73
all docs

73
docs citations

73
times ranked

3583
citing authors

#	ARTICLE	IF	CITATIONS
1	Blood pressure screening in midlife aids in prediction of dementia later in life. Upsala Journal of Medical Sciences, 2022, 127, .	0.9	0
2	Plasma proteomics and lung function in four community-based cohorts. Respiratory Medicine, 2021, 176, 106282.	2.9	2
3	Poorly controlled ambulatory blood pressure in outpatients with peripheral arterial disease. Upsala Journal of Medical Sciences, 2021, 126, .	0.9	1
4	Plasma Protein Profile of Carotid Artery Atherosclerosis and Atherosclerotic Outcomes. Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 1777-1788.	2.4	18
5	Screening of biomarkers for prediction of multisite artery disease in patients with recent myocardial infarction. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 353-360.	1.2	2
6	The association between plasma proteomics and incident cardiovascular disease identifies MMP-12 as a promising cardiovascular risk marker in patients with chronic kidney disease. Atherosclerosis, 2020, 307, 11-15.	0.8	15
7	Targeted multiplex proteomics for prediction of all-cause mortality during long-term follow-up in outpatients with peripheral arterial disease. Atherosclerosis, 2020, 311, 143-149.	0.8	3
8	Risk factors for subarachnoid haemorrhage: a nationwide cohort of 950 000 adults. International Journal of Epidemiology, 2019, 48, 2018-2025.	1.9	21
9	Cathepsin D improves the prediction of undetected diabetes in patients with myocardial infarction. Upsala Journal of Medical Sciences, 2019, 124, 187-192.	0.9	1
10	Rationale for a Swedish cohort consortium. Upsala Journal of Medical Sciences, 2019, 124, 21-28.	0.9	3
11	Do self-reported pregnancy complications add to risk evaluation in older women with established cardiovascular disease?. BMC Women's Health, 2019, 19, 160.	2.0	0
12	Incremental prognostic value of coronary and systemic atherosclerosis after myocardial infarction. International Journal of Cardiology, 2018, 261, 6-11.	1.7	12
13	Adipose tissue fatty acid composition and cognitive impairment. Nutrition, 2018, 54, 153-157.	2.4	1
14	Prevalence and prognostic impact of electrocardiographic abnormalities in outpatients with extracardiac artery disease. Clinical Physiology and Functional Imaging, 2018, 38, 823-829.	1.2	3
15	Basic Anthropometric Measures in Acute Myocardial Infarction Patients and Individually Sex- and Age-Matched Controls from the General Population. Journal of Obesity, 2018, 2018, 1-10.	2.7	7
16	Reply to "Letter to editor, Assessing the effect of coronary and systemic atherosclerosis following myocardial infarction" by dr Su Yueqiu et al.. International Journal of Cardiology, 2018, 271, 29.	1.7	0
17	Multiplex proteomics for prediction of major cardiovascular events in type 2 diabetes. Diabetologia, 2018, 61, 1748-1757.	6.3	43
18	Growth differentiation factor 15 in a community-based sample: age-dependent reference limits and prognostic impact. Upsala Journal of Medical Sciences, 2018, 123, 86-93.	0.9	36

#	ARTICLE	IF	CITATIONS
19	Is type D personality an independent risk factor for recurrent myocardial infarction or all-cause mortality in post-acute myocardial infarction patients?. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 522-533.	1.8	20
20	Long-term prognostic impact of left atrial volumes and emptying fraction in a community-based cohort. <i>Heart</i> , 2017, 103, 687-693.	2.9	20
21	Prognostic impact of subclinical or manifest extracoronary artery diseases after acute myocardial infarction. <i>Atherosclerosis</i> , 2017, 263, 53-59.	0.8	7
22	GDF-15 and TRAIL-R2 are powerful predictors of long-term mortality in patients with acute myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1576-1583.	1.8	60
23	Socioeconomic characteristics and comorbidities of diverticular disease in Sweden 1997-2012. <i>International Journal of Colorectal Disease</i> , 2017, 32, 1591-1596.	2.2	14
24	Gambling frequency and symptoms of attention-deficit hyperactivity disorder in relation to problem gambling among Swedish adolescents: a population-based study. <i>Uppsala Journal of Medical Sciences</i> , 2017, 122, 119-126.	0.9	3
25	Left atrial minimum volume is more strongly associated with N-terminal pro-B-type natriuretic peptide than the left atrial maximum volume in a community-based sample. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 417-425.	1.5	26
26	Interstudy heterogeneity of definitions of diastolic dysfunction severely affects reported prevalence. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 892-899.	1.2	39
27	Thrombus aspiration in patients with large anterior myocardial infarction. <i>American Heart Journal</i> , 2016, 172, 129-134.	2.7	5
28	Echocardiographic assessment of maximum and minimum left atrial volumes: a population-based study of middle-aged and older subjects without apparent cardiovascular disease. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 57-64.	1.5	9
29	Effects of adolescent online gaming time and motives on depressive, musculoskeletal, and psychosomatic symptoms. <i>Uppsala Journal of Medical Sciences</i> , 2015, 120, 263-275.	0.9	69
30	Left ventricular systolic dysfunction in outpatients with peripheral atherosclerotic vascular disease: prevalence and association with location of arterial disease. <i>European Journal of Heart Failure</i> , 2014, 16, 625-632.	7.1	26
31	Transcription Factor Activating Protein-2 ² (TFAP-2 ²) genotype and symptoms of attention deficit hyperactivity disorder in relation to symptoms of depression in two independent samples. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 207-217.	4.7	20
32	Leisure-time physical inactivity and risk of myocardial infarction and all-cause mortality: A case-control study. <i>International Journal of Cardiology</i> , 2014, 177, 599-600.	1.7	2
33	Proximal coronary artery intervention: Stent thrombosis, restenosis and death. <i>International Journal of Cardiology</i> , 2013, 170, 227-232.	1.7	9
34	Self-Reported Family Socioeconomic Status, the 5-HTTLPR Genotype, and Delinquent Behavior in a Community-Based Adolescent Population. <i>Aggressive Behavior</i> , 2013, 39, 52-63.	2.4	35
35	Intelligence level in late adolescence is inversely associated with BMI change during 22 years of follow-up: results from the WICTORY study. <i>European Journal of Epidemiology</i> , 2012, 27, 647-655.	5.7	17
36	Influences of motives to play and time spent gaming on the negative consequences of adolescent online computer gaming. <i>Computers in Human Behavior</i> , 2012, 28, 1379-1387.	8.5	97

#	ARTICLE	IF	CITATIONS
37	Fear-Avoidance Beliefs, Catastrophizing, and Distress. <i>Clinical Journal of Pain</i> , 2011, 27, 567-577.	1.9	80
38	MAOA genotype, family relations and sexual abuse in relation to adolescent alcohol consumption. <i>Addiction Biology</i> , 2011, 16, 347-355.	2.6	59
39	Controlled 3-year follow-up of a multidisciplinary pain rehabilitation program in primary health care. <i>Disability and Rehabilitation</i> , 2010, 32, 307-316.	1.8	14
40	Smoking as a product of gene-environment interaction. <i>Uppsala Journal of Medical Sciences</i> , 2009, 114, 100-107.	0.9	17
41	Transcription factor AP-2 β genotype and psychosocial adversity in relation to adolescent depressive symptomatology. <i>Journal of Neural Transmission</i> , 2009, 116, 363-370.	2.8	12
42	Impact of the Interaction Between the 5HTTLPR Polymorphism and Maltreatment on Adolescent Depression. A Population-Based Study. <i>Behavior Genetics</i> , 2009, 39, 524-531.	2.1	71
43	A randomized study of two physiotherapeutic approaches after knee ligament reconstruction. <i>Advances in Physiotherapy</i> , 2009, 11, 30-41.	0.2	15
44	Effects of Family History and Personal Experience of Illness on Inclination to Change Health-Related Behaviour. <i>Central European Journal of Public Health</i> , 2009, 17, 3-7.	1.1	14
45	Development of a reliable questionnaire in resuscitation knowledge. <i>American Journal of Emergency Medicine</i> , 2008, 26, 723-728.	1.6	3
46	The MAO-A gene, platelet MAO-B activity and psychosocial environment in adolescent female alcohol-related problem behaviour. <i>Drug and Alcohol Dependence</i> , 2008, 93, 51-62.	3.2	66
47	Genes encoding for AP-2 β and the Serotonin Transporter are associated with the Personality Character Spiritual Acceptance. <i>Neuroscience Letters</i> , 2007, 411, 233-237.	2.1	44
48	The monoamine oxidase A (MAO-A) gene, family function and maltreatment as predictors of destructive behaviour during male adolescent alcohol consumption. <i>Addiction</i> , 2007, 102, 389-398.	3.3	74
49	Alcohol-related problems among adolescents and the role of a sense of coherence. <i>International Journal of Social Welfare</i> , 2007, 16, 159-167.	1.7	27
50	Impact on quality of life of different lower urinary tract symptoms in men measured by means of the SF 36 questionnaire. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 485-494.	1.4	65
51	Role of Monoamine Oxidase A Genotype and Psychosocial Factors in Male Adolescent Criminal Activity. <i>Biological Psychiatry</i> , 2006, 59, 121-127.	1.3	192
52	Prediction of driving ability after stroke and the effect of behind-the-wheel training. <i>Scandinavian Journal of Psychology</i> , 2006, 47, 419-429.	1.5	50
53	Development of depression: sex and the interaction between environment and a promoter polymorphism of the serotonin transporter gene. <i>International Journal of Neuropsychopharmacology</i> , 2006, 9, 443.	2.1	211
54	Knowledge about Cardiovascular Risk Factors among Obese Individuals. <i>European Journal of Cardiovascular Nursing</i> , 2006, 5, 275-279.	0.9	10

#	ARTICLE	IF	CITATIONS
55	Self-assessed health, sadness and happiness in relation to the total burden of symptoms from the lower urinary tract. <i>BJU International</i> , 2005, 95, 810-815.	2.5	62
56	Role of the Serotonin Transporter Gene and Family Function in Adolescent Alcohol Consumption. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 564-570.	2.4	99
57	Obesity, Shame, and Depression in School-Aged Children: A Population-Based Study. <i>Pediatrics</i> , 2005, 116, e389-e392.	2.1	214
58	Changes in urinary incontinence and quality of life after four years A population-based study of women aged 22-50 years. <i>Scandinavian Journal of Primary Health Care</i> , 2004, 22, 112-117.	1.5	49
59	Prevalence of distress and symptom severity from the lower urinary tract in men: a population-based study with the DAN-PSS questionnaire. <i>Family Practice</i> , 2004, 21, 617-622.	1.9	25
60	Reasons why women with long-term urinary incontinence do not seek professional help: a cross-sectional population-based cohort study. <i>International Urogynecology Journal</i> , 2003, 14, 296-304.	1.4	82
61	Prevalence of three lower urinary tract symptoms in men—a population-based study. <i>Family Practice</i> , 2003, 20, 7-10.	1.9	39
62	Quality of life and seeking help in women with urinary incontinence. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 1051-1055.	2.8	57
63	Men of Low Socio-Economic and Educational Level Possess Pronounced Deficient Knowledge About the Risk Factors Related to Coronary Heart Disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2001, 8, 371-377.	2.8	22
64	Urinary incontinence: an unexpected large problem among young females. Results from a population-based study. <i>Family Practice</i> , 1999, 16, 506-509.	1.9	45
65	Seasonal Variations in Cyclic GMP Response on Whole-Body Cooling in Women with Primary Raynaud's Phenomenon. <i>Clinical Science</i> , 1997, 93, 175-179.	4.3	13
66	Effect of menopause on left ventricular filling in 50-year-old women. <i>American Journal of Cardiology</i> , 1995, 76, 1093-1096.	1.6	25
67	Effect of Magnesium Sulfate Infusion on Circulating Levels of Noradrenaline and Neuropeptide-Y-Like Immunoreactivity in Patients with Primary Raynaud's Phenomenon. <i>Angiology</i> , 1994, 45, 637-645.	1.8	9
68	Risk factors for cardiovascular disease and their relation to age and educational level among middle-aged women: Study of middle-aged women in a rural area. <i>Scandinavian Journal of Primary Health Care</i> , 1994, 12, 289-294.	1.5	2
69	Proctosigmoidoscopy in Primary Health Care. <i>Scandinavian Journal of Primary Health Care</i> , 1990, 8, 183-186.	1.5	0
70	Raynaud's Phenomenon in a Female Population: Prevalence and Association with Other Conditions. <i>Angiology</i> , 1987, 38, 871-877.	1.8	74