

Thomas J Craig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7871091/publications.pdf>

Version: 2024-02-01

181
papers

9,185
citations

38742

50
h-index

46799

89
g-index

184
all docs

184
docs citations

184
times ranked

7950
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis. JAMA Psychiatry, 2018, 75, 555.	11.0	516
2	The Lambeth Early Onset (LEO) Team: randomised controlled trial of the effectiveness of specialised care for early psychosis. BMJ: British Medical Journal, 2004, 329, 1067.	2.3	505
3	How much physical activity do people with schizophrenia engage in? A systematic review, comparative meta-analysis and meta-regression. Schizophrenia Research, 2016, 176, 431-440.	2.0	284
4	Is There an Association Between Duration of Untreated Psychosis and 24-Month Clinical Outcome in a First-Admission Series?. American Journal of Psychiatry, 2000, 157, 60-66.	7.2	234
5	How sedentary are people with psychosis? A systematic review and meta-analysis. Schizophrenia Research, 2016, 171, 103-109.	2.0	225
6	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. Schizophrenia Bulletin, 2016, 42, 712-722.	4.3	225
7	Community Attitudes to Mental Illness. British Journal of Psychiatry, 1996, 168, 183-190.	2.8	211
8	Parental separation, loss and psychosis in different ethnic groups: a case-control study. Psychological Medicine, 2007, 37, 495.	4.5	201
9	WPA guidance on mental health and mental health care in migrants. World Psychiatry, 2011, 10, 2-10.	10.4	192
10	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. BMJ: British Medical Journal, 2010, 341, c6325-c6325.	2.3	187
11	Specialised care for early psychosis: Symptoms, social functioning and patient satisfaction. British Journal of Psychiatry, 2006, 188, 37-45.	2.8	183
12	Gender differences in the association between childhood abuse and psychosis. British Journal of Psychiatry, 2009, 194, 319-325.	2.8	180
13	Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. Psychological Medicine, 2008, 38, 1701-1715.	4.5	176
14	First episode psychosis and employment: A review. International Review of Psychiatry, 2010, 22, 148-162.	2.8	174
15	Clinical and social determinants of duration of untreated psychosis in the Å†SOP first-episode psychosis study. British Journal of Psychiatry, 2006, 189, 446-452.	2.8	168
16	Neural Correlates of Recall of Life Events in Conversion Disorder. JAMA Psychiatry, 2014, 71, 52.	11.0	165
17	The varying impact of type, timing and frequency of exposure to childhood adversity on its association with adult psychotic disorder. Psychological Medicine, 2010, 40, 1967-1978.	4.5	163
18	Pathways to care and ethnicity. 1: Sample characteristics and compulsory admission. British Journal of Psychiatry, 2005, 186, 281-289.	2.8	152

#	ARTICLE	IF	CITATIONS
19	Effect of early intervention on 5-year outcome in non-affective psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 372-376.	2.8	146
20	Cost-effectiveness of an early intervention service for people with psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 377-382.	2.8	144
21	The future of academic psychiatry may be social. <i>British Journal of Psychiatry</i> , 2013, 202, 319-320.	2.8	139
22	Public Education for Community Care. <i>British Journal of Psychiatry</i> , 1996, 168, 441-447.	2.8	138
23	Mental disorders among Somali refugees. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 400-408.	3.1	137
24	Pathways to care and ethnicity. 2: Source of referral and help-seeking. <i>British Journal of Psychiatry</i> , 2005, 186, 290-296.	2.8	133
25	Depression: Distress or Disease? Some Epidemiological Considerations. <i>British Journal of Psychiatry</i> , 1985, 147, 612-622.	2.8	120
26	VOICE: Developing a new measure of service users' perceptions of inpatient care, using a participatory methodology. <i>Journal of Mental Health</i> , 2012, 21, 57-71.	1.9	112
27	Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 226-235.	4.5	110
28	Post-migration geographical mobility, mental health and health service utilisation among Somali refugees in the UK: A qualitative study. <i>Health and Place</i> , 2006, 12, 503-515.	3.3	101
29	Khat use and mental illness: A critical review. <i>Social Science and Medicine</i> , 2007, 65, 309-318.	3.8	94
30	The Incidence of Schizophrenia in Nottingham. <i>British Journal of Psychiatry</i> , 1987, 151, 619-626.	2.8	92
31	Imaging Repressed Memories in Motor Conversion Disorder. <i>Psychosomatic Medicine</i> , 2007, 69, 202-205.	2.0	92
32	Implementing the NICE guideline for schizophrenia recommendations for psychological therapies: a qualitative analysis of the attitudes of CMHT staff. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 48-59.	2.7	87
33	Mental and physical illness in caregivers: results from an English national survey sample. <i>British Journal of Psychiatry</i> , 2014, 205, 197-203.	2.8	87
34	Unemployment, social isolation, achievement expectation mismatch and psychosis: findings from the Å†SOP Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 743-751.	3.1	84
35	The Lambeth Early Onset Crisis Assessment Team Study: general practitioner education and access to an early detection team in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s133-s139.	2.8	78
36	Promoting recovery-oriented practice in mental health services: a quasi-experimental mixed-methods study. <i>BMC Psychiatry</i> , 2013, 13, 167.	2.6	78

#	ARTICLE	IF	CITATIONS
37	The feasibility and acceptability of a brief Acceptance and Commitment Therapy (ACT) group intervention for people with psychosis: The "ACT for life"™ study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 50, 257-263.	1.2	77
38	Validity of retrospective measures of early maltreatment and depressive episodes using the Childhood Experience of Care and Abuse (CECA) instrument " A life-course study of adult chronic depression " 2. <i>Journal of Affective Disorders</i> , 2007, 103, 217-224.	4.1	73
39	Cultural adaptation of mental health measures: Improving the quality of clinical practice and research. <i>British Journal of Psychiatry</i> , 2003, 183, 184-186.	2.8	72
40	Randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of selective serotonin reuptake inhibitors plus supportive care, versus supportive care alone, for mild to moderate depression with somatic symptoms in primary care: the THREAD (THREShold for) Tj ETQq0 0 0 rgBT /Overföck 10 Tf 50 612 Td	2.8	67
41	Clinical and cost-effectiveness of an intervention for reducing cholesterol and cardiovascular risk for people with severe mental illness in English primary care: a cluster randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 145-154.	7.4	66
42	Duration of untreated psychosis and ethnicity in the "SOP first-onset psychosis study. <i>Psychological Medicine</i> , 2006, 36, 239-247.	4.5	64
43	Identifying men at ultra high risk of psychosis in a prison population. <i>Schizophrenia Research</i> , 2012, 136, 1-6.	2.0	62
44	Development of a retrospective interview measure of parental maltreatment using the Childhood Experience of Care and Abuse (CECA) instrument " A life-course study of adult chronic depression " 1. <i>Journal of Affective Disorders</i> , 2007, 103, 205-215.	4.1	60
45	Parental maltreatment and proximal risk factors using the Childhood Experience of Care & Abuse (CECA) instrument: A life-course study of adult chronic depression " 5. <i>Journal of Affective Disorders</i> , 2008, 110, 222-233.	4.1	60
46	Is it possible for people with severe mental illness to sit less and move more? A systematic review of interventions to increase physical activity or reduce sedentary behaviour. <i>Schizophrenia Research</i> , 2018, 202, 3-16.	2.0	60
47	Service quality and clinical outcomes: an example from mental health rehabilitation services in England. <i>British Journal of Psychiatry</i> , 2013, 202, 28-34.	2.8	56
48	SEROTONIN TRANSPORTER LENGTH POLYMORPHISM, CHILDHOOD MALTREATMENT, AND CHRONIC DEPRESSION: A SPECIFIC GENE-ENVIRONMENT INTERACTION. <i>Depression and Anxiety</i> , 2013, 30, 5-13.	4.1	55
49	The consumer-employee as a member of a Mental Health Assertive Outreach Team. I. Clinical and social outcomes. <i>Journal of Mental Health</i> , 2004, 13, 59-69.	1.9	52
50	Low intensity cognitive behavioural therapy for psychosis: A pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 98-104.	1.2	52
51	Remission and relapse in psychosis: operational definitions based on case-note data. <i>Psychological Medicine</i> , 2006, 36, 1551-1562.	4.5	50
52	Routine evaluation in first episode psychosis services: feasibility and results from the MiData project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 960-967.	3.1	49
53	Friendship in people with schizophrenia: a survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1291-1299.	3.1	45
54	Vocational rehabilitation in early psychosis: cluster randomised trial. <i>British Journal of Psychiatry</i> , 2014, 205, 145-150.	2.8	43

#	ARTICLE	IF	CITATIONS
55	Culture shock and social support. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 777-781.	3.1	42
56	Lambeth Early Onset (LEO) and Outreach & Support in South London (OASIS) service. <i>Microbial Biotechnology</i> , 2007, 1, 97-103.	1.7	42
57	Evaluating integrated MI and CBT for people with psychosis and substance misuse: Recruitment, retention and sample characteristics of the MIDAS trial. <i>Addictive Behaviors</i> , 2009, 34, 859-866.	3.0	42
58	Clinical effectiveness of a staff training intervention in mental health inpatient rehabilitation units designed to increase patients' engagement in activities (the Rehabilitation Effectiveness for Activities) Tj ETQq0 0 Q,rgBT /Overlock 10 T 38-48.	7.4	42
59	Peer support interventions seeking to improve physical health and lifestyle behaviours among people with serious mental illness: A systematic review. <i>International Journal of Mental Health Nursing</i> , 2016, 25, 484-495.	3.8	42
60	Interplay Between Childhood Physical Abuse and Familial Risk in the Onset of Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 1443-1451.	4.3	41
61	Gender differences in the association between childhood physical and sexual abuse, social support and psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1489-1500.	3.1	41
62	COGNITIVE THERAPY IN EARLY PSYCHOSIS: A PILOT RANDOMIZED CONTROLLED TRIAL. <i>Behavioural and Cognitive Psychotherapy</i> , 2003, 31, 473-478.	1.2	40
63	Continuity of care and clinical outcomes in the community for people with severe mental illness. <i>British Journal of Psychiatry</i> , 2019, 214, 273-278.	2.8	40
64	Sexual problems in schizophrenia: prevalence and characteristics. A cross sectional survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 759-766.	3.1	38
65	Self-esteem in remitted bipolar disorder patients: a meta-analysis. <i>Bipolar Disorders</i> , 2010, 12, 585-592.	1.9	38
66	Ethnic identity, perceptions of disadvantage, and psychosis. <i>Schizophrenia Research</i> , 2010, 124, 43-48.	2.0	38
67	FUNCTIONAL POLYMORPHISM IN THE BRAIN-DERIVED NEUROTROPHIC FACTOR GENE INTERACTS WITH STRESSFUL LIFE EVENTS BUT NOT CHILDHOOD MALTREATMENT IN THE ETIOLOGY OF DEPRESSION. <i>Depression and Anxiety</i> , 2014, 31, 326-334.	4.1	37
68	Clinical outcomes and costs for people with complex psychosis; a naturalistic prospective cohort study of mental health rehabilitation service users in England. <i>BMC Psychiatry</i> , 2016, 16, 95.	2.6	36
69	Out of the wards and onto the streets? Deinstitutionalization and homelessness in Britain. <i>Journal of Mental Health</i> , 1992, 1, 265-275.	1.9	34
70	AVATAR Therapy for Distressing Voices: A Comprehensive Account of Therapeutic Targets. <i>Schizophrenia Bulletin</i> , 2020, 46, 1038-1044.	4.3	33
71	Does Assertive Community Outreach Improve Social Support? Results From the Lambeth Study of Early-Episode Psychosis. <i>Psychiatric Services</i> , 2012, 63, 216-222.	2.0	31
72	Identification of the delivery of cognitive behavioural therapy for psychosis (CBTp) using a cross-sectional sample from electronic health records and open-text information in a large UK-based mental health case register. <i>BMJ Open</i> , 2017, 7, e015297.	1.9	31

#	ARTICLE	IF	CITATIONS
73	Recovery: Say what you mean and mean what you say. <i>Journal of Mental Health</i> , 2008, 17, 125-128.	1.9	30
74	Increasing access to psychological therapies for people with psychosis: Predictors of successful training. <i>Behaviour Research and Therapy</i> , 2012, 50, 457-462.	3.1	30
75	Threat, hostility and violence in childhood and later psychotic disorder: population-based case-control study. <i>British Journal of Psychiatry</i> , 2020, 217, 575-582.	2.8	30
76	Perceived emotional support in remission: results from an 18-month follow-up of patients with early episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1897-1904.	3.1	29
77	The effects of an Audio Visual Assisted Therapy Aid for Refractory auditory hallucinations (AVATAR) Tj ETQq1 1 0.784314 rgBTJ/Overlo	1.6	29
78	The Cares of Life Project (CoLP): An exploratory randomised controlled trial of a community-based intervention for black people with common mental disorder. <i>Journal of Affective Disorders</i> , 2010, 127, 370-374.	4.1	28
79	Effects of training community staff in interventions for substance misuse in dual diagnosis patients with psychosis (COMO study). <i>British Journal of Psychiatry</i> , 2007, 191, 451-452.	2.8	27
80	Parental maltreatment and adulthood cohabiting partnerships: A life-course study of adult chronic depression 4. <i>Journal of Affective Disorders</i> , 2008, 110, 115-125.	4.1	27
81	Antidepressants, social adversity and outcome of depression in general practice. <i>Journal of Affective Disorders</i> , 2010, 121, 239-246.	4.1	27
82	Interaction between the BDNF gene Val/66/Met polymorphism and morning cortisol levels as a predictor of depression in adult women. <i>British Journal of Psychiatry</i> , 2012, 201, 313-319.	2.8	27
83	A comparison between self-report and interviewer-rated retrospective reports of childhood abuse among individuals with first-episode psychosis and population-based controls. <i>Journal of Psychiatric Research</i> , 2020, 123, 145-150.	3.1	27
84	Inpatient care 50 years after the process of deinstitutionalisation. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 665-671.	3.1	26
85	Training Frontline Mental Health Staff to Deliver ��Low Intensity�� Psychological Therapy for Psychosis: A Qualitative Analysis of Therapist and Service User Views on the Therapy and its Future Implementation. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 298-313.	1.2	26
86	Antidepressant Controlled Trial For Negative Symptoms In Schizophrenia (ACTIONS): a double-blind, placebo-controlled, randomised clinical trial. <i>Health Technology Assessment</i> , 2016, 20, 1-46.	2.8	25
87	Views of the Therapeutic Environment (VOTE): Stakeholder involvement in measuring staff perceptions of acute in-patient care. <i>International Journal of Nursing Studies</i> , 2012, 49, 1403-1410.	5.6	24
88	Child-specific and family-wide risk factors using the retrospective Childhood Experience of Care & Abuse (CECA) instrument: A life-course study of adult chronic depression 3. <i>Journal of Affective Disorders</i> , 2007, 103, 225-236.	4.1	23
89	Diet, smoking and cardiovascular risk in schizophrenia in high and low care supported housing. <i>Epidemiologia E Psichiatria Sociale</i> , 2009, 18, 200-207.	0.9	23
90	Barriers to the sustainability of an intervention designed to improve patient engagement within NHS mental health rehabilitation units: a qualitative study nested within a randomised controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 209.	2.6	23

#	ARTICLE	IF	CITATIONS
91	What does COVID mean for UK mental health care?. <i>International Journal of Social Psychiatry</i> , 2021, 67, 823-825.	3.1	23
92	“Walk this way”™: results from a pilot randomised controlled trial of a health coaching intervention to reduce sedentary behaviour and increase physical activity in people with serious mental illness. <i>BMC Psychiatry</i> , 2019, 19, 287.	2.6	22
93	Esquire Trial. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 600-606.	1.4	21
94	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. <i>Trials</i> , 2021, 22, 366.	1.6	21
95	Demographic and clinical characteristics of 1092 consecutive police custody mental health referrals. <i>Journal of Forensic Psychiatry and Psychology</i> , 2017, 28, 295-312.	1.0	19
96	Scenarios for the future of mental health care: a social perspective. <i>Lancet Psychiatry</i> , 2017, 4, 257-260.	7.4	19
97	Open Dialogue compared to treatment as usual for adults experiencing a mental health crisis: Protocol for the ODDessi multi-site cluster randomised controlled trial. <i>Contemporary Clinical Trials</i> , 2022, 113, 106664.	1.8	19
98	The consumer-employee as a member of a Mental Health Assertive Outreach Team. II. Impressions of consumer-employees and other team members. <i>Journal of Mental Health</i> , 2004, 13, 71-81.	1.9	18
99	The High Secure Psychiatric Hospitals’™ Nursing Staff Stress Survey 3: Identifying stress resistance resources in the stress process of physical assault. <i>Personality and Individual Differences</i> , 2007, 42, 397-408.	2.9	18
100	Change in incidence rates for psychosis in different ethnic groups in south London: findings from the Clinical Record Interactive Search-First Episode Psychosis (CRIS-FEP) study. <i>Psychological Medicine</i> , 2021, 51, 300-309.	4.5	18
101	A pilot validation study of a new measure of activity in psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 905-911.	3.1	17
102	Khat use among Somali mental health service users in South London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1649-1656.	3.1	17
103	Evaluating the clinical and cost effectiveness of a behaviour change intervention for lowering cardiovascular disease risk for people with severe mental illnesses in primary care (PRIMROSE study): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 80.	1.6	17
104	Potential Applications of Digital Technology in Assessment, Treatment, and Self-help for Hallucinations. <i>Schizophrenia Bulletin</i> , 2019, 45, S32-S42.	4.3	17
105	Study protocol: cluster randomised controlled trial to assess the clinical and cost effectiveness of a staff training intervention in inpatient mental health rehabilitation units in increasing service users’™ engagement in activities. <i>BMC Psychiatry</i> , 2013, 13, 216.	2.6	16
106	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. <i>BMC Medicine</i> , 2019, 17, 161.	5.5	16
107	Compulsory admission at first presentation to services for psychosis: does ethnicity still matter? Findings from two population-based studies of first episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 871-881.	3.1	16
108	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-108.	2.8	16

#	ARTICLE	IF	CITATIONS
109	Facing up to social exclusion: services for homeless mentally ill people. <i>International Review of Psychiatry</i> , 2000, 12, 206-211.	2.8	15
110	Forced residential mobility and social support: impacts on psychiatric disorders among Somali migrants. <i>BMC International Health and Human Rights</i> , 2012, 12, 4.	2.5	15
111	How Should Community Mental Health of Intellectual Disability Services Evolve?. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 8624-8631.	2.6	15
112	“Walk This Way”™ a pilot of a health coaching intervention to reduce sedentary behaviour and increase low intensity exercise in people with serious mental illness: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 594.	1.6	15
113	From Community to Meta-Community Mental Health Care. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 806.	2.6	15
114	Early detection and early intervention in prison: improving outcomes and reducing prison returns. <i>Journal of Forensic Psychiatry and Psychology</i> , 2017, 28, 91-107.	1.0	14
115	Caregiver correlates of patient-initiated violence in early psychosis. <i>Psychiatry Research</i> , 2018, 270, 412-417.	3.3	14
116	Childhood adversity and psychosis. , 2008, , 95-111.		13
117	Health and Social Functioning of Adults With Intellectual Disability and Autism. <i>Journal of Policy and Practice in Intellectual Disabilities</i> , 2012, 9, 147-150.	2.7	13
118	Threatening Life Events and Difficulties and Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2020, 46, 814-822.	4.3	13
119	Suicide ideation amongst people referred for mental health assessment in police custody. <i>Journal of Criminal Psychology</i> , 2016, 6, 146-156.	1.1	12
120	Training the Frontline Workforce to Deliver Evidence-Based Therapy to People With Psychosis: Challenges in the GOALS Study. <i>Psychiatric Services</i> , 2018, 69, 9-11.	2.0	12
121	Role of poor sleep in determining distress in caregivers of individuals with early psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 613-618.	1.7	12
122	Developing a tool for collecting and costing activity data on psychiatric inpatient wards. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 393-399.	3.9	11
123	Evaluation of Greek psychiatric reforms: methodological issues. <i>International Journal of Mental Health Systems</i> , 2013, 7, 11.	2.7	11
124	The effects of a brief CBT intervention, delivered by frontline mental health staff, to promote recovery in people with psychosis and comorbid anxiety or depression (the GOALS study): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 255.	1.6	11
125	Clubhouse Community Support for Life: Staff’s Member Relationships and Recovery. <i>Journal of Psychosocial Rehabilitation and Mental Health</i> , 2015, 2, 131-141.	0.8	11
126	Sense of clubhouse community belonging and empowerment. <i>International Journal of Social Psychiatry</i> , 2018, 64, 276-285.	3.1	11

#	ARTICLE	IF	CITATIONS
127	Substance use and atâ€risk mental state for psychosis in 2102 prisoners: the case for early detection and early intervention in prison. <i>Microbial Biotechnology</i> , 2018, 12, 400-409.	1.7	11
128	The Role of Sense of Voice Presence and Anxiety Reduction in AVATAR Therapy. <i>Journal of Clinical Medicine</i> , 2020, 9, 2748.	2.4	11
129	Concerns about the children of psychiatric in-patients â€“ what the parents say. <i>Psychiatric Bulletin</i> , 1997, 21, 495-497.	0.3	10
130	'Needs expressed' and 'offers of care': an observational study of mothers with somatisation disorder and their children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2007, 48, 97-104.	5.2	10
131	A Pilot Evaluation of Therapist Training in Cognitive Therapy for Psychosis: Therapy Quality and Clinical Outcomes. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 478-489.	1.2	10
132	Development of a staff training intervention for inpatient mental health rehabilitation units to increase service usersâ€™ engagement in activities. <i>British Journal of Occupational Therapy</i> , 2016, 79, 144-152.	0.9	10
133	Using service user and clinical opinion to develop the SAINT: a guided selfâ€help pack for adults with intellectual disability. <i>Advances in Mental Health and Intellectual Disabilities</i> , 2012, 6, 17-25.	1.1	9
134	Gender differences in selfâ€reported symptoms of depression and anxiety in adults with intellectual disabilities. <i>Advances in Mental Health and Intellectual Disabilities</i> , 2013, 7, 191-200.	1.1	9
135	Reliability and Validity of the SAINT: A Guided Self-Help Tool for People With Intellectual Disabilities. <i>Journal of Mental Health Research in Intellectual Disabilities</i> , 2013, 6, 245-253.	2.0	9
136	Occupational functioning in early non-affective psychosis: the role of attributional biases, symptoms and executive functioning. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 71-84.	3.9	9
137	A pilot cluster randomised trial to assess the effect of a structured communication approach on quality of life in secure mental health settings: The Comquol Study. <i>BMC Psychiatry</i> , 2016, 16, 335.	2.6	9
138	Predicting psychiatric inpatient costs. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 303-308.	3.1	8
139	Meta-community mental health care: towards a new concept. <i>Lancet Psychiatry</i> , 2017, 4, 581-582.	7.4	8
140	Study to assess the effect of a structured communication approach on quality of life in secure mental health settings (Comquol): study protocol for a pilot cluster randomized trial. <i>Trials</i> , 2013, 14, 257.	1.6	7
141	Consenting for contact? Linking electronic health records to a research register within psychosis services, a mixed method study. <i>BMC Health Services Research</i> , 2015, 15, 199.	2.2	7
142	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 515.	1.6	7
143	Impact of crime victimization on initial presentation to an early intervention for psychosis service and 18â€month outcomes. <i>Microbial Biotechnology</i> , 2017, 11, 123-132.	1.7	7
144	What is the impact of research champions on integrating research in mental health clinical practice? A quasiexperimental study in South London, UK. <i>BMJ Open</i> , 2017, 7, e016107.	1.9	7

#	ARTICLE	IF	CITATIONS
145	Assessing the subjective experience of participating in a clinical trial (AVATAR). <i>Psychiatry Research</i> , 2018, 263, 82-87.	3.3	7
146	AVATAR therapy: a promising new approach for persistent distressing voices. <i>World Psychiatry</i> , 2019, 18, 98-99.	10.4	7
147	Homelessness and mental health. <i>Psychiatric Bulletin</i> , 1998, 22, 195-197.	0.3	7
148	Can our politicians help to reduce stigma and discrimination?. <i>Journal of Mental Health</i> , 2013, 22, 203-206.	1.9	6
149	Shorter hospitalizations at the expense of quality? Experiences of inpatient psychiatry in the post-institutional era. <i>World Psychiatry</i> , 2016, 15, 91-92.	10.4	6
150	Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-98.	1.0	6
151	Who's in the lions' den?. <i>Psychiatric Bulletin</i> , 1996, 20, 68-71.	0.3	5
152	Linking a research register to clinical records in older adults' mental health services: a mixed-methods study. <i>Alzheimer's Research and Therapy</i> , 2015, 7, 15.	6.2	5
153	Prison Mental Health In-reach: The Effect of Open Referral Pathways. <i>Psychiatry, Psychology and Law</i> , 2017, 24, 152-158.	1.2	5
154	The SAINT: A Guided Self-Help Approach for People With Intellectual Disabilities. <i>Journal of Mental Health Research in Intellectual Disabilities</i> , 2017, 10, 237-252.	2.0	5
155	Multidimensional and intergenerational impact of Severe Mental Disorders. <i>EClinicalMedicine</i> , 2021, 41, 101151.	7.1	5
156	The Rehabilitation Effectiveness for Activities for Life (REAL) study: a national programme of research into NHS inpatient mental health rehabilitation services across England. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-284.	1.0	5
157	Patient involvement in improving the evidence base on mental health inpatient care: the PERCEIVE programme. <i>Programme Grants for Applied Research</i> , 2018, 6, 1-182.	1.0	5
158	Acute mental health service use by patients with severe mental illness after discharge to primary care in South London. <i>Journal of Mental Health</i> , 2015, 24, 208-213.	1.9	4
159	Co-morbid personality disorder in early intervention psychosis clients is associated with greater key worker emotional involvement. <i>Microbial Biotechnology</i> , 2018, 12, 143-152.	1.7	4
160	Ethnic variations in duration of untreated psychosis: report from the CRIS-FEP study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 931-941.	3.1	4
161	Facing up to social exclusion: services for homeless mentally ill people. <i>International Review of Psychiatry</i> , 2000, 12, 206-211.	2.8	4
162	Mental health crisis information for people with intellectual disabilities. <i>Advances in Mental Health and Intellectual Disabilities</i> , 2013, 7, 135-142.	1.1	3

#	ARTICLE	IF	CITATIONS
163	Continuity of care and mortality in people with schizophrenia. BJPsych Open, 2021, 7, .	0.7	3
164	Conceptualizing participation in the community mental health context: Beginning with the Clubhouse model. International Journal of Qualitative Studies on Health and Well-being, 2021, 16, 1950890.	1.6	3
165	Ethnic Differences in Self-Poisoning Across South London. Crisis, 2014, 35, 268-272.	1.2	3
166	Assertive community treatment for the severely mentally ill in West Lambeth. Advances in Psychiatric Treatment, 1997, 3, 111-118.	0.5	3
167	Maudsley International: improving mental health and well-being around the world. BJPsych International, 2018, 15, 49-51.	1.4	2
168	Changing nursesâ€™ views of the therapeutic environment: randomised controlled trial. BJPsych Open, 2019, 5, e17.	0.7	2
169	Making community based comprehensive mental health services work. Psychiatric Bulletin, 1996, 20, 93-96.	0.3	2
170	Setting up a community support team for the severely mentally ill. Psychiatric Bulletin, 1995, 19, 223-225.	0.3	1
171	There's more than one way to have an impact. Journal of Mental Health, 2004, 13, 345-349.	1.9	1
172	Using research and evaluation to inform the development of early-psychosis service models. , 2009, , 385-404.		1
173	Psychosis, migration and ethnic minority status: a story of inequality, rejection and discrimination. , 0, , 107-116.		1
174	[No Title]. British Journal of Psychiatry, 2016, 209, 349-350.	2.8	0
175	A case for psychosocial interventions to prevent mental illness. BJ Psych Advances, 2019, 25, 333-334.	0.7	0
176	T69. PATHWAYS TO CARE ENCOUNTERS AND DURATION OF UNTREATED PSYCHOSIS IN MINORITY ETHNIC PATIENTS AT FIRST EPISODE OF PSYCHOSIS: A MENTAL HEALTH ELECTRONIC CASE REGISTER STUDY. Schizophrenia Bulletin, 2019, 45, S231-S231.	4.3	0
177	Authorâ€™s reply. British Journal of Psychiatry, 2020, 217, 399-399.	2.8	0
178	Editorial: Design and Implementation of Rehabilitation Interventions for People With Complex Psychosis. Frontiers in Psychiatry, 2021, 12, 698432.	2.6	0
179	WPA Guidance on Mental Health and Mental Health Care in Migrants. Mental Health and Illness Worldwide, 2021, , 1-18.	0.1	0
180	WPA Guidance on Mental Health and Mental Health Care in Migrants. Mental Health and Illness Worldwide, 2021, , 613-630.	0.1	0

#	ARTICLE	IF	CITATIONS
181	Mental health services for ethnic minorities. , 2012, , 1502-1504.		0