
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/787374/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Development and initial validation of the Falls Efficacy Scale-International (FES-I). Age and Ageing, 2005, 34, 614-619.	1.6	1,431
2	The prevalence of vertebral deformity in European men and women: The european vertebral osteoporosis study. Journal of Bone and Mineral Research, 1996, 11, 1010-1018.	2.8	783
3	The Short FES-I: a shortened version of the falls efficacy scale-international to assess fear of falling. Age and Ageing, 2007, 37, 45-50.	1.6	555
4	The development of an individualized questionnaire measure of perceived impact of diabetes on quality of life: the ADDQoL. Quality of Life Research, 1999, 8, 79-91.	3.1	520
5	Systematic review of definitions and methods of measuring falls in randomised controlled fall prevention trials. Age and Ageing, 2006, 35, 5-10.	1.6	377
6	Quality of Life in Patients with Vertebral Fractures: Validation of the Quality of Life Questionnaire of the European Foundation for Osteoporosis (QUALEFFO). Osteoporosis International, 1999, 10, 150-160.	3.1	346
7	Prediction of appropriate timing of palliative care for older adults with non-malignant life-threatening disease: a systematic review. Age and Ageing, 2005, 34, 218-227.	1.6	294
8	Part 1: Home-based family caregiving at the end of life: a comprehensive review of published quantitative research (1998-2008). Palliative Medicine, 2010, 24, 573-593.	3.1	275
9	Place of death and access to home care services: are certain patient groups at a disadvantage?. Social Science and Medicine, 1998, 47, 565-579.	3.8	265
10	Older people's views of advice about falls prevention: a qualitative study. Health Education Research, 2005, 21, 508-517.	1.9	259
11	Number and Type of Vertebral Deformities: Epidemiological Characteristics and Relation to Back Pain and Height Loss. Osteoporosis International, 1999, 9, 206-213.	3.1	257
12	Evaluating complex interventions in End of Life Care: the MORECare Statement on good practice generated by a synthesis of transparent expert consultations and systematic reviews. BMC Medicine, 2013, 11, 111.	5.5	256
13	Determinants of incident vertebral fracture in men and women: results from the European Prospective Osteoporosis Study (EPOS). Osteoporosis International, 2003, 14, 19-26.	3.1	251
14	Part 2: Home-based family caregiving at the end of life: a comprehensive review of published qualitative research (1998-2008). Palliative Medicine, 2010, 24, 594-607.	3.1	243
15	Older People's Views of Falls-Prevention Interventions in Six European Countries. Gerontologist, The, 2006, 46, 650-660.	3.9	239
16	Not another questionnaire! Maximizing the response rate, predicting non-response and assessing non-response bias in postal questionnaire studies of GPs. Family Practice, 2002, 19, 105-111.	1.9	230
17	Patient empowerment: The need to consider it as a measurable patient-reported outcome for chronic conditions. BMC Health Services Research, 2012, 12, 157.	2.2	209
18	Breathlessness in cancer and chronic obstructive pulmonary disease: Using a qualitative approach to describe the experience of patients and carers. Palliative and Supportive Care, 2003, 1, 337-344.	1.0	204

#	Article	IF	CITATIONS
19	Mortality Associated with Vertebral Deformity in Men and Women: Results from the European Prospective Osteoporosis Study (EPOS). Osteoporosis International, 1998, 8, 291-297.	3.1	197
20	Characteristics of a prevalent vertebral deformity predict subsequent vertebral fracture: results from the European Prospective Osteoporosis Study (EPOS). Bone, 2003, 33, 505-513.	2.9	192
21	Development of Prognosis in Palliative care Study (PiPS) predictor models to improve prognostication in advanced cancer: prospective cohort study. BMJ: British Medical Journal, 2011, 343, d4920-d4920.	2.3	192
22	Why are trials in palliative care so difficult?. Palliative Medicine, 2000, 14, 69-74.	3.1	191
23	Incidence of Limb Fracture across Europe: Results from the European Prospective Osteoporosis Study (EPOS). Osteoporosis International, 2002, 13, 565-571.	3.1	191
24	Cross-cultural validation of the Falls Efficacy Scale International (FES-I) in older people: Results from Germany, the Netherlands and the UK were satisfactory. Disability and Rehabilitation, 2007, 29, 155-162.	1.8	188
25	Supporting lay carers in end of life care: current gaps and future priorities. Palliative Medicine, 2009, 23, 339-344.	3.1	179
26	Stress in UK intensive care unit doctors. British Journal of Anaesthesia, 2002, 89, 873-881.	3.4	172
27	Health-related quality of life and radiographic vertebral fracture. Osteoporosis International, 2004, 15, 113-119.	3.1	161
28	Prevalent Vertebral Deformity Predicts Incident Hip though not distal Forearm Fracture: Results from the European Prospective Osteoporosis Study. Osteoporosis International, 2001, 12, 85-90.	3.1	159
29	Is a specialist breathlessness service more effective and cost-effective for patients with advanced cancer and their carers than standard care? Findings of a mixed-method randomised controlled trial. BMC Medicine, 2014, 12, 194.	5.5	155
30	Older adults' perceptions of technologies aimed at falls prevention, detection or monitoring: A systematic review. International Journal of Medical Informatics, 2014, 83, 416-426.	3.3	154
31	Reporting of complex interventions in clinical trials: development of a taxonomy to classify and describe fall-prevention interventions. Trials, 2011, 12, 125.	1.6	151
32	Mobile Health Applications to Promote Active and Healthy Ageing. Sensors, 2017, 17, 622.	3.8	151
33	Recruiting patients into a primary care based study of palliative care: why is it so difficult?. Palliative Medicine, 2004, 18, 452-459.	3.1	146
34	Psychosocial predictors of health-related quality of life and health service utilisation in people with chronic low back pain. Pain, 2008, 135, 142-150.	4.2	141
35	Validation of the Falls Efficacy Scale and Falls Efficacy Scale International in Geriatric Patients with and without Cognitive Impairment: Results of Self-Report and Interview-Based Questionnaires. Gerontology, 2010, 56, 190-199.	2.8	138
36	The Genetic Counseling Outcome Scale: a new patient-reported outcome measure for clinical genetics services. Clinical Genetics, 2011, 79, 413-424.	2.0	135

#	Article	IF	CITATIONS
37	Attitudes and Beliefs That Predict Older People's Intention to Undertake Strength and Balance Training. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2007, 62, P119-P125.	3.9	134
38	Pre-operative Nutrition Support in Patients Undergoing Gastrointestinal Surgery The Cochrane Library, 2012, 11, CD008879.	2.8	131
39	Occupational stress in consultants in accident and emergency medicine: a national survey of levels of stress at work. Emergency Medicine Journal, 2002, 19, 234-238.	1.0	130
40	Sturzerkennung mit am Körper getragenen Sensoren. Zeitschrift Fur Gerontologie Und Geriatrie, 2013, 46, 706-719.	1.8	126
41	Health Impact Associated with Vertebral Deformities: Results from the European Vertebral Osteoporosis Study (EVOS). Osteoporosis International, 1998, 8, 364-372.	3.1	125
42	Definitions and methods of measuring and reporting on injurious falls in randomised controlled fall prevention trials: a systematic review. BMC Medical Research Methodology, 2012, 12, 50.	3.1	124
43	Evaluation of Clinical Practice Guidelines on Fall Prevention and Management for Older Adults. JAMA Network Open, 2021, 4, e2138911.	5.9	121
44	Nutritional status of preoperative colorectal cancer patients. Journal of Human Nutrition and Dietetics, 2010, 23, 402-407.	2.5	119
45	Review of how we should define (and measure) adherence in studies examining older adults' participation in exercise classes. BMJ Open, 2016, 6, e011560.	1.9	119
46	Effectiveness of a Home Care Nursing Program in the Symptom Management of Patients With Colorectal and Breast Cancer Receiving Oral Chemotherapy: A Randomized, Controlled Trial. Journal of Clinical Oncology, 2009, 27, 6191-6198.	1.6	116
47	Validity and Sensitivity to Change of the Falls Efficacy Scales International to Assess Fear of Falling in Older Adults with and without Cognitive Impairment. Gerontology, 2011, 57, 462-472.	2.8	115
48	Reproducibility of a Questionnaire on Risk Factors for Osteoporosis in a Multicentre Prevalence Survey: The European Vertebral Osteoporosis Study. International Journal of Epidemiology, 1994, 23, 559-565.	1.9	113
49	Recommendations for promoting the engagement of older people in activities to prevent falls. Quality and Safety in Health Care, 2007, 16, 230-234.	2.5	113
50	Age and sex influences on fall characteristics Annals of the Rheumatic Diseases, 1994, 53, 773-775.	0.9	112
51	Back pain, disability, and radiographic vertebral fracture in European women: a prospective study. Osteoporosis International, 2004, 15, 760-765.	3.1	106
52	Non-standard management of breast cancer increases with age in the UK: a population based cohort of women ⩾65 years. British Journal of Cancer, 2007, 96, 1197-1203.	6.4	106
53	Patterns of Access to Community Palliative Care Services: A Literature Review. Journal of Pain and Symptom Management, 2009, 37, 884-912.	1.2	99
54	How likely are older people to take up different falls prevention activities?. Preventive Medicine, 2008, 47, 554-558.	3.4	96

#	Article	IF	CITATIONS
55	Psychosocial risk factors for hospital readmission in COPD patients on early discharge services: a cohort study. BMC Pulmonary Medicine, 2011, 11, 49.	2.0	94
56	The clinical and cost effectiveness of a Breathlessness Intervention Service for patients with advanced non-malignant disease and their informal carers: mixed findings of a mixed method randomised controlled trial. Trials, 2016, 17, 185.	1.6	94
57	Low BMD is less predictive than reported falls for future limb fractures in women across Europe: results from the European Prospective Osteoporosis Study. Bone, 2005, 36, 387-398.	2.9	88
58	Multiple Levels of Influence on Older Adults' Attendance and Adherence to Community Exercise Classes. Gerontologist, The, 2014, 54, 599-610.	3.9	88
59	The role of computed tomography in evaluating body composition and the influence of reduced muscle mass on clinical outcome in abdominal malignancy: a systematic review. European Journal of Clinical Nutrition, 2015, 69, 1079-1086.	2.9	87
60	Support needs in the last year of life: patient and carer dilemmas. Palliative Medicine, 1997, 11, 202-208.	3.1	86
61	A randomized controlled trial of a hospital at home service for the terminally ill. Palliative Medicine, 2000, 14, 375-385.	3.1	84
62	Recommendations for managing missing data, attrition and response shift in palliative and end-of-life care research: Part of the MORECare research method guidance on statistical issues. Palliative Medicine, 2013, 27, 899-907.	3.1	80
63	The effectiveness and cost-effectiveness of strength and balance Exergames to reduce falls risk for people aged 55 years and older in UK assisted living facilities: a multi-centre, cluster randomised controlled trial. BMC Medicine, 2019, 17, 49.	5.5	79
64	Risk Factors for Falls in Adults With Rheumatoid Arthritis: A Prospective Study. Arthritis Care and Research, 2013, 65, 1251-1258.	3.4	77
65	Multiple influences on participating in physical activity in older age: Developing a social ecological approach. Health Expectations, 2018, 21, 239-248.	2.6	76
66	Validation of the Falls Efficacy Scale-International in fall-prone older persons. Age and Ageing, 2010, 39, 259-259.	1.6	75
67	Differences in the characteristics of responders and non-responders in a prevalence survey of vertebral osteoporosis. Osteoporosis International, 1995, 5, 327-334.	3.1	74
68	Fall incidence in Germany: results of two population-based studies, and comparison of retrospective and prospective falls data collection methods. BMC Geriatrics, 2014, 14, 105.	2.7	74
69	Older Adults' Uptake and Adherence to Exercise Classes: Instructors' Perspectives. Journal of Aging and Physical Activity, 2016, 24, 119-128.	1.0	71
70	Difficulty of symptom control and general practitioners' knowledge of patients' symptoms. Palliative Medicine, 1997, 11, 399-406.	3.1	70
71	MORECare research methods guidance development: Recommendations for ethical issues in palliative and end-of-life care research. Palliative Medicine, 2013, 27, 908-917.	3.1	68
72	Communication of doubt and certainty in radiological reports British Journal of Radiology, 2000, 73, 999-1001.	2.2	67

#	Article	IF	CITATIONS
73	The FARSEEING real-world fall repository: a large-scale collaborative database to collect and share sensor signals from real-world falls. European Review of Aging and Physical Activity, 2016, 13, 8.	2.9	67
74	Anthropometric Measurements and Vertebral Deformities. American Journal of Epidemiology, 1997, 146, 287-293.	3.4	65
75	The influence of family history of hip fracture on the risk of verterbral deformity in men and women: The European vertebral osteoporosis study. Bone, 1997, 20, 145-149.	2.9	65
76	The influence of alcohol consumption on the risk of vertebral deformity. Osteoporosis International, 1997, 7, 65-71.	3.1	65
77	Caring for the dying: how well prepared are general practitioners? A questionnaire study in Wales. Palliative Medicine, 2003, 17, 27-39.	3.1	65
78	Case studies: A research strategy appropriate for palliative care?. Palliative Medicine, 2004, 18, 677-684.	3.1	65
79	A comprehensive fracture prevention strategy in older adults: The European Union Geriatric Medicine Society (EUGMS) statement. Journal of Nutrition, Health and Aging, 2016, 20, 647-652.	3.3	65
80	Promotion of Physical Activity in Older People Using mHealth and eHealth Technologies: Rapid Review of Reviews. Journal of Medical Internet Research, 2020, 22, e22201.	4.3	65
81	The influence of primary health care professionals in encouraging exercise and physical activity uptake among White and South Asian older adults: Experiences of young older adults. Patient Education and Counseling, 2010, 78, 97-103.	2.2	63
82	Influence of hormonal and reproductive factors on the risk of vertebral deformity in European women. Osteoporosis International, 1997, 7, 72-78.	3.1	62
83	An unblinded randomised controlled trial of preoperative oral supplements in colorectal cancer patients. Journal of Human Nutrition and Dietetics, 2011, 24, 441-448.	2.5	62
84	Empowerment: qualitative underpinning of a new clinical genetics-specific patient-reported outcome. European Journal of Human Genetics, 2011, 19, 125-130.	2.8	62
85	The longitudinal relationship between loneliness, social isolation, and frailty in older adults in England: a prospective analysis. The Lancet Healthy Longevity, 2021, 2, e70-e77.	4.6	62
86	Older women with operable breast cancer are less likely to have surgery. British Journal of Surgery, 2007, 94, 1209-1215.	0.3	61
87	The Selection and Use of Outcome Measures in Palliative and End-of-Life Care Research: The MORECare International Consensus Workshop. Journal of Pain and Symptom Management, 2013, 46, 925-937.	1.2	61
88	The effectiveness and cost-effectiveness of hospital-based specialist palliative care for adults with advanced illness and their caregivers. The Cochrane Library, 2020, 2020, CD012780.	2.8	61
89	Prognosticating in patients with advanced cancer—observational study comparing the accuracy of clinicians' and patients' estimates of survival. Annals of Oncology, 2013, 24, 482-488.	1.2	60
90	Implementing monitoring technologies in care homes for people with dementia: A qualitative exploration using Normalization Process Theory. International Journal of Nursing Studies, 2017, 72, 60-70.	5.6	60

#	Article	IF	CITATIONS
91	Preâ€operative oral nutritional supplementation with dietary advice versus dietary advice alone in weightâ€losing patients with colorectal cancer: singleâ€blind randomized controlled trial. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 437-446.	7.3	60
92	Measuring changes in quality of life following magnetic resonance imaging of the knee: SF-36, EuroQol© or Rosser index?. Quality of Life Research, 1995, 4, 325-334.	3.1	59
93	The Diagnostic and Therapeutic Impact of MRI: an Observational Multi-centre Study. Clinical Radiology, 2000, 55, 825-831.	1.1	57
94	Fall Incidence and Outcomes of Falls in a Prospective Study of Adults With Rheumatoid Arthritis. Arthritis Care and Research, 2013, 65, 737-744.	3.4	56
95	Screening for depression in older medical inpatients. International Journal of Geriatric Psychiatry, 2006, 21, 469-476.	2.7	55
96	The influence of patient and carer age in access to palliative care services. Age and Ageing, 2006, 35, 267-273.	1.6	55
97	What influences referrals within community palliative care services? A qualitative case study. Social Science and Medicine, 2008, 67, 137-146.	3.8	54
98	Which cancer patients are referred to Hospital at Home for palliative care?. Palliative Medicine, 2002, 16, 115-123.	3.1	50
99	Vorschlag für ein Mehrphasensturzmodell auf der Basis von Sturzdokumentationen mit am Körper getragenen Sensoren. Zeitschrift Fur Gerontologie Und Geriatrie, 2012, 45, 707-715.	1.8	50
100	New horizons in falls prevention and management for older adults: a global initiative. Age and Ageing, 2021, 50, 1499-1507.	1.6	50
101	Web Use for Symptom Appraisal of Physical Health Conditions: A Systematic Review. Journal of Medical Internet Research, 2017, 19, e202.	4.3	49
102	Variation in Back Pain Between Countries. Spine, 2004, 29, 1017-1021.	2.0	48
103	Implementation and impact of the Gold Standards Framework in community palliative care: a qualitative study of three primary care trusts. Palliative Medicine, 2008, 22, 736-743.	3.1	48
104	Effectiveness of Non-Pharmacological Interventions to Prevent Falls in Older People: A Systematic Overview. The SENATOR Project ONTOP Series. PLoS ONE, 2016, 11, e0161579.	2.5	48
105	Falls explain between-center differences in the incidence of limb fracture across Europe. Bone, 2002, 31, 712-717.	2.9	47
106	What do community-dwelling Caucasian and South Asian 60-70 year olds think about exercise for fall prevention?. Age and Ageing, 2008, 38, 68-73.	1.6	47
107	Is lack of surgery for older breast cancer patients in the UK explained by patient choice or poor health? A prospective cohort study. British Journal of Cancer, 2014, 110, 573-583.	6.4	47
108	Defining patients as palliative: hospital doctors' versus general practitioners' perceptions. Palliative Medicine, 2002, 16, 247-250.	3.1	46

#	Article	IF	CITATIONS
109	Quality of life measures (EORTC QLQ-C30 and SF-36) as predictors of survival in palliative colorectal and lung cancer patients. Palliative and Supportive Care, 2009, 7, 289-297.	1.0	44
110	Increases in arm volume predict lymphoedema and quality of life deficits after axillary surgery: a prospective cohort study. British Journal of Cancer, 2020, 123, 17-25.	6.4	44
111	The Association Between Orthogeriatric Co-Management and Mortality Following Hip Fracture. Deutsches Ärzteblatt International, 2020, 117, 53-59.	0.9	44
112	Suicide in Primary Affective Disorders Revisited. Journal of Clinical Psychiatry, 2001, 62, 804-811.	2.2	43
113	The â€~right kind' of pain: talking about symptoms in outpatient oncology consultations. Palliative Medicine, 2000, 14, 299-307.	3.1	42
114	Defining Incident Vertebral Deformities in Population Studies: A Comparison of Morphometric Criteria. Osteoporosis International, 2002, 13, 809-815.	3.1	42
115	Six key topics informal carers of patients with breathlessness in advanced disease want to learn about and why: MRC phase I study to inform an educational intervention. PLoS ONE, 2017, 12, e0177081.	2.5	42
116	Implementing behaviour change theory and techniques to increase physical activity and prevent functional decline among adults aged 61–70: The PreventIT project. Progress in Cardiovascular Diseases, 2019, 62, 147-156.	3.1	42
117	The quality of nursing care on wards working eight and twelve hour shifts: a repeated measures study using the MONITOR index of quality of care. International Journal of Nursing Studies, 1989, 26, 359-368.	5.6	41
118	Does location of vertebral deformity within the spine influence back pain and disability?. Annals of the Rheumatic Diseases, 2000, 59, 368-371.	0.9	41
119	Incidence and prevalence of domestic violence in a UK emergency department. Emergency Medicine Journal, 2003, 20, 438-442.	1.0	41
120	Judgements about fellow professionals and the management of patients receiving palliative care in primary care: a qualitative study. British Journal of General Practice, 2008, 58, 264-272.	1.4	41
121	The quantity of nursing care on wards working 8- and 12-hour shifts. International Journal of Nursing Studies, 1993, 30, 403-413.	5.6	40
122	Prevention of Falls Network Europe: a thematic network aimed at introducing good practice in effective falls prevention across Europe. European Journal of Ageing, 2004, 1, 89-94.	2.8	40
123	Does depression predict adverse outcomes for older medical inpatients? A prospective cohort study of individuals screened for a trial. Age and Ageing, 2008, 37, 690-695.	1.6	40
124	Measuring frailty in younger populations: a rapid review of evidence. BMJ Open, 2021, 11, e047051.	1.9	40
125	Controlling Cancer Pain in Primary Care. Journal of Pain and Symptom Management, 2002, 23, 383-392.	1.2	39
126	Self reported health status and magnetic resonance imaging findings in patients with low back pain. European Spine Journal, 1998, 7, 369-375.	2.2	37

CHRIS TODD

#	Article	IF	CITATIONS
127	Can we use mid upper arm anthropometry to detect malnutrition in medical inpatients? A validation study. Journal of Human Nutrition and Dietetics, 2005, 18, 287-294.	2.5	37
128	Attitudes and beliefs to the uptake and maintenance of physical activity among community-dwelling South Asians aged 60–70 years: A qualitative study. Public Health, 2012, 126, 417-423.	2.9	37
129	Care Home Life and Identity: A Qualitative Case Study. Gerontologist, The, 2019, 59, 655-664.	3.9	37
130	Validation of a symptom measure suitable for use among palliative care patients in the community: CAMPAS-R. Journal of Pain and Symptom Management, 2004, 27, 287-299.	1.2	36
131	Conceptualizing a Dynamic Fall Risk Model Including Intrinsic Risks and Exposures. Journal of the American Medical Directors Association, 2017, 18, 921-927.	2.5	35
132	What terminally ill patients value in the support provided by GPs, district and Macmillan nurses. International Journal of Palliative Nursing, 1996, 2, 138-143.	0.5	34
133	Team midwifery: The views and job satisfaction of midwives. Midwifery, 1998, 14, 214-224.	2.3	34
134	Whom to treat? The contribution of vertebral X-rays to risk-based algorithms for fracture prediction. Results from the European Prospective Osteoporosis Study. Osteoporosis International, 2006, 17, 1369-1381.	3.1	34
135	Mixed Methods Research in the Development and Evaluation of Complex Interventions in Palliative and End-of-Life Care: Report on the MORECare Consensus Exercise. Journal of Palliative Medicine, 2013, 16, 1550-1560.	1.1	34
136	Perceived barriers to initiating and maintaining physical activity among South Asian and White British adults in their 60s living in the United Kingdom: a qualitative study. Ethnicity and Health, 2013, 18, 626-645.	2.5	34
137	Factors affecting recruitment to an observational multicentre palliative care study. BMJ Supportive and Palliative Care, 2013, 3, 318-323.	1.6	34
138	Protocol for the PreventIT feasibility randomised controlled trial of a lifestyle-integrated exercise intervention in young older adults. BMJ Open, 2019, 9, e023526.	1.9	34
139	Determinants of the Size of Incident Vertebral Deformities in European Men and Women in the Sixth to Ninth Decades of Age: The European Prospective Osteoporosis Study (EPOS). Journal of Bone and Mineral Research, 2003, 18, 1664-1673.	2.8	33
140	Palliative home parenteral nutrition in patients with ovarian cancer and malignant bowel obstruction: experiences of women and family caregivers. BMC Palliative Care, 2019, 18, 120.	1.8	33
141	The Adapted Lifestyle-Integrated Functional Exercise Program for Preventing Functional Decline in Young Seniors: Development and Initial Evaluation. Gerontology, 2019, 65, 362-374.	2.8	32
142	The causes of falls: views of older people with visual impairment. Health Expectations, 2015, 18, 2021-2031.	2.6	31
143	Supporting Cancer Patients With Palliative Care Needs. Cancer Nursing, 2007, 30, 156-162.	1.5	30
144	Home parenteral nutrition for people with inoperable malignant bowel obstruction. The Cochrane Library, 2018, 8, CD012812.	2.8	30

#	Article	IF	CITATIONS
145	Epidemiology of duodenal ulcer perforation: a study on hospital admissions in Norfolk, United Kingdom. Digestive and Liver Disease, 2002, 34, 322-327.	0.9	29
146	Dietary interventions for adult cancer survivors. The Cochrane Library, 2019, 2019, .	2.8	29
147	Prognostic tools or clinical predictions: Which are better in palliative care?. PLoS ONE, 2021, 16, e0249763.	2.5	29
148	12-hour shifts: job satisfaction of nurses. Journal of Nursing Management, 1993, 1, 215-220.	3.4	28
149	Inter-hospital variations in length of hospital stay following hip fracture. Age and Ageing, 1998, 27, 333-337.	1.6	28
150	Occupational stress in palliative medicine, medical oncology and clinical oncology specialist registrars. Clinical Medicine, 2007, 7, 235-242.	1.9	27
151	A feasibility study to prevent falls in older people who are sight impaired: the VIP2UK randomised controlled trial. Trials, 2016, 17, 464.	1.6	27
152	Efficacy of the Otago Exercise Programme to reduce falls in communityâ€dwelling adults aged 65–80 years old when delivered as group or individual training. Journal of Advanced Nursing, 2018, 74, 1700-1711.	3.3	27
153	Map the apps: a rapid review of digital approaches to support the engagement of older adults in strength and balance exercises. BMC Geriatrics, 2020, 20, 483.	2.7	26
154	Palliative care in primary care: a study to determine whether patients and professionals agree on symptoms. British Journal of General Practice, 2006, 56, 27-34.	1.4	26
155	Socio-demographic factors predict the likelihood of not returning home after hospital admission following a fall. Journal of Public Health, 2010, 32, 117-124.	1.8	25
156	How does mental–physical multimorbidity express itself in lived time and space? A phenomenological analysis of encounters with depression and chronic physical illness. Social Science and Medicine, 2014, 118, 108-118.	3.8	25
157	Development and evaluation of an intervention to support family caregivers of people with cancer to provide home-based care at the end of life: A feasibility study. European Journal of Oncology Nursing, 2015, 19, 154-161.	2.1	25
158	Strategies designed to help healthcare professionals to recruit participants to research studies. The Cochrane Library, 2016, 2016, .	2.8	25
159	An exploration of food and the lived experience of individuals after treatment for colorectal cancer using a phenomenological approach. Journal of Human Nutrition and Dietetics, 2016, 29, 137-145.	2.5	25
160	Smartphone Apps to Support Falls Rehabilitation Exercise: App Development and Usability and Acceptability Study. JMIR MHealth and UHealth, 2020, 8, e15460.	3.7	25
161	Effects of Digital Technologies on Older People's Access to Health and Social Care: Umbrella Review. Journal of Medical Internet Research, 2021, 23, e25887.	4.3	25
162	Continuity of care in maternity services: women's views of one team midwifery scheme. Midwifery, 2000, 16, 35-47.	2.3	24

#	Article	IF	CITATIONS
163	Defining priorities in prognostication research: results of a consensus workshop. Palliative Medicine, 2010, 24, 462-468.	3.1	24
164	Development of a clinical prediction model for the onset of functional decline in people aged 65–75 years: pooled analysis of four European cohort studies. BMC Geriatrics, 2019, 19, 179.	2.7	24
165	Information exchange in oncology outpatient clinics: source, valence and uncertainty. Psycho-Oncology, 2002, 11, 336-345.	2.3	23
166	Development of Prognosis in Palliative care Study (PiPS) predictor models to improve prognostication in advanced cancer: prospective cohort study. BMJ Supportive and Palliative Care, 2015, 5, 390-398.	1.6	23
167	Effectiveness of liaison psychiatric nursing in older medical inpatients with depression: a randomised controlled trial. Age and Ageing, 2007, 36, 436-442.	1.6	22
168	Development of a standard fall data format for signals from body-worn sensors. Zeitschrift Fur Gerontologie Und Geriatrie, 2013, 46, 720-726.	1.8	22
169	Postal Administration Compared with Nurse-Supported Administration of the QUALEFFO-41 in a Population Sample: Comparison of Results and Assessment of Psychometric Properties. Osteoporosis International, 2001, 12, 672-679.	3.1	21
170	Experiences and expectations of the new genetics in relation to familial risk of breast cancer: a comparison of the views of GPs and practice nurses. Family Practice, 2001, 18, 491-494.	1.9	21
171	Moving beyond â€~safety' versus â€~autonomy': a qualitative exploration of the ethics of using monitoring technologies in long-term dementia care. BMC Geriatrics, 2019, 19, 145.	g _{2.7}	21
172	Differences in mortality after fracture of hip. BMJ: British Medical Journal, 1995, 311, 1025-1025.	2.3	21
173	Why are older women not having surgery for breast cancer? A qualitative study. Psycho-Oncology, 2015, 24, 1036-1042.	2.3	20
174	The Role of Web-Based Health Information in Help-Seeking Behavior Prior to a Diagnosis of Lung Cancer: A Mixed-Methods Study. Journal of Medical Internet Research, 2017, 19, e189.	4.3	20
175	Prevalence of Undernutrition, Frailty and Sarcopenia in Community-Dwelling People Aged 50 Years and Above: Systematic Review and Meta-Analysis. Nutrients, 2022, 14, 1537.	4.1	20
176	The 12-hour shift: the views of nurse educators and students. Journal of Advanced Nursing, 1994, 19, 938-946.	3.3	19
177	Measurement properties of the Nottingham Health Profile and Short Form 36 health status measures in a population sample of elderly people living at home: Results from ELPHS. British Journal of Health Psychology, 2000, 5, 217-233.	3.5	19
178	Do postage stamps versus pre-paid envelopes increase responses to patient mail surveys? A randomised controlled trial. BMC Health Services Research, 2008, 8, 113.	2.2	19
179	Falls Prevention and the Value of Exercise. Clinical Nursing Research, 2014, 23, 94-110.	1.6	19
180	Vertebral Scheuermann's disease in Europe: prevalence, geographic variation and radiological correlates in men and women aged 50 and over. Osteoporosis International, 2015, 26, 2509-2519.	3.1	19

#	Article	IF	CITATIONS
181	Rapid systematic review of systematic reviews: what befriending, social support and low intensity psychosocial interventions, delivered remotely, may reduce social isolation and loneliness among older adults and how?. F1000Research, 0, 9, 1368.	1.6	19
182	What are colorectal cancer survivors' preferences for dietary advice? A best-worst discrete choice experiment. Journal of Cancer Survivorship, 2017, 11, 782-790.	2.9	18
183	General Practitioners' Strategies and Tactics of Communication with the Terminally III. Family Practice, 1993, 10, 268-276.	1.9	17
184	Evaluating partnership working: lessons for palliative care. European Journal of Cancer Care, 2007, 16, 48-54.	1.5	17
185	Understanding eating behaviours in Spanish women enrolled in a weightâ€loss treatment. Journal of Clinical Nursing, 2008, 17, 957-966.	3.0	17
186	Communication between general practitioners and patients dying at home. Social Science and Medicine, 1984, 18, 667-672.	3.8	16
187	Educational activities on wards under 12 hour shifts. International Journal of Nursing Studies, 1991, 28, 47-54.	5.6	16
188	Predictors of Hospital Contact by Very Elderly People: A Pilot Study from a Cohort of People aged 75 years and over. Age and Ageing, 1995, 24, 382-388.	1.6	16
189	A description of an intermediate care service using routinely collected data. Journal of Nursing Management, 2002, 10, 221-227.	3.4	15
190	The impact of preventive measures on the burden of femoral fractures – a modelling approach to estimating the impact of fall prevention exercises and oral bisphosphonate treatment for the years 2014 and 2025. BMC Geriatrics, 2016, 16, 75.	2.7	15
191	The Prognosis in Palliative care Study II (PiPS2): A prospective observational validation study of a prognostic tool with an embedded qualitative evaluation. PLoS ONE, 2021, 16, e0249297.	2.5	15
192	Fall frequency and incidence of distal forearm fracture in the UK Journal of Epidemiology and Community Health, 1995, 49, 597-598.	3.7	14
193	The perceived personal control (PPC) questionnaire: Reliability and validity in a sample from the United Kingdom. American Journal of Medical Genetics, Part A, 2012, 158A, 367-372.	1.2	14
194	Measurement of Muscle Mass and Sarcopenia Using Anthropometry, Bioelectrical Impedance, and Computed Tomography in Surgical Patients with Colorectal Malignancy: Comparison of Agreement Between Methods. Nutrition and Cancer, 2020, 72, 1074-1083.	2.0	14
195	A systematic literature review and metaâ€analysis on digital health interventions for people living with dementia and Mild Cognitive Impairment. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	14
196	General practitioners' and district nurses' views of hospital at home for palliative care. Palliative Medicine, 2002, 16, 251-254.	3.1	13
197	Benefits and challenges of collaborative research: lessons from supportive and palliative care. BMJ Supportive and Palliative Care, 2011, 1, 5-11.	1.6	13
198	Clinicians' Views of Educational Interventions for Carers of Patients With Breathlessness Due to Advanced Disease: Findings From an Online Survey. Journal of Pain and Symptom Management, 2017, 53, 265-271.	1.2	13

#	Article	IF	CITATIONS
199	Discharging Women with Advanced Ovarian Cancer on Home Parenteral Nutrition: Making and Implementing the Decision. Nutrients, 2020, 12, 166.	4.1	13
200	Systematic Review of Behaviour Change Theories Implementation in Dietary Interventions for People Who Have Survived Cancer. Nutrients, 2021, 13, 612.	4.1	13
201	A comprehensive fracture prevention strategy in older adults: The European union geriatric medicine society (EUGMS) statement. European Geriatric Medicine, 2016, 7, 519-525.	2.8	12
202	Digital Technology to Deliver a Lifestyle-Integrated Exercise Intervention in Young Seniors—The PreventIT Feasibility Randomized Controlled Trial. Frontiers in Digital Health, 2020, 2, 10.	2.8	12
203	Role ambiguity in general practice: The care of patients dying at home. Social Science and Medicine, 1986, 23, 519-525.	3.8	11
204	Pretreatment health measures and complications after surgical management of elderly women with breast cancer. British Journal of Surgery, 2015, 102, 653-667.	0.3	11
205	Degenerative inter-vertebral disc disease osteochondrosis intervertebralis in Europe: prevalence, geographic variation and radiological correlates in men and women aged 50 and over. Rheumatology, 2017, 56, 1189-1199.	1.9	11
206	Involving Older Adults in Developing Physical Activity Interventions to Promote Engagement: a Literature Review. Journal of Population Ageing, 2020, 13, 325-345.	1.4	11
207	Thoughts on effective falls prevention intervention on a population basis. Zeitschrift Fur Gesundheitswissenschaften, 2005, 13, 196-202.	1.6	10
208	Can Cancer Patients Influence the Pain Agenda in Oncology Outpatient Consultations?. Journal of Pain and Symptom Management, 2010, 39, 268-282.	1.2	10
209	Are the Attitudes of Exercise Instructors Who Work With Older Adults Influenced by Training and Personal Characteristics?. Journal of Aging and Physical Activity, 2012, 20, 47-63.	1.0	10
210	Developing and testing a webâ€based intervention to encourage early helpâ€seeking in people with symptoms associated with lung cancer. British Journal of Health Psychology, 2019, 24, 31-65.	3.5	10
211	Identifying older adults with frailty approaching end-of-life: A systematic review. Palliative Medicine, 2021, 35, 1832-1843.	3.1	10
212	Frailty among Older Adults and Its Distribution in England. Journal of Frailty & Aging,the, 2022, 11, 1-6.	1.3	10
213	Complementary therapists' training and cancer care: A multi-site study. European Journal of Oncology Nursing, 2009, 13, 330-335.	2.1	9
214	Reading from the Black Box: What Sensors Tell Us about Resting and Recovery after Real-World Falls. Gerontology, 2018, 64, 90-95.	2.8	9
215	The Prognosis in Palliative care Study II (PiPS2): study protocol for a multi-centre, prospective, observational, cohort study. BMC Palliative Care, 2018, 17, 101.	1.8	9
216	Prognostic models of survival in patients with advanced incurable cancer: the PiPS2 observational study. Health Technology Assessment, 2021, 25, 1-118.	2.8	9

#	Article	IF	CITATIONS
217	Measurement of Adherence to mHealth Physical Activity Interventions and Exploration of the Factors That Affect the Adherence: Scoping Review and Proposed Framework. Journal of Medical Internet Research, 2022, 24, e30817.	4.3	9
218	Epidemiology of osteoporotic fractures in Europe: Towards biologic mechanisms. Osteoporosis International, 1997, 7, 78-83.	3.1	8
219	Nurses' feelings of 'ownership' of palliative care patients: findings from a qualitative case study. Progress in Palliative Care, 2010, 18, 346-351.	1.2	8
220	Complementary therapies in cancer: Patients' views on their purposes and value pre and post receipt of complementary therapy—A multi-centre case study. European Journal of Integrative Medicine, 2013, 5, 443-449.	1.7	8
221	CARERS AND THE MONITORING OF PSYCHOGERIATRIC COMMUNITY TEAMS. , 1996, 11, 1057-1061.		7
222	When Technical Rationality Fails. Journal of Health Psychology, 1998, 3, 137-148.	2.3	7
223	An evaluation of research capacity building from the Cancer Experiences Collaborative. BMJ Supportive and Palliative Care, 2012, 2, 280-285.	1.6	7
224	Patients' reports or clinicians' assessments: which are better for prognosticating?. BMJ Supportive and Palliative Care, 2012, 2, 219-223.	1.6	7
225	Developing the FARSEEING Taxonomy of Technologies: Classification and description of technology use (including ICT) in falls prevention studies. Journal of Biomedical Informatics, 2016, 61, 132-140.	4.3	7
226	Attitudes Towards Adapted Lifestyle-Integrated Functional Exercise Developed for 60–70-Year-Olds: Perceptions of Participants and Trainers. Gerontology, 2019, 65, 599-609.	2.8	7
227	Can smartphone technology be used to support an effective home exercise intervention to prevent falls amongst community dwelling older adults?: the TOGETHER feasibility RCT study protocol. BMJ Open, 2019, 9, e028100.	1.9	7
228	One-to-One and Group-Based Teleconferencing for Falls Rehabilitation: Usability, Acceptability, and Feasibility Study. JMIR Rehabilitation and Assistive Technologies, 2021, 8, e19690.	2.2	7
229	Rapid systematic review of systematic reviews: what befriending, social support and low intensity psychosocial interventions, delivered remotely, are effective in reducing social isolation and loneliness among older adults? How do they work?. F1000Research, 0, 9, 1368.	1.6	7
230	What matters to people with multiple long-term conditions and their carers?. Postgraduate Medical Journal, 2023, 99, 159-165.	1.8	7
231	WHAT BECOMES OF PEOPLE WITH DEMENTIA REFERRED TO COMMUNITY PSYCHOGERIATRIC TEAMS?. International Journal of Geriatric Psychiatry, 1996, 11, 1051-1056.	2.7	6
232	Working with team midwifery: health visitors' views of one team midwifery scheme. Journal of Advanced Nursing, 1998, 27, 546-552.	3.3	6
233	The quality of English-language websites offering falls-prevention advice to older members of the public and their families. Health Informatics Journal, 2012, 18, 50-65.	2.1	6
234	Dietary interventions for cancer survivors. Proceedings of the Nutrition Society, 2019, 78, 135-145.	1.0	6

#	Article	IF	CITATIONS
235	Perspectives of ESCAPE-Pain Programme for Older People With Knee Osteoarthritis in the Community Setting. Frontiers in Public Health, 2020, 8, 612413.	2.7	6
236	Repressive coping in geriatric patients' reports – Impact on fear of falling. Zeitschrift Fur Gerontologie Und Geriatrie, 2009, 42, 137-144.	1.8	5
237	Home parenteral nutrition for people with inoperable malignant bowel obstruction. The Cochrane Library, 0, , .	2.8	5
238	Association between everyday walking activity, objective and perceived risk of falling in older adults. Age and Ageing, 2021, 50, 1586-1592.	1.6	5
239	Differences between terminally ill patients who know, and those who do not know, that they are dying. Journal of Clinical Psychology, 1986, 42, 287-296.	1.9	4
240	Screening for depression in older people on medical wards: which cutâ€point should we use?. International Journal of Geriatric Psychiatry, 2003, 18, 358-359.	2.7	4
241	The Rheumatoid Arthritis and Falls (RAF) study: a prospective study of fall risk factors in adults with rheumatoid arthritis. Lancet, The, 2013, 381, S103.	13.7	4
242	Dietary interventions for adult cancer survivors. The Cochrane Library, 2014, , .	2.8	4
243	Widening access to online health education for lung cancer. , 2016, , .		4
244	The effectiveness and cost-effectiveness of inpatient specialist palliative care in acute hospitals for adults with advanced illness and their caregivers. The Cochrane Library, 2017, , .	2.8	4
245	A prospective cohort study measuring cost-benefit analysis of the Otago Exercise Programme in community dwelling adults with rheumatoid arthritis. BMC Health Services Research, 2018, 18, 574.	2.2	4
246	Falls. , 2017, , 373-382.		4
247	Effectiveness of diet, psychological, and exercise therapies for the management of bile acid diarrhoea in adults: A systematic review. Journal of Human Nutrition and Dietetics, 2022, 35, 1087-1104.	2.5	4
248	What supports and constrains the implementation of multifactorial falls risk assessment and tailored multifactorial falls prevention interventions in acute hospitals? Protocol for a realist review. BMJ Open, 2021, 11, e049765.	1.9	4
249	The accuracy of clinician predictions of survival in the Prognosis in Palliative care Study II (PiPS2): A prospective observational study. PLoS ONE, 2022, 17, e0267050.	2.5	4
250	Assessing the feasibility of mobilisation of CO–C3 cervical segments to reduce headache in migraineurs. International Journal of Therapy and Rehabilitation, 2018, 25, 382-394.	0.3	3
251	42â€Bittersweet life in the face of loss: the experience of parenteral nutrition for women with ovarian cancer and their relatives. BMJ Supportive and Palliative Care, 2018, 8, 375.2-376.	1.6	2
252	Fear-of-falling and associated risk factors in persons with rheumatoid arthritis: a 1 year prospective study. BMC Musculoskeletal Disorders, 2021, 22, 260.	1.9	2

#	Article	IF	CITATIONS
253	Study recruitment factors in advanced cancer: the Prognosis in Palliative care Study II (PiPS2) - a multicentre, prospective, observational cohort project. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2020-002670.	1.6	2
254	Hospital-based specialist palliative care compared with usual care for adults with advanced illness and their caregivers: a systematic review. Health Services and Delivery Research, 2021, 9, 1-218.	1.4	2
255	Implementation of the <i>StandingTall</i> programme to prevent falls in older people: a process evaluation protocol. BMJ Open, 2021, 11, e048395.	1.9	2
256	Developing a sensing solution to reduce the risk of falls for older people: An interdisciplinary approach. Gerontechnology, 2014, 13, .	0.1	2
257	BSR Poster Session B. Rheumatology, 1993, 32, 108-168.	1.9	1
258	Stress in UK intensive care doctors. British Journal of Anaesthesia, 2004, 92, 151-152.	3.4	1
259	WHAT DO INFORMAL CARERS WANT TO LEARN ABOUT BREATHLESSNESS IN ADVANCED DISEASE AND HOW DO THEY WANT TO LEARN IT?. BMJ Supportive and Palliative Care, 2015, 5, 107.1-107.	1.6	1
260	Home parenteral nutrition for people with inoperable malignant bowel obstruction: a systematic review. Clinical Nutrition, 2018, 37, S74-S75.	5.0	1
261	Healthy Eating and Active Lifestyle After Bowel Cancer (HEAL ABC): feasibility randomised controlled trial protocol. Pilot and Feasibility Studies, 2020, 6, 176.	1.2	1
262	Population-based interventions for preventing falls and fall-related injuries in older people. The Cochrane Library, 0, , .	2.8	1
263	How Do Decision Makers and Service Providers Experience Participatory Approaches to Developing and Implementing Physical Activity Interventions with Older Adults? A Thematic Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 2172.	2.6	1
264	Individualising breast cancer treatment to improve survival and minimise complications in older women: a research programme including the PLACE RCT. Programme Grants for Applied Research, 2019, 7, 1-260.	1.0	1
265	Evaluation of a web-based, tailored intervention to encourage help-seeking for lung cancer symptoms: a randomised controlled trial. Digital Health, 2020, 6, 205520762092238.	1.8	1
266	Quality of life measures (EORTC QLQ-C30 and SF-36) as predictors of survival in palliative colorectal and lung cancer patients - ERRATUM. Palliative and Supportive Care, 2009, 7, 533-533.	1.0	0
267	963â€Use of ict technology & campaigning to accelerate the dissemination of falls prevention evidence across Europe. Injury Prevention, 2016, 22, A342.3-A343.	2.4	0
268	PERCEPTIONS OF EXERGAMES FOR FALLS PREVENTION AMONG SENIORS AND THERAPISTS IN ASSISTED LIVING FACILITIES. Innovation in Aging, 2019, 3, S59-S60.	0.1	0
269	164 Increasing Uptake and Adherence in Falls Prevention Interventions. Age and Ageing, 2019, 48, iv34-iv39.	1.6	Ο
270	Reply to "Comment on: Increases in arm volume predict lymphoedema and quality of life deficits after axillary surgery: a prospective cohort study― British Journal of Cancer, 2021, 124, 1608-1609.	6.4	0

#	Article	IF	CITATIONS
271	Writing a research proposal. , 2007, , 259-274.		Ο
272	Length of hip axis and rate of hip fracture. BMJ: British Medical Journal, 1995, 310, 401-401.	2.3	0
273	The Effectiveness and Cost-Effectiveness of Strength and Balance Exergames to Reduce Falls Risk for Older People in UK Assisted Living Facilities: A Multi-Centre, Cluster Randomised Controlled Trial. SSRN Electronic Journal, 0, , .	0.4	Ο
274	What supports and constrains the implementation of multifactorial falls risk assessment and tailored multifactorial falls prevention interventions in acute hospitals? Protocol for a realist review. BMJ Open, 2021, 11, e049765.	1.9	0
275	Adherence to mHealth and Paper-Based Versions of Lifestyle-Integrated Functional Exercise: A Secondary Analysis of Data From the PreventIT Feasibility Randomized Controlled Trial. Journal of Aging and Physical Activity, 2022, , 1-8.	1.0	0