

# Junjie Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/787820/publications.pdf>

Version: 2024-02-01

87  
papers

1,914  
citations

257450

24  
h-index

276875

41  
g-index

92  
all docs

92  
docs citations

92  
times ranked

971  
citing authors

#	ARTICLE	IF	CITATIONS
1	Subcritical crack growth models for static fatigue of Hi-Nicalon™ SiC fiber in air and steam. Journal of the American Ceramic Society, 2021, 104, 3562-3592.	3.8	7
2	Fully-reversed tension-compression fatigue of 2D and 3D woven polymer matrix composites at elevated temperature. Polymer Testing, 2021, 97, 107179.	4.8	10
3	Creep in interlaminar shear of an Hi-Nicalon/SiC-B4C composite at 1300°C in air and in steam. Journal of Composite Materials, 2020, 54, 1819-1829.	2.4	5
4	Static fatigue of Hi-Nicalon™ SiC fiber at elevated temperature in air, steam, and silicic acid-saturated steam. Journal of the American Ceramic Society, 2020, 103, 1358-1371.	3.8	10
5	Investigation of long-term thermal aging-induced damage in oxide/oxide ceramic matrix composites. Journal of the European Ceramic Society, 2020, 40, 1549-1556.	5.7	18
6	Fatigue of a SiC/SiC ceramic composite with an ytterbium-disilicate environmental barrier coating at elevated temperature*. International Journal of Applied Ceramic Technology, 2020, 17, 2074-2082.	2.1	9
7	Creep of a Nextel™720/alumina ceramic composite containing an array of small holes at 1200°C in air and in steam. International Journal of Applied Ceramic Technology, 2019, 16, 3-13.	2.1	4
8	Fatigue of three advanced SiC/SiC ceramic matrix composites at 1200°C in air and in steam. International Journal of Applied Ceramic Technology, 2018, 15, 3-15.	2.1	47
9	Fatigue of Advanced SiC/SiC Ceramic Matrix Composites at Elevated Temperature in Air and in Steam. , 2018, , .		0
10	Fatigue of unitized polymer/ceramic matrix composites with 2D and 3D fiber architecture at elevated temperature. Polymer Testing, 2018, 72, 244-256.	4.8	9
11	5.7 Mechanical Behavior of Oxide-Oxide Fiber-Reinforced CMCs at Elevated Temperature: Environmental Effects. , 2018, , 174-236.		1
12	Fatigue of 2D and 3D Carbon-Fiber-Reinforced Polymer Matrix Composites and of a Unitized Polymer/Ceramic Matrix Composite at Elevated Temperature. , 2017, , 873-907.		0
13	Testing Advanced SiC Fiber Tows at Elevated Temperature in Silicic Acid-Saturated Steam. , 2017, , .		0
14	Fatigue of a 3D Orthogonal Non-crimp Woven Polymer Matrix Composite at Elevated Temperature. Applied Composite Materials, 2017, 24, 1405-1424.	2.5	13
15	Creep in Interlaminar Shear of an Oxide/Oxide Ceramic-Matrix Composite at Elevated Temperature1. Journal of Engineering for Gas Turbines and Power, 2016, 138, .	1.1	4
16	Mechanical Properties and Fatigue Behavior of 2D Woven PMC and Unitized Composite Airframe Structures at Elevated Temperature. , 2016, , .		0
17	Fatigue behavior of an advanced SiC/SiC ceramic composite with a self-healing matrix at 1300°C in air and in steam. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 677, 438-445.	5.6	59
18	Fatigue of a 2D unitized polymer/ceramic matrix composite at elevated temperature. Polymer Testing, 2016, 54, 203-213.	4.8	4

#	ARTICLE	IF	CITATIONS
19	Tension-compression fatigue of an oxide/oxide ceramic composite at elevated temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 659, 270-277.	5.6	38
20	Tension-Compression Fatigue of a Nextelâ„¢720/alumina Composite at 1200Â°C in Air and in Steam. <i>Applied Composite Materials</i> , 2016, 23, 707-717.	2.5	11
21	Mechanical Properties and Fatigue Behavior of 2D and 3D Woven PMC Airframe Structures at Elevated Temperature. , 2015, , .		0
22	Creep in Interlaminar Shear of an Oxide/Oxide Ceramic Matrix Composite at Elevated Temperature. , 2015, , .		0
23	Effects of environment on creep behavior of three oxideâ€“oxide ceramic matrix composites at 1200Â°C. , 2015, , 315-340.		0
24	Creep behavior in interlaminar shear of a Hi-Nicalon <sup>TM</sup> / SiC-B4C composite at 1200â„ƒC in air and in steam. <i>MATEC Web of Conferences</i> , 2015, 29, 00006.	0.2	0
25	Creep in Interlaminar Shear of a Nextel <sup>â„ƒ</sup> 720/aluminosilicate Composite at 1100Â°C in Air and in Steam. <i>International Journal of Applied Ceramic Technology</i> , 2015, 12, 473-480.	2.1	7
26	Thermo-chemical compatibility of hafnium diboride with yttrium aluminum garnet at 1500Â°C in air. <i>Journal of the European Ceramic Society</i> , 2015, 35, 2437-2444.	5.7	3
27	Creep in Interlaminar Shear of a SiC/SiC Ceramic Matrix Composite at Elevated Temperature. , 2014, , .		0
28	Computational Viscoplasticity Based on Overstress (CVBO) Model. <i>International Journal for Computational Methods in Engineering Science and Mechanics</i> , 2014, 15, 142-157.	2.1	0
29	Creep Behavior in Interlaminar Shear of a SiC/SiC Ceramic Composite with a Self-healing Matrix. <i>Applied Composite Materials</i> , 2014, 21, 213-225.	2.5	13
30	Creep mechanisms and microstructure evolution of Nextelâ„¢ 610 fiber in air and steam. <i>Journal of the European Ceramic Society</i> , 2014, 34, 2413-2426.	5.7	28
31	Creep of polycrystalline yttrium aluminum garnet (YAG) at elevated temperature in air and in steam. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 589, 125-131.	5.6	14
32	Creep behavior in interlaminar shear of a Hi-Nicalonâ„¢/SiCâ€“B4C composite at 1200 Â°C in air and in steam. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 610, 279-289.	5.6	14
33	Creep of Nextel <sup>â„ƒ</sup> 610 Fiber at 1100Â°C in Air and in Steam. <i>International Journal of Applied Ceramic Technology</i> , 2013, 10, 276-284.	2.1	32
34	Creep and microstructure of Nextelâ„¢ 720 fiber at elevated temperature in air and in steam. <i>Acta Materialia</i> , 2013, 61, 6114-6124.	7.9	55
35	Tensionâ€“compression fatigue of a SiC/SiC ceramic matrix composite at 1200Â°C in air and in steam. <i>International Journal of Fatigue</i> , 2013, 47, 154-160.	5.7	55
36	Notch Sensitivity of Fatigue Behavior of a Hi-Nicalonâ„¢/SiC-B4C Composite at 1,200Â°C in Air and in Steam. <i>Applied Composite Materials</i> , 2013, 20, 891-905.	2.5	25

#	ARTICLE	IF	CITATIONS
37	Tension-Compression Fatigue of a SiC/SiC Ceramic Matrix Composite at Elevated Temperature. Journal of Engineering for Gas Turbines and Power, 2012, 134, .	1.1	3
38	The Rate (Time)-Dependent Mechanical Behavior of the PMR-15 Thermoset Polymer at Temperatures in the 274-316°C Range: Experiments and Modeling. Journal of Pressure Vessel Technology, Transactions of the ASME, 2012, 134, .	0.6	3
39	Tension-Compression Fatigue of a SiC/SiC Ceramic Matrix Composite at Elevated Temperature. , 2012, , .		1
40	Fatigue behavior of a Hi-Nicalon <sub>2</sub> /SiC/B <sub>4</sub> C composite at 1200°C in air and in steam. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 534, 119-128.	5.6	57
41	Effects of Steam Environment on Fatigue Behavior of Two SiC/[SiC+Si <sub>3</sub> N <sub>4</sub> ] Ceramic Composites at 1300°C. Applied Composite Materials, 2011, 18, 385-396.	2.5	30
42	Cyclic creep and recovery behavior of Nextel <sub>2</sub> /alumina ceramic composite at 1200°C. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2011, 528, 1848-1856.	5.6	10
43	Effect of frequency and environment on fatigue behavior of a CVI SiC/SiC ceramic matrix composite at 1200°C. Composites Science and Technology, 2011, 71, 190-196.	7.8	106
44	The Rate (Time)-Dependent Mechanical Behavior of the PMR-15 Thermoset Polymer at Temperatures in the 274-316 °C Range: Experiments and Modeling. , 2011, , .		0
45	The Rate (Time)-Dependent Mechanical Behavior of the PMR-15 Thermoset Polymer at 316°C: Experiments and Modeling. Journal of Pressure Vessel Technology, Transactions of the ASME, 2010, 132, .	0.6	2
46	Creep behavior of Nextel <sub>2</sub> /alumina-mullite ceramic composite with ±45° fiber orientation at 1200°C. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2010, 527, 5326-5334.	5.6	23
47	Effects of steam environment on creep behavior of Nextel <sub>2</sub> /alumina-mullite ceramic composite at elevated temperature. Composites Part A: Applied Science and Manufacturing, 2010, 41, 1807-1816.	7.6	25
48	Strain Rate Dependence and Short-Term Relaxation Behavior of a Thermoset Polymer at Elevated Temperature: Experiment and Modeling. Journal of Pressure Vessel Technology, Transactions of the ASME, 2009, 131, .	0.6	20
49	Effects of prior aging at 288°C in air and in argon environments on creep response of PMR-15 neat resin. Journal of Applied Polymer Science, 2009, 111, 228-236.	2.6	14
50	Effects of prior aging at 288°C in argon environment on time-dependent deformation behavior of a thermoset polymer at elevated temperature, part 1: Experiments. Journal of Applied Polymer Science, 2009, 114, 2956-2962.	2.6	1
51	Effects of prior aging at 288°C in argon environment on time-dependent deformation behavior of a thermoset polymer at elevated temperature, Part 2: Modeling with viscoplasticity theory based on overstress. Journal of Applied Polymer Science, 2009, 114, 3389-3395.	2.6	1
52	Effects of Steam Environment on Creep Behavior of Nextel <sub>2</sub> /Monazite/Alumina Composite at 1,100°C. Applied Composite Materials, 2009, 16, 379-392.	2.5	24
53	Creep of Nextel <sub>2</sub> /alumina-mullite ceramic composite at 1200°C in air, argon, and steam†. Composites Science and Technology, 2009, 69, 663-669.	7.8	32
54	Rate Dependence and Short-Term Creep Behavior of a Thermoset Polymer at Elevated Temperature. Journal of Pressure Vessel Technology, Transactions of the ASME, 2009, 131, .	0.6	15

#	ARTICLE	IF	CITATIONS
55	Effects of Environment on Creep Behavior of Nextel™ 720/Alumina-Mullite Ceramic Composite at 1200°C. Ceramic Transactions, 2009, , 193-203.	0.1	0
56	Creep behavior of Nextel™, 720/alumina ceramic composite with ±45° fiber orientation at 1200°C. Composites Science and Technology, 2008, 68, 1588-1595.	7.8	32
57	Creep behavior in interlaminar shear of Nextel™, 720/alumina ceramic composite at elevated temperature in air and in steam. Composites Science and Technology, 2008, 68, 2260-2266.	7.8	28
58	Effects of environment on creep behavior of two oxide/oxide ceramic matrix composites at 1200°C. Journal of Materials Science, 2008, 43, 6734-6746.	3.7	37
59	Some aspects of the mechanical response of BMI 5250 neat resin at 191°C: Experiment and modeling. Journal of Applied Polymer Science, 2008, 107, 1378-1386.	2.6	8
60	The rate (time)-dependent mechanical behavior of the PMR-15 thermoset polymer at elevated temperature. Polymer Testing, 2008, 27, 908-914.	4.8	19
61	Effect of loading rate on the monotonic tensile behavior and tensile strength of an oxide ceramic composite at 1200°C. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 492, 88-94.	5.6	15
62	Effects of frequency and environment on fatigue behavior of an oxide ceramic composite at 1200°C. International Journal of Fatigue, 2008, 30, 502-516.	5.7	34
63	Effects of steam environment on creep behavior of Nextel™, 720/alumina ceramic composite at elevated temperature. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 497, 101-110.	5.6	37
64	Effects of steam environment on compressive creep behavior of Nextel™, 720/Alumina ceramic composite at 1200°C. Composites Part A: Applied Science and Manufacturing, 2008, 39, 1829-1837.	7.6	21
65	Strain Rate Dependence and Short-Term Relaxation Behavior of a Thermoset Polymer at Elevated Temperature: Experiment and Modeling. , 2008, , .		0
66	Influence of hold times on the elevated-temperature fatigue behavior of an oxide ceramic composite in air and in steam environment. Composites Science and Technology, 2007, 67, 1425-1438.	7.8	46
67	Compressive creep behavior of an oxide ceramic composite with monazite fiber coating at elevated temperatures. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 454-455, 590-601.	5.6	21
68	Creep behavior of Nextel™610/Monazite/Alumina composite at elevated temperatures. Composites Science and Technology, 2006, 66, 2089-2099.	7.8	33
69	Effects of steam environment on high-temperature mechanical behavior of Nextel™720/alumina (N720/A) continuous fiber ceramic composite. Composites Part A: Applied Science and Manufacturing, 2006, 37, 2029-2040.	7.6	55
70	Introduction to carbon nanotube and nanofiber smart materials. Composites Part B: Engineering, 2006, 37, 382-394.	12.0	348
71	Creep Behavior of Nextel™, 610/Monazite/Alumina Composite at Elevated Temperatures. , 2005, , .		0
72	Low-energy impact effects on candidate automotive structural composites. Composites Science and Technology, 2003, 63, 755-769.	7.8	21

#	ARTICLE	IF	CITATIONS
73	Short-term static and cyclic behavior of two automotive carbon-fiber composites. Composites Part A: Applied Science and Manufacturing, 2003, 34, 731-741.	7.6	9
74	Creep of Polymer Matrix Composites. II: Monkman-Grant Failure Relationship for Transverse Isotropy. Journal of Engineering Mechanics - ASCE, 2003, 129, 318-323.	2.9	8
75	Creep of Polymer Matrix Composites. I: Norton/Bailey Creep Law for Transverse Isotropy. Journal of Engineering Mechanics - ASCE, 2003, 129, 310-317.	2.9	18
76	Durability-based design criteria for a chopped-glass-fiber automotive structural composite. Composites Science and Technology, 2001, 61, 1083-1095.	7.8	35
77	Experimental investigation of uniaxial and biaxial rate-dependent behavior of a discontinuous metal-matrix composite at 538 Å°C. Composites Science and Technology, 1997, 57, 307-318.	7.8	4
78	The rate-dependent mechanical behavior of modified 9wt.%Cr-1wt.%Mo steel at 538 Å°C. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1994, 186, 15-21.	5.6	13
79	Flaw Assessment Procedure for High-Temperature Reactor Components. Journal of Pressure Vessel Technology, Transactions of the ASME, 1992, 114, 166-170.	0.6	22
80	Rate Sensitivity and Short-Term Relaxation Behavior of AISI Type 304 Stainless Steel at Room Temperature and at 650Å°C; Influence of Prior Aging. Journal of Pressure Vessel Technology, Transactions of the ASME, 1991, 113, 385-391.	0.6	9
81	The interaction of cyclic hardening and ratchetting for AISI type 304 stainless steel at room temperatureâ€”I. Experiments. Journal of the Mechanics and Physics of Solids, 1990, 38, 575-585.	4.8	56
82	The interaction of cyclic hardening and ratchetting for AISI type 304 stainless steel at room temperatureâ€”II. Modeling with the viscoplasticity theory based on overstress. Journal of the Mechanics and Physics of Solids, 1990, 38, 587-597.	4.8	20
83	The Influence of Test Temperature on the Ratchetting Behavior of Type 304 Stainless Steel. Journal of Engineering Materials and Technology, Transactions of the ASME, 1989, 111, 378-383.	1.4	65
84	Elastic-Plastic Analyses of Surface Flaws in a Reactor Vessel. Journal of Pressure Vessel Technology, Transactions of the ASME, 1984, 106, 247-254.	0.6	9
85	Elastic-plastic analysis of small defectsâ€”voids and inclusions. Engineering Fracture Mechanics, 1984, 20, 1-10.	4.3	24
86	Effects of Temperature and Steam Environment on Creep Behavior of an Oxide-Oxide Ceramic Composite. Ceramic Engineering and Science Proceedings, 0, , 151-166.	0.1	0
87	To drill or not to drill? Creep of an oxideâ€”oxide composite with diamondâ€”drilled effusion holes at elevated temperature. International Journal of Applied Ceramic Technology, 0, , .	2.1	1