

Francisco J Lopez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7887922/publications.pdf>

Version: 2024-02-01

123
papers

5,409
citations

66343
42
h-index

95266
68
g-index

124
all docs

124
docs citations

124
times ranked

4754
citing authors

#	ARTICLE	IF	CITATIONS
1	Removal efficiency for emerging contaminants in a WWTP from Madrid (Spain) after secondary and tertiary treatment and environmental impact on the Manzanares River. <i>Science of the Total Environment</i> , 2022, 812, 152567.	8.0	42
2	Chromatography hyphenated to high resolution mass spectrometry in untargeted metabolomics for investigation of food (bio)markers. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 135, 116161.	11.4	52
3	Stimulus–response learning and expected reward value enhance stimulus cognitive processing: An ERP study. <i>Psychophysiology</i> , 2021, 58, e13795.	2.4	4
4	Occurrence of pharmaceutical metabolites and transformation products in the aquatic environment of the Mediterranean area. <i>Trends in Environmental Analytical Chemistry</i> , 2021, 29, e00118.	10.3	21
5	Limitations of occasional reinforced extinction to alleviate spontaneous recovery and reinstatement effects: Evidence for a trial-signalling mechanism. <i>Quarterly Journal of Experimental Psychology</i> , 2021, , 174702182110434.	1.1	1
6	The relevant role of ion mobility separation in LC-HRMS based screening strategies for contaminants of emerging concern in the aquatic environment. <i>Chemosphere</i> , 2021, 280, 130799.	8.2	23
7	Ultra-Performance Liquid Chromatography-Ion Mobility Separation-Quadrupole Time-of-Flight MS (UHPLC-IMS-QTOF MS) Metabolomics for Short-Term Biomarker Discovery of Orange Intake: A Randomized, Controlled Crossover Study. <i>Nutrients</i> , 2020, 12, 1916.	4.1	14
8	The role of analytical chemistry in exposure science: Focus on the aquatic environment. <i>Chemosphere</i> , 2019, 222, 564-583.	8.2	87
9	Study of cyanotoxin degradation and evaluation of their transformation products in surface waters by LC-QTOF MS. <i>Chemosphere</i> , 2019, 229, 538-548.	8.2	21
10	Monitoring new psychoactive substances use through wastewater analysis: current situation, challenges and limitations. <i>Current Opinion in Environmental Science and Health</i> , 2019, 9, 1-12.	4.1	36
11	Intolerance of uncertainty as a vulnerability factor for excessive and inflexible avoidance behavior. <i>Behaviour Research and Therapy</i> , 2018, 104, 34-43.	3.1	74
12	Development of a Retention Time Interpolation scale (RTi) for liquid chromatography coupled to mass spectrometry in both positive and negative ionization modes. <i>Journal of Chromatography A</i> , 2018, 1568, 101-107.	3.7	11
13	Monitoring pharmaceuticals and personal care products in reservoir water used for drinking water supply. <i>Environmental Science and Pollution Research</i> , 2017, 24, 7335-7347.	5.3	53
14	Slower reacquisition after partial extinction in human contingency learning.. <i>Journal of Experimental Psychology: Learning Memory and Cognition</i> , 2017, 43, 81-93.	0.9	5
15	Testing the controllability of contextual cuing of visual search. <i>Scientific Reports</i> , 2017, 7, 39645.	3.3	5
16	Previously acquired cue–outcome structural knowledge guides new learning: Evidence from the retroactive-interference-between-cues effect. <i>Memory and Cognition</i> , 2017, 45, 916-931.	1.6	1
17	Rapid Top-Down Control of Behavior Due to Propositional Knowledge in Human Associative Learning. <i>PLoS ONE</i> , 2016, 11, e0167115.	2.5	4
18	Comprehensive monitoring of organic micro-pollutants in surface and groundwater in the surrounding of a solid-waste treatment plant of Castellón, Spain. <i>Science of the Total Environment</i> , 2016, 548-549, 211-220.	8.0	67

#	ARTICLE	IF	CITATIONS
19	Analytical strategy based on the combination of gas chromatography coupled to time-of-flight and hybrid quadrupole time-of-flight mass analyzers for non-target analysis in food packaging. Food Chemistry, 2015, 188, 301-308.	8.2	39
20	Advancing towards universal screening for organic pollutants in waters. Journal of Hazardous Materials, 2015, 282, 86-95.	12.4	125
21	Associative repetition priming as a measure of human contingency learning: Evidence of forward and backward blocking.. Journal of Experimental Psychology: General, 2014, 143, 77-93.	2.1	19
22	Detecting fast, online reasoning processes in clinical decision making.. Psychological Assessment, 2014, 26, 660-665.	1.5	8
23	Validation of a qualitative screening method for pesticides in fruits and vegetables by gas chromatography quadrupole-time of flight mass spectrometry with atmospheric pressure chemical ionization. Analytica Chimica Acta, 2014, 838, 76-85.	5.4	58
24	Screening and quantification of pesticide residues in fruits and vegetables making use of gas chromatography-quadrupole time-of-flight mass spectrometry with atmospheric pressure chemical ionization. Analytical and Bioanalytical Chemistry, 2014, 406, 6843-6855.	3.7	44
25	Determination of methylisothiocyanate in soil and water by HS-SPME followed by GC-MS-MS with a triple quadrupole. Analytical and Bioanalytical Chemistry, 2014, 406, 5271-5282.	3.7	12
26	Determination of 17 β -estradiol and 17 α -ethinylestradiol in water at sub-ppt levels by liquid chromatography coupled to tandem mass spectrometry. Analytical Methods, 2014, 6, 5028.	2.7	25
27	The influence of causal connections between symptoms on the diagnosis of mental disorders: Evidence from online and offline measures.. Journal of Experimental Psychology: Applied, 2014, 20, 175-190.	1.2	8
28	Application of Fast Gas Chromatography-Mass Spectrometry in Combination with the QuEChERS Method for the Determination of Pesticide Residues in Fruits and Vegetables. Food Analytical Methods, 2013, 6, 1170-1187.	2.6	20
29	Renewal effects in interference between outcomes as measured by a cued response reaction time task: Further evidence for associative retrieval models.. Journal of Experimental Psychology, 2013, 39, 299-310.	1.7	4
30	The role of outcome inhibition in interference between outcomes: A contingency-learning analogue of retrieval-induced forgetting. British Journal of Psychology, 2013, 104, 167-180.	2.3	6
31	Interference between outcomes, spontaneous recovery, and context effects as measured by a cued response reaction time task: Evidence for associative retrieval models.. Journal of Experimental Psychology, 2012, 38, 419-432.	1.7	8
32	Optimisation and validation of a specific analytical method for the determination of thiram residues in fruits and vegetables by LC-MS/MS. Food Chemistry, 2012, 135, 186-192.	8.2	45
33	Liquid chromatography coupled to tandem mass spectrometry for the residue determination of ethylenethiourea (ETU) and propylenethiourea (PTU) in water. Journal of Chromatography A, 2012, 1243, 53-61.	3.7	18
34	Analytical study on ethephon residue determination in water by ion-pairing liquid chromatography/tandem mass spectrometry. International Journal of Environmental Analytical Chemistry, 2011, 91, 1380-1391.	3.3	5
35	Determination of volatile organic compounds in water by headspace solid-phase microextraction gas chromatography coupled to tandem mass spectrometry with triple quadrupole analyzer. Analytica Chimica Acta, 2011, 704, 87-97.	5.4	40
36	Determination of eight nitrosamines in water at the ng L ⁻¹ levels by liquid chromatography coupled to atmospheric pressure chemical ionization tandem mass spectrometry. Analytica Chimica Acta, 2011, 702, 62-71.	5.4	71

#	ARTICLE	IF	CITATIONS
37	Development and validation of a rapid and wide-scope qualitative screening method for detection and identification of organic pollutants in natural water and wastewater by gas chromatography time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 303-315.	3.7	72
38	Use of soft and hard ionization techniques for elucidation of unknown compounds by gas chromatography/time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 1589-1599.	1.5	28
39	Gas chromatography coupled to high-resolution time-of-flight mass spectrometry to analyze trace-level organic compounds in the environment, food safety and toxicology. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 388-400.	11.4	130
40	Bioaccumulation of Polycyclic Aromatic Hydrocarbons in Gilthead Sea Bream (<i>Sparus aurata</i> L.) Exposed to Long Term Feeding Trials with Different Experimental Diets. <i>Archives of Environmental Contamination and Toxicology</i> , 2010, 59, 137-146.	4.1	34
41	Searching for anthropogenic contaminants in human breast adipose tissues using gas chromatography/time-of-flight mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2009, 44, 1-11.	1.6	49
42	GC-MS/MS multi-residue method for the determination of organochlorine pesticides, polychlorinated biphenyls and polybrominated diphenyl ethers in human breast tissues. <i>Journal of Separation Science</i> , 2009, 32, 2090-2102.	2.5	40
43	Seasonal Trends and Tissue Distribution of Organochlorine Pollutants in Wild and Farmed Gilthead Sea Bream (<i>Sparus aurata</i>) from the Western Mediterranean Sea and Their Relationship with Environmental and Biological Factors. <i>Archives of Environmental Contamination and Toxicology</i> , 2009, 57, 133-144.	4.1	13
44	Determination of sub-ppb epichlorohydrin levels in water by on-line solid-phase extraction liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 1841-1848.	1.5	8
45	Application of ultra-high-pressure liquid chromatography/tandem mass spectrometry to the determination of multi-class pesticides in environmental and wastewater samples. <i>Journal of Chromatography A</i> , 2009, 1216, 1410-1420.	3.7	138
46	Interference between cues of the same outcome in a non-causally framed scenario. <i>Behavioural Processes</i> , 2009, 81, 328-332.	1.1	10
47	Effects of fish oil replacement and re-feeding on the bioaccumulation of organochlorine compounds in gilthead sea bream (<i>Sparus aurata</i> L.) of market size. <i>Chemosphere</i> , 2009, 76, 811-817.	8.2	23
48	Combined Use of GC-TOF MS and UHPLC-(Q)TOF MS To Investigate the Presence of Nontarget Pollutants and Their Metabolites in a Case of Honeybee Poisoning. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 4079-4090.	5.2	40
49	Determination of PBDEs in human breast adipose tissues by gas chromatography coupled with triple quadrupole mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 1343-1354.	3.7	27
50	Interference between cues requires a causal scenario: Favorable evidence for causal reasoning models in learning processes. <i>Learning and Motivation</i> , 2008, 39, 196-208.	1.2	11
51	Maternal transfer of organochlorine compounds to oocytes in wild and farmed gilthead sea bream (<i>Sparus aurata</i>). <i>Chemosphere</i> , 2008, 70, 561-566.	8.2	27
52	Biomagnification of organochlorine pollutants in farmed and wild gilthead sea bream (<i>Sparus aurata</i>) and stable isotope characterization of the trophic chains. <i>Science of the Total Environment</i> , 2008, 389, 340-349.	8.0	26
53	Pesticide residues and transformation products in groundwater from a Spanish agricultural region on the Mediterranean Coast. <i>International Journal of Environmental Analytical Chemistry</i> , 2008, 88, 409-424.	3.3	39
54	Quantification and confirmation of priority organic micropollutants in water by LC-tandem mass spectrometry. <i>International Journal of Environmental Analytical Chemistry</i> , 2007, 87, 237-248.	3.3	9

#	ARTICLE	IF	CITATIONS
55	Target and Nontarget Screening of Organic Micropollutants in Water by Solid-Phase Microextraction Combined with Gas Chromatography/High-Resolution Time-of-Flight Mass Spectrometry. <i>Analytical Chemistry</i> , 2007, 79, 9494-9504.	6.5	97
56	Interference between cues of the same outcome depends on the causal interpretation of the events. <i>Quarterly Journal of Experimental Psychology</i> , 2007, 60, 369-386.	1.1	15
57	Methodical approach for the use of GC-TOF MS for screening and confirmation of organic pollutants in environmental water. <i>Journal of Mass Spectrometry</i> , 2007, 42, 1175-1185.	1.6	37
58	Determination of priority organic micro-pollutants in water by gas chromatography coupled to triple quadrupole mass spectrometry. <i>Analytica Chimica Acta</i> , 2007, 583, 246-258.	5.4	115
59	Re-evaluation of glyphosate determination in water by liquid chromatography coupled to electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1134, 51-55.	3.7	115
60	Quantification and confirmation of anionic, cationic and neutral pesticides and transformation products in water by on-line solid phase extraction-liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1133, 204-214.	3.7	51
61	Comparison of two quantitative GC-MS methods for analysis of tomato aroma based on purge-and-trap and on solid-phase microextraction. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 385, 1255-1264.	3.7	41
62	Study of different atmospheric-pressure interfaces for LC-MS/MS determination of acrylamide in water at sub-ppb levels. <i>Journal of Mass Spectrometry</i> , 2006, 41, 1041-1048.	1.6	27
63	Residue levels of captan and trichlorfon in field-treated kaki fruits, individual versus composite samples, and after household processing. <i>Food Additives and Contaminants</i> , 2006, 23, 591-600.	2.0	7
64	Strategies for quantification and confirmation of multi-class polar pesticides and transformation products in water by LC-MS2 using triple quadrupole and hybrid quadrupole time-of-flight analyzers. <i>TrAC - Trends in Analytical Chemistry</i> , 2005, 24, 596-612.	11.4	153
65	Residue determination of glyphosate, glufosinate and aminomethylphosphonic acid in water and soil samples by liquid chromatography coupled to electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2005, 1081, 145-155.	3.7	213
66	Associative and causal reasoning accounts of causal induction: Symmetries and asymmetries in predictive and diagnostic inferences. <i>Memory and Cognition</i> , 2005, 33, 1388-1398.	1.6	59
67	Application of solid phase microextraction for the determination of soil fumigants in water and soil samples. <i>Journal of Separation Science</i> , 2005, 28, 98-103.	2.5	20
68	Potential of Gas Chromatography Coupled To Triple Quadrupole Mass Spectrometry for Quantification and Confirmation of Organohalogen Xenoestrogen Compounds in Human Breast Tissues. <i>Analytical Chemistry</i> , 2005, 77, 7662-7672.	6.5	39
69	Determination of tridemorph and other fungicide residues in fruit samples by liquid chromatography-electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2004, 1045, 137-143.	3.7	50
70	Determination of fungicide residues in fruits by coupled-column liquid chromatography. <i>Journal of Separation Science</i> , 2004, 27, 645-652.	2.5	14
71	Rapid multiresidue determination of organochlorine and organophosphorus compounds in human serum by solid-phase extraction and gas chromatography coupled to tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 376, 189-197.	3.7	58
72	Application of solid-phase microextraction for the determination of pyrethroid residues in vegetable samples by GC-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 376, 502-511.	3.7	80

#	ARTICLE	IF	CITATIONS
73	Mechanisms of predictive and diagnostic causal induction.. Journal of Experimental Psychology, 2002, 28, 331-346.	1.7	27
74	Bioaccumulation of Chlorpyrifos Through an Experimental Food Chain: Study of Protein HSP70 as Biomarker of Sublethal Stress in Fish. Archives of Environmental Contamination and Toxicology, 2002, 42, 229-235.	4.1	93
75	Different quantitation approaches for xenobiotics in human urine samples by liquid chromatography/electrospray tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2002, 16, 639-645.	1.5	67
76	Headspace solid-phase microextraction in combination with gas chromatography and tandem mass spectrometry for the determination of organochlorine and organophosphorus pesticides in whole human blood. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2002, 769, 65-77.	2.3	62
77	Multiresidue determination of organophosphorus and organochlorine pesticides in human biological fluids by capillary gas chromatography. Fresenius' Journal of Analytical Chemistry, 2001, 369, 502-509.	1.5	20
78	Gas chromatographic determination of selected pesticides in human serum by head-space solid-phase microextraction. Chromatographia, 2001, 54, 757-763.	1.3	21
79	Gas chromatographic determination of organochlorine and organophosphorus pesticides in human fluids using solid phase microextraction. Analytica Chimica Acta, 2001, 433, 217-226.	5.4	87
80	Simultaneous determination of arsenic species and chromium(VI) by high-performance liquid chromatographyâ€“inductively coupled plasma-mass spectrometry. Journal of Chromatography A, 2001, 912, 319-327.	3.7	82
81	Multielemental determination of arsenic, selenium and chromium(VI) species in water by high-performance liquid chromatographyâ€“inductively coupled plasma mass spectrometry. Journal of Chromatography A, 2001, 926, 265-274.	3.7	121
82	Solid-phase microextraction in pesticide residue analysis. Journal of Chromatography A, 2000, 885, 389-404.	3.7	273
83	Persistent Organochlorines and Organophosphorus Compounds and Heavy Elements in Common Whale (Balaenoptera physalus) from the Western Mediterranean Sea. Marine Pollution Bulletin, 2000, 40, 426-433.	5.0	33
84	Toxicity and Bioconcentration of Chlorpyrifos in Aquatic Organisms: Artemia parthenogenetica (Crustacea), Gambusia affinis , and Aphanius iberus (Pisces). Bulletin of Environmental Contamination and Toxicology, 2000, 65, 623-630.	2.7	16
85	Toxicity and Bioconcentration of Chlorpyrifos in Aquatic Organisms: Artemia parthenogenetica(Crustacea), Gambusia affinis, and Aphanius iberus (Pisces). Bulletin of Environmental Contamination and Toxicology, 2000, 65, 623-630.	2.7	19
86	Multiresidue procedures for determination of triazine and organophosphorus pesticides in water by use of large-volume PTV injection in gas chromatography. Chromatographia, 2000, 51, 362-368.	1.3	15
87	Does the type of judgement required modulate cue competition?. Quarterly Journal of Experimental Psychology Section B: Comparative and Physiological Psychology, 2000, 53, 193-207.	2.8	17
88	Use of Solid-Phase Microextraction for the Quantitative Determination of Herbicides in Soil and Water Samples. Analytical Chemistry, 2000, 72, 2313-2322.	6.5	167
89	Multiresidue determination of persistent organochlorine and organophosphorus compounds in whale tissues using automated liquid chromatographic clean up and gas chromatographicâ€“mass spectrometric detection. Journal of Chromatography A, 1999, 855, 633-643.	3.7	17
90	Automated sample clean-up procedure for organophosphorus pesticides in several aquatic organisms using normal phase liquid chromatography. Analytica Chimica Acta, 1998, 374, 215-229.	5.4	21

#	ARTICLE	IF	CITATIONS
91	Solid-phase microextraction for quantitative analysis of organophosphorus pesticides in environmental water samples. <i>Journal of Chromatography A</i> , 1998, 808, 257-263.	3.7	130
92	Comparison of simplified methods for pesticide residue analysis. <i>Journal of Chromatography A</i> , 1998, 823, 25-33.	3.7	35
93	Automated determination of phenylcarbamate herbicides in environmental waters by on-line trace enrichment and reversed-phase liquid chromatography-diode array detection. <i>Journal of Chromatography A</i> , 1998, 823, 121-128.	3.7	19
94	Acute Lethal Toxicity of the Organophosphorus Pesticide Chlorpyrifos to Different Species and Strains of <i>Artemia</i> . <i>Bulletin of Environmental Contamination and Toxicology</i> , 1998, 61, 778-785.	2.7	29
95	Experimental Approach for Pesticide Mobility Studies in the Unsaturated Zone. <i>International Journal of Environmental Analytical Chemistry</i> , 1998, 71, 87-103.	3.3	11
96	Coupled-Column Liquid Chromatography Applied to the Trace-Level Determination of Triazine Herbicides and Some of Their Metabolites in Water Samples. <i>Analytical Chemistry</i> , 1998, 70, 3322-3328.	6.5	81
97	Effects of trial order on contingency judgments: A comparison of associative and probabilistic contrast accounts.. <i>Journal of Experimental Psychology: Learning Memory and Cognition</i> , 1998, 24, 672-694.	0.9	92
98	An assessment of heavy metals and boron contamination in workplace atmospheres from ceramic factories. <i>Science of the Total Environment</i> , 1997, 201, 225-234.	8.0	13
99	Determination of triazine herbicides by capillary gas chromatography with large-volume on-column injection. <i>Chromatographia</i> , 1997, 44, 274-278.	1.3	21
100	Bioconcentration of Chlorpyrifos, Chlorfenvinphos, and Methidathion in <i>Mytilus galloprovincialis</i> . <i>Bulletin of Environmental Contamination and Toxicology</i> , 1997, 59, 968-975.	2.7	35
101	Bioconcentration and Depuration of Chlorpyrifos in the Marine Mollusc <i>Mytilus edulis</i> . <i>Archives of Environmental Contamination and Toxicology</i> , 1997, 33, 47-52.	4.1	22
102	Automated sample clean-up and fractionation of chlorpyrifos, chlorpyrifos-methyl and metabolites in mussels using normal-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1997, 778, 151-160.	3.7	29
103	New method for the rapid determination of triazine herbicides and some of their main metabolites in water by using coupled-column liquid chromatography and large volume injection. <i>Journal of Chromatography A</i> , 1997, 778, 171-181.	3.7	27
104	Microextraction procedures combined with large volume injection in capillary gas chromatography for the determination of pesticide residues in environmental aqueous samples. <i>Analytica Chimica Acta</i> , 1997, 356, 125-133.	5.4	32
105	Comparison of Cleanup Techniques for Simple Method for Analysis of Selected Organophosphorus Pesticide Residues in Molluscs. <i>Journal of AOAC INTERNATIONAL</i> , 1996, 79, 123-131.	1.5	7
106	Distinguishing Associative and Probabilistic Contrast Theories of Human Contingency Judgment. <i>Psychology of Learning and Motivation - Advances in Research and Theory</i> , 1996, , 265-311.	1.1	52
107	Rapid Determination of Glyphosate Residues and Its Main Metabolite Ampa in Soil Samples by Liquid Chromatography. <i>International Journal of Environmental Analytical Chemistry</i> , 1996, 62, 53-63.	3.3	38
108	Causal order does not affect cue selection in human associative learning. <i>Memory and Cognition</i> , 1996, 24, 511-522.	1.6	56

#	ARTICLE	IF	CITATIONS
109	Application of the Azomethine-H method to the determination of boron in workplace atmospheres from ceramic factories. Fresenius' Journal of Analytical Chemistry, 1996, 356, 103-106.	1.5	5
110	Rapid determination of glufosinate, glyphosate and aminomethylphosphonic acid in environmental water samples using precolumn fluorogenic labeling and coupled-column liquid chromatography. Journal of Chromatography A, 1996, 737, 75-83.	3.7	102
111	Study of Sorption Processes of Selected Pesticides on Soils and Ceramic Porous Cups used For Soil Solution Sampling. International Journal of Environmental Analytical Chemistry, 1995, 58, 287-303.	3.3	18
112	Cadmium and nickel accumulation in rice plants. Effects on mineral nutrition and possible interactions of abscisic and gibberellic acids. Plant Growth Regulation, 1994, 14, 151-157.	3.4	143
113	Rapid determination of glufosinate in environmental water samples using 9-fluorenylmethoxycarbonyl precolumn derivatization, large-volume injection and coupled-column liquid chromatography. Journal of Chromatography A, 1994, 678, 59-67.	3.7	48
114	Trends in the bio availability of heavy metals and variations of fish catches in the western Mediterranean sea (Castellon coast, Spain). Toxicological and Environmental Chemistry, 1994, 42, 215-226.	1.2	2
115	Solid-phase extraction of pesticide residues from ground water: comparison between extraction cartridges and extraction discs. Analytica Chimica Acta, 1993, 283, 297-303.	5.4	56
116	Multi-residue procedure for the analysis of pesticides in groundwater: Application to samples from the comunidad Valenciana, Spain. Chromatographia, 1993, 37, 303-312.	1.3	36
117	Analytical study on the determination of boron in environmental water samples. Fresenius' Journal of Analytical Chemistry, 1993, 346, 984-987.	1.5	55
118	Organochlorine pesticides in marine organisms from the Castellón and Valencia coasts of Spain. Marine Pollution Bulletin, 1988, 19, 235-238.	5.0	18
119	Kinetic-fluorimetric study of the activator effect of zirconium(IV) on the air oxidation of morin catalysed by manganese(II). Analyst, The, 1988, 113, 437-442.	3.5	2
120	Study of the fluorescence of the lead-morin system in the presence of non-ionic surfactants. Analyst, The, 1986, 111, 235.	3.5	18
121	Kinetic-fluorimetric study of the catalytic effect of manganese(II) on the air oxidation of morin. Analyst, The, 1986, 111, 1325-1330.	3.5	9
122	Gas chromatographic determination of organochlorine pesticides; contamination of dicofol, fenfen, and tetradifon in fish and natural waters of a wet area beside the Mediterranean sea. Bulletin of Environmental Contamination and Toxicology, 1986, 36, 211-218.	2.7	11
123	Kinetic-fluorimetric determination of copper(II), based on its catalytic effect on the oxidation of morin with hydrogen peroxide. Analyst, The, 1985, 110, 1457-1461.	3.5	6