

Ian Kelleher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7891636/publications.pdf>

Version: 2024-02-01

72
papers

4,635
citations

159585

30
h-index

106344

65
g-index

74
all docs

74
docs citations

74
times ranked

4166
citing authors

#	ARTICLE	IF	CITATIONS
1	A Population-Based Analysis of Interpersonal Trauma, Psychosis, and Suicide: Evidence, Pathways, and Implications. <i>Journal of Interpersonal Violence</i> , 2022, 37, 912-934.	2.0	4
2	Systematic Review and Meta-analysis: Psychosis Risk in Children and Adolescents With an At-Risk Mental State. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, 61, 615-625.	0.5	22
3	Sexual assault and psychosis in two large general population samples: Is childhood and adolescence a developmental window of sensitivity?. <i>Schizophrenia Research</i> , 2022, 241, 78-82.	2.0	3
4	Neuroanatomical markers of psychotic experiences in adolescents: A machine-learning approach in a longitudinal population-based sample. <i>NeuroImage: Clinical</i> , 2022, 34, 102983.	2.7	0
5	Psychotic experiences, sexual minority status, and suicidal behavior among young adult college students in the United States. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1925-1929.	3.1	1
6	Person-Centered Trajectories of Psychopathology From Early Childhood to Late Adolescence. <i>JAMA Network Open</i> , 2022, 5, e229601.	5.9	10
7	Understanding the inverse relationship between age and psychotic symptoms: The role of borderline personality traits. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 484-491.	4.5	5
8	Early adult mental health, functional and neuropsychological outcomes of young people who have reported psychotic experiences: a 10-year longitudinal study. <i>Psychological Medicine</i> , 2021, 51, 1861-1869.	4.5	22
9	Confide in me: Why clinicians should ask about auditory hallucinations to understand risk for suicidal behaviour. <i>Schizophrenia Research</i> , 2021, 228, 314-315.	2.0	3
10	Hospital Presentation for Self-Harm in Youth as a Risk Marker for Later Psychotic and Bipolar Disorders: A Cohort Study of 59 476 Finns. <i>Schizophrenia Bulletin</i> , 2021, 47, 1685-1694.	4.3	18
11	Referral patterns for specialist child and adolescent mental health services in the Republic of Ireland during the COVID-19 pandemic compared with 2019 and 2018. <i>BJPsych Open</i> , 2021, 7, e91.	0.7	42
12	A neural efficiency-threshold model to understand psychotic experiences. <i>Psychological Medicine</i> , 2021, 51, 1777-1782.	4.5	11
13	Hallucinations in the general population across the adult lifespan: prevalence and psychopathologic significance. <i>British Journal of Psychiatry</i> , 2021, 219, 652-658.	2.8	12
14	Social cognition and self-reported ASD traits in young adults who have reported psychotic experiences: A population-based, longitudinal study. <i>Schizophrenia Research</i> , 2021, 237, 54-61.	2.0	4
15	Dr. L'Éng et Áal. Reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, , .	0.5	0
16	Psychotic experiences in childhood are associated with increased structural integrity of the left arcuate fasciculus – A population-based case-control study. <i>Schizophrenia Research</i> , 2020, 215, 378-384.	2.0	10
17	Urban birth and psychotic experiences in the United States. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 167-169.	4.5	6
18	Neighborhood change and psychotic experiences in a general population sample. <i>Schizophrenia Research</i> , 2020, 216, 316-321.	2.0	18

#	ARTICLE	IF	CITATIONS
19	Prevalence and psychopathologic significance of hallucinations in individuals with a history of seizures. <i>Epilepsia</i> , 2020, 61, 1464-1471.	5.1	1
20	Reduced hippocampal volume in adolescents with psychotic experiences: A longitudinal population-based study. <i>PLoS ONE</i> , 2020, 15, e0233670.	2.5	14
21	Trauma-informed care for adult survivors of developmental trauma with psychotic and dissociative symptoms: a systematic review of intervention studies. <i>Lancet Psychiatry</i> , 2020, 7, 449-462.	7.4	30
22	What mediates the longitudinal relationship between psychotic experiences and psychopathology?. <i>Journal of Abnormal Psychology</i> , 2020, 129, 505-516.	1.9	11
23	Childhood and adolescent psychotic experiences and risk of mental disorder: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2019, 49, 1589-1599.	4.5	143
24	Hallucinations in Children and Adolescents: An Updated Review and Practical Recommendations for Clinicians. <i>Schizophrenia Bulletin</i> , 2019, 45, S5-S23.	4.3	47
25	Changes in self-concept and risk of psychotic experiences in adolescence: a longitudinal population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 1164-1173.	5.2	12
26	Fine motor skill and processing speed deficits in young people with psychotic experiences: A longitudinal study. <i>Schizophrenia Research</i> , 2019, 204, 127-132.	2.0	21
27	Association of Psychotic Experiences With Subsequent Risk of Suicidal Ideation, Suicide Attempts, and Suicide Deaths. <i>JAMA Psychiatry</i> , 2019, 76, 180.	11.0	170
28	Do childhood psychotic experiences improve the prediction of adolescent psychopathology? A longitudinal population-based study. <i>Microbial Biotechnology</i> , 2019, 13, 1245-1251.	1.7	18
29	Healthy Adolescent Performance With Standardized Scoring Tables for the MATRICS Consensus Cognitive Battery: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 773-783.	4.3	18
30	Commentary on Degenhardt <i>et al.</i> (2018): Cause or consequence? Disentangling the relationship between psychosis and substance use. <i>Addiction</i> , 2018, 113, 935-936.	3.3	4
31	Psychotic experiences and disability: Findings from the Collaborative Psychiatric Epidemiology Surveys. <i>Schizophrenia Research</i> , 2018, 193, 343-347.	2.0	46
32	Urbanicity and Psychosis—Reply. <i>JAMA Psychiatry</i> , 2018, 75, 1301.	11.0	0
33	Association of Urbanicity With Psychosis in Low- and Middle-Income Countries. <i>JAMA Psychiatry</i> , 2018, 75, 678.	11.0	119
34	Hallucinations in borderline personality disorder and common mental disorders. <i>British Journal of Psychiatry</i> , 2017, 210, 230-231.	2.8	21
35	Psychotic experiences and suicide attempt risk in common mental disorders and borderline personality disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 212-218.	4.5	37
36	A longitudinal study of adolescent psychotic experiences and later development of substance use disorder and suicidal behavior. <i>Schizophrenia Research</i> , 2017, 181, 13-16.	2.0	54

#	ARTICLE	IF	CITATIONS
37	Author's reply. <i>British Journal of Psychiatry</i> , 2017, 211, 251-251.	2.8	0
38	Functional Connectivity Anomalies in Adolescents with Psychotic Symptoms. <i>PLoS ONE</i> , 2017, 12, e0169364.	2.5	22
39	The association between childhood autistic traits and adolescent psychotic experiences is explained by general neuropsychiatric problems. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 153-159.	1.7	12
40	Nonsuicidal self-harm, suicidal thoughts and suicide attempts among sexual minority youth in Ireland during their emerging adult years. <i>Microbial Biotechnology</i> , 2016, 10, 441-445.	1.7	6
41	Putting Psychosis in Its Place. <i>American Journal of Psychiatry</i> , 2016, 173, 951-952.	7.2	13
42	Auditory hallucinations in the population: what do they mean and what should we do about them?. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 3-5.	4.5	5
43	White Matter Differences Among Adolescents Reporting Psychotic Experiences. <i>JAMA Psychiatry</i> , 2015, 72, 668.	11.0	54
44	Psychotic experiences in the population: Association with functioning and mental distress. <i>Schizophrenia Research</i> , 2015, 165, 9-14.	2.0	107
45	School-based suicide prevention programmes: the SEYLE cluster-randomised, controlled trial. <i>Lancet</i> , 2015, 385, 1536-1544.	13.7	452
46	Relationship between the COMT-Val158Met and BDNF-Val66Met Polymorphisms, Childhood Trauma and Psychotic Experiences in an Adolescent General Population Sample. , 2015, , 59-80.		0
47	Psychotic experiences as a predictor of the natural course of suicidal ideation: a Swedish cohort study. <i>World Psychiatry</i> , 2014, 13, 184-188.	10.4	79
48	Whither the Psychosis-Neurosis Borderline. <i>Schizophrenia Bulletin</i> , 2014, 40, 266-268.	4.3	10
49	Psychotic symptoms, functioning and coping in adolescents with mental illness. <i>BMC Psychiatry</i> , 2014, 14, 97.	2.6	34
50	From Phenomenology to Neurophysiological Understanding of Hallucinations in Children and Adolescents. <i>Schizophrenia Bulletin</i> , 2014, 40, S221-S232.	4.3	71
51	Prevalence of DSM-IV mental disorders, deliberate self-harm and suicidal ideation in early adolescence: An Irish population-based study. <i>Journal of Adolescence</i> , 2014, 37, 1-9.	2.4	34
52	Reduced P300 amplitude during retrieval on a spatial working memory task in a community sample of adolescents who report psychotic symptoms. <i>BMC Psychiatry</i> , 2013, 13, 125.	2.6	17
53	Reduced duration mismatch negativity in adolescents with psychotic symptoms: further evidence for mismatch negativity as a possible biomarker for vulnerability to psychosis. <i>BMC Psychiatry</i> , 2013, 13, 45.	2.6	37
54	Neurocognitive performance of a community-based sample of young people at putative ultra high risk for psychosis: Support for the processing speed hypothesis. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 9-25.	1.3	66

#	ARTICLE	IF	CITATIONS
55	Psychotic Symptoms and Population Risk for Suicide Attempt. <i>JAMA Psychiatry</i> , 2013, 70, 940.	11.0	211
56	Neurocognition in the Extended Psychosis Phenotype: Performance of a Community Sample of Adolescents With Psychotic Symptoms on the MATRICS Neurocognitive Battery. <i>Schizophrenia Bulletin</i> , 2013, 39, 1018-1026.	4.3	86
57	Childhood Trauma and Psychosis in a Prospective Cohort Study: Cause, Effect, and Directionality. <i>American Journal of Psychiatry</i> , 2013, 170, 734-741.	7.2	306
58	Relationship between the COMT-Val158Met and BDNF-Val66Met Polymorphisms, Childhood Trauma and Psychotic Experiences in an Adolescent General Population Sample. <i>PLoS ONE</i> , 2013, 8, e79741.	2.5	28
59	The authors reply: All that shines is not psychosis â€¦ but is still clinically important. <i>Psychological Medicine</i> , 2012, 42, 1788-1790.	4.5	3
60	Psychotic Symptoms in Adolescence Index Risk for Suicidal Behavior. <i>Archives of General Psychiatry</i> , 2012, 69, 1277.	12.3	146
61	Prevalence of psychotic symptoms in childhood and adolescence: a systematic review and meta-analysis of population-based studies. <i>Psychological Medicine</i> , 2012, 42, 1857-1863.	4.5	499
62	Identification and Characterization of Prodromal Risk Syndromes in Young Adolescents in the Community: A Population-Based Clinical Interview Study. <i>Schizophrenia Bulletin</i> , 2012, 38, 239-246.	4.3	123
63	Clinicopathological significance of psychotic experiences in non-psychotic young people: evidence from four population-based studies. <i>British Journal of Psychiatry</i> , 2012, 201, 26-32.	2.8	389
64	Language processing abnormalities in adolescents with psychotic-like experiences: An event related potential study. <i>Schizophrenia Research</i> , 2012, 137, 91-96.	2.0	8
65	Predicting Risk and the Emergence of Schizophrenia. <i>Psychiatric Clinics of North America</i> , 2012, 35, 585-612.	1.3	19
66	Are Screening Instruments Valid for Psychotic-Like Experiences? A Validation Study of Screening Questions for Psychotic-Like Experiences Using In-Depth Clinical Interview. <i>Schizophrenia Bulletin</i> , 2011, 37, 362-369.	4.3	279
67	Psychotic symptoms in the general population â€“ an evolutionary perspective. <i>British Journal of Psychiatry</i> , 2010, 197, 167-169.	2.8	69
68	Language, motor and speed of processing deficits in adolescents with subclinical psychotic symptoms. <i>Schizophrenia Research</i> , 2010, 123, 71-76.	2.0	77
69	Structural and functional brain correlates of subclinical psychotic symptoms in 11â€“13 year old schoolchildren. <i>NeuroImage</i> , 2010, 49, 1875-1885.	4.2	129
70	Associations between childhood trauma, bullying and psychotic symptoms among a school-based adolescent sample. <i>British Journal of Psychiatry</i> , 2008, 193, 378-382.	2.8	218
71	Kinase activities increase during the development of tauopathy in htau mice. <i>Journal of Neurochemistry</i> , 2007, 103, 2256-2267.	3.9	69
72	Hallucinations as a risk marker for suicidal behaviour in individuals with a history of sexual assault: a general population study with instant replication. <i>Psychological Medicine</i> , 0, , 1-7.	4.5	0