

Hans Verbeeck

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7894231/publications.pdf>

Version: 2024-02-01

114
papers

8,252
citations

76326

40
h-index

51608

86
g-index

150
all docs

150
docs citations

150
times ranked

12112
citing authors

#	ARTICLE	IF	CITATIONS
1	Liana optical traits increase tropical forest albedo and reduce ecosystem productivity. <i>Global Change Biology</i> , 2022, 28, 227-244.	9.5	10
2	Aboveground biomass density models for NASA's Global Ecosystem Dynamics Investigation (GEDI) lidar mission. <i>Remote Sensing of Environment</i> , 2022, 270, 112845.	11.0	108
3	Quantifying tropical forest structure through terrestrial and UAV laser scanning fusion in Australian rainforests. <i>Remote Sensing of Environment</i> , 2022, 271, 112912.	11.0	38
4	A comprehensive framework for assessing the accuracy and uncertainty of global above-ground biomass maps. <i>Remote Sensing of Environment</i> , 2022, 272, 112917.	11.0	48
5	Two Co-occurring Liana Species Strongly Differ in Their Hydraulic Traits in a Water-Limited Neotropical Forest. <i>Frontiers in Forests and Global Change</i> , 2022, 5, .	2.3	1
6	Estimating forest above-ground biomass with terrestrial laser scanning: Current status and future directions. <i>Methods in Ecology and Evolution</i> , 2022, 13, 1628-1639.	5.2	31
7	Aboveground carbon stocks, woody and litter productivity along an elevational gradient in the Rwenzori Mountains, Uganda. <i>Biotropica</i> , 2022, 54, 906-920.	1.6	6
8	Using terrestrial laser scanning to constrain forest ecosystem structure and functions in the Ecosystem Demography model (ED2.2). <i>Geoscientific Model Development</i> , 2022, 15, 4783-4803.	3.6	2
9	Implications of 3D Forest Stand Reconstruction Methods for Radiative Transfer Modeling: A Case Study in the Temperate Deciduous Forest. <i>Journal of Geophysical Research D: Atmospheres</i> , 2022, 127, .	3.3	2
10	Small scale environmental variation modulates plant defence syndromes of understorey plants in deciduous forests of Europe. <i>Global Ecology and Biogeography</i> , 2021, 30, 205-219.	5.8	15
11	Drivers of carbon stocks in forest edges across Europe. <i>Science of the Total Environment</i> , 2021, 759, 143497.	8.0	25
12	Unraveling the relative role of light and water competition between lianas and trees in tropical forests: A vegetation model analysis. <i>Journal of Ecology</i> , 2021, 109, 519-540.	4.0	24
13	Comparable canopy and soil free-living nitrogen fixation rates in a lowland tropical forest. <i>Science of the Total Environment</i> , 2021, 754, 142202.	8.0	10
14	Contrasting responses of woody and herbaceous vegetation to altered rainfall characteristics in the Sahel. <i>Biogeosciences</i> , 2021, 18, 77-93.	3.3	11
15	High photosynthetic capacity of Sahelian C3 and C4 plants. <i>Photosynthesis Research</i> , 2021, 147, 161-175.	2.9	12
16	Ideas and perspectives: patterns of soil CO ₂ , CH ₄ , and N ₂ O fluxes along an altitudinal gradient – a pilot study from an Ecuadorian neotropical montane forest. <i>Biogeosciences</i> , 2021, 18, 413-421.	3.3	4
17	Understanding 3D structural complexity of individual Scots pine trees with different management history. <i>Ecology and Evolution</i> , 2021, 11, 2561-2572.	1.9	20
18	Consequences of vertical basic wood density variation on the estimation of aboveground biomass with terrestrial laser scanning. <i>Trees - Structure and Function</i> , 2021, 35, 671-684.	1.9	17

#	ARTICLE	IF	CITATIONS
19	Biomass Expansion Factors for Hedgerow-Grown Trees Derived from Terrestrial LiDAR. <i>Bioenergy Research</i> , 2021, 14, 561-574.	3.9	6
20	Taxonomic, phylogenetic and functional diversity of understory plants respond differently to environmental conditions in European forest edges. <i>Journal of Ecology</i> , 2021, 109, 2629-2648.	4.0	28
21	Resistance of African tropical forests to an extreme climate anomaly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	37
22	Lianas Significantly Reduce Aboveground and Belowground Carbon Storage: A Virtual Removal Experiment. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .	2.3	4
23	Robust Estimation of Absorbing Root Surface Distributions From Xylem Water Isotope Compositions With an Inverse Plant Hydraulic Model. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .	2.3	2
24	Lianas and trees exhibit divergent intrinsic water-use efficiency along elevational gradients in South American and African tropical forests. <i>Global Ecology and Biogeography</i> , 2021, 30, 2259-2272.	5.8	7
25	Fire-derived phosphorus fertilization of African tropical forests. <i>Nature Communications</i> , 2021, 12, 5129.	12.8	10
26	High aboveground carbon stock of African tropical montane forests. <i>Nature</i> , 2021, 596, 536-542.	27.8	65
27	Taking the pulse of Earth's tropical forests using networks of highly distributed plots. <i>Biological Conservation</i> , 2021, 260, 108849.	4.1	71
28	The global forest above-ground biomass pool for 2010 estimated from high-resolution satellite observations. <i>Earth System Science Data</i> , 2021, 13, 3927-3950.	9.9	123
29	Forest above-ground volume assessments with terrestrial laser scanning: a ground-truth validation experiment in temperate, managed forests. <i>Annals of Botany</i> , 2021, 128, 805-819.	2.9	13
30	“Lianification” or liana invasion “ is there a difference?. <i>Frontiers in Ecology and the Environment</i> , 2021, 19, 377-378.	4.0	2
31	Characterising Termite Mounds in a Tropical Savanna with UAV Laser Scanning. <i>Remote Sensing</i> , 2021, 13, 476.	4.0	10
32	Quantifying Tropical Forest Stand Structure Through Terrestrial and UAV Laser Scanning Fusion. , 2021, , .		2
33	Thirty Years of Land Cover and Fraction Cover Changes Over the Sudano-Sahel Using Landsat Time Series. , 2021, , .		0
34	Mapping Sahelian Ecosystem Vulnerability to Vegetation Collapse: Vegetation Model Optimization. , 2021, , .		2
35	Microclimatic edge-to-interior gradients of European deciduous forests. <i>Agricultural and Forest Meteorology</i> , 2021, 311, 108699.	4.8	38
36	TRY plant trait database “ enhanced coverage and open access. <i>Global Change Biology</i> , 2020, 26, 119-188.	9.5	1,038

#	ARTICLE	IF	CITATIONS
37	Improved Supervised Learning-Based Approach for Leaf and Wood Classification From LiDAR Point Clouds of Forests. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2020, 58, 3057-3070.	6.3	72
38	Terrestrial laser scanning for non-destructive estimates of liana stem biomass. <i>Forest Ecology and Management</i> , 2020, 456, 117751.	3.2	14
39	Terrestrial laser scanning in forest ecology: Expanding the horizon. <i>Remote Sensing of Environment</i> , 2020, 251, 112102.	11.0	208
40	Increasing liana frequency in temperate European forest understories is driven by ivy. <i>Frontiers in Ecology and the Environment</i> , 2020, 18, 550-557.	4.0	13
41	Within-Site Variability of Liana Wood Anatomical Traits: A Case Study in Laussat, French Guiana. <i>Forests</i> , 2020, 11, 523.	2.1	6
42	Thirty Years of Land Cover and Fraction Cover Changes over the Sudano-Sahel Using Landsat Time Series. <i>Remote Sensing</i> , 2020, 12, 3817.	4.0	16
43	Evaluating the potential of full-waveform lidar for mapping pan-tropical tree species richness. <i>Global Ecology and Biogeography</i> , 2020, 29, 1799-1816.	5.8	31
44	Lianas in silico, ecological insights from a model of structural parasitism. <i>Ecological Modelling</i> , 2020, 431, 109159.	2.5	2
45	Century-long apparent decrease in intrinsic water-use efficiency with no evidence of progressive nutrient limitation in African tropical forests. <i>Global Change Biology</i> , 2020, 26, 4449-4461.	9.5	20
46	Long-term thermal sensitivity of Earth's tropical forests. <i>Science</i> , 2020, 368, 869-874.	12.6	198
47	Historical Aerial Surveys Map Long-Term Changes of Forest Cover and Structure in the Central Congo Basin. <i>Remote Sensing</i> , 2020, 12, 638.	4.0	11
48	Asynchronous carbon sink saturation in African and Amazonian tropical forests. <i>Nature</i> , 2020, 579, 80-87.	27.8	439
49	Structural variation of forest edges across Europe. <i>Forest Ecology and Management</i> , 2020, 462, 117929.	3.2	35
50	Liana communities exhibit different species composition, diversity and community structure across forest types in the Congo Basin. <i>Biotropica</i> , 2020, 52, 651-663.	1.6	3
51	Causes and consequences of pronounced variation in the isotope composition of plant xylem water. <i>Biogeosciences</i> , 2020, 17, 4853-4870.	3.3	33
52	Modeling the impact of liana infestation on the demography and carbon cycle of tropical forests. <i>Global Change Biology</i> , 2019, 25, 3767-3780.	9.5	33
53	Semi-automatic extraction of liana stems from terrestrial LiDAR point clouds of tropical rainforests. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 154, 114-126.	11.1	22
54	Long-term recovery of the functional community assembly and carbon pools in an African tropical forest succession. <i>Biotropica</i> , 2019, 51, 319-329.	1.6	23

#	ARTICLE	IF	CITATIONS
55	Air temperature optima of vegetation productivity across global biomes. <i>Nature Ecology and Evolution</i> , 2019, 3, 772-779.	7.8	316
56	Large-sized rare tree species contribute disproportionately to functional diversity in resource acquisition in African tropical forest. <i>Ecology and Evolution</i> , 2019, 9, 4349-4361.	1.9	13
57	Time for a Plant Structural Economics Spectrum. <i>Frontiers in Forests and Global Change</i> , 2019, 2, .	2.3	47
58	Contrasting nitrogen fluxes in African tropical forests of the Congo Basin. <i>Ecological Monographs</i> , 2019, 89, e01342.	5.4	39
59	Disentangling how management affects biomass stock and productivity of tropical secondary forests fallows. <i>Science of the Total Environment</i> , 2019, 659, 101-114.	8.0	13
60	Assessing the role of megafauna in tropical forest ecosystems and biogeochemical cycles – the potential of vegetation models. <i>Ecography</i> , 2018, 41, 1934-1954.	4.5	38
61	Phylogenetic classification of the world's tropical forests. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1837-1842.	7.1	144
62	High fire-derived nitrogen deposition on central African forests. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 549-554.	7.1	46
63	Reconciling biodiversity and carbon stock conservation in an Afrotropical forest landscape. <i>Science Advances</i> , 2018, 4, eaar6603.	10.3	40
64	Vegetation demographics in Earth System Models: A review of progress and priorities. <i>Global Change Biology</i> , 2018, 24, 35-54.	9.5	478
65	Towards Extraction of LIANAS from Terrestrial LIDAR Scans of Tropical Forests. , 2018, , .		2
66	A generic pixel-to-point comparison for simulated large-scale ecosystem properties and ground-based observations: an example from the Amazon region. <i>Geoscientific Model Development</i> , 2018, 11, 5203-5215.	3.6	6
67	Refining Species Traits in a Dynamic Vegetation Model to Project the Impacts of Climate Change on Tropical Trees in Central Africa. <i>Forests</i> , 2018, 9, 722.	2.1	13
68	Pan-tropical prediction of forest structure from the largest trees. <i>Global Ecology and Biogeography</i> , 2018, 27, 1366-1383.	5.8	78
69	Effects of Tree Trunks on Estimation of Clumping Index and LAI from HemiView and Terrestrial LiDAR. <i>Forests</i> , 2018, 9, 144.	2.1	17
70	Liana and tree below-ground water competition – evidence for water resource partitioning during the dry season. <i>Tree Physiology</i> , 2018, 38, 1071-1083.	3.1	58
71	Terrestrial Laser Scanning to Detect Liana Impact on Forest Structure. <i>Remote Sensing</i> , 2018, 10, 810.	4.0	12
72	Model performance of tree height-diameter relationships in the central Congo Basin. <i>Annals of Forest Science</i> , 2017, 74, 1.	2.0	43

#	ARTICLE	IF	CITATIONS
73	Functional community structure of African monodominant <i>Gilbertiodendron dewevrei</i> forest influenced by local environmental filtering. <i>Ecology and Evolution</i> , 2017, 7, 295-304.	1.9	37
74	Plant measurements on African tropical <i>Maesopsis eminii</i> seedlings contradict pioneering water use behaviour. <i>Environmental and Experimental Botany</i> , 2017, 135, 27-37.	4.2	10
75	The ecology of <i>Maesopsis eminii</i> Engl. in tropical Africa. <i>African Journal of Ecology</i> , 2017, 55, 679-692.	0.9	12
76	Functional Composition of Tree Communities Changed Topsoil Properties in an Old Experimental Tropical Plantation. <i>Ecosystems</i> , 2017, 20, 861-871.	3.4	15
77	Spatial Distribution of Carbon Stored in Forests of the Democratic Republic of Congo. <i>Scientific Reports</i> , 2017, 7, 15030.	3.3	44
78	Parallel functional and stoichiometric trait shifts in South American and African forest communities with elevation. <i>Biogeosciences</i> , 2017, 14, 5313-5321.	3.3	15
79	Impacts of future deforestation and climate change on the hydrology of the Amazon Basin: a multi-model analysis with a new set of land-cover change scenarios. <i>Hydrology and Earth System Sciences</i> , 2017, 21, 1455-1475.	4.9	69
80	An integrated pan-tropical biomass map using multiple reference datasets. <i>Global Change Biology</i> , 2016, 22, 1406-1420.	9.5	469
81	Modelling Amazonian Carbon Budgets and Vegetation Dynamics in a Changing Climate. <i>Ecological Studies</i> , 2016, , 331-366.	1.2	3
82	Variation in stem mortality rates determines patterns of above-ground biomass in Amazonian forests: implications for dynamic global vegetation models. <i>Global Change Biology</i> , 2016, 22, 3996-4013.	9.5	116
83	Carbon and energy fluxes in cropland ecosystems: a model-data comparison. <i>Biogeochemistry</i> , 2016, 129, 53-76.	3.5	24
84	Environmental impact assessment and monetary ecosystem service valuation of an ecosystem under different future environmental change and management scenarios; a case study of a Scots pine forest. <i>Journal of Environmental Management</i> , 2016, 173, 79-94.	7.8	28
85	The importance of including lianas in global vegetation models. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4.	7.1	35
86	Functional identity explains carbon sequestration in a 77-year-old experimental tropical plantation. <i>Ecosphere</i> , 2015, 6, art198.	2.2	15
87	Forest resilience and tipping points at different spatio-temporal scales: approaches and challenges. <i>Journal of Ecology</i> , 2015, 103, 5-15.	4.0	224
88	Improving the ISBA and CC land surface model simulation of water and carbon fluxes and stocks over the Amazon forest. <i>Geoscientific Model Development</i> , 2015, 8, 1709-1727.	3.6	33
89	Aboveground vs. Belowground Carbon Stocks in African Tropical Lowland Rainforest: Drivers and Implications. <i>PLoS ONE</i> , 2015, 10, e0143209.	2.5	25
90	Testing conceptual and physically based soil hydrology schemes against observations for the Amazon Basin. <i>Geoscientific Model Development</i> , 2014, 7, 1115-1136.	3.6	49

#	ARTICLE	IF	CITATIONS
91	Mechanisms of water supply and vegetation demand govern the seasonality and magnitude of evapotranspiration in Amazonia and Cerrado. <i>Agricultural and Forest Meteorology</i> , 2014, 191, 33-50.	4.8	105
92	Characterizing the diurnal patterns of errors in the prediction of evapotranspiration by several land surface models: An NACP analysis. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 1458-1473.	3.0	69
93	Conventional tree height-diameter relationships significantly overestimate aboveground carbon stocks in the Central Congo Basin. <i>Nature Communications</i> , 2013, 4, 2269.	12.8	103
94	Evaluation of continental carbon cycle simulations with North American flux tower observations. <i>Ecological Monographs</i> , 2013, 83, 531-556.	5.4	75
95	Overview of the Large-Scale Biosphere-Atmosphere Experiment in Amazonia Data Model Intercomparison Project (LBA-DMIP). <i>Agricultural and Forest Meteorology</i> , 2013, 182-183, 111-127.	4.8	55
96	Can decision rules simulate carbon allocation for years with contrasting and extreme weather conditions? A case study for three temperate beech forests. <i>Ecological Modelling</i> , 2013, 263, 42-55.	2.5	17
97	Inter-annual variability of carbon and water fluxes in Amazonian forest, Cerrado and pasture sites, as simulated by terrestrial biosphere models. <i>Agricultural and Forest Meteorology</i> , 2013, 182-183, 145-155.	4.8	30
98	Above-ground biomass and structure of 260 African tropical forests. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120295.	4.0	264
99	Does canopy mean nitrogen concentration explain variation in canopy light use efficiency across 14 contrasting forest sites?. <i>Tree Physiology</i> , 2012, 32, 200-218.	3.1	23
100	Terrestrial biosphere model performance for inter-annual variability of land-atmosphere CO ₂ exchange. <i>Global Change Biology</i> , 2012, 18, 1971-1987.	9.5	232
101	Impact of hydrological variations on modeling of peatland CO ₂ fluxes: Results from the North American Carbon Program site synthesis. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	50
102	A model-data comparison of gross primary productivity: Results from the North American Carbon Program site synthesis. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	274
103	Terrestrial biosphere models need better representation of vegetation phenology: results from the North American Carbon Program site synthesis. <i>Global Change Biology</i> , 2012, 18, 566-584.	9.5	583
104	Seasonal patterns of CO ₂ fluxes in Amazon forests: Fusion of eddy covariance data and the ORCHIDEE model. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	75
105	Characterizing the performance of ecosystem models across time scales: A spectral analysis of the North American Carbon Program site-level synthesis. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	72
106	Long-term scenarios of the invasive black cherry in pine-oak forest: Impact of regeneration success. <i>Acta Oecologica</i> , 2011, 37, 203-211.	1.1	9
107	Tropical forests: Include Congo basin. <i>Nature</i> , 2011, 479, 179-179.	27.8	17
108	A model-data intercomparison of CO ₂ exchange across North America: Results from the North American Carbon Program site synthesis. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	247

#	ARTICLE	IF	CITATIONS
109	Multi-year model analysis of GPP in a temperate beech forest in France. <i>Ecological Modelling</i> , 2008, 210, 85-103.	2.5	25
110	Stored water use and transpiration in Scots pine: a modeling analysis with ANAFORE. <i>Tree Physiology</i> , 2007, 27, 1671-1685.	3.1	51
111	Parameter sensitivity and uncertainty of the forest carbon flux model FORUG: a Monte Carlo analysis. <i>Tree Physiology</i> , 2006, 26, 807-817.	3.1	94
112	Inventory-based carbon stock of Flemish forests: a comparison of European biomass expansion factors. <i>Annals of Forest Science</i> , 2004, 61, 677-682.	2.0	27
113	Carbon stock changes and carbon sequestration potential of Flemish cropland soils. <i>Global Change Biology</i> , 2003, 9, 1193-1203.	9.5	80
114	CongoFlux – The First Eddy Covariance Flux Tower in the Congo Basin. <i>Frontiers in Soil Science</i> , 0, 2, .	2.2	1