

# Zekeriya Arslan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7897659/publications.pdf>

Version: 2024-02-01

115  
papers

969  
citations

623734

14  
h-index

477307

29  
g-index

115  
all docs

115  
docs citations

115  
times ranked

985  
citing authors

#	ARTICLE	IF	CITATIONS
1	Carotid Intima Media Thickness and Its Association With Total Bilirubin Levels in Patients With Coronary Artery Ectasia. <i>Angiology</i> , 2020, 71, 425-430.	1.8	25
2	Is left ventricular diastolic function impaired in patients with ankylosing spondylitis?. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 1802-1802.	1.9	0
3	Sympathetic Activity Index Should Be Kept in Mind When Assessing Autonomic Tonus. <i>Korean Circulation Journal</i> , 2016, 46, 429.	1.9	0
4	A case of double fistulas of right coronary artery to LVOT and LAD. <i>International Journal of Cardiology</i> , 2016, 203, 379-380.	1.7	0
5	Tricuspid Annular Plane Systolic Excursion and Its Association with Mortality in Critically Ill Patients. <i>Echocardiography</i> , 2015, 32, 1330-1330.	0.9	2
6	Red Cell Distribution Width in Myocardial Infarction. <i>Medical Principles and Practice</i> , 2015, 24, 584-585.	2.4	6
7	The Relation Between Neutrophilâ€“Lymphocyte Ratio and Endothelial Dysfunction. <i>Angiology</i> , 2015, 66, 694-694.	1.8	10
8	Mean platelet volume and glomerular filtration rate: Two important risk determinants in coronary artery disease. <i>Platelets</i> , 2015, 26, 97-98.	2.3	0
9	Progressive aortic dissection following RCA instent angioplasty. <i>International Journal of Cardiology</i> , 2015, 187, 309-310.	1.7	2
10	Red Cell Distribution Width Is Related to Stroke in Patients With Heart Failure. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2015, 21, 190-190.	1.7	5
11	Right ventricular diastolic function in patients with community-acquired pneumonia. <i>American Journal of Emergency Medicine</i> , 2015, 33, 1521-1522.	1.6	0
12	Mean Platelet Volume as a Mirror of All Inflammatory Conditions. <i>European Journal of Ophthalmology</i> , 2014, 24, 454-455.	1.3	0
13	Non-alcoholic fatty liver disease may be associated with endothelial dysfunction. <i>Upsala Journal of Medical Sciences</i> , 2014, 119, 57-57.	0.9	2
14	Arterial stiffness in patients with lower urinary tract symptoms. <i>Scandinavian Journal of Urology</i> , 2014, 48, 225-226.	1.0	0
15	Why aortic elasticity differs among classical and non-classical mitral valve prolapsed?. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 148-152.	1.3	2
16	Clinical features of aviators with coronary artery disease diagnosed by multislice CT angiography. <i>Anatolian Journal of Cardiology</i> , 2014, 14, 150-154.	0.4	1
17	Association between microvascular angina and erectile dysfunction. <i>International Journal of Impotence Research</i> , 2014, 26, 124-127.	1.8	11
18	Whether Taken Medication Can Improve Arterial Stiffness or Not. <i>Journal of Clinical Hypertension</i> , 2014, 16, 693-693.	2.0	1

#	ARTICLE	IF	CITATIONS
19	Red cell distribution width in patients with atrial fibrillation. <i>Journal of Internal Medicine</i> , 2014, 275, 545-545.	6.0	3
20	The Effect of Different Circadian Blood Pressure Rhythms on Left Ventricular Systolic Dyssynchrony in Patients with Newly Diagnosed Essential Hypertension. <i>Echocardiography</i> , 2014, 31, 120-121.	0.9	0
21	Masked Hypertension as an Unrecognized Destructive Condition. <i>Journal of Clinical Hypertension</i> , 2014, 16, 155-155.	2.0	2
22	Coronary Artery Ectasia as a Histopathological Pattern of Atherosclerosis. <i>Angiology</i> , 2014, 65, 86-86.	1.8	2
23	Carotid Intima-Media Thickness in Patients With Slow Coronary Flow and Its Association With Neutrophil-to-Lymphocyte Ratio. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2014, 20, 393-399.	1.7	33
24	Current Opinion: Mean Platelet Volume Is One of the Most Important Parameters at the First Glance. <i>Medical Principles and Practice</i> , 2014, 23, 189-190.	2.4	0
25	Mean platelet volume can be affected by many factors and should be assessed together with other inflammatory markers. <i>Platelets</i> , 2014, 25, 388-389.	2.3	3
26	Heart Rate Recovery Index in Patients with Psoriasis. <i>Medical Principles and Practice</i> , 2014, 23, 192-192.	2.4	2
27	Tiny magnetomers and future of magnetocardiography. <i>International Journal of Cardiology</i> , 2014, 172, e268.	1.7	0
28	Inflammatory status as a major role of risk factor for atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 2014, 37, 540-541.	2.1	4
29	Mean platelet volume may be confused in many conditions. <i>Wiener Klinische Wochenschrift</i> , 2014, 126, 248-249.	1.9	0
30	Is It Possible to Prevent Acute Kidney Injury in Patients Who Underwent Contrast Medium?. <i>Angiology</i> , 2014, 65, 224-224.	1.8	3
31	Neutrophils/Lymphocytes Ratio in Patients With Cardiac Syndrome X and Its Association With Carotid Intima-Media Thickness. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2014, 20, 250-255.	1.7	75
32	Higher mean platelet volume level in patients with pulmonary embolism. <i>Clinical Respiratory Journal</i> , 2014, 8, 251-252.	1.6	1
33	Carotid Intima-Media Thickness as a Novel Inflammatory Marker in Psoriasis: Comment on the Article by Lin et al. <i>Arthritis Care and Research</i> , 2014, 66, 793-793.	3.4	0
34	Parameters influencing LVEF improvement with intracoronary bone marrow stem cell delivery in acute myocardial infarction. <i>International Journal of Cardiology</i> , 2014, 177, 644-645.	1.7	1
35	Red Cell Distribution Width may be Related to the Degree of Coronary Collateral Circulation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2014, 20, 107-107.	1.7	1
36	The association between red cell distribution width and non-small-cell lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2014, 45, 954-954.	1.4	10

#	ARTICLE	IF	CITATIONS
37	Red cell distribution width in renal transplant patients. <i>International Urology and Nephrology</i> , 2014, 46, 1465-1466.	1.4	1
38	Risk factors for new-onset atrial fibrillation. <i>International Journal of Cardiology</i> , 2014, 171, e46.	1.7	3
39	Uric Acid Level in Patients with Kidney Disease. <i>Cardiology</i> , 2014, 127, 25-25.	1.4	0
40	Inflammatory Markers Should Be Assessed Together With Cardiovascular Risk Factors by Clinicians in Masked Hypertension. <i>Journal of Clinical Hypertension</i> , 2013, 15, 443-444.	2.0	4
41	Other inflammatory markers ought to be kept in mind when assessing the mean platelet volume in clinical practice. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 2373-2374.	1.6	14
42	Fragmented QRS in patients with acute myocardial infarction. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2013, 42, 448.	1.6	2
43	Closest friends: Chronic pulmonary disease and systolic heart failure. <i>International Journal of Cardiology</i> , 2013, 168, 2965.	1.7	1
44	Coronary Lesions Complexity in Patients With Stable Coronary Artery Disease. <i>Angiology</i> , 2013, 64, 310-310.	1.8	1
45	The Comparative Effects of Valsartan and Amlodipine on vWf Levels and N/L Ratio in Patients with Newly Diagnosed Hypertension. <i>Clinical and Experimental Hypertension</i> , 2013, 35, 516-522.	1.3	91
46	Carotid Intima-Media Thickness: A Novel Inflammatory Marker Which Should Not Be Assessed Alone!. <i>Cardiology</i> , 2013, 124, 207-207.	1.4	2
47	Red cell distribution width without additional cost compared with a relatively expensive test measurement in clinical practice. <i>International Journal of Cardiology</i> , 2013, 168, 4899-4900.	1.7	2
48	Amplatz Occluder Preference in Paravalvular Leak Closure?. <i>Canadian Journal of Cardiology</i> , 2013, 29, 1139.e5.	1.7	0
49	What Does Partial MitraClip Detachment Really Mean?. <i>Canadian Journal of Cardiology</i> , 2013, 29, 751.e17.	1.7	1
50	Levels of vitamin D and its effects on bone metabolism and cardiovascular system should be assessed after isolation of confounding factors. <i>International Journal of Cardiology</i> , 2013, 168, 628.	1.7	2
51	Do we just assess the left ventricle in pregnant women with structural heart disease?. <i>International Journal of Cardiology</i> , 2013, 168, 591.	1.7	2
52	The relation between N-terminal pro-B-type natriuretic peptide and heart failure. <i>American Journal of Emergency Medicine</i> , 2013, 31, 1533.	1.6	2
53	Atrial fibrillation in patients with acute coronary syndromes. <i>International Journal of Cardiology</i> , 2013, 168, 5049.	1.7	3
54	Heart failure: Not only reduced left ventricular ejection fraction but also reserved ejection fraction!. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2013, 42, 229.	1.6	2

#	ARTICLE	IF	CITATIONS
55	Individuals appropriate for benefit of stem cell therapy in acute myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 168, 2911-2912.	1.7	1
56	Renal failure in patients with acute heart failure. <i>International Journal of Cardiology</i> , 2013, 168, e131.	1.7	1
57	Red cell distribution width is a predictor of mortality in patients with severe sepsis and septic shock. <i>American Journal of Emergency Medicine</i> , 2013, 31, 989-990.	1.6	36
58	Evaluation of Skill-Acquisition Process in Mitral Valve Repair Techniques: A Simulation-Based Study. <i>Journal of Surgical Education</i> , 2013, 70, 318-325.	2.5	12
59	An Additional LDL-Lowering Effect of Amlodipine; Not Only an Antihypertensive?. <i>Clinical and Experimental Hypertension</i> , 2013, 35, 449-453.	1.3	2
60	Further Studies Should Evaluate Cardiac Output Measurement by the Nexfin Device. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013, 27, e35-e36.	1.3	1
61	Inflammatory Markers May Predict Long-Term Cardiovascular Mortality in Patients with Acute Coronary Syndrome. <i>Cardiology</i> , 2013, 125, 88-89.	1.4	3
62	Absent left main trunk in a patient with subaortic membrane detected by three-dimensional echocardiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 37-37.	1.2	1
63	The Relation between Decreased Glomerular Filtration Rate and Nonvalvular Atrial Fibrillation. <i>Cardiology</i> , 2013, 124, 219-219.	1.4	7
64	Epicardial Fat Thickness and Cardio-Ankle Vascular Index without Other Inflammatory Markers May Not Provide Information to Clinicians about the Systemic Inflammation. <i>Cardiology</i> , 2013, 125, 13-14.	1.4	7
65	Kommerell diverticulum associated with aberrant left subclavian artery and right-sided aortic arch. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 764-764.	1.2	5
66	Brachial artery aneurysm accompanying a homozygous methylenetetrahydrofolate reductase mutation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013, 16, 912-913.	1.1	0
67	YKL-40 levels in patients with coronary artery ectasia. <i>Anatolian Journal of Cardiology</i> , 2013, 14, 97-8.	0.4	3
68	eComment. Three-dimensional printers remodelling cardiac interventions. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013, 17, 1050-1050.	1.1	0
69	Higher Neutrophil to Lymphocyte Ratio in Patients With Metabolic Syndrome. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2013, 19, 579-579.	1.7	54
70	Coronary angiography: a silent risk factor for acute kidney injury after cardiopulmonary bypass. <i>Perfusion (United Kingdom)</i> , 2013, 28, 371-371.	1.0	1
71	eComment. Are autologous pericardial valves ideal for valve tissue construction?. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013, 16, 128-128.	1.1	0
72	Association Between Coronary Artery Ectasia and Neutrophilâ€“Lymphocyte Ratio. <i>Angiology</i> , 2013, 64, 627-632.	1.8	87

#	ARTICLE	IF	CITATIONS
73	Retinal vessel abnormalities and coronary artery diseases. <i>Perfusion (United Kingdom)</i> , 2013, 28, 465-465.	1.0	2
74	eComment. Renal dysfunction may predict early and late cardiovascular events. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013, 17, 643-643.	1.1	0
75	Other Inflammatory Markers Should Not be Forgotten When Assessing the Neutrophil-to-Lymphocyte Ratio. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2013, 19, 693-694.	1.7	25
76	Higher Pentraxin-3 Level in Patients with Metabolic Syndrome. <i>Medical Principles and Practice</i> , 2013, 22, 513-514.	2.4	1
77	Epicardial Adipose Tissue Should Be Evaluated with Other Inflammatory Markers in Patients with Subclinical Hypothyroidism. <i>Medical Principles and Practice</i> , 2013, 22, 603-604.	2.4	14
78	The Role of Tissue Doppler Imaging in Predicting Left Ventricular Filling Pressures in Patients Undergoing Cardiac Surgery: An Intraoperative Study. <i>Echocardiography</i> , 2013, 30, 364-364.	0.9	0
79	Triple Antiplatelet Therapy in Obese Patients Undergoing Stent Implantation. <i>Angiology</i> , 2013, 64, 559-560.	1.8	1
80	eComment. Atrial fibrillation in patients undergoing thoracic surgery. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013, 17, 686-687.	1.1	0
81	Epicardial Fat Thickness Should Be Evaluated with Other Inflammatory Markers and Cardiovascular Risk Factors. <i>Echocardiography</i> , 2013, 30, 739-739.	0.9	6
82	Arterial Stiffness Itself Without Other Inflammatory Markers May Not Provide Information to Clinicians. <i>Journal of Clinical Hypertension</i> , 2013, 15, 303-303.	2.0	23
83	Arterial Stiffness in Patients With Peripheral Arterial Disease. <i>Journal of Clinical Hypertension</i> , 2013, 15, 938-938.	2.0	2
84	Quadricuspid aortic valve without severe regurgitation in pectus excavatum. <i>Asian Cardiovascular and Thoracic Annals</i> , 2013, 21, 240-240.	0.5	1
85	Neutrophil to lymphocyte ratio may be predict of mortality in all conditions. <i>British Journal of Cancer</i> , 2013, 109, 3125-3126.	6.4	90
86	Patients Should Undergo Conventional Angiography to Detect Any Suspected Coronary Artery Lesions. <i>Internal Medicine</i> , 2013, 52, 699-699.	0.7	0
87	Response to Impact of Lesion Length on Functional Significance in Intermediate Coronary Lesions. <i>Clinical Cardiology</i> , 2013, 36, 301-301.	1.8	1
88	Cell-Free Circulating DNA as a Novel Biomarker in Patients with the Acute Coronary Syndrome. <i>Cardiology</i> , 2013, 126, 122-123.	1.4	7
89	Active Matrix Metalloproteinase-9 Is Associated with Clinical In-Stent Restenosis. <i>Cardiology</i> , 2013, 125, 86-87.	1.4	2
90	Neutrophil to Lymphocyte Ratio May Predict Mortality in Breast Cancer Patients. <i>Journal of Breast Cancer</i> , 2013, 16, 354.	1.9	10

#	ARTICLE	IF	CITATIONS
91	Neutrophil-to-Lymphocyte Ratio in Prognosis of Gastric Cancer. Journal of Gastric Cancer, 2013, 13, 196.	2.5	17
92	Red cell distribution width: A novel inflammatory marker in clinical practice. Cardiology Journal, 2013, 20, 209.	1.2	46
93	Inflammatory Status in Patients with Metabolic Syndrome. Kardiologia Polska, 2013, 71, 212-213.	0.6	1
94	Assessment of the relationship between red cell distribution width and cardiac syndrome X. Kardiologia Polska, 2013, 71, 480-484.	0.6	37
95	Association of quadricuspid aortic valve and ventricular septal defect in a patient who had undergone atrial septal defect surgery. Kardiologia Polska, 2013, 71, 546-546.	0.6	8
96	Acute myocardial infarction after prednisolone administration for the treatment of anaphylaxis caused by a wasp sting : online article - case report. Cardiovascular Journal of Africa, 2013, 24, e4-e6.	0.4	12
97	Eat as much as you burn - a good diet and eating less should be more important than an intense exercise program for decreasing morbidity and mortality. Clinics, 2013, 68, 419.	1.5	1
98	Increased red cell distribution width in patients with slow coronary flow. Clinics, 2013, 68, 1288.	1.5	2
99	Carotid Intima-Media Thickness and Other Inflammatory Markers in Clinical Practice. Arquivos Brasileiros De Cardiologia, 2013, 100, 585.	0.8	3
100	Carotid intima-media thickness is a relatively inexpensive and favorable prognostic marker in patients with spondyloarthritis. Sao Paulo Medical Journal, 2013, 131, 436-438.	0.9	2
101	Prediction of hospital events based on the severity of illness. Clinics, 2013, 68, 121-121.	1.5	0
102	Huge interatrial septal aneurysm associated with a multiple atrial septal defect evaluated by transesophageal echocardiography. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 88-88.	0.5	1
103	The Interaction of Clopidogrel and Proton Pump Inhibitors. Journal of Clinical and Analytical Medicine, 2013, 4, .	0.1	1
104	The assessment of diastolic dyssynchrony and function after cardiac resynchronisation therapy. Kardiologia Polska, 2013, 71, 439-439.	0.6	0
105	P2 scallop prolapsus resulting from chordae tendineae rupture detected by three- dimensional echocardiography. Kardiologia Polska, 2013, 71, 429-429.	0.6	0
106	Further studies should evaluate multiple predispositions in heart failure prognosis. Cardiology Journal, 2013, 20, 211.	1.2	0
107	Re: correlation between ankle-brachial index and microalbuminuria in type 2 diabetes mellitus. Iranian Journal of Kidney Diseases, 2013, 7, 415-6.	0.1	0
108	Assessment of right ventricular systolic function with dP/dt in healthy subjects: an observational study. Anatolian Journal of Cardiology, 2012, 13, 103-7.	0.4	8

#	ARTICLE	IF	CITATIONS
109	A parachute mitral valve accompanying persistent left superior vena cava: assessment by three-dimensional transthoracic echocardiography. <i>Anatolian Journal of Cardiology</i> , 2012, 12, E23-4.	0.4	1
110	Detachment and dislocation of thermoreactive clips from sternum in late postoperative period due to misuse. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2012, 14, 491-493.	1.1	4
111	Can we implant valved mitral prosthesis within all kinds of mitral rings through a transapical approach?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012, 144, 1536-1537.	0.8	0
112	Parachute Tricuspid Valve in a Patient with Atrial Septal Defect Detected by Two- and Three-Dimensional Echocardiography. <i>Echocardiography</i> , 2012, 29, E255-7.	0.9	2
113	Evaluation of the mean platelet volume in patients with cardiac syndrome X. <i>Clinics</i> , 2012, 67, 1019-1022.	1.5	77
114	Volume measurement of a cardiac myxomatous lesion with three-dimensional echocardiography. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2012, 40, 651-651.	0.5	0
115	The value of three dimensional echocardiography in the detection of prosthetic mitral valve dehiscence. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2012, 40, 652-652.	0.5	0